## Index

A	Blowback, 80, 263-264, 270, 284-285, 289,
AAFS Standards Board (ASB), xix, 61, 159,	291–295, 297, 302
174, 177, 309, 312	BlueStar, 53, 88
Abductive reasoning, 9, 17, 67, 143, 318	British Island Holiday Case, 194–199
Absence of evidence is not evidence of	Bryan, Joe, 158
absence case, 199–202	BT (distance between source & stain), 62–63
Accreditation, 255, 163, 175	Bullet trajectories, 250, 321
Action information, 126	Bunker mentality, 161
Albumin, 36, 55, 252, 253	
Alcock, James, 143	C
Ambiguous trace configurations, 297	Camm, David, xxiii, 139, 143, 147, 158, 163,
Amido black, 53, 122, 164, 239, 240, 267	169, 241–251, 298
Angle of Impact, 25, 87, 96, 99–101,	Capillary or capillaries, 36, 42, 78–80,
109, 149, 249	121, 154, 230, 285–286, 289–290, 292, 294–295
Animals and insects, 88-91	
Arc or cast-off configurations, 69, 71, 164	Catalytic tests, 52–53 benzidine, 52, 265
Arterial configurations, spurting, 5, 63, 70,	Kastle Meyer or phenolphthalin,
71, 237, 238, 239, 297, 318	52, 211–212
Aspirated, 73, 85, 127, 225, 226, 228	leuco-crystal violet, 52–53, 267
Associative evidence, xxi, 126, 175,	leuco-malachite green, 52
201, 277, 279	luminol, 52–53, 88, 122, 123, 147,
Automatic classification system, 62–63	148, 236, 239
Azimuth angle, 96–97	ortho-toluidine, 52
В	Catherine Woods case, 55
Back project, 101, 235, 297	Cell-serum separation, 253
Backspatter, 80, 81, 174, 243, 246, 247, 249	Certifications and qualification standards,
BackTrack Suite, 103	xix, 168, 176, 310, 322
Bandwagon effect, 161	Chemiluminescence, 52, 53, 88, 148
Belief engine, 143	Chronological sequencing, 144
Belt device, 104–105, 108–111	Claims of unusually high precision, 160
Benzidine, 52, 265	Classifying, xx, xxiii, 62, 124
Beyerstein, Barry L., 158, 160–161, 174	Cleland, Carol E., 1–2, 17
<b>Bias</b> , 18, 76, 132, 140, 142, 155, 160–161, 198,	Clot, clotted, clotting, 5, 24, 41–44, 55, 82–84,
204, 221, 251, 253, 263, 316–317, 348	173, 253, 293
cognitive biases, 140	CODIS, 56, 57
confirmation bias, 140	Cognitive biases, 140
congruence bias, 140	Collaborative Testing Services (CTS), 176
contextual bias, 140, 142	Commingling of mulitple blood traces, 16
expectation bias, 140, 263	Compositional analysis of bullet lead
Blood substitute(s), 43, 292	(CABL), 137–138
Blood trace deposit formation, xxii, 24, 37,	Compositionally indistinguishable volume of
111–116, 294	lead (CIVL), 137, 138
Blood traces on skin, 110, 196	Concealed blood traces case, 264
, -,	

Blood Traces: Interpretation of Deposition and Distribution, First Edition. Peter R. De Forest, Peter A. Pizzola, and Brooke W. Kammrath.

@ 2021 John Wiley & Sons Ltd. Published 2021 by John Wiley & Sons Ltd.

Concepts of accuracy and precision, 150	147, 179, 183, 191–194, 201, 202, 218,
Confirmation bias, 140	220, 222, 238–239, 247, 249–251, 254,
Congruence bias, 140	291, 298, 321
Constant vigilance, 132, 163, 164	Doyle, Sir Arthur Conan, 21
Contact transfer(s), 63–68, 123, 126, 245, 263, 266, 267, 278, 298–302	Drag, 63, 95, 101, 103–104, 149 Drop collapse, 76, 111, 297
Contemporaneous notes, 18	Droplet trajectory or trajectories, 69, 95-99,
Contested fratricide case, 235–240	101, 103–104, 106, 112, 124, 139, 149,
Contextual bias, 140, 142	224, 226, 228, 232, 297
Coomassie blue, 53	Dry-labbing, 139
Corrigan, William, 24, 180	_
Crater (drop impacts), 115, 255	E
Creeping inversion, 318	Eco, Umburto, 9
Crime scene investigation, xxiv, 3, 6–16, 25,	Education, xix, xxii, xxiii, 4, 19, 43, 131–132,
119–121, 123, 130, 157, 167–169, 171,	139, 150, 162, 169–173, 176–177, 251,
176, 221, 257, 269, 274	272, 305–312, 319–320, 322
Crime scene investigation stages, 6-16	Effective angle of incidence, 105
evidence documentation, 10–14	Effects caused by interaction of blood and
evidence recognition, 8–10	surface, 144
evidence recovery, packaging and	Elevation angle, 101–102
transportation, 14–16	Entrained, 73, 85
scene protection and security, 6–8	Error rate, 63, 137, 177
Critical thinking, 5, 161, 176	Ethylenediaminetetraacetic acid (EDTA), 42,
Crossed polarizers, polarized light	207, 214, 215, 218
photography, 49, 51, 52, 148	Evidence recognition, 4–6, 10, 14–15, 18, 316
Cross sectional density, 96	Exculpation, 158, 164
Crowning or "fingers," 37, 89, 114, 146	Expectation bias, 140, 263
Crude age estimations, 152	Experience, xix, xxiii, 4, 17, 19, 26, 119,
Cycling marks from magazine lips, 256	126, 131–132, 168, 169, 170, 172–174,
	176, 177, 239, 251, 261, 267, 271–272,
D	310, 322, 342
Daubert v. Merrell Dow Pharmaceuticals, Inc., 135–136, 307	Experimental design, 152–153, 169, 171, 253, 295
David Camm case, 139, 143, 147, 158, 163,	F
169, 242–251	Fabric issues, 298–301
Deductive reasoning, 9	False expectations, 148–149
Deficiency in scientific integrity, 139–140	False positives or false-positive, 53, 88
Dehydrogenase isozyme identification, 55	Falsifiability, 18, 135, 159
Density, 29–31, 33, 40, 43, 44, 151, 173, 293	The Farhan Nasser Case, 186–191
Depression, 111, 113	Fibrinogen, 36, 41–44
Dew point, 252	Flies, 88, 90–91
Dew Theory case, 252–254	Flow and flow configurations, rivulets, xxvi,
Diffusion, 53, 147, 160, 252, 253, 299–301	xxiv, 24, 63, 79, 82–83, 120–122, 144,
Diluted blood, diluted blood deposits, 5,	196, 290–293
83, 85, 123, 125, 218, 266	Flow stability, 33–34
Directional information, 129	Fluorescein, 122
<b>DNA</b> , xvi, xxi, 50, 52–58, 126, 128, 130, 136,	Folly of casting technicians as scientists, 169
149, 159, 192–195, 197, 199, 203, 204,	Footwear outsole pattern(s), xx, 7, 13, 14, 49,
209, 211, 213, 215, 217, 218, 220, 236,	64, 121, 126–129, 144, 201, 207–208, 214,
242, 243, 246, 259, 261, 292, 317	220, 274–279
rapid DNA technologies, 55-57	Fourier transform infrared spectroscopy
Documentation, xxiii, 4, 6–8, 10–14, 19,	(FTIR), 281
43-44, 48-49, 53, 63, 86, 88, 127, 131,	Framing effect, xv, 179–184

G	Isolation of a laboratory, crime scene
Generalist, 19, 139, 157, 168, 204, 222, 261, 262, 278, 279, 281	unit, 159
Geometric configurations, xx, 63, 183	J
Geometric interpretation, 26, 56	Joe Bryan case, 158
Gravity, 95, 103–106	K
Gross, Hans, xx, xxii, 22	Kastle Meyer (phenolphthalin), 52, 211–212
Gunshot to the forehead and the runaway	Kirk, Paul L., xvii, xxi, 21–25, 86,
car case, 270–273	108, 128, 129
Н	Knife in the gift bag case, 185–186
Hairs in the recoil spring, 259	L
Height of fall estimations, 151	Lack of formal training, 161
Hemaocrit, 36, 40, 44	Lack of replicability, 159–160, 254
Heme, 52	Lack of teamwork, 130–131
<b>Hemoglobin</b> , 55–56, 253, 290	Laser scanning technology, 249–251
to albumin ratio, 55, 253	Leuco-crystal violet, 52–53, 267
Hemostasis, 41	Leuco-malachite green, 52
Hierarchical structure or taxonomy, 62, 63	Light emitting diode (LED), 48
Holistic approach or philosophy, xxi, 19, 152,	Limitations of laboratory SOPs, 54
154, 177, 222, 269, 271, 320–321	Limitations, problems, & common
Holmes, Sherlock, 21	acceptance of the status quo, 130
Horizontal velocity, horizontal component of	Luminol, 52–53, 88, 122, 123, 147, 148, 236, 239
velocity, 95, 104–105 Hungarian red, 53	M
e ·	MacDonell, Herbert, xxii, 25, 26, 38, 61, 101,
Hydrophobicity, 143, 146, 147 Hyperspectral imaging, 55, 56	110, 129, 172, 184, 252–254, 295–296
Hypochlorite bleach, 53	Machine learning, 62, 63
Hypothesis development, 17–18, 136, 143, 169	Maggots, 88, 91
Hypothesis testing, xix, 9, 17, 140, 316	Malfunction of semi-automatic pistol, 255, 257, 260–261
I	Measurement uncertainty and significant
Imagined Mist Pattern case, 262	figures, 150
Impact crater from bullet impacts, 255, 258, 261	Mechanism(s) of production, xxiii, 5, 37, 38,
Impact mechanism, 110–113	39, 52, 54, 62, 69
Impact plane, 97, 122, 125	Menstrual blood, 55
Impenetrability, 161	Menstruum identification, 55
Inclined surfaces, 37, 98, 104, 116	Mentoring, 132, 170, 172, 174, 322
Incompetence, 159, 163, 173, 241, 242, 246	<b>Misconceptions</b> , 73–77, 86, 103, 114–115,
Inculpation, 164	148, 170–173, 200–201, 283–302
Inductive reasoning, 9, 67	ambiguous trace configurations, 297-302
Infrared (IR) absorption, 48	asymmetrical blood projections from
Infrared (IR) hyperspectral imaging, 56	impacts, 302
Infrared (IR) luminescence or	absence of physical evidence
fluorescence, 48	interpretation, 200–201
Infrared (IR) photography, 48, 58, 148	blood traces produced by gunshot
Initial wounding, xxiv, 120–122, 140, 264	wounds, 283–295
Insect, 29, 88–91	claimed equivalence of deposit and drop
Insect traces, 88–91	diameters, 296–297
In-service training (IST), 172	claims regarding the Balthazard et al.
Interference filters, 48	paper, 296
Investigator inexperience, 132	droplet trajectories, 103
Involution, 111	education v. training, 170–173

Misconceptions (cont'd)	Pattern directed sampling, 130
false expectation of airborne droplets from	Peer or technical review, 142, 163, 174–175,
the first wounding, 148	310–312
The "Normal Drop" claim, 295–296	Peirce, Charles S., 9, 17
secondary spatter, 73-77, 86, 114-115	People of NY v. Castro, 163
Misuse of data, 159, 160, 253	Pernicious consequences, xxii, 22, 158, 172,
Misuse of scientific method, 132	241–242, 251, 254, 319
Misuse of simulants, 153	Phenolphthalin, 52, 211–212
Molecular vibrations, 56	<b>Photography</b> , 7, 10–13, 23, 37, 48–52, 53,
Monochromators, 48	58, 78, 79, 105, 114, 148, 176, 192, 218,
Montage of synthesized sequence of drop	239, 248, 250, 251, 275, 277, 296
impacting sessile drop, 37, 115	with crossed polarizers, 49–52, 148
Multi-disciplinary practitioner, 158	high-speed, 23, 35, 37, 69, 77–79, 98–99,
Murder of a deputy: shooting in a hospital	105–106, 111, 113–115, 292, 293, 296
room case, 279–281	infrared (IR), 48, 58, 148
Murder of an off-duty police officer case, 254–262	Photomicrographs of thin sections of tissue
	particulates, 260 Physical evidence record, 1–8, 17–18,
Muzzle imprint, 257, 261	119–122, 131, 154, 179, 191, 271, 318
N	Physical fit, 135–136
Nassau County Police Laboratory (Forensic	Poe, Edgar Allan, 21
Evidence Bureau or "FEB"), 159	Poiseuille's equation, 32, 33
Nasser, Farhan, 186–191	Polarized light photography, 49, 51, 52, 148
National Institute of Forensic Science of	Polychromatic, 48
Australia & New Zealand, 158	Pooling, 82, 274
Neglect of scientific principles, 132	Popper, Karl, 135
Newtonian fluid(s), 31, 32, 36, 44	Positional information, 128
Newtonian relativity & relativistic motion,	Post-event blood & other traces, xxii, 3, 7,
104, 107, 109	121, 104, 140–142, 264, 316
NIST OSAC, 307–308	Post-incident events, 3-6, 87, 122, 140
Noncontact transfers, 5, 69	Pre and post-event artifacts, 140
Non-Newtonian fluid, 31, 32	Precipitin test, 265
0	Presumptive tests, 47, 52, 53, 56, 126, 147,
Oblique illumination, 48, 144, 148, 216	211, 212, 221, 264, 265, 267
Obscured bloody imprint case, 273–279	Principles of blood trace
Observer-expectancy effect, 140	reconstruction, 119–125
O.J. Simpson case, 15, 128, 205–223	Problems with interpretation of specific
On-site crime scene proficiency test, 176	configurations, 148–152
Opinion of a scientist vs. scientific	Professional development, 159, 174, 319
opinion, 139	Prosecutors, 7, 138, 162, 168, 175, 191,
Ortho-toluidine, 52	193–194, 198–199, 223 Protein-denaturing components, 53, 268
OSAC(s), xix-xx, 26, 61-62, 176, 306-308,	Protein quantitation methods, 55
317	Protein, serum protein, 36, 53
Over-interpretation, 125, 136–139, 143	Protein stain(s) or staining, 52–53, 55,
Overlapping blood trace, 144	122, 126, 164, 239, 240, 267
P	amido black, 53, 122, 164, 239, 240, 267
Parabolic trajectories, 98–99, 103, 149	Coomassie blue, 53
Pareidolia, 142–143, 180, 201, 299	Hungarian red, 53
Park, Robert, 142	Pseudo-enzymatic or peroxidase-like, 52
Passive documentation, 7, 8, 14, 127	Pseudoscience, xxii, 135, 157–164, 254,
Passive documentation case, 191–194	263

Q	Standard operating procedures, SOPs,
Quench, 48	54–55, 322
R	Stereomicroscope, 135, 216, 217, 244, 298, 300
Radial ("impact") spatter, 5, 23, 61, 63, 73–74,	Stomping homicide: misuse of enhancement
103, 128–129, 149–150, 181–182, 232	reagents, 266
Raman hyperspectral imaging, 56	Stove-pipe jamb mark, 255–256
Raman spectrum of blood, 56	Stroboscopic photography, 98–99, 105–106
Rapid DNA technologies, 55–57	Surface normal, 96–97, 99, 110, 113
Rayleigh Number, 33	Surface tension, 29, 30, 37, 38, 40, 43, 44,
Rear curtain flash, 53, 88, 148	111, 112, 173, 293
<b>Reconstruction</b> , xv, xx–xxiv, 3, 5, 17–19,	SWGSTAIN, xix, 61–62, 176, 305–308
23, 26, 30, 42, 52, 63–66, 74, 83, 86,	
103, 104, 119–155, 158, 160, 162, 163,	T
168–177, 180, 184, 189, 201, 203–204,	Takayama microcrystal test, 265
222, 224, 227–229, 233, 241–243, 249,	Taxonomic classification system, 62, 63
251, 253, 255–256, 259–264, 266–274,	Taxonomy, 61–64, 124
280-281, 289, 291, 297, 306-310, 312,	Taylor reliability study, 63
316-318, 320-322	Teamwork, 130–131, 168, 223, 319
reconstruction v. reenactment, 18-19	Temporal information, 129
Reconstructionists, xxiii, 169	Terminology, typology, and taxonomy,
Reenactment, 18–19	61–92
Region of convergence, 101, 103	Timeline of historical sciences, 2
Region of origin, 96, 101–104, 149, 150	Time since deposition, 56, 152
Reynolds number, 33, 37, 62	<b>Tissue (body)</b> , 41, 78–81, 121, 153–154,
Rivulets, 66, 82–83, 91	171, 229–230, 255, 257, 259–261,
RNA analysis, 55	283–295, 298
S	tissue fragments in the recess of the pistol frame, 259–260
Samuel Gerber and the "surgical	tissue simulant, 285–295
instrument," 181	tissue spatter from a large caliber gunshot
Samuel Sheppard case, 128, 142, 180–184	case, 229–230
Satellites, satellite or micro droplets, 37, 70,	Trace formation, xxii, 24, 37, 294
72, 114, 115, 299	Trail configurations, 6, 66, 71, 72, 89, 128,
Scene as a recording medium, 1	141, 207, 211, 212
Scientific method, 8, 9, 12, 18–19, 23, 26,	Triple homicide, 202–204
132-133, 136, 139-140, 143, 154, 157-	Tunable light sources, 48, 58
159, 163, 169, 170, 172–173, 185, 198,	TWG or TWGS, technical working
263, 278, 316, 317, 341	group(s), 159, 305
Secondary spatter, 73–77, 86, 114–115	<b>Typology</b> , 61–63, 124
Sedimentation, 40, 42	typology for blood trace deposits, 63–91
Sensitivity of detection, 159, 160	typology system, 63
Serum separation, 82, 84, 253	U
Sheindlin, Judge Gerald, 163	Ulterior motives, 161–162
Sheppard, Samuel, 128, 142, 180–184	Unavoidable environmental events, 90
Shooting of a Driver case, 160, 230–235	Unfired cycled cartridges, 260
Simpson, Orenthal James (O.J.), 15,	Omnou dy crou curtifuges, 200
128, 205–223	V
Spatter associated with gunshot wounds, 78	Vectors, 95, 108
Specific gravity, 31	Verification stage of the scientific
Spines, 37, 145, 152	method, 143
Splash configurations, 5, 37, 114	Vertical crime scene case, 223–229

## **348** Index

Vertical velocity, vertical component of velocity, 98, 105–109 Viscoelasticity, 34 Viscosity, 29, 31–34, 36, 40, 43, 44, 95, 149, 173, 292, 293 Visualization of blood, 48–53, 58, 102, 148, 216

Voids, 5, 74, 86

## $\mathbf{W}$

Weber number, 29–30, 37, 62, 294 Woodchipper case, 55 Woods, Catherine, 55