

Table of Contents

1	Introduction	1
1.1	Three Reference Classes of Hypersonic Vehicles	2
1.2	Aerothermodynamics and the Definition and Development of Flight Vehicles	4
1.2.1	Design Sensitivities and Margins versus Data Uncertainties	4
1.2.2	Deficits of Aerothermodynamic Simulation Means	5
1.3	Scope and Content of the Book	8
	References	9
2	Short Introduction to Flight Trajectories for Aerothermodynamicists	11
2.1	Flight Trajectories of Winged and Non-Winged Re-Entry Vehicles	13
2.1.1	General Aspects	13
2.1.2	Guidance Objectives, Trajectory Control Variables, and Systems and Operational Constraints	16
2.1.3	Forces Acting on a Re-Entry Vehicle	21
2.1.4	The Equilibrium Glide Trajectory	24
2.1.5	Equilibrium Glide Trajectory: Qualitative Results	27
2.1.6	Case Study 1: Trajectories of RV-NW's	32
2.1.7	Case Study 2: Trajectory of a RV-W (X-38)	34
2.2	Flight Trajectories of Cruise and Acceleration Vehicles	37
2.2.1	General Aspects	37
2.2.2	Guidance Objectives, Trajectory Control Variables, and Systems and Operational Constraints	40
2.2.3	Forces Acting on a Cruise and Acceleration Vehicle	42
2.2.4	Case Study 3: Trajectory of a CAV (SÄNGER)	44
2.3	General Equations for Planetary Flight	47
2.4	Problems	54
	References	55

3	Aerothermodynamic Design Problems of Winged Re-Entry Vehicles	59
3.1	Overview of Aerothermodynamic Issues of Winged Re-Entry Vehicles	59
3.1.1	Aerothermodynamic Phenomena	59
3.1.2	Major Simulation Problem: High Mach Number and Total Enthalpy Effects	64
3.2	Particular Trends in RV-W Aerothermodynamics	64
3.2.1	Stagnation Pressure	64
3.2.2	Topology of the Windward Side Velocity Field	67
3.2.3	Lift Generation	71
3.2.4	Base Pressure and Drag	73
3.3	Aerodynamic Performance Data of RV-W's	74
3.3.1	Space Shuttle Orbiter	75
3.3.2	HERMES Configuration	78
3.3.3	HOPE-X Configuration	81
3.3.4	X-34 Configuration	82
3.3.5	X-38 Configuration	85
3.3.6	HOPPER/PHOENIX Configuration	89
3.3.7	Summary	91
3.4	Vehicle Flyability and Controllability	94
3.4.1	General Considerations	94
3.4.2	Trim and Stability of RV-W's	95
3.5	The Hypersonic Pitching Moment Anomaly of the Space Shuttle Orbiter	98
3.5.1	Trim Situation and Possible Causes of the Pitching Moment Anomaly	99
3.5.2	Pressure Coefficient Distribution at the Windward Side of the Orbiter	101
3.5.3	The Forward Shift of the Center-of-Pressure	107
3.6	The Hypersonic Pitching Moment Anomaly in View of Oswatitsch's Mach Number Independence Principle	109
3.6.1	Introduction	109
3.6.2	Wall Pressure Coefficient Distribution	111
3.6.3	A Simple Analysis of Flight Mach Number and High-Temperature Real Gas Effects	117
3.6.4	Reconsideration of the Pitching Moment Anomaly and Summary of Results	119
3.6.5	Concluding Remarks	121
3.7	Problems	121
	References	123

4	Aerothermodynamic Design Problems of Winged Airbreathing Vehicles	129
4.1	Overview of Aerothermodynamic Issues of Cruise and Acceleration Vehicles	130
4.1.1	Aerothermodynamic Phenomena	130
4.1.2	Major Simulation Problem: Viscous Effects	137
4.2	Particular Trends in CAV/ARV Aerothermodynamics	141
4.2.1	Stagnation Pressure	141
4.2.2	Topology of the Forebody Windward Side Velocity Field	142
4.2.3	Lift Generation	142
4.2.4	Base Pressure and Drag	142
4.2.5	Aerodynamic Performance	144
4.3	Example: Flight Parameters and Aerodynamic Coefficients of the Reference Concept SÄNGER	145
4.4	General Configurational Aspects: Highly Coupled Lift and Propulsion System	153
4.4.1	Some Vehicle Shape Considerations	153
4.4.2	Bookkeeping of Aerothermodynamic and Propulsion System Forces	156
4.5	Issues of Aerothermodynamic Airframe/Propulsion Integration	164
4.5.1	Forebody Effect	165
4.5.2	Flat versus Conical Lower Side of Forebody	166
4.5.3	Principle of Forebody Pre-Compression	168
4.5.4	Net Thrust Sensitivity on Pre-Compression	172
4.5.5	Inlet Ramp Flow	175
4.6	Waverider Configurations	179
4.6.1	Introduction	179
4.6.2	Design Methods	180
4.6.3	Exemplary Waverider Designs	185
4.6.4	Influence of Viscous Effects on the Aerodynamic Performance	188
4.6.5	Off-Design and Low-Speed Behavior	192
4.6.6	Static Stability Considerations	199
4.6.7	Waverider—Operable Vehicle?	200
4.7	Problems	203
	References	205
5	Aerothermodynamic Design Problems of Non-Winged Re-Entry Vehicles	211
5.1	Introduction and Entry Strategies	211
5.1.1	Aerobraking	213
5.1.2	Aerocapturing	214
5.1.3	Ballistic Flight—Ballistic Factor	214

5.2	General Configurational Aspects.....	215
5.2.1	Ballistic Probes	215
5.2.2	Lifting Capsules	218
5.2.3	Bicones	222
5.3	Trim Conditions and Static Stability of RV-NW's.....	224
5.3.1	Park's Formula	224
5.3.2	Performance Data of Lifting Capsules	226
5.3.3	Controlled Flight and the Role of the Center-of-Gravity	230
5.3.4	Sensitivity of Aerodynamics against Shape Variations ..	233
5.3.5	Parasite Trim	235
5.3.6	Performance Data of Bicones	237
5.3.7	Influence of High Temperature, Real Gas Effects on Forces and Moments	241
5.4	Dynamic Stability	244
5.4.1	Physics of Dynamic Instability	245
5.4.2	Equation of Angular Motion	249
5.4.3	Experimental Methods	253
5.4.4	Numerical Methods	257
5.4.5	Typical Experimental Results	258
5.5	Thermal Loads	261
5.5.1	OREX Suborbital Flight	262
5.5.2	ARD Suborbital Flight	263
5.5.3	APOLLO Low Earth Orbit (LEO) and Lunar Return ..	265
5.5.4	VIKING-Type Shape Technology Study	267
5.6	Problems	273
	References	275
6	Stabilization, Trim, and Control Devices	279
6.1	Control Surface Aerothermodynamics, Introduction	279
6.1.1	Flap Effectiveness: Influence of the Onset Flow Field..	280
6.1.2	Flap Deflection Modes during Hypersonic Flight.....	281
6.2	Onset Flow of Aerodynamic Trim and Control Surfaces	282
6.2.1	Overall Onset Flow Characteristics	282
6.2.2	Entropy Layer of the Onset Flow	287
6.2.3	The Onset Flow Boundary Layer	293
6.3	Asymptotic Consideration of Ramp Flow	298
6.3.1	Basic Types of Ramp Flow	298
6.3.2	Behavior of the Wall Pressure	301
6.3.3	Behavior of the Thermal State of the Surface	311
6.3.4	Behavior of the Wall-Shear Stress	324
6.4	Hinge-Line Gap Flow Issues	324
6.5	Aerothermodynamic Issues of Reaction Control Systems	329
6.6	Configurational Considerations	336
6.6.1	Examples of Stabilization, Trim and Control Devices..	337

6.6.2	Geometrical Considerations	339
6.6.3	Flap Width versus Flap Length	340
6.6.4	Volumes of Stabilization and Control Surfaces	342
6.7	Concluding Remarks	347
6.7.1	Summary of Results	347
6.7.2	Simulation Issues	349
6.8	Problems	351
	References	351
7	Forces, Moments, Center-of-Pressure, Trim, and Stability in General Formulation	357
7.1	Moment Equation	357
7.2	General Formulation of the Center-of-Pressure	360
7.3	Static Stability Considerations for Bluff Configurations	363
7.4	Static Stability Considerations for Slender Configurations	364
7.5	Further Contemplations of Static Stability	365
7.6	Coordinate Transformations of Force Coefficients	367
7.7	Problems	369
	References	369
8	Multidisciplinary Design Aspects	371
8.1	Introduction and Short Overview of the Objectives of Multidisciplinary Design Work	373
8.2	Equations for Fluid-Structure Interaction Domains	376
8.2.1	Fluid Dynamics Equations	376
8.2.2	Structure Dynamics Equations	379
8.2.3	Heat Transport Equation	381
8.3	Coupling Procedures	382
8.3.1	Mechanical Fluid-Structure Interaction Aeroelastic Approach I	383
8.3.2	Mechanical Fluid-Structure Interaction Aeroelastic Approach II	384
8.3.3	Thermal-Mechanical Fluid-Structure Interaction	386
8.4	Examples of Coupled Solutions	389
8.4.1	Mechanical Fluid-Structure Interaction Aeroelastic Approach I	389
8.4.2	Mechanical Fluid-Structure Interaction Aeroelastic Approach II	389
8.4.3	Thermal-Fluid-Structure Interaction	395
8.4.4	Thermal-Mechanical-Fluid-Structure Interaction	404
8.5	Conclusion	407
8.6	Problems	408
	References	409

9	The Thermal State of a Hypersonic Vehicle Surface	413
9.1	Heat Transport at a Vehicle Surface	414
9.2	The Thermal State of a Vehicle Surface	416
9.3	Aerothermodynamic Simulation Compendium	418
9.3.1	Ground-Facility Simulation	419
9.3.2	Computational Simulation	420
9.3.3	In-Flight Simulation	422
	References	423
10	The γ_{eff} Approach and Approximate Relations	425
10.1	Elements of the RHPM ⁺ Flyer: γ_{eff} Approach and Bow Shock Total Pressure Loss	425
10.1.1	Introduction and Delineation	425
10.1.2	The γ_{eff} Approach: General Considerations	426
10.1.3	Normal Shock Wave	427
10.1.4	Oblique Shock Wave	431
10.1.5	Bow Shock Total Pressure Loss: Restitution of Parameters of a One-Dimensional Surface Flow	433
10.1.6	The Compressibility Factor Z	434
10.1.7	Results across Shocks in the Large M_1 Limit Using γ_{eff}	436
10.2	Transport Properties	437
10.3	Formulas for Stagnation Point Heating	439
10.4	Flat Surface Boundary Layer Parameters Based on the Reference-Temperature/Enthalpy Concept	441
10.4.1	Reference-Temperature/Enthalpy Concept	441
10.4.2	Boundary Layer Thicknesses Over Flat Surfaces	443
10.4.3	Wall Shear Stress and Thermal State at Flat Surfaces	444
10.4.4	Virtual Origin of Boundary Layers at Junctions	445
	References	446
11	Solution Guide and Solutions of the Problems	449
11.1	Problems of Chapter 2	449
11.2	Problems of Chapter 3	450
11.3	Problems of Chapter 4	452
11.4	Problems of Chapter 5	455
11.5	Problems of Chapter 6	457
11.6	Problems of Chapter 7	459
11.7	Problems of Chapter 8	460
	References	461
Appendix A. The Governing Equations of Aerothermodynamics		463
A.1	Governing Equations for Chemical Non-Equilibrium Flow	463

A.2 Equations for Excitation of Molecular Vibrations and Electron Modes	468
A.2.1 Excitation of Molecular Vibrations	468
A.2.2 Electron Modes	470
A.3 Vector Form of Navier–Stokes Equations Including Thermal Non-Equilibrium	471
References	473
Appendix B. The Earth’s Atmosphere.....	475
References	481
Appendix C. Constants, Units and Conversions	483
C.1 Constants and Air Properties	483
C.2 Units and Conversions	484
References	486
Appendix D. Symbols	487
D.1 Latin Letters	487
D.2 Greek Letters	492
D.3 Indices	494
D.3.1 Upper Indices	494
D.3.2 Lower Indices	494
D.4 Other Symbols	496
Appendix E. Glossary, Abbreviations, Acronyms	499
E.1 Glossary	499
E.2 Abbreviations, Acronyms	501
Permissions.....	503
Name Index	505
Subject Index	511