

Contents

1 Introduction	1
2 Optics of Nonlinear Crystals	3
2.1 Three- and Four-Wave (Three- and Four-Frequency) Interactions in Nonlinear Media	3
2.2 Phase-Matching Conditions	5
2.3 Optics of Uniaxial Crystals	6
2.4 Types of Phase Matching in Uniaxial Crystals	10
2.5 Calculation of Phase-Matching Angles in Uniaxial Crystals	13
2.6 Reflection and Refraction of Light Waves at the Surfaces of Uniaxial Crystals	14
2.7 Optics of Biaxial Crystals	16
2.8 Types of Phase Matching in Biaxial Crystals	18
2.9 Calculation of Phase-Matching Angles in Biaxial Crystals	19
2.10 Crystal Symmetry and Effective Nonlinearity: Uniaxial Crystals	23
2.11 Crystal Symmetry and Effective Nonlinearity: Biaxial Crystals	25
2.12 Theory of Nonlinear Frequency-Conversion Efficiency	32
2.13 Wave Mismatch and Phase-Matching Bandwidth	40
2.14 Calculation of Nonlinear Frequency-Conversion Efficiency in Some Special Cases	48
2.14.1 Plane-Wave Fixed-Field Approximation	49
2.14.2 Fundamental Wave Depletion (“Nonlinear Regime”)	52
2.14.3 SHG of a Divergent Fundamental Radiation Beam in the Fixed-Field Approximation	54
2.14.4 SHG of a Divergent Fundamental Radiation Beam in the Nonlinear Regime	55
2.14.5 Fixed-Intensity Approximation	57
2.14.6 Frequency Conversion of Ultrashort Laser Pulses	59
2.14.7 Frequency Conversion of Laser Beams with Limited Aperture in the Stationary Regime	61
2.14.8 Linear Absorption	65
2.15 Additional Comments	65

3 Properties of Nonlinear Optical Crystals	67
3.1 Basic Nonlinear Optical Crystals	68
3.1.1 LiB_3O_5 , Lithium Triborate (LBO)	68
3.1.2 KH_2PO_4 , Potassium Dihydrogen Phosphate (KDP)	78
3.1.3 KD_2PO_4 , Deuterated Potassium Dihydrogen Phosphate (DKDP)	85
3.1.4 $\text{NH}_4\text{H}_2\text{PO}_4$, Ammonium Dihydrogen Phosphate (ADP)	90
3.1.5 $\beta\text{-BaB}_2\text{O}_4$, Beta-Barium Borate (BBO)	96
3.1.6 LiIO_3 , Lithium Iodate	103
3.1.7 KTiOPO_4 , Potassium Titanyl Phosphate (KTP)	107
3.1.8 LiNbO_3 , Lithium Niobate	119
3.1.9 KNbO_3 , Potassium Niobate	126
3.1.10 AgGaS_2 , Silver Thiogallate	132
3.1.11 ZnGeP_2 , Zinc Germanium Phosphide	136
3.2 Frequently Used Nonlinear Optical Crystals	142
3.2.1 $\text{KB}_5\text{O}_8 \cdot 4\text{H}_2\text{O}$, Potassium Pentaborate Tetrahydrate (KB5)	142
3.2.2 $\text{CO}(\text{NH}_2)_2$, Urea	146
3.2.3 CsH_2AsO_4 , Cesium Dihydrogen Arsenate (CDA)	149
3.2.4 CsD_2AsO_4 , Deuterated Cesium Dihydrogen Arsenate (DCDA)	152
3.2.5 KTiOAsO_4 , Potassium Titanyl Arsenate (KTA)	156
3.2.6 $\text{MgO} : \text{LiNbO}_3$, Magnesium-Oxide-Doped Lithium Niobate	159
3.2.7 Ag_3AsS_3 , Proustite	162
3.2.8 GaSe , Gallium Selenide	166
3.2.9 AgGaSe_2 , Silver Gallium Selenide	169
3.2.10 CdSe , Cadmium Selenide	173
3.2.11 CdGeAs_2 , Cadmium Germanium Arsenide	176
3.3 Other Inorganic Nonlinear Optical Crystals	179
3.3.1 $\text{KB}_5\text{O}_8 \cdot 4\text{D}_2\text{O}$, Deuterated Potassium Pentaborate Tetrahydrate (DKB5)	179
3.3.2 CsB_3O_5 , Cesium Triborate (CBO)	180
3.3.3 $\text{BeSO}_4 \cdot 4\text{H}_2\text{O}$, Beryllium Sulfate	182
3.3.4 MgBaF_4 , Magnesium Barium Fluoride	184
3.3.5 $\text{NH}_4\text{D}_2\text{PO}_4$, Deuterated Ammonium Dihydrogen Phosphate (DADP)	186
3.3.6 RbH_2PO_4 , Rubidium Dihydrogen Phosphate (RDP)	188
3.3.7 RbD_2PO_4 , Deuterated Rubidium Dihydrogen Phosphate (DRDP)	192
3.3.8 KH_2AsO_4 , Potassium Dihydrogen Arsenate (KDA)	192
3.3.9 KD_2AsO_4 , Deuterated Potassium Dihydrogen Arsenate (DKDA)	195

3.3.10	$\text{NH}_4\text{H}_2\text{AsO}_4$, Ammonium Dihydrogen Arsenate (ADA)	196
3.3.11	$\text{NH}_4\text{D}_2\text{AsO}_4$, Deuterated Ammonium Dihydrogen Arsenate (DADA)	198
3.3.12	RbH_2AsO_4 , Rubidium Dihydrogen Arsenate (RDA)	199
3.3.13	RbD_2AsO_4 , Deuterated Rubidium Dihydrogen Arsenate (DRDA)	202
3.3.14	$\text{LiCOOH} \cdot \text{H}_2\text{O}$, Lithium Formate Monohydrate (LFM)	204
3.3.15	NaCOOH , Sodium Formate	207
3.3.16	$\text{Ba}(\text{COOH})_2$, Barium Formate	209
3.3.17	$\text{Sr}(\text{COOH})_2$, Strontium Formate	210
3.3.18	$\text{Sr}(\text{COOH})_2 \cdot 2\text{H}_2\text{O}$, Strontium Formate Dihydrate	211
3.3.19	LiGaO_2 , Lithium Gallium Oxide	213
3.3.20	$\alpha\text{-HIO}_3$, α -Iodic Acid	214
3.3.21	$\text{K}_2\text{La}(\text{NO}_3)_5 \cdot 2\text{H}_2\text{O}$, Potassium Lanthanum Nitrate Dihydrate (KLN)	217
3.3.22	CsTiOAsO_4 , Cesium Titanyl Arsenate (CTA)	220
3.3.23	NaNO_2 , Sodium Nitrite	221
3.3.24	$\text{Ba}_2\text{NaNb}_5\text{O}_{15}$, Barium Sodium Niobate (“Banana”)	224
3.3.25	$\text{K}_2\text{Ce}(\text{NO}_3)_5 \cdot 2\text{H}_2\text{O}$, Potassium Cerium Nitrate Dihydrate (KCN)	227
3.3.26	$\text{K}_3\text{Li}_2\text{Nb}_5\text{O}_{15}$, Potassium Lithium Niobate	229
3.3.27	HgGa_2S_4 , Mercury Thiogallate	231
3.3.28	HgS , Cinnibar	233
3.3.29	Ag_3SbS_3 , Pyrargyrite	235
3.3.30	Se, Selenium	236
3.3.31	Tl_3AsS_3 , Thallium Arsenic Selenide (TAS)	238
3.3.32	Te, Tellurium	240
3.4	Other Organic Nonlinear Optical Crystals	243
3.4.1	$\text{C}_{12}\text{H}_{22}\text{O}_{11}$, Sucrose (Saccharose)	243
3.4.2	L-Arginine Phosphate Monohydrate (LAP)	245
3.4.3	Deuterated L-Arginine Phosphate Monohydrate (DLAP)	247
3.4.4	L-Pyrrolidone-2-carboxylic Acid (L-PCA)	250
3.4.5	$\text{CaC}_4\text{H}_4\text{O}_6 \cdot 4\text{H}_2\text{O}$, Calcium Tartrate Tetrahydrate (L-CTT)	251
3.4.6	$(\text{NH}_4)_2\text{C}_2\text{O}_4 \cdot \text{H}_2\text{O}$, Ammonium Oxalate (AO)	253
3.4.7	m-Bis(aminomethyl)benzene (BAMB)	254
3.4.8	3-Methoxy-4-hydroxy-benzaldehyde (MHBA)	256
3.4.9	2-Furyl Methacrylic Anhydride (FMA)	258
3.4.10	3-Methyl-4-nitropyridine-1-oxide (POM)	259
3.4.11	Thienylchalcone (T-17)	261
3.4.12	5-Nitrouracil (5NU)	263
3.4.13	2-(N-Prolinol)-5-nitropyridine (PNP)	265

3.4.14	2-Cyclooctylamino-5-nitropyridine (COANP)	266
3.4.15	L-N-(5-Nitro-2-pyridyl)leucinol (NPLO)	268
3.4.16	C ₆ H ₄ (NO ₂) ₂ , m-Dinitrobenzene (MDNB)	270
3.4.17	4-(N,N-Dimethylamino)-3-acetamidonitrobenzene (DAN)	272
3.4.18	Methyl-(2,4-dinitrophenyl)-aminopropanoate (MAP)	274
3.4.19	m-Nitroaniline (MNA)	276
3.4.20	N-(4-Nitrophenyl)-N-methylaminoacetonitrile (NPAN)	278
3.4.21	N-(4-Nitrophenyl)-L-prolinol (NPP)	280
3.4.22	3-Methyl-4-methoxy-4'-nitrostilbene (MMONS)	281
3.5	Properties of Crystalline Quartz (α -SiO ₂)	283
3.6	New Developments	286
4	Applications of Nonlinear Crystals	289
4.1	Generation of Neodymium Laser Harmonics	289
4.1.1	Second-Harmonic Generation of Neodymium Laser Radiation in Inorganic Crystals	289
4.1.2	Second-Harmonic Generation of 1.064 μ m Radiation in Organic Crystals	294
4.1.3	Intracavity SHG	296
4.1.4	Third-Harmonic Generation	298
4.1.5	Fourth-Harmonic Generation	301
4.1.6	Fifth-Harmonic Generation	301
4.1.7	Harmonic Generation of 1.318 μ m Radiation	304
4.2	Harmonic Generation of High-Power Large-Aperture Neodymium Glass Laser Radiation	306
4.2.1	"Angle-Detuning" Scheme	306
4.2.2	"Polarization-Mismatch" Scheme	306
4.2.3	"Polarization-Bypass" Scheme	308
4.2.4	Comparison of Schemes	308
4.2.5	Experimental Results	308
4.2.6	"Quadrature" Scheme	310
4.3	Harmonic Generation for Other Laser Sources	311
4.3.1	Ruby Laser	311
4.3.2	Ti:sapphire Laser	312
4.3.3	Semiconductor Lasers	312
4.3.4	Dye Lasers	315
4.3.5	Gas Lasers	320
4.3.6	Iodine Laser	321
4.3.7	CO ₂ Laser	324
4.3.8	Other Lasers	324
4.3.9	Frequency Conversion of Femtosecond Pulses	326

4.4	Sum-Frequency Generation	327
4.4.1	Up-Conversion to the UV Region	328
4.4.2	Infrared Up-Conversion	333
4.4.3	Up-Conversion of CO ₂ Laser Radiation to the Near IR and Visible Regions	336
4.5	Difference-Frequency Generation	339
4.5.1	DFG in the Visible Region	339
4.5.2	DFG in the Mid IR Region	340
4.5.3	DFG in the Far IR Region	344
4.6	Optical Parametric Oscillation	345
4.6.1	OPO in the UV, Visible, and Near IR Spectral Regions	345
4.6.2	OPO in the Mid IR Region	359
4.6.3	Conversion of OPO Radiation to the UV Region	360
4.7	Stimulated Raman Scattering and Picosecond Continuum Generation in Crystals	362
References		367
Appendix: List of Commonly Used Laser Wavelengths		405
Subject Index		407