

# Index

- 12-lead standard ECG recording 60
- 24-lead ECG recording 60
- AAI/AAIR (atrial single-chamber) pacemaker 386, 389, 391, 394, 450, 540
- aberrancy versus ectopy, wide QRS complexes 316, 317, 323, 340–341
- aberrant conduction
  - arrhythmias 314–319
  - concealed conduction 317–319
  - phase 3 aberrancy 315–316
  - phase 4 aberrancy 316–317
  - without RR changes 317
- aberrant supraventricular tachycardia, misdiagnosed as ventricular tachycardia 406
- ablation
  - area location 218, 219, 562, 563
  - pacemaker combination 389
  - postsurgical tachycardia 324, 326
  - recommendations 224, 225, 334, 342–343, 348, 354, 537
- ablation zones/areas 217, 220
- abnormal activation, bundle branch blocks 172
- abrupt decrease in blood flow *see* acute coronary syndromes
- absolute refractory period (ARP), cardiac cell property 40
- accessory pathways, WPW ventricular pre-excitation 215, 216–217, 222, 223
- acquired long QT 413, 545–546
- ACS *see* acute coronary syndromes
- ACT *see* ambulatory cardiac telemetry device
- action potential (AP)
  - basis of cellular electrograms 52–54
  - electrophysiological characteristics of cell types 35–36, 37
- activation/relaxation system of contractile cells 3, 32–33
- active arrhythmias
  - classification 299–300
  - fixed coupling intervals 299, 303, 305, 313
  - initiating pause, clinical diagnosis of arrhythmias 407
  - mechanisms 301, 302–313
  - reentry
    - classic 305, 307–309, 311
    - other types 309–310, 311
  - variable coupling interval 299, 303, 310, 312, 313
  - ventricular 350–375
- active supraventricular arrhythmias 321–349
  - aberrancy indicators 323
  - atrial fibrillation 337–343
  - atrial flutter 343–348
  - atrioventricular junctional tachycardia due to ectopic focus 334–337
  - chaotic atrial tachycardia 337
  - classification 299, 300, 324
  - ectopy indicators 323
  - heart rate effects 300
  - with irregular RR and narrow QRS complexes, algorithm for detecting in clinical diagnosis 400
  - junctional reentrant tachycardia 330–334
  - mechanisms involved 300
  - monomorphic atrial tachycardia 324–329
  - premature supraventricular complexes 315, 321, 322, 324
  - with regular RR intervals and narrow QRS complexes, algorithm for detecting in clinical diagnosis 399
  - RR interval regularity classification 324
  - sinus tachycardia 321–324
- active ventricular arrhythmias 350–375
  - see also* premature ventricular complexes; ventricular tachycardias
- acute chest pain, diagnostic approach 418–423
- acute coronary syndromes (ACS)
  - acute pericarditis differential diagnosis 506
  - arrhythmias 454–455
  - assessment and prognosis 18
  - atrial fibrillation 455
  - atypical ECG patterns in patients with angiographic STEMI 431
  - classification by ST elevation 17, 18, 20
  - confounding factors in diagnosis 450–453
  - diagnosis 17
  - differential diagnosis of chest pain 419, 420
  - ECG changes other than ST 457–458
  - ECG parameters used for global prognosis 437–438
  - free-wall rupture 455–456
  - from decreased blood flow
    - atherothrombotic 427–466
    - not related to atherothrombosis 466–471
  - hypercoagulability effects 464–465
  - indications in nearly normal ECG 550
  - management/treatment options 428, 437, 438–439
- active supraventricular arrhythmias 321–349
  - mechanical complications 455–457
  - mistakes in ECG interpretation 453
  - myocardial infarction types 427
  - occlusive thrombosis involvement 427
  - other medical conditions causing 471
  - papillary muscle infarction 456
  - premature ventricular complex changes 457–458
  - PR segment changes 457
  - PVC morphology changes 457–458
  - P wave changes 457
  - QRS complex changes 457
  - QT interval 457
  - recurrence 458
  - septal rupture 456
  - ST elevation criteria 427, 429
  - sudden death 454–455
  - Tako-Tsubo syndrome relationship 466, 467
  - toxins 471
  - treatment decisions based on ST elevation 460
  - Triton 38 TIMI trial 244, 431, 446
  - U wave changes 457
  - ventricular aneurysms 456
  - see also* non-ST elevation myocardial infarction; ST elevation myocardial infarction
- acute cor pulmonale 421, 423, 509
- acute dyspnea 423
- acute inflammatory myocarditis 284, 500
- acute inflammatory pericarditis 505–507
- acute ischemic events *see* acute coronary syndromes
- acute pulmonary edema, left atrial enlargement 113
- acute right-sided heart failure, acute cor pulmonale 509
- acute right ventricular enlargement 140, 143–144
- cor pulmonale compensation 140, 143
- pulmonary embolism 144
- adolescents
  - atrial septal defect 411
  - ECG characteristics 89, 91, 93, 98, 153, 416
  - lean body type 153, 155
  - left ventricular enlargement diagnostic criteria 159
- advanced (third degree) atrioventricular block 383
- athletes 526
- high risk 543
- pacemaker implantation protocol 394

- advanced heart disease, with normal ECG 552–553
- advanced interatrial block (A-IAB/third degree IAB) 118, 119, 120–122
- atypical ECG pattern 120–122
- correlation with imaging techniques 20
- ECG findings 383
- with left atrial retrograde conduction 339, 541–542
- predicting serious conditions 17
- P wave changes 71, 72, 116
- typical ECG pattern 120, 121
- advanced right bundle branch block 172–180
- peripheral 175–176
- proximal origin 173–175
- advanced (third degree) superoanterior hemiblock 196–201
- advanced ventricular blocks 170
- ECG morphology 172
- advances in ECG technology 572–573
- advantages of ECG in practical use 571
- AEDs *see* automated external defibrillators
- AF *see* atrial fibrillation
- age effects
- arrhythmias 300–301
- electrocardiographic variations 91, 93–98
- infants/children/adolescents 91, 93, 94, 95, 96–97, 98
- left ventricular enlargement diagnostic criteria 159
- QRS complex voltage 77
- R wave 78
- S wave 79
- T wave 83
- see also* adolescents; children; elderly people; infants; young adults
- A-IAB *see* advanced interatrial block
- alcohol ingestion
- arrhythmia effects 301, 530
- repolarization effects 239, 424
- alcoholism 240, 241, 530, 531, 532
- alloarrhythmia (repetitive arrhythmias) 401, 404–406
- alternating bundle branch block, high risk 543
- alternative and additional methods to ECG 3, 100, 553–559
- ambulatory cardiac telemetry (ACT) device 559
- American Heart Association, 12-lead standardized presentation of ECG 60
- amiodarone
- arrhythmia treatment 326, 329, 334, 373, 413, 529, 530
- repolarization/T wave effects 239, 240, 241, 528, 529, 530, 545
- safety 530, 545
- amplification of signals, method improvements 20, 73, 245, 301, 346, 396, 406, 563
- amyloidosis 523
- analog ECG recorders 64
- anatomical basis of ECG 25–34
- anemia 428, 471, 472, 523
- anesthesia 535–536
- angina
- congenital coronary anomalies 466–467
- exercise effects in patients with ischemic heart disease 472
- secondary to tachyarrhythmias 465
- see also* Prinzmetal angina; unstable angina
- angiographic studies *see* coronary angiography
- anteroseptal middle fiber blocks 147, 170, 195, 196, 203–205, 206
- see also* middle fibers; quadrifascicular theory
- anteroseptal zone of left ventricle 26–27
- antiarrhythmic drugs 528, 545
- see also* amiodarone
- antidromic tachycardia 216, 221, 223, 361, 362, 364
- see also* Wolff–Parkinson–White syndrome
- aortic aneurysm 422
- aortic coarctation 133
- aortic displacement 89
- aortic regurgitation 133, 149, 151, 154, 155, 161
- aortic stenosis
- congenital 148, 511, 513
- degenerative calcification in the elderly 498
- valvular heart disease 498, 499, 500
- ventricular enlargement 133, 148, 150, 151, 152, 154, 155, 500
- aortic valve disease 150, 151, 157, 161, 163, 498–500
- AP *see* action potential
- ÂP *see* P wave axis
- apical hypertrophic cardiomyopathy 149, 161, 424, 478, 481
- ÂQRS *see* QRS complex spacial orientation
- ARP *see* absolute refractory period
- arrhythmias 297–407
- aberrant conduction 314–319
- automaticity depression 313
- automaticity increase 303, 305, 306, 307
- children 300–301, 536–537
- classification 299–300
- clinical classification 299
- clinical diagnosis 396–407
- aberrant supraventricular tachycardia
- misdiagnosed as ventricular tachycardia 406
- algorithms 399–400
- atrial wave analysis 396–400
- atrioventricular relationship analysis 401
- delayed complex analysis 402
- determining presence of dominant rhythm 396
- differential diagnosis in special situations 406–407
- ECG feature variability/morphology changes in same tracings 402–404
- fast paroxysmal supraventricular rhythm with QRS complex <0.12 sec and r' in lead V1 406–407
- pause analysis 401
- pause due to active arrhythmia 407
- premature complex analysis 401
- QRS complex analysis 400–401
- repetitive arrhythmia analysis/bigeminal rhythm 404–406
- sinus rhythm confusion with flutter 406
- sinus rhythm misdiagnosed as ectopic rhythm 406
- step-by-step approach 396–407
- clinical significances 300–301
- concealed conduction 317–319
- concepts 299
- coupling intervals
- active arrhythmias 299, 301, 303, 310, 312, 313
- passive arrhythmias 315–316, 317, 319
- differential diagnosis, special situations 406–407
- ECG diagnosis, preliminary considerations 301
- ectopic heart rhythm 69
- heart blocks 313–314
- hypertrophic cardiomyopathy 479
- ischemia, experimental studies 284
- mechanisms 299–320
- pacemaker-induced 392
- pacemakers 383–394
- patterns of risk 539–551
- practical considerations in ECG diagnosis 301
- reentry in active arrhythmias 305, 307–310, 311
- sinoventricular conduction 69, 70, 227, 406, 412, 531, 534
- site of origin classification 299
- sudden cardiac death association 301
- VCG not useful for diagnosis 8
- Wolff–Parkinson–White syndrome association 215, 217, 222, 223–224
- see also* active arrhythmias; passive arrhythmias
- arrhythmogenic effects of drugs
- alcohol 530
- medications 413, 528–530
- arrhythmogenic right ventricular dysplasia
- cardiomyopathy (ARVC) 480–483, 484, 485
- clinical implications 481–483
- concept and diagnosis 480, 483
- ECG findings 480–481, 484, 485
- Task Force Criteria 480, 483
- arterial hypertension 514–517
- direct and indirect results 514, 515
- ECG findings 514–516
- effects on the heart 514
- heart failure 502, 514
- kidney diseases 524–525
- left atrial enlargement 113
- left ventricular enlargement sign implications 163
- medication 517
- prognostic value of ECG 516
- sudden death risk 516–517
- artifact distortions
- false diagnosis of ventricular tachycardia 66, 67
- filtering 46
- ARVC *see* arrhythmogenic right ventricular dysplasia cardiomyopathy
- asthenic constitution *see* lean body type
- asymptomatic arrhythmias, atrial fibrillation 342
- ÂT *see* T wave axis
- athletes 525–528
- arrhythmias 526
- cardiology check-up 527–528
- ECG morphology changes 76, 81, 417, 491, 525, 526
- non-training related ECG findings 525, 527
- training-related ECG findings 525, 527
- athlete's heart, hypertrophic cardiomyopathy
- differential diagnosis 479, 483
- atrial aberrancy (second-degree atrial block) 124, 125
- atrial abnormalities 107–132
- atrial activation, P loop 44–45

- atrial activity, normal 97
- atrial blocks 116–130
  - co-existing with atrial enlargement 116
  - concept 116–117
  - evolution from first-degree to third degree 117, 118–122
  - left or right location 117–118
  - see also* advanced interatrial block; interatrial block; partial interatrial block
- atrial contraction, pacemakers preserving normal function 393
- atrial depolarization 4, 44–45
- atrial dilation 107, 111
- atrial dissociation 125–126
- atrial enlargement 107–116
  - co-existing with atrial blocks 116
  - dilation versus hypertrophy 107, 111, 133
  - enlargement of all four cavities 166
  - imaging correlations with ECG diagnostic criteria 108, 110–111, 114–115
  - sensitivity/specificity of ECG criteria 108, 114
- atrial fibrillation, atrial vulnerable period 42, 43
- atrial fibrillation (AF) 337–343
  - acute coronary syndromes 455
  - alternating with sinus rhythm 322
  - athletes 526
  - atrial dissociation 126, 127
  - atrial vulnerable period 42, 43
  - carotid sinus massage reactions 302
  - children 537
  - clinical and prognostic implications 341–342
  - concept and clinical presentation 337–338
  - differential diagnosis 340–341
  - ECG findings 338–340
  - embolism association 301
  - genetic predisposition 495
  - interatrial block association 120
  - left atrial enlargement combination 115
  - mechanisms 337–338
  - pathophysiological events 129
  - stroke relationship 560
  - therapeutic approach 342–343
  - unusual ECG patterns 112
  - wide QRS complexes 316, 317, 319, 340–341
  - WPW syndrome 341, 342
  - WPW ventricular pre-excitation association 217, 222, 223–224
- atrial flutter 126, 304, 343–348, 397
- atrial fibrillation comparison 343
- children 537
- clinical implications 348
- common or typical flutter 344
- concept 343
- counterclockwise activation 344
- diagnostic difficulties 347–348
- ECG findings 344–347
- electrophysiological mechanism 343–344
- fibrillo-flutter 126, 345, 346
- non-common flutter patterns 344, 346
- reverse/inverse flutter 344
- ventricular response and QRS morphology 346–347
- atrial hypertrophy 107, 111
- atrial impulse, transmission to ventricle 45–46
- atrial infarction 126, 128
  - PR segment used in diagnosis 457
  - without Q waves or equivalent 463
- atrial repolarization
  - disturbances 128–129
  - electrophysiology 45
  - hidden by QRS complex 5
  - normally hidden in QRS complex 73
  - sympathetic overdrive 73
- atrial septal defect, congenital 411, 511, 512
- atrial single-chamber (AAI) pacemaker 386, 389, 391, 394, 450, 540
- atrial tachycardia
  - chaotic 337, 396
  - monomorphic 324–330
- atrial tissue, vagal innervation 28, 29
- atrial vulnerable period (AVP), cardiac cell
  - property 42, 43
- atrial wave analysis
  - cadence, clinical diagnosis of arrhythmias 397
  - clinical diagnosis of arrhythmias 396–398, 400
  - location in cardiac cycle, clinical diagnosis of arrhythmias 400
  - morphology and polarity, clinical diagnosis of arrhythmias 396–397, 398
  - rate, clinical diagnosis of arrhythmias 397–398, 400
  - visibility on ECG, clinical diagnosis of arrhythmias 396
- atrial wave location in cycle (RR), clinical
  - diagnosis of arrhythmias 400
- atrial waves, sinus versus ectopic rhythms 73
- atrioventricular alternative pathways (AV APs/ Kent bundles) 215, 216–217, 222, 223
- atrioventricular (AV) blocks 381–384
  - athletes 526
  - cardiac arrest 383–384
  - concept and mechanism 381–382
  - congenital 382, 383, 384
  - ECG findings 382–383
  - first degree 382
  - high risk 543
  - location 383
  - pacemaker implantation protocol 394
  - pacemaker requirement for acquired and congenital blocks 543
  - second-degree 382
  - third degree (advanced) 383
  - see also* Mobitz II-type block; Wenckebach type block
- atrioventricular (AV) conduction synchrony, pacemakers 393
- atrioventricular (AV) junction
  - specific conduction system 28, 29
  - tachycardia 334, 337
  - see also* junctional reentrant (reciprocating) tachycardia; junctional tachycardia due to ectopic focus
- atrioventricular nodal reentrant tachycardia (AVNRT) 308
  - distinguishing from AVRT by transesophageal recordings 564
  - nomenclature 330
  - see also* junctional reentrant (reciprocating) tachycardia
- atrioventricular nodal reentrant tachycardia (AVRT), distinguishing from AVNRT by transesophageal recordings 564
- atrioventricular reentrant tachycardia (AVRT) 308
  - nomenclature 330
  - see also* junctional reentrant (reciprocating) tachycardia
- atrioventricular relationship analysis, clinical
  - diagnosis of arrhythmias 401
- atypical advanced interatrial block
  - changes in P wave duration 123
  - changes in P wave morphology 121, 122–123
- atypical (type 2) ventricular pre-excitations 215, 216, 224–225
  - clinical implications 224–225
  - concept and mechanism 216, 224
  - ECG characteristics 216, 224
- automated ECG interpretation 18–20
  - adjunct to diagnosis by a physician 65
  - criteria sensitivity 140
  - misdiagnosis examples 422
  - regression models 158
- automated external defibrillators (AEDs), out-of-hospital cardiac arrest 384
- automaticity
  - cardiac cell property 40, 49–50
  - depressed in passive arrhythmias 313
  - depression, sinus bradycardia 376–380
  - increased in active arrhythmias 30, 303, 305, 306
- automatic potential, Purkinje cells 35
- automatic slow response cells 35, 40
  - depolarization [phase 0] 39
  - repolarization [phases 1–3] 40
- AV *see* atrioventricular
- AV AP *see* atrioventricular alternative pathways
- AV node *see* atrioventricular junction
- AVNRT *see* atrioventricular nodal reentrant tachycardia
- AVP *see* atrial vulnerable period
- aVR leads, change to -aVR 60
- AVRT *see* atrioventricular reentrant tachycardia
- axis of atrial depolarization *see* P wave axis
- axis on the frontal plane, T wave axis 79
- Bachmann internodal pathway (Beckmann bundle) 29, 44, 116, 117, 118, 120
- Bailey's hexaxial system of lead placements 59
- Bailey's sextants 57
- Bailey's triaxial system of lead placement 57, 59
- basic principles of ECG 3–6
- Bayes' syndrome 129, 339, 541
- Bayes' theorem
  - left ventricular enlargement diagnosis 158
  - reliability of diagnostic tests 103–104
- benign bradyarrhythmias, athletes 526
- bi-atrial enlargement (BiAE) 115–116
- bidirectional ventricular tachycardia (BVT) 369
- bifascicular blocks 205–211
  - alternance with other bifascicular blocks = Rosenbaum–Elizaris syndrome 211
  - classification 171, 172
  - clinical implications 210–211
  - masquerading 542–543
  - right bundle branch block plus inferoposterior hemiblock 209–210
  - right bundle branch block plus superoanterior hemiblock 205–211
  - types 207, 210

- bigeminal rhythm, repetitive arrhythmia analysis
  - in clinical diagnosis 404–406
- bipolar precordial leads (Lewis leads) 60, 322, 564
- Birnbaum–Sclarovsky ischemic grading system, ST elevation myocardial infarction 437
- bitruncal block (RBBB plus LBBB) 205
- biventricular enlargement, diagnosis in the
  - presence of RBBB 178
- biventricular hypertrophy 165–167
  - associated diseases 165
  - concept 165
  - diagnosis in presence of ventricular block 166
  - ECG diagnosis criteria 165–166
- blood pressure *see* arterial hypertension
- body habitus effects
  - affecting heart shape and alignment 25, 26
  - ECG morphology differences 95
  - electrical axes 79, 95
  - heart rotations 26, 87–88, 89, 90, 91
  - left ventricular enlargement diagnostic criteria 159
  - see also* lean body type; obese body type
- body surface mapping (BSM) 565, 567
- bradycardia
  - athletes 526
  - passive arrhythmias 300
  - severe sinus bradycardia 539–540
  - symptomatic with slow atrial fibrillation, pacemaker implantation 393, 394
- bradycardia–tachycardia syndrome 339, 539–540
- Brugada brothers 15
- Brugada pattern 146, 269
  - differential diagnosis of rSr' in V1/V2 with type II Brugada 78, 81, 182
  - type I 490
  - type II 78, 81, 182, 417, 490, 491, 525
- Brugada phenocopies (BrP) 17, 492
- Brugada syndrome (BS) 488–494
  - clinical implications 492–494
  - concept and diagnosis 488–489, 490
  - differential diagnosis 185, 492
  - discoverers 15
  - early repolarization pattern 548
  - ECG findings 269, 311, 424, 489–492, 493
  - management algorithm 493
- BSM *see* body surface mapping
- B-type natriuretic peptide (BNP), heart failure
  - diagnosis 502
- bundle branch blocks
  - confounding factors in acute coronary syndrome diagnosis 450–453
  - high risk 542
  - Q-wave MI diagnosis 270–283
  - ST segment changes in ischemia 254–256
  - WPW ventricular pre-excitation association 222
  - see also* hemiblocks; left bundle branch block; right bundle branch block
- bundle of His
  - anatomy 29, 30, 33
  - AV nodal junction 33
  - damage causing blocks 46
  - depolarization not recorded by conventional ECG 46
  - electrophysiology 41, 42, 43, 45–46
  - future ability to record 20
- Burger' scalene triangle 57, 58, 196
- BVT *see* bidirectional ventricular tachycardia
- Cabrera, E, systolic and diastolic overload 133–134, 136, 499–500
- Cabrera's sign 286, 287
- calcium, hypercalcemia or hypocalcemia 77, 413, 531, 533
- calculation of electrical axis 84
- capillary electrometers 11, 12, 13
- cardiac activation
  - atrial activation 44–45
  - domino model 49–50, 51
  - electrophysiology 43–50
  - origin in the sinus node 43, 49
  - transmission of atrial impulse to ventricle 45–46
  - ventricular activation 46–49
- cardiac arrest
  - atrioventricular block 383–384
  - complete occlusion of the left main trunk 253
  - diagnosis 383
  - out-of-hospital AEDs 384
  - treatment 383–384
  - ventricular fibrillation 371
  - see also* sudden death
- Cardiac Arrhythmia Suppression Trial (CAST) 530, 545
- cardiac cells
  - automaticity 40, 49–50
  - conductivity 42
  - contractile cells 32–33
  - electrophysiological responses 35–40
  - excitability 40
  - fast response 35–40
  - non-contractile specific cells 32, 33
  - properties 40–42
  - refractory period 40–42
  - slow response 35
  - ultrastructural characteristics 32–33
  - vulnerability 42
- cardiac magnetic resonance imaging *see* cardiovascular magnetic resonance imaging
- cardiac resynchronization therapy (CRT)
  - biventricular pacing 389
  - echocardiography in decision making 569
  - implantable cardioverter defibrillator therapy combination 505
  - see also* pacemakers
- cardiac rupture 379, 437, 455–456, 507, 508
- cardiac surgery
  - ECG use before/during/after surgery 533–536
  - peri-procedural myocardial infarction 471
  - post-operative pericarditis 507
- cardiac syndrome X (CSX or X syndrome) 469–471
- cardiac tamponade (pericardial tamponade) 369, 403, 404, 507, 509, 547
- cardiogenic shock, pacemakers 384
- cardiomyopathies 500–507
  - differential diagnosis with ischemic heart disease 424
  - inherited 478–483
  - left atrial enlargement 113
  - see also* hypertrophic cardiomyopathy
- cardiovascular magnetic resonance imaging (CMR)
  - advantages over ECG for some conditions 18
  - contrast-enhanced CMR 18, 260–266, 270, 273–278, 459–462
  - “gold standard” uses 155, 461, 516
  - heart walls 25–27
  - left ventricular enlargement 133, 155, 158
  - right ventricular enlargement 139–140
  - usefulness 569
- cardiovascular non-ischemic pain, diagnostic approach 420–423
- carotid sinus massage (CSM)/carotid sinus
  - compression 301, 302, 325, 333, 336, 396, 399
- CAST (Cardiac Arrhythmia Suppression Trial) 530, 545
- catecholaminergic polymorphic ventricular tachycardia (CPVT) 369–370, 494
- catheter ablation *see* ablation
- catheter aortic valve implantation (TAVI) 193, 500
- catheters
  - intracavity ECG 560–563
  - pacemaker implantation 390
- Ce-CMR *see* contrast-enhanced cardiovascular magnetic resonance
- cellular electrograms, human ECG morphology theories 52–54
- cellular membrane (sarcolemma), contractile cells 32–33
- central terminal
  - horizontal plane leads 60
  - unipolar limb leads 57–59
- cerebral embolism 301, 338, 342
- cerebrovascular accidents (strokes) 71, 72, 73, 113, 130, 239, 240, 520, 521, 560
  - see also* Bayes syndrome
- Chagas cardiomyopathy 211, 502
- challenges for ECG in the 21st century 572
- chamber dilation versus wall hypertrophy
  - atrial enlargement 107, 111, 133
  - ventricular enlargement 133, 134, 136, 143, 148, 160
- chamber enlargement
  - definitions 133
  - see also* atrial enlargement; ventricular enlargement
- channelopathies 17, 484–495
  - arrhythmias 300
  - Brugada syndrome 185, 269, 311, 424, 488–494, 548
  - catecholaminergic polymorphic ventricular tachycardia 494
  - differentiation from Lenegre syndrome 484
  - familial torsades de pointes ventricular tachycardia 494–495
  - long QT syndrome 485–488
  - short QT syndrome 488, 489, 490
- chaotic atrial tachycardia 337, 396
- Chapman's criterion 273, 287
- characteristics of ECG waves, nomenclature 70
- chest pain, diagnostic approach 418–423
- chest wall electrodes
  - history 14
  - horizontal plane leads 60, 61

- children
  - arrhythmias 300–301, 536–537
  - changing ECG characteristics with age 91, 93, 94, 95, 96–97
  - congenital heart diseases 411, 466–467, 510–514, 515
  - left ventricular enlargement
    - diagnostic criteria in under 25s 159
    - difficult diagnosis in neonates 160
    - normal QRS for age with P wave characteristics of LAE 160
  - right ventricular enlargement
    - difficult diagnosis in neonates 144–145
    - ECG morphologies 137, 138, 140, 141–142
  - rSr' morphology 417
  - use of normal ECG parameters for age tables 160
  - see also* newborns
- chronic alcoholics (alcoholism) 240, 241, 530, 531, 532
- chronic cor pulmonale 111, 143, 509–510
- chronic myocardial infarction
  - confounding factors 464
  - contrast-enhanced cardiovascular magnetic resonance/ ECG correlation 18
  - with narrow QRS 458–464
  - non-Q wave 259, 261–264
  - Q wave 259–261
  - Q wave versus non-Q wave 258–259
- chronic obstructive pulmonary disease (COPD) 109, 134, 138–139, 142, 147, 179, 182, 184
- chronic stable ischemic heart disease, ECG findings 472–473
- clinical classification of arrhythmias 299
- clinical context, importance in ECG interpretation 18, 411
- clinical diagnosis of arrhythmias
  - algorithms 399–400
  - atrial wave analysis 396–400
  - atrioventricular relationship analysis 401
  - delayed complex analysis 402
  - differential diagnosis in special situations 406–407
  - ECG feature variability/morphology changes in same tracings 402–404
  - premature complex analysis 401
  - repetitive arrhythmia analysis 404–406
  - step-by-step approach 396–407
- clinical practice favoring specificity over sensitivity 140
- CMR *see* cardiovascular magnetic resonance imaging
- coarctation of the aorta, congenital 511
- combined ventricular blocks 205–212, 542
- complete (third degree) sinoatrial block 381
- complete transmural involvement, ST elevation myocardial infarction 427
- computerization of ECG data 8, 64, 553, 559
  - see also* automated ECG interpretation
- concealed conduction, arrhythmias 317–319
- conductivity, cardiac cell property 42
- congenital heart diseases and defects 510–514, 515
  - AV blocks 543, 544
  - coronary anomalies causing anginal pain 466–467
  - long QT syndrome 75, 402, 403, 413, 414, 424, 456, 485–488, 545
  - right atrial enlargement 109–110
  - short QT syndrome 75, 412–413, 488, 489, 490, 495, 526, 537
- congestive heart failure 502
- constrictive pericarditis 242, 501, 505, 507
- contractile cells 32–33
  - activation/relaxation system 32–33
  - anatomy 30
  - depolarization [phase 0] 36–39
  - fast response 35–40
  - mitochondrial system 30, 33
  - repolarization [phases 1–3] 38, 39–40
  - sarcolemma/cellular membrane 31, 32–33
  - sarcomere 30, 33
  - sarcoplasmic reticulum 30, 33
  - transverse tubular (T) system 30, 33
- contrast-enhanced cardiovascular magnetic resonance (CE-CMR)
  - ECG correlation 9, 18
  - myocardial infarction identification and assessment 260–266, 270, 273–278, 459–462
- cooling/warming of epicardial zone, experimental studies of ischemia 230, 231
- COPD *see* chronic obstructive pulmonary disease
- Cornell voltage criterion 95, 156–157, 158, 159, 164, 516
- coronary angiography (coronarography)
  - correlation with ECG 9, 18, 436
  - images 237, 254, 450
  - invasive nature 569
  - myocardial infarction types 428, 429
  - non-emergency situations 433, 441
  - recommendations 449, 558
  - results 274, 442, 443, 448, 452, 453, 465
  - STEMI 428, 431
- coronary arteries, anatomical variants 26
- coronary artery atherosclerosis, arterial hypertension 514, 515
- coronary artery occlusion, experimental studies of ischemia 229–230
- coronary dissection
  - puerperium 533
  - STEMI in post partum women 465–466
- coronary sinus catheters 561–563
- coronary spasm *see* Prinzmetal angina
- cor pulmonale 136, 137, 509–510
  - acute cor pulmonale 421, 423, 509
  - acute dyspnea 423
  - chaotic atrial tachycardia 337
  - chronic cor pulmonale 111, 143, 509–510
  - differential diagnosis of chest pain 421
  - primary pulmonary hypertension 510
  - ST elevation 421
  - ventricular enlargement 141, 143
- corrected QT interval *see* QTc interval
- coupling intervals
  - active arrhythmias 299, 303, 305–313
  - fixed in active arrhythmias 299, 303, 305, 313
  - passive arrhythmias 315–316, 317, 319
  - variable in active arrhythmias 299, 303, 310, 312, 313
- COVID-19
  - challenges to ECG education 572
  - QT prolongation by medications 528, 545
- CPVT *see* catecholaminergic polymorphic ventricular tachycardia
- CRT *see* cardiac resynchronization therapy
- CSM *see* carotid sinus massage
- CSX *see* cardiac syndrome X
- CV magnetic resonance *see* cardiovascular magnetic resonance
- data compression and transmission, digital ECG recordings 64, 559
- day-to-day variations in voltage, left ventricular enlargement diagnostic criteria 160
- DC *see* dilated cardiomyopathy
- DDD (dual-chamber) pacemakers 384, 386, 388–389, 390, 391, 392
- DDDR (dual chamber rate responsive) pacemaker 389, 390, 394, 540
- decreased blood flow
  - not related to atherothrombosis 464–471
  - types of myocardial ischemia 427, 428
  - see also* acute coronary syndromes; ischemia
- delayed complex analysis, clinical diagnosis of arrhythmias 402
- delayed diffuse intraventricular QRS activation 212
- delayed inscription of P wave, abnormal sinus heart rhythm 69, 70
- delayed ventricular activation, bundle branch blocks 172
- dementia 15, 71, 94, 107, 129, 414, 541
- depolarization
  - basic principles 3, 4–5
  - electrophysiological characteristics of contractile cells 36–39
- depolarization dipoles 38
- dextrorotation of heart 88–89, 90, 91, 92
- diabetes 413, 520, 522, 545
- diagnostic accuracy
  - ECG as gold standard for some conditions 100
  - effect of disease prevalence 103
  - other techniques needed in addition to EEG in some situations 100
- diagnostic criteria 100–105
  - Bayes' theorem applied to the reliability of tests 103–104
  - calculating accuracy from sensitivity/specificity and prevalence 103
  - more defined for ECG than VCG 8
  - predictive value assessment 100, 101–102
  - prevalence effects 103
  - sensitivity assessment 101, 102–103
  - specificity assessment 101, 102–103
- diagnostic value of ECG abnormalities 411–416
- diastolic overload 133–134, 154, 155, 499
- diastolic potential (DP) 35, 36, 37
- digital ECG recorders 64
- digitalis effects 157, 269, 304, 329, 413, 528, 529, 530, 535
- dilated cardiomyopathy (DC) 502–505
  - concept and etiology 160, 500, 502
  - ECG findings 161, 162, 189, 190–191, 326, 364, 416, 503–505
  - heart failure 502
  - inherited cardiomyopathies 478, 479, 483
  - left atrial enlargement 113
  - sudden death risk 503–505
- diphasic deflection, electrophysiological characteristics 38–39

- dipoles, depolarization and repolarization 3, 4
- direct-inscription analog ECG recorders 64
- direct versus indirect ECG patterns, ST elevation myocardial infarction 430
- discharge cadence at rest, normal sinus heart rhythm 69
- dissecting aneurysm, differential diagnosis of chest pain 419, 420, 421, 422
- divisional left ventricular blocks 195–205
- divisional right ventricular blocks 183–185
- dominant rhythm, clinical diagnosis of arrhythmias 396
- domino model, cardiac activation 49–50, 51
- DP *see* diastolic potential
- drug administration
  - altering ECG morphology 413, 528–530
  - digitalis effects 157, 269, 304, 329, 413, 528, 529, 530, 535
  - flattened T wave 239
  - hypertension therapy 517
  - QT interval prolongation 75, 413, 528, 530, 545
  - terminating paroxysmal junctional reentrant tachycardia episode 333–334
- dual-chamber (DDD/DDDR) pacemakers 384, 386, 388–392, 394, 540
- Duchenne's progressive muscular dystrophy 524
- dyspnea
  - acute 423
  - differential diagnosis 423
  - heart failure classification 502
  - marker of bad prognosis 542
  - pathological exercise response 558
  - progressive 479
  - pulmonary embolism 411, 542
- early repolarization (ER)
  - comparison with pericarditis 506
  - normal variant, differential diagnosis of chest pain 419, 420, 421, 422
  - sudden death risk 547–549
- Ebstein's disease 110, 146, 176, 178, 222, 344, 347, 511, 514, 540
- ECG classification systems 553
- ECG plus *see* expanded surface ECG
- ECG–thallium scintigraphy 556
- echocardiography
  - left ventricular enlargement 133, 155
  - right ventricular enlargement 139–140
  - usefulness 18, 569
- ectopic atrial tachycardia 126, 304, 343–348, 397
- ectopic focus, incessant monomorphic atrial tachycardia 324, 328–329
- ectopic heart rhythm
  - abnormal ECG characteristics 69
  - P loop rotation 73
  - sinus rhythm misdiagnosis 406
- ectopy indicators, active supraventricular arrhythmias 323
- education
  - teaching electrocardiology 571–572
  - training and experience needed to interpret ECG changes 18, 19
  - value of VCG loops in teaching 9, 554
- effective refractory period (ERP), cardiac cell property 40, 41
- Einthoven's law (Einthoven's triangle) 56–58, 84–85
- Einthoven, William 11–13, 14, 15
- elderly people
  - arrhythmias 301
  - electrocardiographic characteristics 93–94, 97, 165, 411
  - Inferoposterior hemiblock 203
- electrical activity of heart
  - basics 3, 4
  - early experiments 11
  - ECG/VCG comparisons 7–9
  - principles of recording 3–9
- electrical alternans
  - concept 546
  - see also* QRS alternans; repolarization alternans
- electrical axes
  - calculations 84–87
  - indeterminate 86–87
  - see also* P wave axis; QRS complex spacial orientation; T wave axis
- electrical endocardium, location 47
- electric alternans of QRS complex and ST-T 402, 403, 404
- electrodes
  - ECG recording techniques 56–57
  - misplacement 66, 67
  - positive and negative ends of lead 56, 63
  - see also* leads
- electro-ionic mechanisms, activation of myocardial cells 3
- electrolytic disorders (ionic abnormalities) 406, 424, 525, 530–531
- see also* hyperkalemia
- electrophysiological characteristics during action potential and diastole, cell types 35
- electrophysiology, basis of ECG 35–55
- Elizari, Marcelo V 14, 15, 46, 195, 211, 489, 543
- see also* Rosenbaum–Elizari syndrome
- embolism (systemic)
  - risk from arrhythmias 129, 301, 337, 342, 348
  - see also* pulmonary embolism
- endocardium, later repolarization evidence 52, 54
- endocrine diseases 520
  - diabetes 413, 520, 522, 545
- epicardial zone cooling or warming, experimental studies of ischemia 230
- epicardium, early repolarization evidence 52, 54
- epidemiological studies, favoring sensitivity over specificity 140
- equipment and techniques 56–68
  - in addition to conventional ECG 553–569
  - body surface potential mapping 565, 567
  - computerization and transmission of ECG data 8, 64, 439, 553, 559, 572
  - digital data 64–65, 559
  - frontal plane leads 56–59
  - horizontal plane leads 56, 60, 62
  - intracavity ECG 560–563
  - long-term recordings 560
  - non-standard lead locations 60–61, 160, 564–565
  - recording devices 63–65
  - recording procedure 65–66
  - signal averaging electrocardiograms 567–568
  - technical errors in recording 66–68
  - tilt-table test 569
  - wave amplification and filtering 563–564
- see also* Holter electrocardiographic monitoring; imaging techniques
- ER *see* early repolarization
- ERP *see* effective refractory period
- escape complex, passive arrhythmias 376, 377
- escape rhythm
  - concept and mechanism 376
  - ECG findings 376
  - passive arrhythmias 376, 377, 378, 379
- esophageal ECG 61, 119, 564–565, 567
- evaluation of diagnostic criteria 100–105
- event analyzers, ECG data recording 559
- excitability, cardiac cell property 40
- exercise angina, in patients with ischemic heart disease 472
- exercise testing 555–559
  - arrhythmia diagnosis 301
  - Bruce protocol 556, 557
  - contraindications 558
  - methodology 556–557
  - pathological ECG responses 558–559
  - types of exercise 555
  - usefulness 557–558
- expanded surface ECG (ECG plus) 20, 21
- experimental necrosis 269
- experimental studies of ischemia 229–257
  - arrhythmias 284
  - cooling/warming of epicardial zone 230, 231
  - coronary artery occlusion 229–230
  - correlation between ECG changes/coronary artery involved and left ventricular walls 232
  - correlation with electrophysiological/ECG changes 230–231
  - correlation with pathogenic changes 231–232
  - depolarization changes 230, 231
  - distortion of QRS complex 284
  - P wave changes 283
  - QRS changes 258–283
  - QT interval prolongation 257
  - repolarization changes 230, 231–258
  - ST segment mechanisms 240–242
  - T wave mechanisms 232–233
  - U waves 257–258
- expertise, training and experience needed to interpret ECG changes 18, 19, 571–573
- explorer electrodes *see* leads
- extrasystolic mechanism for active arrhythmias, fixed coupling intervals 299, 305
- extreme right and left precordial leads 60
- Fahr, George 14, 15
- Fallon ischemia classification, four stages from coronary artery occlusion to MI 231–232
- Fallot's tetralogy 511, 513
- corrective surgery causing RBBBs 145, 176, 177, 179–180, 181, 513
- P loops 109
- sudden death post surgery 537
- ventricular enlargement EEG patterns 137, 141
- false negatives and false positives (FN/FP)
  - evaluation of diagnostic tests 100, 101, 102, 104
  - left atrial enlargement 115
  - right atrial enlargement 112
- familial..., *see also* inherited heart disease

- familial atrial fibrillation 495
- familial cardiomyopathy of uncertain etiology 483
- familial torsades de pointes ventricular tachycardia 494–495
- fascicular tachycardias 365
- fast response cells 35
- fast-slow type of circuit, incessant junctional reentrant tachycardia 332–333
- fibrillation *see* atrial fibrillation; ventricular fibrillation
- fibrillo-flutter 126, 345, 346
- fibrinolysis, ST elevation myocardial infarction 427, 428, 439
- filtering
  - inappropriate use suppressing J waves 66, 68
  - oscillation and artifact distortion avoidance 64
- first degree interatrial block *see* partial interatrial block
- first degree sinoatrial block 380
- first degree ventricular blocks *see* partial ventricular blocks
- flutter
  - carotid sinus massage reactions 302
  - confusion with sinus rhythm 406
  - “F” waves 339, 343–346
  - see also* atrial flutter; ventricular flutter
- FN/FP *see* false negatives and false positives
- FP *see* frontal plane
- fractioned QRS 268–269, 462
- Framingham score, left ventricular enlargement 156, 158, 159, 164
- Framingham study 164, 192, 514, 516, 517
- free-wall rupture, acute coronary syndromes
  - evolving to myocardial infarction 455–456
- Friedreich’s ataxia 524
- frontal plane (FP)
  - anteroposterior heart rotations 87–88
  - axes 75, 79, 87
  - projections of vectors 5–6
- frontal plane leads
  - ECG recording techniques 56–60
  - standard bipolar I/II/III limb leads 56–57
  - “unipolar” VR/VL/VF limb leads 57–59
- future directions of ECG 19–21, 571–573
  
- Galvani, Luigi 11
- galvanometers, recording devices 12–13, 56, 63
- gender differences
  - left ventricular enlargement diagnostic criteria 159
  - normal ECG morphology 94–95
- genetic testing 569
- Glasgow Royal Infirmary score, left ventricular enlargement 158
- Goldburger limb lead system 58–59
- “gold standards”
  - use of 12-lead standardized ECG presentation 60
  - use of ECG 13, 17, 60, 100, 155, 411, 516
  - use of magnetic resonance imaging (CMR/MR) 155, 461, 516
- GRACE score
  - non-ST elevation myocardial infarction 447
  - ST elevation myocardial infarction 436, 437
- GUSTO risk score, ST elevation myocardial infarction 436–437
  
- hazard ratio (HR), P wave duration and all cause mortality 130
- HCM *see* hypertrophic cardiomyopathy
- heart blocks
  - arrhythmias 313–314
  - see also individual block types*
- heart disease diagnosis history 13–14
- heart failure (HF)
  - acute cor pulmonale 509
  - arrhythmia association 301
  - dilated cardiomyopathy 502–505
  - hypertension 502, 514
  - myocarditis 500
  - with preserved ejection fraction 502
  - with reduced ejection fraction 502, 504
- heart planes, projecting the four walls of the left ventricle 26
- heart position
  - affecting vectors of ventricular depolarization 47–48
  - rSr’ morphology changes 417
  - see also* heart rotations
- heart rate
  - calculation from ECG trace 69, 71
  - normal ECG characteristics 69
- heart rate-corrected QT interval *see* QTc interval
- heart rhythm, normal ECG characteristics 69
- heart rotations
  - anteroposterior axis 26, 87–88, 90–91
  - combined axes 90–91, 92, 93
  - longitudinal axis 88–90, 91, 92
  - transversal axis 90
- heart transplants
  - dilated cardiomyopathy 505
  - ECG readings in transplanted hearts 505, 506
- heart volume
  - enlargement of all four cavities 166
  - voltage relationship in left ventricular enlargement diagnosis 159–160
- heart walls, perfusion and innervation 25–28
- hemiblocks
  - chronic myocardial infarctions combination 464
  - definition and origin of term 195
  - false Q wave patterns 281
  - left bundle branch block morphology 172
  - masked by Q waves of infarction 280–281
  - masking Q waves of infarction 280
  - origins of term 195
  - Q-wave MI diagnosis 273, 275, 279, 280–283, 284, 288
  - see also* inferoposterior hemiblock; superoanterior hemiblock
- hemifield concept 6, 7, 61–62
- hemochromatosis 501, 523
- hepatic cirrhosis 523
- hidden P waves, abnormal sinus heart rhythm 69, 70
- high-frequency (low-pass) filtering, oscillation and artifact distortion avoidance 64
- high pass (low-frequency) filtering, oscillation and artifact distortion avoidance 64
- history 11–16, 385
- Holter electrocardiographic monitoring 559, 560, 562, 563
  - children 543, 544
  - equipment 560
- hypertension patients 516–517
  - methods 559
  - pioneers 15
  - premature ventricular complexes 479, 494, 531, 543, 568
  - Prinzmetal angina diagnosis 467, 469, 470
  - related technology 559
  - results 561–563
  - usefulness 559
- horizontal heart 88, 89, 90–91
  - affecting vectors of ventricular depolarization 47, 48
  - left ventricular enlargement association 152
- horizontal plane (HP)
  - leads 56, 60
  - projections of vectors 5–6
- HR *see* hazard ratio
- hypercalcemia 413, 530–531
- hypercoagulability 464–465
- hyperkalemia 69, 189, 192, 240, 269, 406, 413, 418, 424, 525, 530–531, 533, 534
- hypermagnesemia 531
- hypertension *see* arterial hypertension; pulmonary hypertension
- hyperthyroidism 323, 520
- hypertrophic cardiomyopathy (HCM) 478–483
  - apical 149, 161, 424, 478, 481
  - clinical implications 479–480
  - concept and diagnosis 478
  - differential diagnosis with athlete’s heart 479, 483
  - ECG findings 124, 149, 152, 153, 161, 278, 478–479, 481, 482
  - risk factors of sudden death 479, 503
- hypocalcemia 77, 531, 533
- hypokalemia 75, 82, 269, 424, 530–531, 535
- hypothermia 532
  
- IAB *see* interatrial block
- ICDs *see* implantable cardioverter defibrillators
- ICS *see* intraventricular conduction system
- idioventricular accelerated rhythm (IVAR) 365–366
- IDT *see* intrinsicoid deflection time
- imaging correlations, ECG diagnostic criteria for atrial enlargements 108, 110–111, 114–115
- imaging techniques
  - ECG correlation 18, 20
  - usefulness 510, 569
  - see also* cardiovascular magnetic resonance imaging; coronary angiography; echocardiography; multislice computerized tomography
- implantable cardioverter defibrillators (ICDs)
  - Brugada syndrome 492
  - cardiac resynchronization therapy combination 505
  - dilated cardiomyopathy 505
  - high risk hypertrophic cardiomyopathy 479
  - risks of complications 479
  - surveillance 17
- implantable loop recorders 559, 560
- implantable pacemakers *see* pacemakers
- incessant arrhythmias, definition 299
- incessant idiopathic ventricular tachycardia, children 537

- incessant junctional reciprocating tachycardia, children 537
- incessant junctional reentrant tachycardia (fast-slow type of circuit) 332–333
- incessant monomorphic atrial tachycardia, due to ectopic focus 328–329
- incomplete transmural involvement, non-ST elevation myocardial infarction 427, 428
- infants  
ECG characteristics 93–97  
*see also* newborns
- infectious diseases  
COVID-19 528, 545, 572  
dilated cardiomyopathy 502  
ECG effects 523  
myocarditis 284, 500  
protozoa causing Chagas cardiomyopathy 502
- inferior wall of left ventricle, use of terms 25
- inferolateral zone of left ventricle 26–27
- inferoposterior division (IPD)  
intraventricular conduction system 31  
left bundle branch anatomy 170, 171, 195  
trifascicular/quadrifascicular theories 46
- inferoposterior hemiblock (IPH) 201–205  
activation 201  
bifascicular block with right bundle branch block 209–210  
bifascicular block with superoanterior hemiblock 210  
clinical implications 203  
definition 195  
diagnostic criteria 202  
differential diagnosis 202–203  
inferior infarction association 275, 288  
masked by Q wave of infarction 281  
masking Q wave of infarction 280  
partial 203  
prolonged HV interval 203  
special characteristics 203
- inherited heart disease 478–497  
atrial fibrillation 495  
cardiomyopathies 478–483  
dilated cardiomyopathy 502  
genetic testing 569  
specific conduction system conditions 483–484  
utility of ECG 17  
*see also* channelopathies; dilated cardiomyopathy; hypertrophic cardiomyopathy; Wolff–Parkinson–White syndrome
- innervation of heart walls 25–28
- interatrial block (IAB) 118–130  
atrial enlargement relationship 116  
ECG classification 118  
P wave changes 71, 72, 116  
P wave duration 72, 107  
similar ECG criteria to LAE 107  
*see also* Bayes' syndrome
- intermediate heart position, affecting vectors of ventricular depolarization 48
- intermittent arrhythmias (incessant) 299
- intermittent WPW ventricular pre-excitation 222, 223, 293
- International Society of Electrocardiology (ISE) 571
- International Society for Holter and Noninvasive Electrocardiology (ISHNE) 107, 571
- internodal conduction pathways, specific conduction system 28, 29
- interpretation of ECG  
importance of clinical setting 552  
misdiagnosis 406, 422, 453  
systematic and sequential approach 69
- intracardiac recordings, required for first degree sinoatrial block 380
- intracavity electrophysiologic study 221, 560–563, 564, 565
- intra-esophageal (transesophageal) ECG 61, 119, 564–565, 567
- intraventricular conduction system (ICS)  
anatomy 29–31  
blood perfusion 32  
high risk disturbances 542–543  
terminal divisions, trifascicular and quadrifascicular theories 30, 31, 46, 195–196
- intraventricular QRS activation, delayed/diffuse 212
- intrinsicoid deflection time (IDT) 549  
increased in athletes 416  
left ventricular enlargement 149, 150, 151, 160  
normal values 76, 91  
right ventricular enlargement 138, 145  
significance of abnormalities 416  
superoanterior hemiblock 198  
vagal overdrive with a normal heart 416
- ionic abnormalities (electrolyte disorders) 406, 424, 525, 530–531  
*see also* hyperkalemia
- ionic channel disorders in the absence of apparent structural heart disease *see* channelopathies
- IPD *see* inferoposterior division
- IPH *see* inferoposterior hemiblock
- ischemia 229–294  
arrhythmias, experimental studies 284  
depolarization changes 230, 231  
distortion of QRS complex, experimental studies 284  
ECG changes 229–294  
experimental studies 229–257  
cooling/warming of epicardial zone 230, 231  
coronary artery occlusion 229–230  
electrophysiological/ECG changes 230–231, 232  
methods 229–230  
pathogenic changes 231–232  
repolarization changes 230  
ST segment changes 240–242  
T wave changes 232–233  
Fallon's four stages from coronary artery occlusion to MI 231–232  
P wave changes, experimental studies 283  
repolarization changes 230, 231–258  
QT prolongation 257  
ST segment 240–257  
T waves 231–240  
U waves 257–258  
ST segment changes 234, 240–257  
depression 234, 240, 243–249  
differential diagnosis 256–257, 268, 269  
elevation 234, 241, 249–254  
experimental electrophysiological mechanisms 240–242  
in patients with heart disease 242–247  
patients with LVE/LVH and/or wide QRS 254–256  
T wave changes 233–240  
differential diagnosis 239–240  
experimental electrophysiological mechanisms 232–233  
flat/negative 236–238, 239  
in patients with heart disease 233–239  
tall/wide/peaked symmetrical 233–236, 239
- ischemic cascade 229, 230
- ischemic chest pain  
diagnostic approach 418–420  
differential diagnosis 419, 420
- ischemic heart disease (IHD)  
advanced right bundle branch block association 178  
arterial hypertension link 514, 515, 516–517  
assessment using exercise testing 556–558  
chronic stable 472–473  
clinical/angiographic and pathological findings 428  
decreased blood flow due to atherothrombosis 427–464  
decreased blood flow not related to atherothrombosis 428, 464–471  
ECG changes classification 428  
exercise angina 472  
left atrial enlargement 113  
left ventricular enlargement differential diagnosis 163  
mechanisms of myocardial ischemia 427, 428  
pre-operative ECG 534  
related to increased demand 472  
treatment by type 428  
T wave changes 238  
types and diagnostic features 427–477  
WPW ventricular pre-excitation association 222  
*see also* acute coronary syndromes; non-ST elevation myocardial infarction; ST elevation myocardial infarction
- ISE *see* International Society of Electrocardiology
- ISHNE *see* International Society for Holter and Noninvasive Electrocardiology
- isoelectric ST segment, ventricular repolarization 5
- isotonic exercise, ECG testing 555–558
- IVAR *see* idioventricular accelerated rhythm
- JE-EF *see* junctional tachycardia due to ectopic focus
- junctional ectopic tachycardia *see* junctional tachycardia due to ectopic focus
- junctional reentrant (reciprocating) tachycardia 330–334  
AVNRT versus AVRT types 308, 327, 330  
clinical implications 333–334  
concept 330  
differential diagnosis 333  
ECG finding 330–333  
incessant/fast-slow type of circuit 330, 332–333  
mechanism 330  
paroxysmal/slow-fast type circuit 330–332, 333  
*see also* atrioventricular nodal reentrant tachycardia; atrioventricular reentrant tachycardia

- junctional tachycardia due to ectopic focus (JT-EF)
  - 327, 334–337
  - children 537
  - clinical implications 337
  - concept/mechanism and clinical presentation 334
  - ECG findings 334, 337
- J waves
  - early repolarization patterns 547–549
  - hypothermia 532
  - suppressed by inappropriate use of filters 66, 68
- J wave syndromes 532, 547, 548
- Kent bundles, WPW ventricular pre-excitation
  - 215, 216–217, 222, 223
- kidney diseases 524–525
- Kligfield, P. 11, 19, 57, 60, 65
- LAD *see* left anterior descending coronary artery
- LAE *see* left atrial enlargement
- late potential analysis 20, 102–103, 480, 484, 567–568
  - see also* signal averaging electrocardiogram
- lateral ischemia 163, 204, 271, 431, 463, 556
- LBBB *see* left bundle branch block
- LCX *see* left circumflex artery
- lead line segments, ECG recording techniques 56, 57, 58
- leads
  - ECG recording equipment and techniques 56–62
  - Einthoven's law of placements 56–58
  - location affecting shape of ECG recordings 5, 6
  - misplacement of electrodes 66, 67, 417
  - non-standard locations 60–61, 160, 564–565
  - standard 12-lead system 60
- lean body type (asthenic constitution)
  - adolescents 153, 155
  - inferoposterior hemiblock differential diagnosis 203
  - normal ECG morphology 89, 92, 95
  - thin elderly women showing unusual ECG 94, 159, 416
  - vertical heart 25, 26, 87–88
- left anterior descending (LAD) coronary artery
  - anatomical variants 26
  - experimental occlusion 229–230
  - occlusions, ST elevation myocardial infarction
    - EEG patterns 436
  - perfusion of left ventricle zones 26, 27–28
  - site of occlusion predicted from ST elevation patterns 250–255
  - ST depression in ischemia 244–249
  - T wave changes in ischemia 229–230, 233–237
- left atrial abnormalities, use of term to encompass
  - all P wave anomalies of left atrium 107, 109
- left atrial enlargement (LAE) 108, 112–116
  - associated diseases 112–113
  - atrial depolarization 108
  - atrial fibrillation 115, 116
  - ECG criteria 108
  - false positives and false negatives 115
  - imaging correlations with ECG diagnostic criteria 108, 114–115
  - P wave criteria 114–115
  - sensitivity/specificity of ECG criteria 108, 114
  - underlying mechanism of ECG changes 112–113
- left bundle branch
  - anatomy 46, 170, 171, 196
  - inferoposterior division 170, 171, 195
  - intraventricular conduction system 29–31
  - middle fibers/midseptal fibers 30, 31, 46, 170, 171, 195–196
  - superoanterior division 170, 171, 195
  - see also* quadrifascicular theory; trifascicular theory
- left bundle branch block (LBBB) 182, 185–195
  - activation
    - advanced blocks 185–187
    - partial blocks 193–194
  - advanced 185–193
  - anteroseptal middle fiber blocks 147, 170, 195, 196, 203–205, 206
  - association with other processes 192
  - bifascicular block with superoanterior or inferoposterior hemiblock 210
  - bitruncal block with RBBB 205
  - biventricular enlargement diagnosis in presence of blocks 166
  - chronic myocardial infarctions combination 464
  - clinical implications 192–193, 195
  - confounding factors in acute coronary syndrome diagnosis 450, 452–453
  - diagnostic criteria
    - advanced blocks 189–192
    - partial blocks 194–195
  - differential diagnosis 192, 195
  - divisional blocks 195–205
  - ECG changes and morphology 187–189
  - ECG morphology 172
  - high risk 542
  - left ventricular enlargement
    - diagnosis in presence of block 151, 163
    - differential diagnosis 162–163
    - relationship 172
  - morphology seen in ventricular tachycardias 356–357, 358
  - partial 193–195
  - peripheral advanced 185, 187, 188, 192
  - proximal advanced 185–187, 189–191
  - Q-wave MI diagnosis 272–273, 286, 287
  - right ventricular enlargement diagnosis in presence of advanced blocks 147
  - second-degree 195
- left circumflex (LCX) coronary artery
  - anatomical variants 26
  - misdiagnosis of STEMI as NSTEMI 431, 453
  - occlusion, ST depression 244
  - perfusion of left ventricle zones 26–28
- left divisional blocks 195–205
  - see also* hemiblocks
- left ventricle
  - anatomy 25–28
  - wave of repolarization 3
- left ventricular enlargement (LVE) 148–164
  - alternative methods to ECG 133
  - arterial hypertension 514, 516
  - associated diseases 148
  - changes in ST and T over time 153–154
  - CMR as alternative for diagnosis 158
  - concept 148
  - constitutional factors limiting value of ECG diagnostic criteria 158–160
  - diagnosis in the presence of superoanterior hemiblock 163
  - diagnostic ECG criteria
    - anatomic and imaging correlations 154–160
    - in clinical practice 163–164
  - differential diagnosis 162–163
  - indirect signs of hypertrophy 160–161
  - left bundle branch block relationship 172
  - left ventricular hypertrophy comparison 160
  - limitations of diagnostic criteria 158–160, 164
  - mechanism of ECG changes 148–154
  - methodological limitations of diagnostic criteria 158
  - point score systems 157–158
  - in presence of ventricular blocks 163
  - presenting with cardiomyopathies and heart failure 161–162
  - prognostic indicator 164
  - QRS voltage diagnostic criteria 156–157
  - regression of ECG signs after hypertension
    - treatment or valve replacement 162
  - regression models 158
  - special characteristics 160–162
  - statistical studies of ECG diagnostics 158
- left ventricular hypertrophy (LVH)
  - arterial hypertension 515, 516
  - body habitus 95, 159
  - cardiomyopathy and heart failure 161–162
  - clinical implications 163–164
  - concept and use of term 148
  - confounding factors in acute coronary syndrome diagnosis 450
  - diagnostic criteria 155–158
  - ECG patterns 148–155
  - indirect signs 160–161
  - left ventricular enlargement comparison 160
  - in presence of ventricular blocks 163
  - special characteristics 160
  - with strain pattern 134
- left ventricular infarction, without Q waves or equivalent 461–463
- Lenegre syndrome 483–484
- levorotation of heart 89–90, 92, 93
- Lev syndrome 484
- Lewis bipolar precordial leads 60, 322, 564
- Lewis (ladder) diagrams 70, 301, 302
- Lewis, Thomas 14, 15
- limb leads
  - standard bipolar system 56–57
  - unipolar systems 57–59
- limitations of conventional ECG 18–19, 552–570
- linear recordings of a three-dimensional heart 5–6
- Lippmann, Gabriel 11, 12
- liver disease 523
- local effects of QT interval dispersion 413
- long PR interval, significance 412
- long QT interval *see* QT interval prolongation
- long QT syndrome (congenital) 75, 402, 403, 413, 414, 424, 485–488, 545
- long-term time ECG recording 560
- low-frequency (high-pass) filtering, oscillation and artifact distortion avoidance 64
- Lown's classification of premature ventricular complexes by prognostic significance 350, 351, 352, 354, 355, 568

- low pass (high-frequency) filtering, oscillation and artifact distortion avoidance 350, 351, 352, 354, 355, 568
- low QRS complex voltage, significance 416
- lung diseases 520  
*see also* chronic obstructive pulmonary disease; cor pulmonale; pulmonary embolism; pulmonary emphysema; pulmonary hypertension
- LVE *see* left ventricular enlargement
- LVH *see* left ventricular hypertrophy
- McGinn–White pattern 144, 509
- Mackenzie, James 13–14
- macro-reentry, incessant monomorphic atrial tachycardia 324, 328
- magnesium, hypermagnesemia 531
- magnetic resonance imaging (MRI)  
 “gold standard” use 155, 461, 516  
*see also* cardiovascular magnetic resonance imaging
- malignant ventricular arrhythmias (MVA)  
 102–103, 567–568
- masked bifascicular blocks 208–209, 211, 212
- masquerading bifascicular block, high risk 542–543
- masquerading RBBB pattern in the presence of advanced LBBB pattern, high risk 543
- MAT *see* monomorphic atrial tachycardia
- MAT-EF *see* monomorphic atrial tachycardia due to ectopic focus
- MAT-MR *see* monomorphic atrial tachycardia due to macro-reentry
- Metabolic equivalents (METs), exercise testing 556–557
- MI *see* myocardial infarction
- micro-reentry 307
- middle fibers of left bundle branch (midseptal fibers)  
 advanced LBBB 185, 187, 192  
 anatomy 30, 31, 46, 170, 171, 195–196  
 anteroseptal middle fiber blocks 147, 170, 195, 196, 203–205, 206
- mirror image dextrocardia 66, 513–514, 515
- mirror patterns, ST depression in some leads with STEMI 428, 429, 430, 431
- mirror waves, R wave in V1 equivalent Q wave 461
- misplacement of electrodes 66, 67
- mistakes in ECG interpretation  
 acute coronary syndromes 453  
 arrhythmias 406  
 automated ECG 422  
 STEMI/NSTEMI 431, 453
- mitochondrial system, contractile cells 30, 33
- mitral–aortic–tricuspid valve disease 165
- mitral regurgitation 456, 498
- mitral stenosis 498  
 causes 498  
 differential diagnosis with LBBB 220  
 ECG findings 136, 137, 138, 498  
 left atrial enlargement 112–113  
 right ventricular enlargement 146  
 tricuspid regurgitation 498
- mitral valve prolapse 269, 424, 498, 499
- mitral–aortic–tricuspid valve disease 165
- mitro-tricuspid valve disease 111, 112
- Mobitz I (Wenckebach) type block 183, 195, 313, 314–315, 380, 381, 382, 402, 404, 526, 527
- Mobitz II type block 182, 195, 313, 314, 315, 380, 382
- monomorphic atrial tachycardia (MAT) 324–330  
 clinical implications 329  
 concept 324  
 ECG findings 325–329  
 mechanisms 324–325
- monomorphic atrial tachycardia due to ectopic focus (MAT-EF) 324, 325, 328–329
- monomorphic atrial tachycardia due to macro-reentry (MAT-MR) 324, 328
- monomorphic ventricular tachycardias 355–367  
 classical type 355–364  
 concept 355  
 ECG findings 355–361  
 electrophysiological mechanisms 355  
 other types 365–367
- MRI *see* magnetic resonance imaging
- multislice computerized tomography (MSCT) 25, 500, 569
- Murphy ECG criteria 157
- MUSIC risk score for predicting death in heart failure (study) 504–505
- MVA *see* malignant ventricular arrhythmias
- myocardial bridging 471
- myocardial cells, basic principles of electrical depolarization 3, 4
- myocardial infarction (MI)  
 chronic  
   confounding factors 464  
   with narrow QRS 458–464  
 classification by European Society of Cardiology and the American College of Cardiology 461  
 diagnosis and follow-up 17  
 ECG information 8  
 left ventricular enlargement differential diagnosis 163  
 limitations of ECG 18  
 monomorphic ventricular tachycardia 355, 360  
 peri-MI pericarditis 507  
 predicting development of malignant ventricular arrhythmias 102–103  
 Q-wave versus non-Q wave 458–459  
 transmural status not determined by Q waves 458–459  
 two simultaneously masking Q wave abnormalities 464, 466  
 universal definition by ST elevation criteria 429  
 VCG information 7, 8  
*see also* non-ST elevation myocardial infarction; ST elevation myocardial infarction
- myocardial infarction without Q wave or equivalent *see* non-Q wave myocardial infarction
- myocardial ischemia  
 definition 229  
*see also* ischemia; ischemic heart disease
- myocarditis 500  
 concept and evolution 500  
 differential diagnosis 500  
 pericarditis association 239, 507  
 Q waves 283, 284
- T waves 239, 240
- myxedema 159, 241, 416, 505, 520, 539
- narrow QRS complex ventricular tachycardias (fascicular tachycardias) 365
- natural cardiac pacemaker 25, 29, 43, 49–50  
*see also* sinus node
- necrosis  
 quantification in myocardial infarction 461  
*see also* Q wave necrosis
- needles, recording devices 55, 63
- negative predictive value (NPV), evaluation of diagnostic tests 102
- negative T waves  
 acute right ventricular enlargement 143  
 diagnosis in patients with LVH and/or wide QRS 238  
 hypertrophic cardiomyopathy 161, 278  
 ischemic heart disease 236–238  
 non-ST elevation myocardial infarction 441, 445–447  
 post ischemic changes 236–237, 239  
 Prinzmetal angina/coronary spasm 238, 457, 460
- negative U wave 82
- neuromediated syncope, tilt table test 568–569
- neuromuscular diseases 524
- newborns  
 acute right ventricular enlargement diagnosis 144–145  
 ECG characteristics 93, 95, 96, 97  
 ECG morphology in premature infants 93, 95  
 ECG for suspected congenital heart disease 511  
 left ventricular enlargement difficult diagnosis 160  
 right ventricular enlargement difficult diagnosis 144–145
- newly inherited heart disease (short QT interval syndrome) 412–413
- nodal-His (NH) zone 33
- non-cardiac diseases 520–525
- non-compacted (spongiform) cardiomyopathy 483, 486
- non-contractile specific cardiac cells 32, 33  
*see also* P cells; Purkinje cells; transition cells
- non-homogeneous lengthening of the QT interval, drug induced 528, 530
- non-invasive imaging, multislice computerized tomography 25, 500, 569
- non-ischemic chest pain, diagnostic approach 419
- non-Q wave myocardial infarction  
 atrial infarction 463  
 in basal left ventricle 461–463  
 chronic phase 461  
 concept 461  
 definition 461  
 processes 461  
 QTc intervals 457  
 Q-wave myocardial infarction comparison 458–459  
 right ventricular infarction 463  
 transmural involvement 461  
 types 459, 461, 464  
 unstable angina comparison using biomarkers 245, 420, 428, 447, 448, 457, 459, 462
- non-severe mitral regurgitation 498

- non-standard electrocardiological techniques
  - 60–61, 160, 564–565
- non-ST elevation acute coronary syndrome (NSTEMI)
  - ST depression 244, 245–246, 247
  - T wave changes 237, 238, 239
- non-ST elevation myocardial infarction (NSTEMI)
  - 441–450
  - acute coronary syndromes with non-occlusive thrombosis 427
  - changes to ST elevation patterns 427, 449–450
  - differential diagnosis 447
  - ECG patterns 441–447
    - differential diagnosis 447–448
    - flat or negative T waves 441, 445–447
    - normal ECG 442, 447
    - risk assessment 448–449
    - ST depression 441–445
    - summary of changes 428, 429, 441
  - elevation of biomarkers 428, 447
  - high-risk group 448–449
  - low-risk group 449
  - misdiagnosis of STEMI 431, 453
  - negative U waves 445
  - with pain 442–443
  - pathophysiology and clinical setting 428–429
  - percutaneous coronary intervention 443
  - prognostic value of ECG changes at admission 447–449
  - three-vessel disease 443
  - Triton TIMI trial 446
  - see also* non-Q wave myocardial infarction; unstable angina
- normal ECG characteristics 69–99
- normal/near normal ECG
  - advanced heart disease/sudden death situations 552–553
  - chronic non-Q wave myocardial infarction 461, 462–463
  - risk of serious arrhythmias and sudden death 549–550
- NPV *see* negative predictive value
- NSTEMI *see* non-ST elevation acute coronary syndrome
- NSTEMI *see* non-ST elevation myocardial infarction
- NYHAC score, left atrial enlargement 114
- NYHA score, heart failure 502, 503–505, 512
- obese body type
  - ECG features 95
  - horizontal heart 26, 88, 90, 91
- origin of cardiac impulses, sinus node 43
- oscillation avoidance, recording devices 64
- oversampling, digital ECG recorders 64
- pacemaker clinics 390–391
- pacemaker-induced arrhythmias 392
- pacemakers 384–394
  - acquired AV blocks 543
  - advanced AV block and normal sinus function 394
  - choice in clinical settings 393–394
  - congenital AV blocks 543, 544
  - decision tree 393
  - detecting spontaneous electrical activity of the heart 385–386
  - electrocardiography 384–385
  - external interference 392
  - follow up 391
  - function in passive arrhythmias 376
  - history 385
  - implantation protocols 394
  - interpretation of an unknown pacemaker 390
  - maintenance of normal physiologic chronotropic function 394
  - malfunction/dysfunction 384, 391–392
  - preservation of normal atrial contraction and an appropriate AV conduction synchrony 393
  - preservation of ventricular activation 394
  - pre-surgery implantation 535
  - Q-wave MI diagnosis 283
  - sick sinus syndrome 394, 539–540
  - symptomatic bradycardia with slow atrial fibrillation 394
  - technology evolution 385–386, 388–389
  - types 384, 386, 388–389, 390, 391
  - undersensing 392
  - urgency of implantation 376, 378
  - using ECG to detect complications 391
  - see also* cardiac resynchronization therapy; natural cardiac pacemaker
- pacemaker syndrome 393, 394
- PACs *see* premature atrial complexes
- papillary muscles
  - infarction 456
  - left bundle branch innervation 31
  - location 28
- parasitic disease, Chagas cardiomyopathy 502
- parasystolic mechanism for active arrhythmias, variable coupling intervals 299, 310, 313
- parasystolic ventricular tachycardia 366–367
- Parkinson, John 15
  - see also* Wolff–Parkinson–White syndrome
- Parkinson's disease, false diagnosis of atrial flutter 66
- paroxysmal arrhythmias, definition 299
- paroxysmal junctional reentrant tachycardia (slow-fast type circuit) 330–332, 333
- paroxysmal reentrant junctional tachycardia, children 537
- paroxysmal reentrant tachycardia, Wolff–Parkinson–White syndrome 223
- paroxysmal supraventricular tachycardia, carotid sinus massage reactions 302
- partial interatrial block (P-IAB/first degree IAB) 71, 72, 116, 118–120
- partial right bundle branch block 180–182
- partial ventricular blocks 170
- passive arrhythmias 299, 300, 376–395
  - atrioventricular block 381–384
  - coupling intervals 315–316, 317, 319
  - escape rhythm and escape complex 376
  - pacemakers 376, 383–394
  - severe sinus bradycardia 539–540
  - sinoatrial block 380–381
  - sinus bradycardia due to sinus automaticity depression 376–380
  - see also* atrial blocks
- pattern of diastolic overload, aortic valve disease 499
- patterns of risk 539–551
- pause analysis, clinical diagnosis of arrhythmias 401, 407
- P cells 29, 32, 33, 35
- PCI *see* percutaneous coronary intervention
- P congenitale 109, 414
- pectus excavatum 76, 77, 81, 430, 491–492
- percutaneous coronary intervention (PCI)
  - non-ST elevation myocardial infarction 428, 446, 450, 451
  - peri-procedural myocardial infarction 471
  - ST elevation myocardial infarction 427, 428, 429, 430, 438, 439–440, 443
- perfusion of heart walls 25–28
- pericardial disease/pericarditis 505–507, 508–509
  - concept and diagnosis 505–506
  - differential diagnosis of chest pain 419, 420, 421
  - ECG changes 128, 238, 239, 241, 268, 269, 506–507, 508–509
  - idiopathic pericarditis 506–507, 508
  - misdiagnosis by automated interpretation 422
  - other disease types 507, 509
  - peri-MI pericarditis 507
  - regional 455, 507
- pericardial tamponade (cardiac tamponade) 369, 403, 404, 507, 509, 547
- perimyocarditis (acute pericarditis) 506–507
- peripartum cardiomyopathy 532–533
- peripheral bundle branch blocks 171, 172
  - left advanced 185, 187, 188, 192
  - right advanced 172, 173, 175–176, 177–178, 179, 180
  - right partial 180, 181
  - right zonal 183
- peri-procedural myocardial infarction
  - cardiac surgery 471
  - criteria for PCI-related MI 471
  - percutaneous coronary intervention 441, 471
  - ST elevation myocardial infarction interventions 441
- permanent arrhythmia, definition 299
- Perugia score, left ventricular enlargement 156, 157, 158, 159
- pheochromocytoma 471, 523
- physicians
  - ECG training and experience 18, 19, 411
  - overreading automated ECG interpretation 19–20, 65
- physiologic chronotropic function, pacemakers maintaining 394
- P-IAB *see* partial interatrial block
- “pill-in-the-pocket” treatment approach 334, 343
- pioneers of electrocardiology 11–16
- pleomorphic ventricular tachycardia 368–369
- P loops
  - atrial activation, electrophysiology 44–45
  - rotation, sinus versus ectopic rhythms 73
  - vectorcardiography 6–7
- pneumothorax 423, 520, 523
- polarity, QRS complex 75–76
- polymorphic ventricular tachycardia 355, 367–370
  - see also* bidirectional ventricular tachycardia; catecholaminergic polymorphic ventricular tachycardia; pleomorphic ventricular tachycardia; torsades de pointes

- positive and negative deflections of ECG needle, electrical force direction relative to electrodes 56, 63
- positive and negative hemifields, ECG recording techniques 5, 6, 61–62
- positive predictive value (PPV), evaluation of diagnostic tests 101, 102
- post-myocardial infarction patients, malignant ventricular arrhythmias, assessing use of late potentials to predict 102–103
- post-operative complications
  - cardiac surgery causing pericarditis 507
  - see also* peri-procedural myocardial infarction
- potassium *see* hyperkalemia; hypokalemia
- potential mapping, body surface mapping 565, 567
- P pulmonale, right deviation of P wave axis 109, 414
- PPV *see* positive predictive value
- “PQRST” notation of Einthoven’s ECGs 13
- P–QRS–T frequency 5
- precordial leads
  - bipolar Lewis leads 60, 322, 564
  - ECG recording techniques 60, 61, 65–66, 67
  - Extreme right and left precordial leads 60, 61
  - history 14
- predictive values
  - evaluation of diagnostic tests 100, 101–102
  - prevalence effects 103
- pre-excitation *see* ventricular pre-excitation
- pregnancy 453, 464–465, 532–533
- premature atrial complexes (PACs), time schedule 561
- premature complexes
  - active arrhythmias 299
  - clinical diagnosis of arrhythmias 401
- premature newborns, ECG morphology 93, 95
- premature supraventricular complexes (PSVCs) 315, 321, 322, 324
- premature ventricular complexes (PVCs) 350–354
  - athletes 526
  - children 537
  - clinical implications 354
  - concept and mechanisms 350
  - differential diagnosis 353–354
  - ECG findings 350–353
  - high risk in chronic heart disease patients 543–544
  - isolated/infrequent monomorphic ventricular tachycardias 355
  - Lown’s classification by prognostic significance 350, 351, 352, 354, 355, 568
  - morphology changes in acute coronary syndrome 457–458
  - QRS complex characteristics 351–353
  - triggering ventricular fibrillation 371
  - young people 301
- prenylamine 239
- pre-operative ECG 533–534
- prevalence of condition, affecting sensitivity and specificity of tests 103
- primary abnormalities of repolarization 82
- primary pulmonary hypertension 510, 520
- primary ST deviations 82
- primary T wave disturbances 82
- PR interval
  - definition 6
  - measurement 74
  - normal/abnormal 72, 73–74
  - not shown by VCG 6, 8
  - significance of abnormalities 412
  - Wolff–Parkinson–White (type 1) ventricular pre-excitation 215–216
- Prinzmetal angina (coronary spasm) 467–471
  - negative T waves 238, 457, 460
  - Q waves 262, 283
  - ST segment elevation 267, 387
  - ST/T alternans 403
  - total occlusion of large epicardial vessel 454
- projection effects, QT interval dispersion 414
- proximal bundle branch blocks 171, 172
  - left advanced 185–187, 189–191
  - right advanced 173–175, 176–177, 178, 179, 180
  - right partial 180
  - right second-degree 182
- proximal ventricular blocks 171
- PR segment
  - acute coronary syndromes 457
  - normal/abnormal 73–74
- pseudo-alternans 369, 546, 547
- PSVCs *see* premature supraventricular complexes
- psychiatric diseases 525
- puerperium 532–533
  - see also* newborns; pregnancy
- pulmonary edema 113, 209, 414, 423, 456
- pulmonary embolism
  - acute cor pulmonale 509
  - acute right ventricular enlargement 144
  - advanced RBBB 144, 180, 411, 542
  - differential diagnosis of chest pain 421
  - dyspnea 411, 423, 542
  - ECG findings 144
  - right ventricular dilation without wall hypertrophy 134
- pulmonary emphysema 93, 109, 178, 179, 207, 509, 510
- pulmonary hypertension
  - chronic cor pulmonale 509–510
  - primary 510, 520
  - right ventricular enlargement 133, 134, 135, 137, 138, 140, 143
- pulmonary stenosis
  - congenital 110, 134, 137, 138, 511, 513
  - ventricular enlargement 133, 134, 136, 137, 138, 142
  - see also* Fallot’s tetralogy
- pulmonary veins, arrhythmias 305, 307, 329
- Purkinje cells 32, 33, 35, 36
- Purkinje fibers 47
- Purkinje network 29, 30, 31
- PVCs *see* premature ventricular complexes
- P wave area 73
- P wave axis (ÅP)
  - axis of atrial depolarization 53, 84
  - body size/shape 95
  - calculating electrical axis 84, 85
  - children 91
  - ECG theory 53–54
  - elderly people 93
  - normal/abnormal 72
  - significance of abnormalities 414
- P wave duration
  - all cause mortality hazard ratio 130
  - atypical advanced interatrial block 123
  - interatrial block 72, 107
  - left atrial enlargement criteria 115
  - normal/abnormal 72
- P wave height (voltage)
  - measurement 73
  - normal/abnormal 72
  - significance of abnormalities 414
- P wave indices
  - normal characteristics 69, 71–73
  - risk markers 129–130
  - use of scores 73
- P wave morphology
  - abnormal/normal comparison 72, 107, 108
  - atrial abnormalities 107–132
  - atypical advanced interatrial block 121, 122–123
  - bi-atrial enlargement 115–116
  - changes not due to atrial block 124, 126
  - left atrial enlargement 108, 114–115
  - new concepts 107
  - normal 70, 72, 97
  - right atrial enlargement 108, 111, 112
  - significance of abnormalities 129–130, 414
  - variable in arrhythmias 404
- P waves
  - abnormal sinus heart rhythm 69, 70
  - acute coronary syndromes 457
  - atrial depolarization 4
  - experimental ischemia studies 283
  - normal sinus heart rhythm 69
  - signal averaging electrocardiogram 73, 455
  - significance of abnormalities 129–130, 414
- P wave voltage *see* P wave height
- QRS activation, delayed diffuse intraventricular QRS activation 212
- QRS alternans 327, 402, 403, 404, 547
- QRS complex
  - abnormal features 75–76
  - acute coronary syndromes 457
  - arrhythmia diagnosis 400–401
  - atrial fibrillation 339–340
  - atrial flutter 346–347
  - cadence and rate 400–401
  - clinical diagnosis of arrhythmias 400–401
  - escape rhythm 376, 377, 378
  - FP axis 75
  - fractioned QRS 268–269, 462
  - inferoposterior hemiblock 202
  - ischemia
    - distortion of QRS complex 284
    - experimental studies 231
    - in patients 249, 258–269, 284
  - left ventricular enlargement 148–152
  - narrow QRS in arrhythmias 365, 400
  - normal values 70, 75–76
  - pacemaker site 384
  - premature ventricular complexes 350–354
  - prominent R wave in V1 416–417
  - right atrial enlargement 110–111, 112
  - right ventricular enlargement 134–139
  - significance of abnormalities 415–418
  - STEMI 457
  - superoanterior hemiblock 198

- QRS complex (*cont'd*)
- triphasic nature 62–63
  - understanding 62–63
  - variable morphology, clinical diagnosis of
    - arrhythmias 402, 403
  - ventricular depolarization 4–5
  - ventricular tachycardias 356–361
  - wide QRS
    - acute coronary syndrome diagnosis problems 450–453
    - negative T wave ischemia diagnosis problems 238
    - ST segment ischemia diagnosis problems 254
    - tachycardias 316, 317, 340–341
  - WPW ventricular pre-excitation 215, 216, 217–218
- QRS complex in the frontal plane, proximal right bundle branch block 178
- QRS complex in the horizontal plane, proximal right bundle branch block 178
- QRS complex spacial orientation (ÅQRS)
- acute right ventricular enlargement
    - pulmonary embolism 144
    - pulmonary hypertension 143
  - ÅQRS–ÅT spatial angle 79, 84, 85, 97, 415–416
  - at +60° 84
  - at +90° 85, 86
  - at 0° 85, 86
  - ÅT effects 79
  - axis in the frontal plane 75, 87
  - body size/shape 79, 95
  - calculating the electrical axis 84–87
  - calculations in clinical practice 85–86, 89
  - deviations to right and left 79, 85, 87, 415
  - in the frontal plane, inferoposterior hemiblock 202
  - indeterminate axis 86–87, 415
  - QRS I/II/III morphologies 85–86, 87
  - significance of abnormalities 415–416
  - superoanterior hemiblock 197–198
- QRS complex to peak R *see* intrinsicoid deflection time
- QRS duration
- inferoposterior hemiblock 202
  - significance of abnormalities 416
  - superoanterior hemiblock 197
- QRS loops
- anterior displacement, right ventricular enlargement 134–138
  - electrophysiology of ventricular activation 46–49
  - inferoposterior hemiblock 201
  - maximum loop vector changes 148–151
  - posterior displacement, right ventricular enlargement 135, 138–139
  - superoanterior hemiblock 196–197
  - vectorcardiography 6–7, 62–63
- QRS polarity, normal values 75–76
- QRS–T changes
- anterior/right displacement of QRS loop, right ventricular enlargement 135–138
  - posterior/right displacement of QRS loop, right ventricular enlargement 135, 138–139
- QRS/T spatial angle, normal/abnormal 79
- QRS voltage
- left ventricular enlargement diagnosis 156–157
  - normal values 75–76
  - significance of abnormalities 416
- QRS widening, *see also* wide QRS tachycardias
- QS in right precordial leads, left ventricular enlargement differential diagnosis from ischemic heart disease 163
- QTc interval (heart rate-corrected QT interval) 74–75, 412–413, 572
- QT interval
- acute coronary syndrome 457
  - age effects 74
  - correcting for heart rate 74
  - definition 6, 74
  - dispersion significance 413–414
  - drug induced lengthening 75, 413, 528, 530, 545
  - measurement 74
  - normal/abnormal 74
  - significance of abnormalities 412–414
  - time of day effects 74
- QT interval prolongation
- acquired versus congenital 545, 546
  - causes 76
  - congenital syndrome 75, 402, 403, 413, 414, 424, 456, 485–488, 545
  - drug associations 75, 413, 528, 530, 545
  - ischemia, experimental studies 257
  - predisposing factors 545
  - significance of long QTc interval 413
- QT interval shortening
- causes 76
  - inherited syndrome 75, 412–413, 488
  - significance 412–413
- quadrifascicular theory, intraventricular conduction system 30, 31, 46, 196, 203
- q wave
- absence in I/aVL and V6, significance 417
  - reduced in septal fibrosis 150, 151, 154, 155, 417, 500
  - ventricular depolarization 4–5
- Q wave changes
- evolution of myocardial infarction 429, 435
  - ischemic heart disease 258–269
  - similar patterns in non ischemic patients 269–270
- Q-wave myocardial infarction
- avoidance with treatment 427, 429, 430
  - chronic 458
  - confounding factors 464
  - development from tall T wave patterns 235–236
  - diagnosis effects of intraventricular blocks/pacemaker/ WPW 258–269
  - diagnosis in presence of narrow QRS 258–269
  - diagnostic criteria 459
  - evolution of ECG pattern 429, 435, 459
  - evolution from acute coronary syndromes 455
  - evolution from ST elevation ACS 249
  - hemiblocks 273, 275, 279, 280–283, 284, 288
  - left bundle branch block affecting diagnosis 272–273, 286, 287
  - with left-deviated ÅQRS 281–283
  - location 263–265, 267–268, 275–280, 460–461
  - with narrow QRS 459–461
  - necrosis quantification 461
  - not evolving from tachyarrhythmia derived angina 465
  - pacemakers affecting diagnosis 283
  - in the presence of narrow QRS 258–269
- Q wave abnormalities disappearing with time 464
- right bundle branch block affecting diagnosis 270–272, 284, 285
- versus non-Q wave MI 259–261
- WPW-type pre-excitation affecting diagnosis 283
- Q-wave necrosis 258–268
- diagnostic criteria 262
  - ECG characteristics 261–262
  - electrophysiological mechanisms 258–259
  - location of MI in ventricular walls 263–268
  - quantification in Q wave myocardial infarction 461
  - theories of generation 259
- racial differences
- left ventricular enlargement diagnostic criteria 159
  - normal ECG morphology 95
- RAE *see* right atrial enlargement
- rate responsive pacemakers, AAIR/DDDR/VVIR 389, 390, 394, 540
- RBBB *see* right bundle branch block
- RCA *see* right coronary artery
- reciprocating tachycardia *see* junctional reentrant tachycardia
- recovery time *see* refractory period; total recovery time
- reentry
- active arrhythmias
    - classical concept 305, 307–309, 311
    - other types 309–310, 311
- reference tests, assessing diagnostic criteria of different methods 100
- refractory periods, cardiac cell property 40–42, 43
- regional pericarditis 455, 507
- regression models, left ventricular enlargement 158
- relative refractory period (RRP)
- cardiac cell property 41
  - measurement in clinical ECG 42
- reliability of diagnostic tests, Bayes' theorem 103–104
- remote ECG interpretation 64, 439
- repeated non-sustained monomorphic ventricular tachycardia 366
- repetitive arrhythmias (alloarrhythmias) 401, 404–406
- repetitive complexes, active arrhythmias 299
- repolarization
- basic principles 3, 4, 5
  - isoelectric ST segment and T wave 5
  - ventricular electrophysiology 48–49
- repolarization alterations 82–83
- atrial 44–45
  - with chest pain 418–423
  - chronic cor pulmonale 510
  - idiopathic pericarditis 506
  - ischemia 230, 231–258
  - QT prolongation 257
  - ST segment 240–257
  - T waves 231–240
  - U waves 257–258
- mixed pattern 83
- myocarditis 500

- primary abnormalities 82
  - secondary abnormalities 83
  - significance 418–425
  - tachyarrhythmias presenting with chest pain 423
  - without chest pain or symptoms of heart disease 424–425
  - WPW ventricular pre-excitation 219, 221
  - see also* strain pattern
  - repolarization alternans, high risk 547
  - repolarization (phases 1–3)
    - electrophysiological characteristics of contractile cells 38, 39–40
    - electrophysiological characteristics of slow response cells 40
  - research
    - ECG as a useful tool 18
    - experimental necrosis 269
    - experimental studies of ischemia 229–257
  - respiratory problems 520
  - see also* dyspnea
  - resting potential *see* diastolic potential
  - restrictive cardiomyopathy 500–502
  - resynchronization pacemakers 383, 389, 390
  - rheumatic diseases, systemic 524
  - rheumatic fever 507, 509
  - rheumatic valvular heart diseases 112, 498, 509
  - see also* mitral stenosis
  - right atrial enlargement (RAE) 108, 109–112
    - associated diseases 109–110
    - atrial depolarization 108
    - chronic cor pulmonale 510
    - combining QRS and P criteria 111, 112
    - direct P wave criteria 111
    - ECG criteria 108
    - false positives and false negatives 112
    - imaging correlations with ECG diagnostic criteria 110–111
    - indirect QRS criteria 110–111, 112
    - P waves 108
    - sensitivity/specificity of ECG criteria 108, 110
    - underlying mechanism of ECG changes 109–110
  - right bundle branch
    - anatomy 170, 171
  - intraventricular conduction system 29, 30
  - right bundle branch block (RBBB) 171, 172–185
    - activation
      - advanced blocks 173–176
      - partial blocks 180–181
    - acute right ventricular enlargement 143
    - acute right ventricular enlargement with pulmonary embolism 144
    - advanced/third degree 172–180
    - with alternating block in the two sub-divisions
      - of the left bundle, high risk 543
    - association with other processes 178
    - bifascicular block with inferoposterior hemiblock 209–210
    - bifascicular blocks alternating between superoanterior hemiblock and inferoposterior hemiblock = Rosenbaum–Elizari syndrome 211
    - bifascicular block with superoanterior hemiblock 205–211
    - bitruncal block with LBBB 205
  - biventricular enlargement diagnosis in presence of blocks 166
  - chronic cor pulmonale 510
  - chronic myocardial infarctions combination 464
  - clinical implications 178–180, 182
  - confounding factors in acute coronary syndrome diagnosis 450–452
  - delayed ventricular activation 171, 172, 175
  - diagnostic criteria 178
  - differential diagnosis 146, 182
  - ECG morphology 172
    - advanced blocks 175, 176–178
    - partial blocks 181–182
  - high risk 542
  - morphology seen in ventricular tachycardias 356–357, 358
  - partial/ first degree 180–182
  - peripheral advanced 172, 173, 175–176, 177–178, 179, 180
  - peripheral partial 180, 181
  - proximal advanced 173–175, 176–177, 178, 179, 180
  - proximal partial 180
  - Q-wave MI diagnosis 270–272, 284, 285
  - right ventricular enlargement diagnosis in presence of advanced blocks 147
  - second-degree 182–183
  - WPW ventricular pre-excitation association 222
  - WPW ventricular pre-excitation differential diagnosis 221–222
  - zonal or divisional 183–185
- right coronary artery (RCA)
    - anatomical variants 26
    - perfusion of left ventricle zones 26–28
  - right divisional blocks 183–185
  - right ventricular enlargement (RVE) 134–148
    - acute 140, 143–144
    - associated diseases 134
    - children 137, 138, 140, 141–142
    - chronic cor pulmonale 510
    - concepts 134
    - decompensated cor pulmonale 140, 143
    - diagnostic ECG criteria
      - anatomic and imaging correlations 139–140
      - in clinical practice 140
      - epidemiology and preliminary screening 140
    - differential diagnosis 145–147
    - difficulties in ECG diagnosis 147–148
    - effects of left ventricular forces 134
    - hypertrophy and dilation 134
    - indirect signs 145
    - mechanisms of ECG changes 134–135
    - newborns 144–145
    - in presence of ventricular blocks 147
    - pulmonary embolism 144
    - pulmonary hypertension 133, 140, 143
    - regression of ECG signs after surgery 145
    - rS or Qs morphology in V1 147
    - sensitivity versus specificity of diagnostic ECG criteria 139, 140, 143, 148
    - special characteristics 140–145
  - right ventricular hypertrophy 134, 138
  - right ventricular infarction, without Q waves or equivalent 463
  - Romhilt–Estes score, left ventricular enlargement 149, 150, 156, 157–158, 159, 163, 164
  - Rosenbaum, Mauricio 14, 15, 29, 46, 195, 283, 314, 315, 316
  - Rosenbaum–Elizari syndrome 211, 543
  - rotations of the heart *see* heart rotations
  - RR intervals
    - aberrant conduction in passive arrhythmias 315, 316, 318, 319
    - atrial fibrillation 341, 342
    - heart block effects 313, 314
    - heart rate relationship 69, 71
    - incessant tachycardias 330
    - junctional reentrant tachycardia 333
    - normal 69, 70
    - QT interval relationship 74
    - supraventricular tachyarrhythmia 324, 327, 334, 335, 337
  - RRP *see* relative refractory period
  - r' (R') wave, significance 416–417
  - rSr' morphology 417
  - RVE *see* right ventricular enlargement
  - R wave
    - normal/abnormal features 78
    - ventricular depolarization 5
  - R wave in V1
    - due to lateral not posterior wall 26
    - equivalent to Q wave in post myocardial infarction patients 461
    - significance 416–417
  - SAD *see* superoanterior division
  - SAEGG *see* signal averaging electrocardiogram
  - SAH *see* superoanterior hemiblock
  - sarcoidosis 500, 523
  - sarcolemma, contractile cells 31, 32–33
  - sarcomere, contractile cells 30, 33
  - sarcoplasmic reticulum, contractile cells 30, 33
  - scoring systems
    - heart failure 502, 503–505, 512
    - left ventricular enlargement 156–158, 159, 164
    - non-ST elevation myocardial infarction 447
    - P wave indices for pathology prediction 73
    - ST elevation myocardial infarction 436–437
  - SCS *see* specific conduction system
  - secondary abnormalities of repolarization 83
  - second-degree atrial block (atrial aberrancy) 124, 125
  - second-degree atrioventricular blocks 382
  - second-degree left bundle branch block 195
  - second-degree right bundle branch block 182–183
  - second-degree sinoatrial block 380–381
  - sensitivity
    - assessing for specific situations 101, 102–103
    - ECG diagnostic criteria used for atrial enlargements 108, 110, 114
    - evaluation of diagnostic tests 100, 101
    - false negative relationship 101, 102
  - sensitivity versus specificity
    - epidemiological studies versus clinical practice 140
    - left ventricular enlargement 155–156
    - right ventricular enlargement 139, 140, 143, 148
  - septal fibrosis, q wave reduction 150, 151, 154, 155, 417, 500
  - septal rupture 456
  - severe sinus bradycardia 539–540
  - see also* sick sinus syndrome

- short PR interval
  - abnormal sinus heart rhythm 69, 70
  - significance 412
  - WPW ventricular pre-excitation 215, 216–217
- short PR interval (type 3) ventricular pre-excitation 215, 216, 225–227
  - clinical implications 227
  - concept and mechanism 225
  - ECG characteristics 216, 225–227
- short QT interval 75, 76, 412–413
- short QT syndrome 75, 412–413, 488
- sick sinus syndrome (SSS) 339, 394, 539–540
- signal averaging electrocardiogram (SAEGG) 20, 73, 455, 567–568
- silent ischemia 424, 468, 516–517
- sinoatrial block 380–381
  - concept and mechanism 380
  - ECG findings 380–381
  - first degree 380
  - second-degree 381
  - third degree/complete 381
- sinoventricular conduction 69, 70, 227, 406, 412, 531, 534
- sinus heart rhythm
  - normal ECG characteristics 69
  - P loop rotation 73
- sinus bradycardia
  - severe 539–540
  - see also* sick sinus syndrome
- sinus bradycardia due to sinus automaticity
  - depression 376–380
  - concept and mechanism 376–377
  - ECG finding 377, 380
- sinus node
  - automaticity of cells 40, 49–50
  - basics of heart electrical activity 3
  - dysfunction requiring pacemaker implantation 393, 394
  - origin of cardiac impulses 43
  - P cells, automatic slow response 35
  - specific conduction system 28, 29
- sinus rhythm
  - competing with atrioventricular rhythm 334, 336
  - confusion with flutter 406
  - misdiagnosed as ectopic rhythm 406
  - WPW ventricular pre-excitation 221
- sinus tachycardia
  - carotid sinus massage reactions 302
  - clinical implications 323
  - definition 321
  - ECG findings 322–323
  - mechanisms 300, 322
  - pulmonary embolism 144
- situs inversus (congenital displacement of right atrium to the left) 511
- slow-fast type of circuit, paroxysmal junctional reentrant tachycardia 330–332, 333
- slow response cells 35, 39, 40
- smart watches 560
- Sokolow-Lyon criteria, left ventricular enlargement diagnosis 156–157, 159, 163, 164, 516
- special techniques, arrhythmia diagnosis 301
- specific conduction system (SCS)
  - anatomy 29
  - atrioventricular junction 28, 29
- automatic slow response cells 35
- basics of heart electrical activity 3
- internodal conduction pathways 28, 29
- intra-ventricular conduction system 29–32
- Lenegre syndrome 483–484
- Lev syndrome 484
- perfusion and innervation 28–32
- sinus node 28, 29
- specific ECG criteria based on QRS voltage, left ventricular enlargement diagnosis 156–157
- specificity
  - assessing for specific situations 101, 102–103
  - ECG diagnostic criteria used for atrial enlargements 108, 110, 114
  - evaluation of diagnostic tests 100, 101
  - false positive relationship 101, 102
- specific non-contractile cardiac cells 32, 33
- spongiform (non-compacted) cardiomyopathy 483, 486
- SSS *see* sick sinus syndrome
- standard 12-lead system, ECG recording techniques 60
- standard limb leads (I/II/III) 56–57
- ST depression
  - ACS type ambiguity 244, 431, 445, 446
  - atypical ECG patterns in patients with angiographic STEMI 431
  - causes other than ischemic heart disease 256, 268
  - chest pain of ischemic origin 419
  - ischemia 234, 240, 243–249
- ST distortion avoidance by filtering 64
- STE-ACS *see* ST elevation acute coronary syndrome
- Steinert's disease 524, 525
- ST elevation
  - causes other than ischemic heart disease 256, 268
  - classification of acute coronary syndromes 18, 20
  - criteria for universal definition of myocardial infarction 429
  - ischemia 234, 241, 249–254
  - normal variants 430
  - Tako-Tsubo syndrome 466, 467, 500
- ST elevation acute coronary syndrome (STE-ACS)
  - complete transmural involvement 244
  - ECG patterns in evolving STEMI 249–254
  - ECG role in treatment 20
  - location of occlusion 250–254, 255–265
  - ST depression 244
  - T wave changes 236, 238, 239
  - see also* ST elevation myocardial infarction
- ST elevation myocardial infarction (STEMI)
  - cardiac rupture due to regional pericarditis 507, 509
  - changes to non-ST elevation patterns 427, 449–450
  - clinical and prognostic implications 436–439
  - coronary dissection in post partum women 465–466
  - definition 427
  - diagnosis in the presence of a left bundle branch block 452–453
  - diagnosis in the presence of a right bundle branch block 451–452
  - diagnostic approach 419
  - differential diagnosis 435
- ECG patterns 429–441
  - changing with treatment 432, 436, 439–440
  - correlations to location of occluded artery 436
  - in evolving phases 249–254
  - morphology of ST segment elevation 429, 430–431
  - ST depression in some leads 428, 429, 430, 431
  - ST resolution 429–430
  - summary of changes 428, 429
  - T waves 431–435
- fibrinolysis 427, 428, 439
- global prognosis 437–438
- ischemic burden quantification 436–437
- LCX occlusion under diagnosis 453
- location of occlusion informing treatment 438
- misdiagnosis as NSTEMI 431, 453
- opening arteries 438
- pathophysiology and clinical setting 427–428
- percutaneous coronary intervention 427, 429, 430, 438, 439–440, 443
- prognostic value of ECG changes at admission 437–439
- scoring systems 436–437
- sudden death 454–455
- T wave changes in absence of ST elevation 453
- see also* ST elevation acute coronary syndrome
- stenotic lesions
  - congenital 511, 513
  - see also* aortic stenosis; Fallot's tetralogy; mitral stenosis; pulmonary stenosis
- straight back syndrome 115, 145, 417
- strain pattern
  - advanced left ventricular enlargement 254, 256, 421, 424, 450, 499
  - changes in ST and T 153–154
  - IDT measurement useless 149
  - scoring systems 158
  - systolic overload morphology 134
  - aortic valve disease 164, 499–500
  - ventricular enlargement concepts 134
- string galvanometer 12, 13
- strokes (cerebrovascular accidents) 72, 73, 113, 130, 239, 240, 520, 521, 560
- see also* Bayes syndrome
- ST segment
  - definition 76
  - normal/abnormal 76, 77, 78
  - primary deviations 82
  - shift measurement 78
- ST segment changes
  - acute right ventricular enlargement 143, 144
  - ischemia
    - experimental studies 240–242
    - in patients with heart disease 234, 242–247
    - theories for injury patterns 241–242
  - left ventricular enlargement 153–154
- ST segment and T wave
  - inferoposterior hemiblock 202
  - proximal right bundle branch block 178
  - superoanterior hemiblock 198
- ST-T alternans, clinical diagnosis of arrhythmias 403, 404
- ST-T changes
  - clinical diagnosis of arrhythmias 402

- patients presenting with acute chest pain,  
diagnostic approach 418–423
- patients without chest pain or symptoms of  
heart disease, diagnostic approach 424–425
- subarachnoid hemorrhage 520, 521
- subcutaneous recording devices 560
- subendocardial necrosis, without QRS complex  
modifications 47
- subendocardial and subepicardial APs, as basis of  
cellular electrograms and human ECG  
morphology 52–54
- subendocardial zone, innervation 28
- subendocardium, more ischemic zone 3
- subepicardium  
innervation 28
- repolarization starting in less ischemic zone 3
- sudden death  
acute coronary syndromes/STEMI 454–455
- arrhythmia association 301
- arterial hypertension 516–517
- athletes 526, 528
- children 537
- heart failure 502, 503–505
- Holter recording after acute MI 379
- hypertrophic cardiomyopathy 479, 503
- inherited heart disease 478–497
- intraventricular blocks and VT 549
- ionic disorders 531
- new ECG risk patterns 547–549
- with normal ECG 552
- tall and narrow QRS complex with a certain  
degree of repolarization alteration 549
- ventricular fibrillation 372, 373
- sum of 12-lead voltage, specific ECG criteria  
based on QRS voltage 157
- sum of AP from distal and proximal areas, as basis  
of cellular electrograms 52–54
- superoanterior division (SAD)  
intraventricular conduction system 31
- left bundle branch anatomy 170, 171, 195
- trifascicular/quadrifascicular theories 46
- superoanterior hemiblock (SAH) 196–201
- activation 196–197
- advanced (third degree) 196–198
- association with Q-wave MI 275
- bifascicular block with inferoposterior  
hemiblock 210
- bifascicular block with right bundle branch  
block 205–211
- clinical implications 201
- definition 195
- with delay in right ventricular activation 199
- diagnostic criteria 197–198
- differential diagnosis 198
- inferior infarction association 275, 288
- left ventricular enlargement 163, 199
- masked by Q wave of infarction 280–281
- masking Q wave of infarction 280
- with necrosis 199
- partial 198
- with partial LBBB 199
- prolonged HV interval 199
- Q wave in the case of left-deviated  $\hat{A}QRS$   
281–283
- with RBBB 201
- special characteristics 198–200
- supraventricular arrhythmias 299, 300, 541  
*see also* active supraventricular arrhythmias;  
Bayes syndrome
- supraventricular tachycardia, aberrant forms  
misdiagnosed as ventricular tachycardia  
406
- surface ECG  
expanded/ECG plus 20, 21
- future directions 19–21
- history 11–16
- limitations 18–19
- measurement principles 5–6
- utility 17–18
- surgery  
ECG during anesthesia and surgery 535–536
- post-surgical ECG 536
- pre-operative ECG 533–534  
*see also* cardiac surgery; peri-procedural...
- s wave  
normal/abnormal features 79
- ventricular depolarization 5
- syncope  
tachyarrhythmias presenting with chest pain  
423
- tilt table test 568–569
- systematic and sequential approach to ECG  
interpretation 69
- systemic diseases 500–501, 523, 524
- systemic embolism, risk from arrhythmias 129,  
301, 337, 342, 348
- systole (action phase), electrophysiological  
characteristics of cell types 35, 36, 37
- systolic overload  
aortic valve disease 500
- origin and use of term 133–134
- strain pattern in advanced LVE 134
- tachycardia  
atypical ventricular pre-excitation 224
- causing angina but not Q-wave myocardial  
infarction 465
- paroxysmal versus incessant 330
- presenting as chest pain 423
- WPW ventricular pre-excitation 221  
*see also* arrhythmias; *specific tachycardias*
- tachycardias due to reentrant mechanisms  
nomenclature 330  
*see also* atrioventricular nodal reentrant  
tachycardia; atrioventricular reentrant  
tachycardia; junctional reentrant  
tachycardia
- Tako-Tsubo syndrome (TTS) 466, 467, 500
- Talbot criteria, specific ECG criteria based on QRS  
voltage 157
- tamponade *see* pericardial tamponade
- TAP *see* transmembrane action potential
- techniques *see* equipment and techniques
- technology  
computerization and transmission of ECG data  
8, 64, 439, 553, 559, 560, 572  
*see also* automated ECG interpretation  
“Telecardiogramme” 13
- telemedical services, integrated ECG recorders 64
- telemetry home monitoring of an implanted  
device 559
- temporal relationships, normal ECG waves 70
- terminal divisions of intraventricular conduction  
system  
trifascicular and quadrifascicular theories 30,  
31, 46  
*see also* hemiblocks
- tetralogy of Fallot *see* Fallot’s tetralogy
- theory of the infarction vector, Q wave necrosis  
259
- third degree atrioventricular block *see* advanced  
atrioventricular block
- third degree (complete) sinoatrial block 381
- third degree interatrial block *see* advanced  
interatrial block
- third degree ventricular blocks *see* advanced  
ventricular blocks
- thoracic anatomical abnormalities  
effects on ECG 114, 115, 145, 146, 417  
*see also* pectus excavatum
- thoracic pain and equivalent symptoms,  
diagnostic approach 418–424
- Thorel internodal pathway 29
- three vector view of ventricular depolarization,  
limitations 47
- threshold potential (TP)  
electrophysiological characteristics of automatic  
cells 39
- electrophysiological characteristics of  
contractile cells 35, 36–37
- tilt table test 568–569
- TIMI risk score, ST elevation myocardial infarction 436
- T loops  
electrophysiology of ventricular activation 46,  
48, 49
- projection on FP and HP 82
- vectorcardiography 6–7
- TN *see* true negatives
- torsades de pointes 367–369  
classic ventricular tachycardia 367–368
- drug induced 528
- pleomorphic ventricular tachycardia 368–369
- total recovery time (ERP+RRP), refractory period  
of cardiac cells 41
- TP *see* threshold potential; true positives
- training *see* education
- transcatheter aortic valve implantation (TAVI)  
193, 500
- transesophageal (intra-esophageal) ECG 61, 119,  
564–565, 567
- transient left ventricular apical ballooning  
(Tako-Tsubo syndrome) 466, 467, 500
- transition cells  
fast and slow response 35
- non-contractile specific cardiac cells 32, 33
- transmembrane action potential (TAP)  
arrhythmias 305, 306, 316
- atrial and ventricular overlap 533
- basics 3
- delay causing T wave disturbances 82, 232, 432,  
447
- different structures 42
- electrophysiological characteristics of cell types  
35–36, 37
- first recording 15
- refractory period 40
- ST deviations 82, 254  
*see also* QT interval

- transmembrane diastolic potential, electrophysiological characteristics of cell types 35, 36
- transmural involvement, STEMI versus NSTEMI 427–428
- transversal rotations of heart 89–90, 93
- transverse tubular system, contractile cells 30, 33
- tricuspid atresia 511, 513
- tricuspid regurgitation secondary to mitral stenosis 498
- tricuspid valve disease 111, 112, 167
- trifascicular blocks 205, 211–212
- bifascicular block with long PR interval 211–212
  - classification 171, 172
  - masked blocks 212
  - Rosenbaum–Elizaris syndrome 211
- trifascicular theory
- hemiblock definitions 195
  - intraventricular conduction system 30, 31, 46, 170, 195
- Triton 38 TIMI trial, ST depression 244, 431, 446
- tropoin levels
- ACS assessment 420, 422, 449, 452, 453, 457, 459, 461
  - pericarditis 506
- tropoin T mutations 479
- true negatives (TN), evaluation of diagnostic tests 100, 101
- true NSTEMI *see* non-Q wave myocardial infarction
- true positives (TP), evaluation of diagnostic tests 100, 101
- “true posterior wall” of left ventricle, use of term 25
- TTS *see* Tako–Tsubo syndrome
- T wave abnormalities
- acute right ventricular enlargement 143
  - diagnostic approach with acute dyspnea 423
  - diagnostic approach with chest pain 419–421
  - diagnostic approach with no chest pain or symptoms of heart disease 424
  - hypertrophic cardiomyopathy 161, 278
  - inferoposterior hemiblock 202
  - ischemia 232–240
    - differential diagnosis 239–240
    - experimental studies 232–233
    - flat/negative 236–238, 239
    - morphology and duration 234–236, 238
    - negative 236–238, 239
    - in patients with heart disease 233–239
    - shape change mechanisms 136–138, 233–234
    - tall/wide/peaked/symmetrical
  - left ventricular enlargement 153–154
  - normal variants 424, 425
  - proximal right bundle branch block 178
  - significance 418, 419–421, 423
  - superoanterior hemiblock 198
  - see also* negative T waves
- T wave alternans, sudden death risk in dilated cardiomyopathy 504
- T wave axis (ÂT), ÂQRS–ÂT spatial angle 79, 84, 85, 97, 415–416
- T waves
- amplitude 83
  - filtering 20
  - mistakes in diagnosis of acute coronary syndromes 453
  - morphology 79–80, 82
  - normal/abnormal features 79–80
  - polarity 79
  - primary disturbances 82
  - QRS/T spatial angle 79
  - ventricular repolarization 4, 5
  - voltage 79, 80
- type 1 ventricular pre-excitation *see* Wolff–Parkinson–White ventricular pre-excitation
- type 2 ventricular pre-excitation *see* atypical ventricular pre-excitations
- type 3 ventricular pre-excitation *see* short PR interval ventricular pre-excitation
- unipolar limb leads (VR/VL/VF) 14, 57–59
- universal definition of myocardial infarction, ST elevation criteria 429
- unstable angina
- differentiation from non-Q wave infarction/true NSTEMI using biomarkers 245, 420, 428, 447, 459, 461, 462
  - ECG patterns 237, 245
  - low risk 449
  - QTc intervals 457
- ultrastructural characteristics of cardiac cells 32–33
- U waves
- acute coronary syndromes 449, 457
  - electrophysiological origin 81
  - ischemia, experimental studies 257–258
  - negative 82
  - normal/abnormal characteristics 81–82
- vagal maneuvers in carotid sinus massage 301, 325, 329, 396
- vagal overdrive 77, 80, 149, 323, 377, 380, 412, 416
- vagal predominance 73, 76, 377
- vagus/vagal innervation 28, 29
- valvular heart disease 134, 498–500
- calculating sensitivity/specificity and predictive values of diagnostic techniques 101, 102
  - congenital stenotic lesions 511, 513
  - rheumatic 112, 498, 509
  - right atrial enlargement 109
  - tricuspid valve 111, 112, 167
  - see also* aortic stenosis; mitral stenosis; pulmonary stenosis
- vasospastic angina *see* Prinzmetal angina
- VCG *see* vectorcardiography
- Vector 1, first phase of ventricular depolarization 47, 48
- Vector 2, second phase of ventricular depolarization 47
- Vector 3, third phase of ventricular depolarization 48
- vectorcardiography (VCG)
- basic principles 6–7
  - concepts 553–554
  - ECG comparisons 8–9
  - ECG correlation 7, 8, 62–63
  - loop characteristics 554, 555
  - loops 6–7, 62
  - same information provided by ECG 8, 464
  - synthesizing loops from 12-lead ECG 21
  - usefulness 554, 555
  - value for understanding ECG curves 3, 9
- ventricles
- abnormalities 133–294
    - impulse transmission from atria 45–46
    - response to atrial flutter 346–347
  - ventricular activation
    - pacemakers preserving normal sequence 394
    - QRS and T loops 46–49
  - ventricular aneurysms, acute coronary syndromes 456
  - ventricular arrhythmias 299, 300, 543–544
  - ventricular blocks 170–214
    - anatomic considerations 170, 171
    - anteroseptal middle fiber blocks 147, 170, 195, 196, 203–205, 206
    - combined blocks 205–212
    - definition of terms 170
    - delayed diffuse intraventricular QRS activation 212
    - electrophysiological considerations 170–172
    - in left ventricular enlargement 163
    - right ventricular enlargement diagnosis 147
    - see also* left bundle branch block; right bundle branch block
  - ventricular conduction system, right and left
    - bundle branch anatomy 170, 171
  - ventricular depolarization
    - electrophysiology 46–48
    - QRS complex 4
    - three phases 48
  - ventricular dilation, definition 133
  - ventricular enlargement 133–169
    - aortic stenosis 133
    - biventricular hypertrophy 165–167
    - dilation versus hypertrophy 133, 134, 136, 143, 148, 160
    - enlargement of all four cavities 166
    - not affecting ECG results 133, 148
    - severe valvular heart diseases 498
    - ventricular block relationship 172
    - see also* left ventricular enlargement; right ventricular enlargement
  - ventricular fibrillation 371–373
    - clinical implications 372, 373
    - concept 371
    - ECG presentation 371, 372, 373
    - triggered by premature ventricular complexes 371
    - ventricular vulnerable period 42, 43
  - ventricular flutter 370–371
    - concept and mechanism 370
    - ECG presentation 370–371
  - ventricular hypertrophy
    - definition 133
    - right ventricle 134, 138
    - ventricular enlargement relationship 160
    - see also* left ventricular hypertrophy
  - ventricular infarction, without Q waves or equivalent 461–463
  - ventricular pacemakers (VDD/VVI/VVIR) 386, 389, 390, 391, 392, 393, 394
  - ventricular pre-excitation 215–228
    - accessory AV pathways/Kent bundles 215, 216–217, 222
    - atypical 224–225
    - definition/concept 215
    - short PR interval 215, 216, 225–227

- similar morphology to LBBB 188
- types 215, 216
- see also* Wolff–Parkinson–White pre-excitation
- ventricular septal defect (VSD), congenital 511, 512
- ventricular tachycardias (VTs) 354–370
  - aberrant supraventricular tachycardia misdiagnosis 406
  - carotid sinus massage reactions 302
  - classification 354–355
  - clinical implications 362
  - diagnostic criteria and differential diagnosis 361, 362, 363
  - idiopathic 355, 356, 537
  - inherited disorders 484, 494–495
  - LBBB or RBBB morphology 356–357, 358
  - monomorphic 354–367
  - place of origin 357
  - polymorphic 354–355, 367–370
  - sustained or non-sustained 354, 355
  - sustained VT high risk in chronic heart disease patients 544
  - wide QRS 355–362
- ventricular vulnerable period (VVP), cardiac cell property 42, 43
- ventriculogram alterations, WPW/type 1
  - ventricular pre-excitation 217–218
- vertical heart 47–48, 87–88, 89, 91
- viral diseases
  - COVID-19 528, 545, 572
  - dilated cardiomyopathy 502
  - ECG effects 523
  - myocarditis 500
- voltage
  - Cornell voltage criterion 95, 156–157, 158, 159, 164, 516
  - day-to-day variations 160
  - P wave 72, 73
  - QRS complex 75–76, 77, 156–157, 416
  - T wave 79, 80
- VOO (non-sensing) pacemakers 385
- VTs *see* ventricular tachycardias
- VVI/VVIR (ventricular on-demand) pacemakers 386, 389, 390, 391, 392, 393, 394
- VVP *see* ventricular vulnerable period
- Waller, Augustus D 11
- wall hypertrophy
  - versus chamber dilation
    - atrial enlargement 107, 111, 133
    - ventricular enlargement 133, 134, 136, 143, 148, 160
  - see also* left ventricular hypertrophy
- walls of the left ventricle
  - debate over “true posterior wall” 25–26
  - septal/anterior/lateral/inferior 25–26
- wave amplification and filtering techniques 563–564
  - see also* amplification of signals
- wavelet technology 20
- Wenckebach internodal pathway 29
- Wenckebach, Karel F 13–14
- Wenckebach (Mobitz I) type block 183, 195, 313, 314–315, 380, 381, 382, 402, 404, 526, 527
- White, Paul Dudley 15
  - see also* Wolff–Parkinson–White syndrome
- wide QRS, causing diagnosis problems 238, 254, 450–453
- wide QRS tachycardias
  - aberrancy versus ectopy in wide QRS complexes 316, 317, 340–341
  - differential diagnoses 330, 332
  - ECG diagnosis considerations 301
  - reentry 309
  - ventricular tachycardias 355–362
- Wilson, Frank N 14, 15
- Wilson limb lead system 57–58, 59, 60
- Wilson’s theory of electrical window, Q wave necrosis 259
- Wolff, Louis 15
- Wolff–Parkinson–White (WPW) syndrome
  - antidromic tachycardia 361–362
  - ΔQRS deviations 415
  - atrial fibrillation 341, 342, 348
  - clinical implications 224
  - definition 224
  - discoverers 15
  - ECG examples 222, 292–293, 342, 348
  - mechanisms 215, 223–224
  - paroxysmal tachycardia in children 537
  - peripheral LBBB confusion 192
  - presentation 223
  - ventricular tachycardia comparison 341
  - ventricular tachycardia differential diagnosis 361, 362, 364, 406
  - WPW ventricular pre-excitation distinction 224
- Wolff–Parkinson–White (WPW) ventricular pre-excitation 215–224
  - accessory pathway morphologies 217–218
  - antidromic tachycardia 224, 361–362, 364
  - arrhythmia association 215, 217, 222, 223–224
  - atrioventricular alternative pathways/Kent bundles 215, 216, 222, 223
  - bundle branch block association 222
  - clinical implications 224
  - concept and mechanism 215
  - confirmation or exclusion 221
  - differential diagnosis 221–2221
  - ECG characteristics 215–217
  - intermittent 222, 223, 293
  - ischemic heart disease association 222
  - left ventricular enlargement differential diagnosis 163
  - mimicking LBBB 218, 220, 221
  - more than one accessory pathway 221
  - PR interval 215–216
  - Q-wave MI diagnosis 283
  - spontaneous or induced changes in abnormal morphology 223
  - types by accessory pathway 216, 217–218
  - types I/II/III/IV QRS morphology 218, 219, 220, 221–222
- X syndrome (cardiac syndrome X) 469–471
- young adults, left ventricular enlargement
  - diagnostic criteria 159
- zonal (divisional) left ventricular blocks 195–205
- zonal (divisional) right ventricular blocks 183–185





