

Index

Page numbers in *italics* denote Figures; those in **bold** denote Tables.

A

α chain inclusion, 96, 96, 329, 345

α thalassaemia trait, 70, 72, 73, 94, 223, 302, **319**, 330–332, 332, 336, 339, 340

Abbott instruments, 46–48

Alinity, 47–48, 48

Cell-Dyn, 31, **34**, 35, 42, 44, 46–48, 51, 56, 167, **201**, 203, **203**, 205, 207, **207**, **208**, 211, **216**, 235, **237**, **238**, 265

abbreviations, viii, 29

abetalipoproteinaemia, 84, 86, **87**

acanthocyte, 29, 81, 83–85, 83, 84, 85, 86, **87**, 92, 94, 97, 150, 151, **260**, 349, 356, 378, 379, 403, 404, 408, 416, 417

accessory cephalic vein, 2

acid phosphatase, **301**, 309, 309

acquired haemoglobin H disease, **71**, 333, 334

acquired immune deficiency syndrome (AIDS), 20, 44, 120, **152**, 161, 177, **266**, 268, **268**, **275**, **312**, 466–468, 519, 524

AcT 5diff automated cell counter, *see* Beckman-Coulter instruments

acute basophilic leukaemia, 487, 490

acute erythroleukaemia, 81, 86, 92, 94, 99, 308, 347, **482**, 486

acute lymphoblastic leukaemia, 35, 92, 124, 124, **199**, 209, 249, **252**, **253**, **254**, **261**, **275**, 308, 339, 412, 474, 502, 508–510, 509, 510, **510**, **511**

acute megakaryoblastic leukaemia, **143**, 148, **258**, 308, 309, **482**, 483, **483**, 487, 488

acute monoblastic leukaemia, 210, **482**, **483**, 486, 488

acute monocytic leukaemia, 138, 138, **482**, **483**, 486, 505

acute myeloid leukaemia, **109**, 113, 481–489, **482**, **483**, 483, 484, 485, 486, 487, 488, 489

blood films, 120, 109, 113, 120, 483, 484, 485, 487, 488, 489, 490, 491

FAB classification, 481–482, **482**, 483, 484, 485

of Down syndrome, 490–491

WHO classification, 481–491, **483**, 487, 488, 489, 490, 491

acute myeloid leukaemia with mutated *NPM1*, **483**, 486, 489

acute myeloid leukaemia with myelodysplasia-related changes, **483**, 489

acute myelomonocytic leukaemia, 123, 308, **482**, 483, **483**, 485

acute panmyelosis with myelofibrosis, **483**, 490

acute promyelocytic leukaemia, 46, 50, **216**, **254**, 308, 310, **394**, 483, **483**, 484, 485, 486, 488

adenosine deaminase deficiency, **260**, **261**, **265**, **273**

adenosine deaminase excess, 90, **252**, **381**, 379, **381**, 413

adenylate kinase deficiency, **381**

adult T-cell leukaemia/lymphoma, 129, 512, 523, 526–527, 528

ADVIA, *see* Siemens instruments

AIDS, 20, 44, 120, **152**, 161, 177, **266**, 268, **268**, **275**, **312**, 466–468, 519, 524

alcohol, 87, 90, **109**, 113, **152**, 206, **226**, **258**, **266**, **268**, 269, **270**, **275**, 347, 350, 353, 359, 403, 404, 411, 461, 477

Alder-Reilly anomaly, **108**, 110, 111, **111**, 123, 127, **129**

aldolase deficiency, **82**, **380**, 381

Alinity, *see* Abbott instruments

alloimmune haemolytic anaemia, 391–393, 391, 392

Alport syndrome, 115, 361

amgakaryocytic thrombocytopenia, 269, **270**, **273**, **274**, **275**, 419, **421**, **426**

amniotic fluid cells, 153, **199**, 200

anaemia, 258–259, **260**

acquired haemolytic, 384–406

alloimmune, 391–393, 391, 392

autoimmune, **78**, 81, 89, 93, 98, **109**, 116, 135, 141, 174, 360, 384–387, 385, 386, 413, 414, 417, 512, 514

bacterial and parasitic infections, 414

cold antibody-induced, **78**, 387–388, 388, 414, 464

combined cold/warm autoimmune, 390

diabetes mellitus, **246**, **380**, **394**, 405

drug-induced, 76, **78**, 135, **381**, 390–391, 391, 393, **394**, 396, 396, 397, 398, 400, 401, 401

familial autoimmune/lymphoproliferative syndrome, 72, 393

haemolytic disease of fetus and newborn, 78, 97, 135, **262**, **267**, **270**, **275**, 353, 391–392, 391, 392, 425, 462

in fetus and neonate, 259, **262**, 333–334, 335, *see also* haemolytic disease of the fetus and the newborn

liver disease, **262**, 347, 350, 353, 359, 384, 403, 404

march haemoglobinuria, 405

mechanical, 70, 76, **78**, 85, 86, 209, **394–395**, 395, 396, 397, 398, 413

microangiopathic, 393–401, **394–395**, 396, 397

neonatal glutathione peroxidase deficiency, **80**, 402

oxidant-induced, 92, **262**, 333, 346, 372, 375, 376, 377, 401–402, 401, 467

paroxysmal cold haemoglobinuria, **78**, 98, **109**, 116, 135, 137, 386, 387, 388–390, 389, 390, **395**, 413, 414

paroxysmal nocturnal haemoglobinuria, 35, **260**, **266**, **270**, **275**, 276, 311, 405–406, 406

phosphate depletion, 405

renal disease, **394**, 396, 396, 403, 417

snake and insect bites, 405, 405

vitamin E deficiency, 402

Wilson disease, 403, 404

aplastic, 41, 52, 53, 72, 74, **108**, **262**, **266**, 267, **268**, **270**, **275**, 407, 411–412, 465, 472

congenital dyserythropoietic, **71**, **72**, 77, **80**, 94, **260**, **262**, **268**, **273**, 360, 406–409, **407**, 408, 409, 410, 413

congenital haemolytic, 353–384

cryohydrocytosis, **72**, 82, 360, 365, **366**, 370, 371

familial pseudohyperkalaemia, **366**, 367, 368, 369, 370

hereditary elliptocytosis, 76, **78**, 79–81, 80, **262**, 333, 355, 360–363, 361, 362, 363, 365, 413

hereditary pyropoikilocytosis, 67, 70, **71**, 76, 77, **78**, 85, **208**, 209, 360, 362, 363–364, 364

hereditary spherocytosis, 22, 42, 46, 76, 77, **78**, 85, 88, 89, 92, 92, **208**, **262**, **311**, 354–360, 355, 356, 357, 358, 359, 365, 370, 371, 413, 464, 480

hereditary stomatocytosis, 72, 75, 90, 90, 366–369, **366**, 367

hereditary xerocytosis, 22, 77, **78**, **80**, **87**, 90, **245**, **262**, **366**, 368, 369, 370, 370, 384

phytosterolaemia, 90, **90**, **143**, **271**, 371, 372

pyrimidine 5'-nucleotidase deficiency, **78**, 94, 324, 326, 379, **381**, 383, 384, 384, 413

red cell enzyme abnormalities, 372–384

sitosterolaemia, 90, **90**, **143**, **271**, 371, 372

Southeast Asian ovalocytosis, 80, 81, 88, 90, **262**, 360, 365–366, 366

stomatin-deficient cryohydrocytosis, **366**, 371

congenital sideroblastic, 70, **71**, 259, 321–324, **322**, 323, 324

Diamond–Blackfan, **72**, **258**, 259, **261**, **262**, 382, 412, 412, 413

Fanconi, **152**, **268**, **270**, **275**, 310, 411, 412, 419, **421**

iron deficiency, 21, 23, 34, 35, 41, 42, 50, 53, 70, **71**, 72, 73, 74, 79, 80, 85, 88, **90**, 98, 101, **104**, 150, 224, 232, 234, 257, **258**, **259**, **260**, **262**, **266**, **268**, **270**, 308, 316–320, 317, **319**, 326, **327**, 328, 329, 349, 357, 360, 372, 379, 396, 398, 403, 406, **407**, 414, 416, 418, 433, 434

lead poisoning, **71**, 94, 95, 96, 98, **258**, **260**, 318, 323–325, 325, 384

leucoerythroblastic, 141, 141, 156, **260**, **261**, 276, 337, 350, 414, **425**, 435–436, 476

macrocytic, **54**, 321, 322, **322**, 323, 347–353, 352, 376, **407**, 411, 413

associated with alcoholism and liver disease, **72**, 90, 350, 353

associated with myelodysplastic syndrome, 350, 353, 493, 494, 495

megaloblastic, 39, 44, 52, **72**, 74, 80, 81, 93, 94, 96, 98, 100–101, 100, 102, **104**, 105, 118, 120, 122, 139, 151, **201**, **248**, **258**, **261**, **266**, **268**, 269, **275**, 276, 304, 308, 316, 319, 321–322, **322**, 324, 337, 341, 346, 347–353, **347**, 348, 349, 350, 351, 352, 352, 357, 359, 399, 407, 477, *see also* thiamine-responsive megaloblastic anaemia

- normocytic normochromic, 174, **260**, 324, **407**, 414, 461, 463, 467, 482, 518, 522
- of chronic disease, 34, **71**, 73, 74, 85, **260**, **262**, 316, 317, 318, **319**, 319, 320–321, 320, 328, 337, 357, 359, 403, 414, 530
- sickle cell, 22, 74, 75, **78**, 86, 89, **90**, 91, 91, 95, 98, 116, **143**, **152**, 247, 258, **261**, 335–339, 336, 337, 338, 413, 489
- anaplasmosis, 158, 159, **255**, **266**, **272**, **275**
- anaplastic large cell lymphoma, **252**, 530, 531
- angioimmunoblastic T-cell lymphoma, 129, 134–135, **248**, **252**, **257**, **266**, **268**, **271**, **467**, 529, 531
- anisochromasia, 73, 73, 119, 316, 331
- anisocytosis,
platelet, 145, 257, 430, 433, 433, 506
red cell, 54, 70, 70
- anorexia nervosa, **72**, 83, **87**, **258**, **260**, **266**, **268**, **270**, 405
- anticoagulants, blood sampling, 5–6, 7, 145, **199**, 208, 222, **223**
- aplastic anaemia, 41, 52, 53, 72, 74, **108**, **262**, **266**, 267, **268**, **270**, **275**, 407, 411–412, 465, 472
- arthrogryphosis, renal dysfunction and cholestasis (ARC) syndrome, 144, **423**, **424**, 426
- atypical chronic myeloid leukaemia, **254**, **496**, 503, 504, **504**
- atypical lymphocyte, 42, 132, 388, 464, 465, 465, 466, 467, **467**, 468, 469, 471, 472
- atypical mononuclear cell, *see* atypical lymphocyte
- Auer rod, **12**, **109**, 112, 113, 139, 304, 305, 306, 309, 479, 484, 487, 493, **494**, 495, **499**, 501
- autoimmune haemolytic anaemia, **78**, 81, 89, 93, 98, **109**, 116, 135, 141, 174, 360, 384–387, 385, 386, 413, 414, 417, 512, 514
- autoimmune/lymphoproliferative syndrome (ALPS), 72, **266**, **271**, **275**, 393
- autoimmune thrombocytopenic purpura, 38, **78**, 94, **143**, 207, **266**, **271**, **274**, 384, 392, **426**, 428–430, 429, 431, 481, 510
- automated blood cell counters, 29–50, *see also* Abbott instruments, Beckman–Coulter instruments, Horiba instruments, Mindray instruments, Nihon Kohden instruments, Siemens instruments, Sysmex instruments,
- automated image analysis, 28–29
- erroneous counts, 198–217, *see also* pseudobasophilia
- principles of operation, 29–30, **34**
- selection of, 54
- B**
- β thalassaemia intermedia, **71**, **255**, 330, 331, 345
- β thalassaemia major, **71**, 81, 94, 96, 96, 116, 151, **261**, 304, 305, 308, 329–330, 329, 345
- β thalassaemia trait, **21**, 34, 70, 71, 73, 74, **80**, 85, 94, **319**, 319, 325–329, 326, 327, 349–350, 355, 372, 408
- blood film and count, 70, 73, 74, **80**, 85, 94, 326–327, 326, 327, 328, 372
- differential diagnosis, 328
- further tests, 328–329
- Babesia divergens*, **162**, 168, 171, 173, 174
- Babesia duncani*, 171
- Babesia equi*, **162**
- Babesia microti*, **162**, 171, 172, 173
- Babesia venatorum*, **162**, 171
- babesiosis, 115–116, 116, 152, **162**, 168, 171, 172, 173, 174, 174, **256**, **260**, **266**, **271**, **272**, 385, 414, 431, **467**
- bacterial infection, 34, **208**, 244, **248**, **252**, 254, **255**, **256**, **257**, **265**, **266**, **272**, **274**, 355, 389, 393, **394**, 414, **426**, 431, 461–462, 461, 462, 467, **467**, 477, 481
- haemolytic anaemia, 78, 414
- organisms, 10, **109**, 154, 156, 156, 157, 158, 158, 159, 159, 462
- white cell changes, 110, 110, 112, 120, 121, 130, 134, 461–464, 461, 462
- bartonellosis, **78**, 156, 158, **272**
- basilic vein, 2
- basket cells, 142,
- basopenia, 25, 263, 267, **267**
- basophilia, *see* basophil count, *see also* pseudobasophilia
- basophilic cytoplasm, 12, **12**
- basophilic granules, 12, **12**
- basophilic stippling, 94–95, 94, 95, 114, 260, 317, 318, 320, 322, 323, 324, 325, 326, 329, 331, 332, 333, 336, 345, 346, 348, 367, 372, 376, 381, 383, 384, 384, **407**, 408, 411, 414, 416, 417, 493
- basophil, 104, **111**, 113, 129, 125–126, 126, **129**, 140, 140, 144, 146, 305, 306, 308, 418, **493**, 493,
- count, 25, 32, **34**, 35, 36, 38, 39, 40, 42, 43, 44, 45, 46, 47, 48, 49, 49, **201**, **212**, 212, 213, 214, 215, **216**, **217**, **226**, 246, 254, **254**, 257, 351, 416, 418, 419, 433, 434, 435, 436, 476, **477**, 482, 497, 498, **499**, 500, 503, 505
- normal range,
adults, **228**, **229**

- basophil (*cont'd*)
 infants and children, **233**
 pregnancy, **235**
- Batten disease, 129, **129**
- Batten–Spielmeyer–Vogt disease, 111, 129
- Beckman–Coulter instruments, 30–37, 30, 32, 33, **34**, 36, 37, 38, 51, 55, **56**, 167, 202, 317, 326, 357, 387, 465
 AcT 5diff, 35–37, 38
 DxH series, 35, 36, 37
 erroneous counts, **201**, **204**, **205**, **207**, **208**, 210, 210, 211, 215, **216**, **217**
 five-part differential, 31–32, **34**
 Hematoflow platform, 35, 225, **228**
 LH series, 31–35
- Bernard–Soulier syndrome, **143**, **270**, **311**, 420, **423**, 426, 427, 428, 430
- bilirubin crystals, **109**, 117, 118, 125, 136
- bite cell, *see* keratocyte
- B-cell polymphocytic leukaemia, 309, 511–512, **512**, 514–515, 515
- B-lineage lymphoproliferative disorders, 511–522, *see also* lymphoma, B-cell
 chronic lymphocytic leukaemia, 25, 39, 48, 50, 105, 133, 133, 142, 142, 200, **217**, 253, **255**, 256, **261**, **271**, 308–309, 384, 386, 413, 428, 429, 469, 479, 511–513, **512**, 513, 514, 514–515, 522
 hairy cell leukaemia, 131, 133, 145, 209, **255**, 267, **275**, 309, **512**, 515–516, 516
 hairy cell variant leukaemia, **255**, **275**, 516–517, 517
 monoclonal B-cell lymphocytosis, 135, 384–385, 429, 468, 513–514
 polymphocytic leukaemia, 309, 511–512, **512**, 514–515, 515
- blastic plasmacytoid dendritic cell neoplasm, 491, 492
- blister cell, *see* hemighost
- blood count, *see* automated blood cell counters, differential
 white cell count, erroneous blood counts, haemoglobin concentration, near-patient testing, packed cell volume, platelet count, red cell count, red cell indices, reticulocyte count, specimen storage, white cell count,
 recommended abbreviations, 28, **29**
 recommended units, 19, 28, **29**
- blood film,
 artefacts, 7, 9, 11, 67, 65–67, 77
 automated spreading, 10
 blood with high haematocrit, 10
 buffy coat, 10
 dimorphic, 73–74, 73, 79, 322, 323, 323–324, 324, 330, 349, 350, 357, 359, 386, 495, 506, 507
 disintegrated cells, 142, *see also* smear cells
 EDTA-anticoagulated blood, 5
 examination, 13–15, 64–69
 fixation, 11, 11,
 healthy subjects, 149–150,
 adult, 149
 hyposplenism, 85, 89, 150–151
 infancy and childhood, 150
 neonate, 150
 pregnancy, 140, 149–150
 premature neonate, 150, 151
 malignant cells, 66, 109, 117, 118, 153–154, 155, 156, **248**, **252**
 mounting, 13
 necrotic bone marrow cells, 142
 non-anticoagulated blood, 7
 non-haemopoietic cells, 152–154, 152, 153, 154, 155
 smear cell, 142, 142
 staining, 11–13, **12**
 storage of slides, 13
 thick, 10, 10
 unstained wet preparations, 10
 wedge-spread, 7–10, 9, 10
- blood sampling,
 anticoagulant and specimen container, 5–6
 capillary blood, 4, 4, 8
 complications, 4, 5
 cord blood, 5
 effect on haematological variables, 1, 2, 4
 fetal blood, 5
 guidelines, 6
 needle-prick injury, 6–7
 peripheral venous blood, 1, 3, 7, 8
 recommended order, 4, **4**, 5
 specimen mixing, 7
- blood transfusion, 79, 82
- bone marrow cells, necrotic, 142
- Borrelia* spp., *see* micro-organisms in blood films
- Brandalise syndrome, 97, 112, 112, 123, 126, 127, 135, 146
- Brugia malayi*, **162**, 177, 178, 179, **250**
- buffy coat films, 10

Burkitt lymphoma, 209, 210, 508, 519, 521

burns, **78**, 78, **82**, 86, **104**, 106–107, 107, 109, 114, 115, **208**, 209, **248**, **267**, **268**, **272**, 415

button mushroom cell (pincer cell), 92, 93, 357, 415

C

Cabot rings, 96, 97

Candida glabrata, 159, **201**, 207, **208**, 211

Candida parapsilosis, 161, **201**, **208**

capillary blood, 4–5, 7, 8, 20, 177, 178, 203, **223**

Capnocytophaga canimorsus, 152, 154, 157, **394**, 430

CD59 deficiency, inherited, **311**, **368**, 406

Cell-Dyn, *see* Abbott instruments

cephalic vein, 2

Chédiak–Higashi anomaly, 110–112, **111**, 112, 113, 125, 126, 127, 135

children, *see* infants and children

choreoacanthocytosis, 84, 84, **87**, **368**

chronic eosinophilic, not otherwise specified, 501–502, 501

chronic lymphocytic leukaemia, 25, 39, 48, 50, 105, 133, 133, 142, 142, 200, **217**, 253, **255**, 256, **261**, **271**, 308–309, 384, 386, 413, 428, 429, 469, 479, 511–513, **512**, 513, 514, 514–515, 522

chronic myeloid leukaemia, 107, 125, 140, 145, 149, 496–499, 497, 498, **499**, 499, 500

chronic myelomonocytic leukaemia, 503–505, **504**, 505

chronic neutrophilic leukaemia, 114, 499–500, 500

Churg–Strauss syndrome, 247, 249, **249**, **252**, **253**

cigarette smoking, **72**, 131, 132, 143, 222, 225, **226**, 244, **245**, **248**, 249, **252**, 255, **255**, **256**, 415, 472

cocaine, 106, 107, 124, 244, **252**, **253**, **266**, **271**, 393, **394**, 430

colchicine, 105, 107, 112, 117, **260**, 320

cold agglutinin, 7, 55, 64, 68, 69, **72**, **199**, 200, **201**, 203, **204**, 205, **205**, 206, **217**, 385, 387, 388, 388, 389, 390, 414, 471, 523

cold antibody-induced haemolytic anaemia, **78**, 387–388, 388, 414, 464

combined cold/warm autoimmune haemolytic anaemia, 390

combined esterase, 308, 483

congenital dyserythropoietic anaemia, **71**, **72**, 77, **80**, 94, **260**, **262**, **268**, **273**, 360, 406–409, **407**, 408, 409, 410, 413

congenital erythropoietic porphyria, 71, 97, 98, 217, **272**, 321, **322**, 384, **424**

congenital sideroblastic anaemia, 70, **71**, 259, 321–324, **322**, 323, 324

COVID-19, 95, 110, 114, 131, 415, 416, 417, 431–432, 432, 468–469, 469, 470

crenation, 7, 65, 67, 82, 396, *see also* echinocytosis

cryoglobulin crystals, 67, 67, 68

cryoglobulinaemia, 65, 67, 67, 68, 75, 77, **109**, 115, 116, 117, 135, 136, 177, **199**, **201**, **203**, **204**, 205, **208**, 429, 472, 518, 519, 522, 523, 523

cryohydrocytosis, **72**, 82, 360, 365, **366**, 370, 371

cutaneous T-cell lymphoma, 525–526, 526, 527, 528

cyclical neutropenia, **248**, **252**, **256**, 263, **264**, **265**, **266**, 481

cyclical oedema with eosinophilia, 123

cyclical pancytopenia, 269

cyclical thrombocytopenia, 258, 263, **270**, **271**, **273**, 429, 430

cytochemical techniques, 301–309, **301**,

acid phosphatase, **301**, 309, 309

combined esterase, 308, 483

diagnosis and classification of leukaemia, 304–309

glucose-6-phosphate dehydrogenase, 304

haemoglobin F-containing cells (Kleihauer test), 261, 301, 303, 303, 304, **311**

haemoglobin H inclusions, **28**, 96, 97, **301**, 302–303, 302, 332, 333

Heinz bodies, **28**, 96, 151, 301–302, 301, 329, 330, 402

myeloperoxidase, **301**, 304, 305, 306, 483, **493**

naphthol AS-D chloroacetate esterase, **301**, 306, 307

neutrophil alkaline phosphatase, **301**, 304–305

non-specific esterase, 307–308, 308

periodic acid-Schiff, 129, **301**, 308–309, 308, 464, 499

Perls stain, 26, 94, **301**, 303–304, 305, 324, 495, 506, 507

Sudan black B, **301**, 304, 305–306, 306, 307, **482**, 483, **493**

tartrate-resistant acid phosphatase, **301**, 309, 464

cytogenetic analysis, 310

cytomegalovirus, 101, 120, 131, **207**, **248**, **252**, **255**, 259, **262**, **266**, **271**, **273**, **274**, **275**, 387, **395**, **426**, 466, **467**

D

2,3-diphosphoglycerate mutase deficiency, **245**, 379, **380**, 383

dacrococyte, 29, 73, 81, 81, 120, 139, **260**, 317, 329, 331, 333, 345, 348, 381, 383, 386, **407**, 412, 414, 416, 435, 435, 476, 496

dengue, 6, 33, 39, 50, 134, 135, 262, **266**, **272**, **467**, 470, 471
 diabetes mellitus, **72**, 206, **246**, **264**, **274**, **275**, 320, 322, **322**, **347**, **380**, 405
 Diamond–Blackfan anaemia, **72**, **258**, 259, **261**, **262**, 382, 412, 412, 413
 differential white cell count, 23–25, 497,
 automated, 31–34, **34**, 49, 50, 55, 56, 263, 267–268
 imprecision in, 25, **25**
 inaccuracy in, 24, 67, 142, **201**, 210–211, **212**, 212, **216**
 maldistribution of cells, 24
 misidentification of cells, 24
 unidentifiable cells, 24
 diffuse large B-cell lymphoma, 214, 247, 256, **256**, 268, 521, 521
 DiGeorge syndrome, 118, **255**, **268**, **273**, 384, **423**, 428
 dimorphism, *see* blood film, dimorphic
 discocyte, 70, 77, 355
 disintegrated cells, 142
 Döhle bodies, **12**, 102, 105, 107, 111, **111**, 114–115, 114, 115, 246, 247, 314, 461, 462, 464, 469, **477**, 499, 500
 Dorfman–Chanarin syndrome, 113
 Down syndrome, 72, 98, 103, 122, 139, 141, **245**, **246**, **248**, **249**, **252**, **254**, **256**, 263, 268, **273**, **274**, 317, 420,
 acute myeloid leukaemia, 490–491
 transient abnormal myelopoiesis, 148, 149, 477, 489–490, 491, **254**, **258**, **262**
 drug-induced immune haemolytic anaemia, **78**, 135, 386, 390–391, 391, 428
 dyserythropoietic anaemia,
 acquired, 75, 94, 98, 151, 392, 409, 411
 congenital, **71**, **72**, 77, **80**, 94, **260**, **262**, **268**, **273**, 360, 406–409, **407**, 408, 409, 410, 413
 dyskeratosis congenita, **72**, **268**, **275**, 411, 419
 dysmegakaryopoietic thrombocytopenia, **421**

E

echinocyte, 75, 81–83, 82, **82**, 83, **87**, 114, 151, 151, 367, 369, 378, 379, 379, 381, 383, 393, 396, 403, 414, 415, 416, 470
 echinocytosis, 81–83, 82, **82**, 83, 114, 150, 151, **368**, 371, 379, 382, 396, 414, *see also* crenation
 ehrlichiosis, 158, **255**, **266**, **272**, **275**, **467**, 480
 elliptocyte, 79–81, 80, 317, 361, 362
 elliptocytosis,
 hereditary, 76, **78**, 79–81, 80, **262**, 333, 355, 360–363, 361, 362, 363, 365, 413

 blood film and count, 79–81, 80, 365
 differential diagnosis, 80, 363
 further tests, 363
 Embden–Meyerhoff pathway, *see* glycolytic pathway
 endothelial cells, 152–153, 152
 enolase deficiency, 379, 380, 383
 eosinopenia, 25, 163, 263, **267**, 390, 468
 eosinophil,
 morphology, 109, 111, 112, 120, 121–125, 121, 122, 123, 124, 125
 normal range, **225**, **226**
 adults, **228**, 228
 fetus, 231
 infants and children, **233**
 neonate, **230**, 231
 pregnancy, **235**
 eosinophilia, 38, 48, 247, 249, 253, **249–251**, **252**, **253**, **475**,
 see also pseudo eosinophilia,
 idiopathic hypereosinophilic syndrome, 110, 122, **252**, 253, **253**, **254**, **273**, 473–474, 475–476, 476
 parasitic infections, **249–250**, **475**
 reactive, 247, 249, 253, 253, 473–474, 474, 502, 511
 T-cell mediated hypereosinophilia, 6, 475
 with pulmonary infiltration, **253**
 eosinophilic granulomatosis with polyangiitis, 247, 249, **249**, **252**, **253**
 epithelial cells, 153, 154
 Epstein–Barr virus, 120, 129, 131, 136, **252**, **255**, 255, **270**, **275**, 412, 413, 414, 430, 431, 464, 465, 466, **467**, 472, 479
 Epstein syndrome, 115, **143**, **270**, 427
 erroneous blood counts, 198–217,
 analytical errors, **199**
 automated blood counts, 198–200, **199**, **200**, **201**, 202
 automated differential counts, 210–215, 211, **212**, 212, 213, 214, 215, **216–217**
 automated white cell counts, 200–203, **201**, 202
 factitious erythroblastemia, 207
 haemoglobin concentration, 203–204, **203**, **205**
 MCH, MCHC and RDW, **204**, **205**, 206–207
 platelet count, 207–210, **207**, **208**, 209, 210
 post-analytical errors, **200**
 preanalytical errors, **199**
 RBC, MCV and haematocrit, **204**, 205–206
 reticulocyte count, 215, **217**
 erythrocyte, *see* red cell

- erythrocyte sedimentation rate (ESR), **21**, **29**, 149, 150, 177, **226**, 257, **260**, 319, 321, 434, 463, 524–525, 530
Escherichia coli, 154, 160, **274**, 389, 393, **394**, 400, 414, 430, 462
 ESR, *see* erythrocyte sedimentation rate
 essential thrombocythaemia, 117, **143**, 148, **152**, 209, **248**, **254**, **258**, 418, 432–434, 433, 434, **496**
 evacuated containers, 2–6, 3
 Evans syndrome, 141, **271**, 384–385, 385, 387, 414, 429, 430, 481
- F**
 familial autoimmune/lymphoproliferative syndrome, *see* autoimmune/lymphoproliferative syndrome
 familial platelet disorder with predisposition to acute myeloid leukaemia, 425, 426, **421**
 familial pseudohyperkalaemia, **366**, 367, 368, 369, 370
 familial thrombocytosis, 432, **258**
 Fanconi anaemia, **152**, **268**, **270**, **275**, 310, 411, 412, 419, **421**
 fat cells, 153, 155
 Fechtner syndrome, **109**, 115, **143**, **270**, **424**, 427
 fetal blood sampling, 5, 153, **199**, 200
 fetus, 259, 261, **262**, 321, 354, 365, 368, 375, 377, **380**, **395**, 408, 413, *see also* haemoglobin Bart's hydrops fetalis, haemolytic disease of the fetus and newborn, anaemia, **262**
 blood count errors, **201**, 212, **249**
 blood film, 141
 normal ranges, 228–231, 231
 polycythaemia, **246**
 thrombocytopenia, 270, **270**, **274**, 420, 425
 fibrin strands, 7, 65, 66, 146, 198, **201**, 208
 filariasis, **162**, 177, 177–180, **248**, **250**, **475**
 FISH, *see* fluorescence *in situ* hybridization
 fixation of blood films, 11, 11
 flippase deficiency, **368**
 flow cytometric immunophenotyping, 309–310, 310, **311**, 407, 412, 519
 flow cytometry, 22, 23, 38, 56, 207, 211, 225, 309–310, 310, **311**, 360, 407, 412, 519
 fluorescence *in situ* hybridization, 310, 476
 follicular lymphoma, 468–469, 468, 519, 520
 fungal infection, **109**, 159, **208**, 209, **248**, **249**, **252**, **266**, **267**, **394**, *see also* *Candida*, *Histoplasma*, *Talaromyces*
- G**
 γ -glutamyl cysteine synthase deficiency, **381**
 G6PD, *see* glucose-6-phosphate dehydrogenase
 galactosidaemia, 128, 135
 GATA1-related disease, 87, 144, **258**, **270**, 407, 408, 413, **423**, **424**, 426, 427, 490, 491
 G-CSF, *see* granulocyte colony-stimulating factor
 ghost cells, **78**, 79
 giant platelet, 23, 29, 35, 41, 104, **111**, 115, 143, **143**, 144, **201**, **205**, **207**, 208, 209, **217**, 328, 418, 419, 420, **424**, 425, 427, 429, 433, 433, 491, 495, 500
 glucose-6-phosphate dehydrogenase, 96, 370–377, 375, 376, **381**
 deficiency, 96, 370–377, 375, 376, **381**
 blood film and count, 375–376
 differential diagnosis, 377
 further tests, 377
 glucose phosphate isomerase deficiency, **262**, **380**, 381, 382
 glutathione peroxidase deficiency, **381**, 382, *see also* neonatal glutathione peroxidase deficiency
 glutathione reductase deficiency, **381**
 glutathione synthetase deficiency, **381**, 383
 glycolytic pathway, 353, 372, 373, 377, 379, **380**, 403
 GM1 gangliosidosis, 125, 128
 granulocyte colony-stimulating factor (G-CSF), 39, 101, 107, **108**, **109**, 109, 110, 114, 116, 118, 135, 203, 228, **248**, 249, **252**, **255**, **256**, **266**, **273**, 462–463, 463, 477, 479, 500, 503
 granulocyte-macrophage colony-stimulating factor (GM-CSF), 101, 107, **108**, **109**, 110, 114, 116, **248**, 249, **252**, **253**, **256**, 479, **506**
 granulocyte precursor, 40, 40, 139–140
 metamyelocyte, 120, 140, 140
 myeloblast, 139, 496, 501
 myelocyte, 139, 140, 141
 promyelocyte, 139, 139, 141
 granulocytes, 99–140, morphology,
 basophil, 125–126, 125, 126
 eosinophil, 110, 121–125, 122
 neutrophil, 99–121, 100–103, 105–121
 normal range in adults, 225–228, **228**
 normal range in infants and children, 231–234, **233**
 normal range in neonates, 228, 230, **230**
 normal range in pregnancy, 234, **235**
 normal range in those with African ancestry, **229**, 230

grape cell, 129
 grey platelet, 67, **111**, 144, 145, 145, **421**, **423**, **424**, 425, *see also* grey platelet syndrome
 grey platelet syndrome, **108**, **143**, 144, **273**, 419, **423**, 426, 427, 427
 Griscelli syndrome, 138, 144, **273**, **275**

H

haematocrit, 19–21, 55, 56, 204
 abbreviation and units, **29**
 blood film if high, 10
 errors in, 205–206
 microhaematocrit, 5, 19–21, 20, **21**
 normal range, **223**, **225**, **226**,
 adults, **227**
 infants and children, **232**, **234**
 neonate, **229**, **230**
 pregnancy, **235**
 plasma trapping, 20
 reference method, 20
 haemoflagellates, *see* leishmaniasis, trypanosomiasis
 haemoglobin Bart's hydrops fetalis, 97, **262**, 333–335, 335
 haemoglobin C/ β thalassaemia, **80**, 343, 343, 344
 haemoglobin C crystal, 341, 342, 343, 344
 haemoglobin C disease, 22, 79, **80**, **90**, 342, 342
 haemoglobin C trait, **80**, **90**, 328, 342–343, 343, 369, 398
 haemoglobin concentration, 1, 17–19, 30,
 cyanmethaemoglobin method, 17–19, 18
 errors in, 17–19, **199**, 203–205, **203**, **205**
 normal range, 223–225, **223**, **225**, **226**
 adults, 225, **227**
 fetus, 228, 231, 231
 infants and children, 231–232, **232**, **234**, 234
 neonate, 228, **229**, **230**, 230, 231, **234**
 pregnancy, 234
 preterm neonates, 230, **230**
 other methods, 19
 recommended abbreviation and units, 19, **29**
 haemoglobin Constant Spring, 71, 94, 331, 332, 333
 haemoglobin distribution width (HDW), 43–44, 47, 73, 75,
 227, 317, 328, 330, 333, 337, 338, 341, 342, 350,
 357, 364, 367, 369, 377, 386, 399, 408, 411
 haemoglobin E/ β thalassaemia, 345–346, 345
 haemoglobin E disease, **80**, 343–344, 344
 haemoglobin E trait, **80**, 344–345, 345
 haemoglobin F-containing cells, 261, 301, 303, 303, 304, **311**
 haemoglobin H disease, 76, 97, 332–333, 333, 334

haemoglobin H inclusions, **28**, 96, 97, **301**, 302–303, 302,
 332, 333
 haemoglobin S, 18, 91
 haemoglobin S-Oman, Napoleon hat cells, 91, 92
 haemoglobinopathies, 335–347
 haemoglobin, unstable, 39, 77, **80**, 94, 151, **201**, 302,
 346–347, 346
 haemolysis, 5, 32, 52, 70, 150, 200, **205**, **246**, **249**, **258**,
 259, **261**, **262**, 316, 324, 337, 342, 346, 355, 356,
 357, 361, 362, 365, **366**, 367, **368**, 369, 370, 371,
 372, 375, 376, 377, 378, 379, **380**, **381**, 384, 393,
 407, **407**, 414, **431**, 464–465, *see also* haemolytic
 anaemia
 haemolytic anaemia,
 acquired, 384–406,
 alloimmune, 391–393, 391, 392
 autoimmune, 384–387, 385, 386, 417, 514
 autoimmune/lymphoproliferative syndrome, 72, **266**,
 271, **275**, 393
 bacterial and parasitic infections, 414
 cold antibody-induced, **78**, 387–388, 388, 414, 464
 combined cold/warm autoimmune, 390
 diabetes mellitus, **246**, **380**, **394**, 405
 drug-induced, 390–391, 391, 393, **394**, 396, 396, 397, 398,
 401, 401
 drug-induced immune, **78**, 135, 386, 390–391, 391,
 428
 haemolytic disease of fetus and newborn, 78, 97, 135,
 262, **267**, **270**, **275**, 353, 391–392, 391, 392, 425, 462
 hypotonic fluid infusion, 405
 infantile pyknocytosis, 402, 403
 liver disease, 114, **262**, 347, 350, 353, 359, 384, 403,
 404
 march haemoglobinuria, 405
 mechanical, 70, 76, **78**, 85, 86, 209, **394–395**, 395, 396,
 397, 398, 413
 microangiopathic, 393–401, **394–395**, 396, 397
 neonatal glutathione peroxidase deficiency, **80**, 402
 oxidant-induced, 92, **262**, 333, 346, 372, 375, 376,
 377, 401–402, 401, 467
 paroxysmal cold haemoglobinuria, **78**, 98, **109**, 116,
 135, 137, 386, 387, 388–390, 389, 390, **395**, 413, 414
 paroxysmal nocturnal haemoglobinuria, 35, **260**, **266**,
 270, **275**, 276, 311, 405–406, 406
 phosphate depletion, 405
 renal disease, 403, 417
 snake and insect bites, 405, 405

- T and Tk activation, 393
 vitamin E deficiency, 402
 warm autoimmune, 384–387, 385, 386, 417, 514
 Wilson disease, 403, 404
 congenital, 353–384,
 congenital non-spherocytic, 376, 376, 379, 381–384,
 380, 381
 cryohydrocytosis, **72**, 82, 360, 365, **366**, 370, 371
 familial pseudohyperkalaemia, **366**, 367, 368, 369, 370
 glucose-6-phosphate dehydrogenase deficiency, 96,
 370–377, 375, 376, **381**
 hereditary elliptocytosis, 76, **78**, 79–81, 80, **262**, 333,
 355, 360–363, 361, 362, 363, 365, 413
 hereditary pyropoikilocytosis, 67, 70, **71**, 76, 77, **78**, 85,
 208, 209, 360, 362, 363–364, 364
 hereditary stomatocytosis, 72, 75, 90, 90, 366–369, **366**,
 367
 hereditary xerocytosis, 22, 77, **78**, **80**, **87**, 90, **245**, **262**,
 366, 368, 369, 370, 370, 384
 phytosterolaemia, 90, **90**, **143**, **271**, 371, 372
 pyrimidine 5'-nucleotidase deficiency, **78**, 94, 324, 326,
 379, **381**, 383, 384, 384, 413
 pyruvate kinase deficiency, 42, 80, **82**, 83, 87, 151, **262**,
 360, 377–379, 378, 379, **380**, 384, 413
 red cell enzyme abnormalities, 372–384
 sitosterolaemia, 90, **90**, **143**, **271**, 371, 372
 Southeast Asian ovalocytosis, 80, 81, 88, 90, **262**, 360,
 365–366, 366
 stomatin-deficient cryohydrocytosis, **366**, 371
 haemolytic disease of fetus and newborn, 78, 97, 135, **262**,
 267, **270**, **275**, 353, 391–392, 391, 392, 425, 462
 haemolytic uraemic syndrome, 383, **394**, 396, 396, 397
 haemophagocytic lymphohistiocytosis, 471
 haemozoin, *see* malaria pigment
 hairy cell leukaemia, 131, 133, 145, 209, **255**, 267, **275**,
 309, **512**, 515–516, 516
 hairy cell leukaemia variant, **255**, **275**, 516–517, 517
 heel puncture, 4–5, 4
 Heinz bodies, **28**, 77, 79, 79, 85, 88, 92, 96, 96, 151, **217**,
 301–302, 301, 329, 330, 346, 347, 375, 375, 376, 376,
 381, 401, 402, 402, 403
 cytochemical techniques, **28**, 96, 151, 301–302, 301, 329,
 330, 402
 Hematoflow platform, 35, 225, **228**
 hemighost cell, 79, 79, 96, 336, 375, 376, 414
 hereditary elliptocytosis, 76, **78**, 79–81, 80, **262**, 333, 355,
 360–363, 361, 362, 363, 365, 413
 hereditary pyropoikilocytosis, 67, 70, **71**, 76, 77, **78**, 85,
 208, 209, 360, 362, 363–364, 364
 hereditary stomatocytosis, 72, 75, 90, 90, 366–369,
 366, 367
 hereditary xerocytosis, 22, 77, **78**, **80**, **87**, 90, **245**, **262**, **366**,
 368, 369, 370, 370, 384
 Hermansky–Pudlak syndrome, 135, 144, **264**, **273**
 hexokinase deficiency, **262**, **380**
Histoplasma capsulatum, 159, 161
 HIV, *see* human immunodeficiency virus
 Hodgkin lymphoma, 136, 137, 153, 154, 246, **248**, 249,
 252, 253, 255, **255**, 256, **261**, 268, **268**, **275**, 384,
 467, 530
 Horiba instruments, 29, **34**, 37, 48–50, 49, 51, **201**, **207**,
 216, **217**
 Howell–Jolly body, 89, 92–94, 93, 94, 151, 349, 362, 429
 human immunodeficiency virus, 6, 20, 45, **104**, 107, 118,
 131, **152**, 171, 176, 215, **216**, **252**, 255, **255**, **266**,
 268, **268**, 269, **271**, **272**, **273**, **274**, **275**, 318, 385,
 387, **394**, 400, 409, 412, 413, 414, **426**, 429, 430,
 431, 466–468, 467, 468, 472, 530
 human T-cell lymphotropic virus, 6, 131, **252**, 263, **394**,
 467, 471–472, 472
 hydrops fetalis, 97, **261**, **262**, 333–335, 335, 354, 365, 368,
 375, 377, **380**, 391, 408, 413
 hyperchromia, 73, 338, 386, 400, 487
 hypercoagulability, 66
 hyperlipidaemia, 18, 38, 68, 69, 125, 198, **199**, 200, **201**,
 203, **204**, **208**, **216**, **254**, 353, 403
 hyperthermia, cocaine-induced, 107, 124
 hypochromia, 70, 73, 73, 317, 320, 327
 hyposplenism, 85, 89, 151–152, **152**, 349, 356, 363, 379, 382,
 429, 480
- ## I
- I-cell disease, 128, 128, **129**
 idiopathic hypereosinophilic syndrome, 110, 122, **252**, 253,
 253, **254**, **273**, 473–474, 475–476, 476
 idiopathic thrombocytopenic purpura (ITP), *see* autoim-
 mune thrombocytopenic purpura
 immune thrombocytopenic purpura (ITP), *see* autoimmune
 thrombocytopenic purpura
 immunoblast, 129, 131, 464, 471
 immunocytochemistry, 310, 312, 313

immunophenotyping, 147, 309–310, 310, **311**, **312**, 312, 313, 387, 466, 469, 475, **475**, 480–481, 483, 491, **493**, 499, **511**, **512**, 513, 515–516, 517, 519, 525, 529,
 applications, **311–312**, 483
 infantile pyknocytosis, 86, **87**, 402, 403
 infants and children, 3, 4, 5, 34, **223**,
 blood film, 70, 73, 127, 150
 normal ranges, 229, 224, 231–232,
 basophils, **233**
 eosinophils, **233**
 haematocrit, **232**, **234**
 haemoglobin concentration, **227**, **232**, **234**
 large unstained cells, **233**
 lymphocytes, **233**, 254
 mean cell haemoglobin, **232**
 mean cell volume, **232**, **234**
 monocytes, **233**
 neutrophils, **233**
 platelet count, 235, **237**
 red cell count, **232**
 white cell count, **233**
 infectious mononucleosis, 50, 105, 120, 129, 131, 132, 133, 207, **217**, 254, **255**, **266**, **271**, 308, 309, 357, 362, 387, 388, 388, 389, 430, 464–466, 465, 466, **467**, 480
 insect bites, 405
 iron deficiency anaemia, 21, 23, 34, 35, 41, 42, 50, 53, 70, **71**, 72, 73, 74, 79, 80, 85, 88, **90**, 98, 101, **104**, 150, 224, 232, 234, 257, **258**, **259**, **260**, **262**, **266**, **268**, **270**, 308, 316–320, 317, **319**, 326, **327**, 328, 329, 349, 357, 360, 372, 379, 396, 398, 403, 406, **407**, 414, 416, 418, 433, 434,
 irregularly contracted red cells, 77–79, 77, 79, **80**, 89, 327, 346, 382, 404

J

Jordans anomaly, **109**, 113, 128, 217
 juvenile myelomonocytic leukaemia, **256**, 505–506, 506, **506**

K

keratocyte, 77, 85, 87, 88, **260**, 345, 346, 375, 375, 399, 401, 401, 402, 402, 403, **407**
Klebsiella spp., 154, 160, 389, 414
 Kleihauer test, 261, 301, 303, 303, 304, **311**

knizocyte, 88, 365, 414

L

lactate dehydrogenase deficiency, **380**
 lactoferrin deficiency, **104**, 105, 106, 108, **108**, 114, 122, **311**
 large granular lymphocyte, 127, 131–132, 132, 146, 151, 255, 464, 466, 466, 467, 468, 470, 471 480, 480, 497,
see also large granular lymphocytic leukaemia
 large granular lymphocytic leukaemia, 527, 529, 529
 large unstained cells, 43, 44, **201**, **212**, 212, 465, 512, 514,
 normal range,
 adults, **228**
 infants and children, **233**
 lead poisoning, **71**, 94, 95, 96, 98, **258**, **260**, 318, 323–325, 325, 384,
 LE cell, 109, 116, 117
 left shift, 100–101, 100, 140, 141, 461, 461
Leishmania donovani, **162**, 175, 176–177, 177
 leishmaniasis, **162**, 175, 176–177, 177
 leptocyte, 73
 leucocyte, 99, 461–531
 leucocytosis, 55, 163, 203, 205, 246, 330, 336, 376, 390, 393, 396, **421**, 435, 463, 464, 468, 479, 493, 498, 499, 530
 leucoerythroblastic anaemia, 141, 141, 156, **260**, **261**, 276, 337, 350, 414, **425**, 435–436, 476
 leucoerythroblastic blood film, 141, 141, 156, **260**, **261**, 276, 337, 350, 414, **425**, 435–436, 476
 leucopenia, 41, 71, 159, 177, 262, **266**, 269, 318, 340, 353, 378, 384, 390, 461, 462, 463, 493, 530
 leukaemia
 acute basophilic, 487, 490
 acute lymphoblastic, 35, 92, 124, 124, **199**, 209, 249, **252**, **253**, **254**, **261**, **275**, 308, 339, 412, 474, 502, 508–510, 509, 510, **510**, **511**
 acute megakaryoblastic, **143**, 148, **258**, 308, 309, **482**, 483, **483**, 487, 488
 acute monocytic, 138, 138, **482**, **483**, 486, 505
 acute monoblastic, 210, **482**, **483**, 486, 488
 acute myeloid,
 of Down syndrome, 490–491
 acute myeloid with mutated *NPM1*, **483**, 486, 489
 acute myeloid with myelodysplasia-related changes, **483**, 489

- acute myelomonocytic, 123, 308, **482**, 483, **483**, 485
acute panmyelosis with myelofibrosis, **483**, 490
acute promyelocytic, 46, 50, **216**, **254**, 308, 310, **394**,
483, **483**, 484, 485, 486, 488
adult T-cell leukaemia/lymphoma, 129, 512, 523,
526–527, 528
atypical chronic myeloid, **254**, **496**, 503, 504, **504**
chronic eosinophilic, not otherwise specified,
501–502, 501
chronic lymphocytic, 25, 39, 48, 50, 105, 133, 133, 142,
142, 200, **217**, 253, **255**, 256, **261**, **271**, 308–309,
384, 386, 413, 428, 429, 469, 479, 511–513, **512**,
513, 514, 514–515, 522
chronic myeloid, 107, 145, 149, 496–499, 497, 498, **499**,
499, 500,
accelerated phase, 497–499, **499**, 499
acute transformation, 497–499, **499**, 500
chronic myelomonocytic, 503–505, **504**, 505
chronic neutrophilic, 114, 499–500, 500
classification and diagnosis,
acid phosphatase, 309, 309
combined esterase, 308, 483
myeloperoxidase, 305, 306, 483, 483, **493**
naphthol AS-D chloroacetate esterase, 306, 307
neutrophil alkaline phosphatase, 304–305
non-specific esterase, 307–308, 308, 483
periodic acid-Schiff reaction, 308–309, 308
Sudan black B, **301**, 304, 305–306, 306, 307, **482**,
483, **493**
hairy cell, 131, 133, 145, 209, **255**, 267, **275**, 309, **512**,
515–516, 516
hairy cell variant, **255**, **275**, 516–517, 517
juvenile myelomonocytic, **256**, 505–506, 506, **506**
large granular lymphocytic, 527, 529, 529
mast cell, 491, 492, 493, **493**
plasma cell, 522–525, 524
prolymphocytic,
B-cell, 309, 511–512, **512**, 514–515, 515
T-cell, 513, 515, 525, 525, 526
leukaemoid reaction, 476–481,
lymphoid, 479–481, 480
myeloid, 462–463, 463, 477–479, **477**, 478, 479
liver disease or damage, 117, 119, 114, **262**, 347, 350, 353,
359, 384, 403, 404
Loa loa, 162, 178
lupus erythematosus, *see* systemic lupus erythematosus
lymphocyte,
morphology,
aggregation, 133, 134
apoptosis, 132, 133
atypical, 42, 132, 388, 464, 465, 465, 466, 467, **467**, 468,
469, 471, 472
cytoplasmic inclusions, 128, 130, 133, 134
in inherited conditions, 127, 128, 127, 128, **129**
in lymphoproliferative disorders, 133
normal, 126–127, 126, 127
phagocytosis by, 133
plasmacytoid, 130, 417, 469, 471, 518
reactive changes, 128–132, 130, 131
vacuolation, 128, **129**
normal range, **223**, **225**, **226**,
adults, **228**, **229**
infants and children, 231–232, **233**
neonate, **230**, 231
pregnancy, **235**,
lymphocytopenia, 163, **255**, **260**, **264**, **265**, 267–268, **268**,
323, 348, 390, 392, 463, 465, 468, 469, 530
lymphocytosis, 30, 67, 132, 151, 163, 176, **252**, 254–256,
255, **260**, **168**, 329, 330, 387, 462, 463, 464, 465,
467, 468, 470, 471, 497, *see also* lymphoid leu-
kaemoid reactions, monoclonal B-cell lymphocytosis,
persistent polyclonal B-cell lymphocytosis
lymphoid cell, apoptotic, 132, 133, 464, 466
lymphoid leukaemoid reactions, 479–481, 480
lymphoid/myeloid neoplasms with abnormalities of
PDGFRA, *PDGFRB* or *FGFR1* or with *PCML1-JAK2*,
252, **254**, 310, 313, **475**, 476, **496**, 501, 502,
507–508, 508
lymphoma, B-cell,
Burkitt, 209, 210, 508, 519, 521
diffuse large B-cell, 214, 247, 256, **256**, 268, 521, 521
follicular, 468–469, 468, 519, 520
lymphoplasmacytic, 517–519, 518
mantle cell, 93, 133, 146, **255**, 256, 519, **512**, 515, 519, 520
splenic marginal zone, 116, 131, 133, 480, **512**, 517, 518
splenic with villous lymphocytes, 116, 131, 133, 480,
512, 517, 518
lymphoma, Hodgkin, 136, 137, 153, 154, 246, **248**, 249,
252, 253, 255, **255**, 256, **261**, 268, **268**, **275**, 384,
467, 530

lymphoma, T-cell and NK-cell,
 adult T-cell leukaemia/lymphoma, 129, 512, 523,
 526–527, 528
 anaplastic large cell, **252**, 530, 531
 angioimmunoblastic T-cell, 129, 134–135, **248**, **252**, **257**,
266, **268**, **271**, **467**, 529, 531
 cutaneous T-cell, 525–526, 526, 527, 528
 extranodal NK/T-cell, nasal type, 529, 531
 T-cell, 129, 134–135, **248**, **252**, **257**, **266**, **268**, **271**, **467**,
 512, 523, 525–529, 526, 527, 528, 528, 530, 531
 lymphopenia, *see* lymphocytopenia
 lymphoplasmacytic lymphoma, 517–519, 518
 lymphoproliferative disorders, 511–522, 525–530, 525–529

M

McLeod phenotype, 84, 85, **87**, **368**
 macrocytic anaemia, **54**, 321, 322, **322**, 323, 347–353, 352,
 376, **407**, 411, 413, *see also* megaloblastic anaemia,
 associated with alcoholism and liver disease, **72**, 90, 350,
 353
 associated with myelodysplastic syndrome, 350, 353, 493,
 494, 495
 causes, **54**, 321, 322, **322**, 323, 347–353, 352, 376, **407**,
 411, 413
 macrocytosis, 22, 54, 72–73, 72, **72**, 73, 87, 90, 120, 151,
 206, 261, 269, 317, 321, 323, 346, 347, 348, 348,
 349, 349, 350, 352, 352, 353, 357, 370, 376, 376, 378,
 378, 379, 381, 401, 401, 411, 412, 413, **422**, **424**, 427,
 436, 467, 494, **499**, 522
 macro-ovalocyte, *see* oval macrocyte
 macrophage, 138, 138
 macropolycyte, 102, 118, 119, 463, 478, 489, 504,
 macrospherocyte, 75, 371
 malaria, 6, 105, **109**, 115–116, 115, 116, 131, 135, 136, 159,
 162–163, **162**, 164–165, 167–168, 167, 168, 169, 170,
 171, 174, **201**, **208**, **216**, 217, **248**, **255**, **256**, **260**,
262, **264**, **271**, **272**, **274**, **312**, 318, 362, 365, 375,
 385, 414, 431, **467**, 480,
 automated instruments and, 29, 33, 35, 39, 42, 47, 50,
201, **208**, **216**, 217
 thick film, 10, 10
 malaria parasites, staining for, 12–13
 malaria pigment, 42, 115, 115, 163, 167, 168, 171
 malignant melanoma, 109, 117, 118, 153, 156, **248**, **252**
Mansonella ozzardi, **162**, 177, 178, **251**
Mansonella perstans, **162**, 177, 178, 180, **251**

mantle cell lymphoma, 93, 133, 146, **255**, 256, 519, **512**,
 515, 519, 520
 march haemoglobinuria, 405
 Maroteaux–Lamy syndrome, 111, **111**, **129**, 135, **217**
 mast cell, 141–142, 141, **493**, 503
 mast cell leukaemia, 491, 492, 493, **493**
 mastocytosis, 141–142, **248**, **252**, **254**, **256**, **312**, 476, 491,
 501, 502, 503
 May–Hegglin anomaly, **109**, **111**, 115, 115, 123, 126, **143**,
 145, **270**, 314, **424**, 426, 427
 MCH, *see* mean cell haemoglobin
 MCHC, *see* mean cell haemoglobin concentration
 MCV, *see* mean cell volume
 mean cell haemoglobin, 17, 22, **29**, 150, **223**, 224, **226**, 317,
 errors in, **203**, **204**, **205**, 206–207
 normal range,
 adults, 224, **227**
 infants and children, **230**
 mean cell haemoglobin concentration, 17, 22, **29**, 73, **223**,
 224, **225**, 317
 errors in, **203**, **204**, **205**, 206–207
 normal range in adults, 224, **227**
 mean cell volume, 17, 22, 68, **71**, **223**, 317, **431**, 463,
 errors in, **198**, **199**, **204**, 205–206
 normal range,
 adults, 224, **225**, **226**, **227**
 infants and children, **232**, **234**
 neonate, **229**, **230**
 pregnancy, **235**
 mean platelet volume, **29**, 31, 143, 150, **223**, **226**, 257, 269,
 235, 269, 276, 350, 416, 418,
 normal range, **237**
 median cubital vein, 1, 2
 Medich giant platelet syndrome, **424**
 Mediterranean stomatocytosis/macrophthalmocytopenia, 90,
 368, 371, **423**
 megakaryoblast, 148–149, 149, 308, 309, 482, 487, 488, 490,
 491
 megakaryocyte, 142, 143, 146, 147–148, 148, 149, 150, **201**,
 257, 307, 308, 309, 313, 337, 418, 420, **421**, 431,
 434, 435, 435, **477**, 487, 490, **494**, 497, **499**, *see also*
 micromegakaryocyte
 megaloblast, 337, 348, 359, 486
 megaloblastic anaemia, 347–353, **347**, 348, 349, 350, 351,
 359, *see also* anaemia, megaloblastic and thiamine-
 responsive megaloblastic anaemia,

- blood film and count, 100–101, 100, 105, 120, 139,
348–350, 348, 349, 350, 351
causes, 347
differential diagnosis, 350–352
mesothelial cells, 153
microangiopathic haemolytic anaemia, 393–401, **394–395**,
396, 397
microcytosis, 21, 22, 70, 70, **71**, 72, 73, 74, 75, 88, **204**, 206,
209, 316–335, 317, 326, 327, 335, 343, 344, 344, 345,
352, 362, 377, 378, 398, 407, 408, 434, 435, **499**, 505
microdiscocyte, 78, 86, 115
micromegakaryocyte, 148, 148, 149, 150, 159, 257, 435,
490, 491, **499**
micro-organisms in blood films
 anaplasma, 109
 babesia, 116, 172, 173, 174, *see also* babesiosis
 bacteria, 154–159, 156, 157, 158, 159, 462
 borrelia, 156, *see also* borreliosis
 filaria, 177–180, *see also* filariasis
 fungi, 159, 161
 histoplasma, 161
 leishmania, 176–177, 177, *see also* leishmaniasis
 malaria, 116, 136, 164–167, 168, *see also* malaria
 toxoplasma, 174
 trypanosoma, 175, 176, *see also* trypanosomiasis
microscope, setting up and using, 13–15, 14
microspherocyte, 75, 76, **78**, 78, 86, 97, 88, 115, **208**, 333,
356, 361, 362, 363, 364, 383, 396, 399, 405, 487
Miller ocular micrometer, 26, 28
Mindray instruments, 34, 50, **56**, 167, 207, **208**, **237**, 238
mitosis, 93, 98, 98, 131, 261, 310, 531
molecular genetic analysis, 310, 313, 342, 343, 346, 365,
366, 434, 436, 477, 479, 481, 482, 486, 490, 496,
500, 501, 502, 508, 511, 516, 519, 529
monoblast, 50, 136, 138, 305, 308, 505, *see also* acute
 monoblastic leukaemia
monoclonal B-cell lymphocytosis, 135, 384–385, 429, 468,
513–514
monocyte precursors, 136, 137, *see also* monoblast,
 promonocyte
monocyte, 24, 33, 33, 34, 35, 36, 38, 43, 44, 48, 49, 50, 99,
134–136, 198, **207**, 211, 212, 213, 215, **216**, **217**,
246, 247, **273**, 305, 306, 307, 309, 311, 336, 341,
416, 435, 461, **477**, 481, 497
morphology, 104, **111**, 112–113, 134–136, 156, 158, 159,
163, 168, 175, 176, 177, 419, **424**, 427, 469, 471, 478,
501, 503, **504**, 515, 516, 521, *see also* chronic
 myelomonocytic leukaemia, juvenile myelomonocytic leukaemia,
aggregation, 120, 125, 135, 137
cryoglobulinaemia, 136
erythrophagocytosis, 136, 385, 386, 387, 389, 390, 391
in hyperthermia, 124
in inherited conditions, 135, 135, **424**, 427
in malaria, 115, 136
in paroxysmal cold haemoglobinuria, 137, 406
normal, 134–135, 134
platelet phagocytosis, 133, 137, 147
normal range,
 adults, **228**, 228
 infants and children, **233**
 neonate, 150, **230**
 pregnancy, 149, **226**, **235**
monocytopenia, 132, 163, **256**, **260**, **264**, **265**, 267, 390,
392, 411, 463, 468, 515, 516
monocytosis, 38, 151, 163, 256, **256**, 463, 479, 493, **499**,
502, 503, 505, 524, 530
mononuclear cell, 99, 228, 254, *see also* atypical lymphocyte
Montreal platelet syndrome, **143**, **425**
Morquio syndrome, **111**, 127, **129**
morular cell, 129, 159
Mott cell, 129, 130, 131, 468
MPV, *see* mean platelet volume
multiple myeloma, 64, 64, 65, **72**, 98, 99, **109**, 110, 112,
115, 134, **212**, **217**, **248**, **252**, 257, **257**, **261**, **266**,
269, **275**, 393, 394, 462–463, 463, 477, 478, 479, 500,
522–525, 523
myeloblast, 139, 496, 501, *see also* acute myeloblastic
 leukaemia
myelocyte, 139, 140, 141
myelodysplasia, 119, 434, **483**, 489, 491, *see also* myelodys-
 plastic syndromes
myelodysplastic syndromes, 39, **71**, **72**, 73, 78, 80, **87**, 103,
104, 106, **109**, **143**, 145, **201**, **216**, **246**, **248**, 249,
254, 256, **256**, **258**, **260**, **261**, **262**, **266**, **268**, **270**,
275, **303**, 319, 334, 353, **421**, 430, 468, 493–496,
494, 494, 495, 496,
blood film, 73, 78, 80, **87**, 103, **104**, 106, **109**, 123, 126,
143, 145, 493, 494, 495, 495, 496
FAB classification, **4**, 494, 495, 496
macrocytic anaemia associated with, 350, 353, 493, 494, 495
WHO classification, **494**, 494, 495, 496

myelodysplastic/myeloproliferative neoplasms, **496**,
 504–507, *see also* atypical chronic myeloid leukaemia,
 chronic myelomonocytic leukaemia, juvenile
 myelomonocytic leukaemia, myelodysplastic/
 myeloproliferative neoplasms with ring sideroblasts
 and thrombocytosis, unclassifiable
 myelodysplastic/myeloproliferative neoplasm, unclassifi-
 able, 507
 myelodysplastic/myeloproliferative neoplasm with ring
 sideroblasts and thrombocytosis, 506–507, 507
 myelofibrosis, 75, 81, 148, **266**, **275**, 416, **423**, **425**, 433,
 434, 435, 436, 483, 497, **499**, *see also* primary
 myelofibrosis, panmyelosis with myelofibrosis
 myelofibrosis, primary, *see* primary myelofibrosis
 myeloid leukaemoid reactions, 462–463, 463, 477–479, **477**,
 478, 479
 myeloperoxidase, **111**, **301**, 304, 305, 306, 483, **493**
 myeloperoxidase deficiency, 436
 myeloproliferative neoplasms, 496–502, **496**,
 MYH9-related disorder, **109**, **111**, 115, 115, 123, 126, **143**,
 145, **270**, 314, 314, **424**, 426, 427, 428, 430,
 ultrastructure, 314

N

naphthol AS-D chloroacetate esterase, **301**, 306, 307
 Napoleon hat cells, 91, 92, 339
 near-patient testing, 54–56,
 non-invasive methods, 56
 needle-prick injury, 4, 6–7
 needle-stick injury, 4, 6–7
Neisseria meningitidis, 154, 156
 neonate, 5, 50, 70, 72, **78**, **80**, 82, 85, **87**, 93, 97–98, 101,
 110, 112, 139, 146, 148, 148, 149, 150, 151, 158, 223,
 234, 235, 244, 246, 247, **249**, **252**, **254**, 256, **256**,
258, 259, **262**, 263, **266**, **267**, **268**, 269, **273**, **274**,
 339, 370, 375, 377, **395**, 401, 402, 461, 462, 477,
 479, 489–490,
 blood film, 50, 70, 72, **78**, 82, 85, 93, 97–98, 101, 110,
 112, 139, 148, 148, 149, 150, 151, 158, 335, 336, 363,
 403, 462, 403
 glutathione peroxidase deficiency, **80**, **87**, 379, **381**, 402
 haemolytic disease of fetus and newborn, 78, 97, 135,
262, **267**, **270**, **275**, 353, 391–392, 391, 392, 425, 462
 normal ranges, 228, **229**, 230–231,
 eosinophils, **230**

haematocrit, **229**, 231
 haemoglobin concentration, **229**, **231**, 231
 lymphocytes, **230**
 mean cell haemoglobin, **230**
 mean cell volume, **229**
 monocytes, **230**
 neutrophils, **230**
 nucleated red blood cells, **230**
 platelet count, **230**, 235
 red cell count, **229**, 231
 reticulocytes, 238
 white cell count, **230**,
 thrombocytopenia, **426**
 neuroacanthocytosis, 84, 84, **87**, **368**
 neutropenia, 25, 85, 262–263,
 acquired, 105, 163, 171, 174, 177, **248**, **249**, **260**, **266**,
 348, 352, 353, 390, 406, 411, 412, 461, 464, 467,
 468, 470, 471, **494**, 508, 515, 527, 529
 autoimmune, **255**, **256**, 481, **266**, 386, 480, 481
 congenital, **104**, **108**, 109, **111**, **252**, **256**, **258**, **264–265**,
322, 481
 cyclical, **252**, **256**, **266**, 481
 ethnic, 227, 263
 factitious, 67, 142, **199**, 212
 inherited, 102, 104, **264–265**, **323**, **381**, 412, 413, 419,
 420, **424**, **425**, 481
 in neonate, **267**, **274**
 neutrophil alkaline phosphatase **226**, **260**, **301**, 304–305
 neutrophilia, 151, 163, 246–247, **248**, **249**, 263, **266**, 268,
 320, 328, 329, 330, 336, 376, 390, 396, 418, 419,
 433, 461, 462, 463, 463, 464, 468, 469, 470, 471,
 476, 477, **477**, 482, 493, 497, 499, 500, 503, 505,
 524, 530
 neutrophil,
 aggregation, 120, 121, 147, 200, **216**
 cytoplasmic abnormalities, 108–120, **108–109**,
 abnormal granulation, 110–111, **108**, **111**
 Auer rod, **12**, **109**, 110–112, 113, 139, 304, 305, 306,
 309, 479, 484, 487, 493, **494**, 495, **499**, 501
 Döhle body, **12**, 102, 105, 107, **109**, 111, **111**, 114–115,
 114, 115, 246, 247, 314, 461, 462, 464, 469, **477**, 499,
 500
 erythrophagocytosis, 98, 116, 117, 337, 387, 389, 389
 exogenous inclusions, **109**, 115–117, 117, 118
 increased granulation, 109–110, 108, 110, 496, 500

- reduced granulation, 34, 35, 39, 105, 108–109, **108**, **109**, 109, 120, **216**, 350, 411, **423**, 427, 434, 467, 469, 493, 494, 495, 496, **499**, 505
- specific granule deficiency, **104**, 105, 106, 108, **108**, 114, 122, **311**
- vacuolation, **109**, 110, 112–114, 113, 114, 461, 462, 470, 478, 500
- fragments, 121
- necrobiotic, 118, 120, 120
- normal range, **223**, 225, **225**, **226**, 227, adults, **228**
- infants and children, 231–232, **233**, 234, neonate, 228, 230–231, **230**
- pregnancy, **235**
- with African ancestry, 228, **229**, 234
- nuclear abnormalities, 100–108, **104**, 468, apoptosis, 107, 108, 118, 120, 120
- band form, 23, 24, 100–101, 100, 114, 141, 149, 150, 461, 461, 478, 498
- botryoid nucleus, **104**, 105–106, 107, 122, 124
- dense chromatin clumping, **104**, 106, 106, 468, 493
- detached nuclear fragments, **104**, 106–107, 108, 463, 467, 468, 469
- drumstick, 100, 100, 102–103, **104**, 105
- hypersegmentation, 101–102, 101, **104**, 348, 348, 350
- hyposegmentation, **104**, 100–101, 100, 103–106, 105, 106, 107
- left shift, 23, 24, 100–101, 100, 114, 140, 141, 150, 461, 461, 478, 498
- lobe count, 101–102, 101
- Pelger–Huët anomaly, 103–105, **104**, 105, 123, **424**, pseudo-Pelger–Huët anomaly, 104, **104**, 105, 106, 106, 107, 109, 114, 467, 468, 469, 470, 489, 493, 505
- right shift, 101–102, 101, **104**, 348, 348, 350
- ring nuclei, **104**, 105, 107, 107
- sessile nodule, 102–103, 103
- Niemann–Pick disease, 128, **129**, 138, **275**
- Nihon Kohden instruments, 50
- non-haemopoietic malignant cells, 66, 109, 117, 118, 153–154, 155, 156, **248**, **252**
- non-Hodgkin lymphoma, 517–522, 518, 520, 521, 522, 525–529, 526, 527, 528, 528, 530, *see also* lymphoma, B-cell and lymphoma T- and NK-cell
- non-specific esterase, 307–308, 308, 483
- normal range, 222–238, **223**, **226**, **227**, **228**, African ancestry, **227**, **229**, **234**, **236**
- adults, 225–228, **227**, **228**
- infants and children, 231–232, **232**, **233**, **234**, **237**, **238**
- neonate and fetus, 228, **229**, **230**, 230–231, **230**, **231**
- platelet count, **230**, 234–235, **236**, **237**
- platelet indices, **237**
- pregnancy, **234**, **235**
- reticulocyte count, 235–238, **237**
- reticulocyte indices, **237**
- nucleated red blood cell, 75, 91, 93, 95, 97–98, 98, **230**, 329, 335, normal range in neonates, **230**
- O**
- Onchocerca volvulus*, **162**, 177, **250**
- Oroya fever, *see* bartonellosis
- osteopetrosis, 141, 259, **261**, **275**, 479, 479
- oval macrocyte, 80, 101, 120, 348, 348, 357, 359, 365, 366, **407**
- ovalocytosis, 79–81, Southeast Asian, 80, 81, 88, 90, **262**, 360, 365–366, 366
- oxidant-induced haemolytic anaemia, 92, **262**, 333, 346, 372, 375, 376, 377, 401–402, 401, 467
- P**
- packed cell volume (PCV), 19–21, 20, **21**, **29**, *see also* haematocrit
- Pappenheimer body, 26, **28**, 73, 95–96, 95, 151, 152, 303, 322, 323, 324, 329, 329, 330, 334, 336, 340, 340, 349, 414, 493, 506
- parasitic infections, 10, 138, 159–177, **162**, **248**, **260**, 320, 414, *see also* babesiosis, filariasis, leishmaniasis, malaria, toxoplasmosis, trypanosomiasis, eosinophilia, 228, 247, **249**, **250**, **251**, **252**, 253, 475, **475**
- haemolytic anaemia, 414
- Paris–Trousseau thrombocytopenia, 145, **270**, **422**, 426
- paroxysmal cold haemoglobinuria, **78**, 98, **109**, 116, 135, 137, 386, 387, 388–390, 389, 390, **395**, 413, 414
- paroxysmal nocturnal haemoglobinuria, 35, **260**, **266**, **270**, **275**, 276, 311, 405–406, 406
- parvovirus B19, 75, **261**, **262**, **266**, **270**, 275, 337, 341, 357, 362, 367, 378, 379, 386, 389, 408, 411, 413, 414, 468, 472, 479, 512,
- pattern-recognition automated differential counters, 28–29
- PCMI-JAK2*, **252**, **254**, **496**, 501, 502, 507–508

- PDGFRA*, **252**, **254**, 310, 313, **475**, 476, **496**, 501, 502, 507–508, 508
- PDGFRB*, **252**, **254**, **496**, 501, 512, 507–508
- Pelger–Huët anomaly, 103–105, **104**, 105, 123, **424**
- Penicillium marneffei*, 161
- pentose shunt, 80, 353, 372, 374, 379, 401, 403
- periodic acid-Schiff, 129, **301**, 308–309, 308, 464, 499
- Perls stain, 26, 94, **301**, 303–304, 305, 324, 495, 506, 507
- persistent polyclonal B-cell lymphocytosis, 131, 132, 472–473, 472, 473
- phosphate depletion, 405
- phosphofructokinase deficiency, 245, 379, **380**
- phosphoglycerate kinase deficiency, **82**, 379, **380**, 381
- pincer cell, 92, 92, 357, 415
- plasma cell, 44, 50, 128, 130, 134, 201, 256, 257, **257**, 307, 312, 464, 471, 480, 517, 518, 519, 525, *see also* multiple myeloma and plasma cell leukaemia, reactive, 130, 134, 257, **257**, 471
- plasma cell leukaemia, **512**, 515, 522–525, 524
- plasmacytoid lymphocyte, 130, 417, 464, 469, 471, 518
- plasmacytosis, 256–257, **257**, 524
- Plasmodium falciparum*, 39, 42, 115, 136, **162**, 162, 163, 164, 165, 167, 168, 169, **216**, **312**, 365, 431
- Plasmodium knowlesi*, **162**, 163, 167, 168, 171, 172
- Plasmodium malariae*, 39, **162**, 163, 164, 165, 170
- Plasmodium ovale*, 13, 39, 159, **162**, 163, 164, 165, 167, 168
- Plasmodium vivax*, 13, 35, 39, 50, 116, 146, 159, **162**, 163, 164, 165, 166–167, 166, **216**, **264**,
- platelet, 7, 70, 111, 142–147, 149, 158, 307, 308, 311, 312, 313, *see also* giant platelet, mean platelet volume, platelet distribution width, abnormalities of size, **143**, 143–144, **420**, **423–425** aggregation, 7, 8, 64, 65, 65, 66, 143, 144–147, 147, 199, 200, **201**, 203, 207, 208, 209, 431, effects of bacterial, viral and parasitic infections, 431–432, 432 grey, **108**, 144, 145, 419, **423**, 427 large, **104**, **143**, 144, 429, **423–425**, 432 phagocytosis of, **109**, 117, 118, 125, 133, 135, 136, 137, 147, 389 reticulated, 50, 53, 276 satellitism, **109**, 120, 133, 135, 136, 137, 146, 146, 147 small, 144, **420**
- platelet count, 5, 7, 17, 150, 151, 163, **223**, 461, 454, 466, 481, *see also* thrombocytopenia, thrombocytosis, automated, 22–23, 29, **29**, 31, 32, 35, 37, 38, 40, 41, 42, 43, 44, 45, 47, 48, 50 errors in, 121, **199**, 200, 203, 207–210, **207**, **208**, 209, 210, 211 normal range, **225**, **226**, 234–235, **236**, children, **237** neonates, **230**, 231, pregnancy, 234, 235
- plateletcrit, **29**, 31, 234
- platelet distribution width, **237**
- poikilocytosis, 70, 75, 76, 97, 106, 209, **260**, 269, 317, 322, 323, 326, 327, 329, 331, 333, 334, 346, 348, 349, 353, 356, 361, 362, 362, 364, 364, 365, 376, 384, **407**, 407, 408, 408, 409, 411, 412, 427, 433, 435, 435, 476, 493, 496, **499**, *see also* hereditary pyropoikilocytosis
- point-of-care testing, 51–54
- polychromasia, 26, 74–75, 74, 88, 259, **260**, 269, 317, 324, 330, 333, 336, 337, 341, 342, 346, 348, 349, 352, 355, 357, 361, 369, 376, 381, 384, 385, 385, 387, 391, 396, **407**, 429, 430, 464, 471, 512
- polycythaemia, 2, 20, 244, **245**, **246**, 415–419, causes, **245**, **246**, **273**, 346, 379, 380, 435 physiological, 150 primary, **245** pseudo, 200 relative, 244, 415 secondary, **245**, 419 true, 244, 415 vera, 42, 114, 117, **143**, 148, **152**, **248**, **254**, 257, **258**, 318, 328, 415–419, 417, 418, **496**, 497
- Pompe disease, 128, **129**
- porphyria, 71, 97, 98, 217, **272**, 321, **322**, 384, **424**
- post-infection immune thrombocytopenic purpura, **271**, 431,
- pregnancy, 41, 44, 72, 97, 98, 99, 101, **104**, **108**, **109**, 110, 114, 115, 141, 149–150, 246, **246**, **248**, 256, **261**, **263**, **271**, **272**, **273**, 316, 326, 328, 333, 335, 341, 349, 357, 362, 375, 377, 378, 379, 393, **394**, 411, 462, 476, blood film, 72, 97, 98, 99, 101, **104**, **108**, **109**, 110, 114, 115, 141, 149–150, **394**, 462 normal ranges, **226**, 234, **235**, primary myelofibrosis 75, 80, 81, 81, 94, 105, 122, 141, **143**, 144, 148, 148, **248**, **254**, **256**, **258**, **261**, **266**, **275**, 276, 363, 416, **423**, 435–436, 435, 463, 483, 507,

promonocyte, 136, 137, 305, 485, 486, 487, 505
 promyelocyte, 139, 139, 141, *see also* acute promyelocytic leukaemia
 pseudobasophilia, 39, 44, 47, 214, **217**, 514
 pseudoeosinophilia, 39, 42
 pseudo-Pelger–Huët anomaly, 105, 106, 470
 punctate basophilia, *see* basophilic stippling
 pure red cell aplasia, *see* red cell aplasia
 pyrimidine 5′-nucleotidase deficiency, **78**, 94, 324, 326, 379, **381**, 383, 384, 384, 413
 pyropoikilocytosis, hereditary, 67, 70, **71**, 76, 77, **78**, 85, **208**, 209, 360, 362, 363–364, 364
 pyruvate kinase deficiency, 42, 80, **82**, 83, 87, 151, **262**, 360, 377–379, 378, 379, **380**, 384, 413

Q

Quebec platelet disorder, **421**

R

RDW, *see* red cell distribution width
 reactive eosinophilia, 473–475, 474, 502, 511
 red cell, effects of bacterial, viral and parasitic infection, 414, 415
 red cell aplasia, 54, **72**, 74, 75, **260**, 261, **261**, **262**, 341, 357, 378, 379, 386, 389, 408, 412–414, 412, 468, 471, 472, **499**, 512
 red cell count (RBC), 2, 17, 21–22, 26, **29**, 31, 35, 37, 43, 44, 47, 48, 209, 224, 269, 317, 318, 328, 336, 337, 340, 341, 342, 343, 344, 346, 350, 353, 376, 377, 386, 389, 415, 416, 419, errors in, 200, **204**, **205**, 205, 206
 normal range, 150, **223**, 224, **225**, **226**, adults, **227**
 infants and children, **232**, 232
 neonate, **229**, 230, 231
 pregnancy, **235**
 red cell disorders, 316–419,
 α thalassaemia trait, 70, 72, 73, 94, 223, 302, **319**, 330–332, 332, 336, 339, 340
 β thalassaemia intermedia, **71**, **255**, 330, 331, 345
 β thalassaemia major, **71**, 81, 94, 96, 96, 116, 151, **261**, 304, 305, 308, 329–330, 329, 345
 β thalassaemia trait, **21**, 34, 70, 71, 73, 74, **80**, 85, 94, **319**, 319, 325–329, 326, 327, 349–350, 355, 372, 408
 anaemia,
 acquired dyserythropoietic, 75, 94, 98, 151, 392, 409, 411
 acquired haemolytic, *see* anaemia, acquired haemolytic
 aplastic, 41, 52, 53, 72, 74, **108**, **262**, **266**, 267, **268**, **270**, **275**, 407, 411–412, 465, 472
 congenital haemolytic, *see* anaemia, congenital
 haemolytic
 congenital sideroblastic, 70, **71**, 259, 321–324, **322**, 323, 324
 iron deficiency, 21, 23, 34, 35, 41, 42, 50, 53, 70, **71**, 72, 73, 74, 79, 80, 85, 88, **90**, 98, 101, **104**, 150, 224, 232, 234, 257, **258**, **259**, **260**, **262**, **266**, **268**, **270**, 308, 316–320, 317, **319**, 326, **327**, 328, 329, 349, 357, 360, 372, 379, 396, 398, 403, 406, **407**, 414, 416, 418, 433, 434
 lead poisoning, **71**, 94, 95, 96, 98, **258**, **260**, 318, 323–325, 325, 384
 leucoerythroblastic, 141, 141, 156, **260**, **261**, 276, 337, 350, 414, **425**, 435–436, 476
 macrocytic, **54**, 321, 322, **322**, 323, 347–353, 352, 376, **407**, 411, 413
 of chronic disease, 34, **71**, 73, 74, 85, **260**, **262**, 316, 317, 318, **319**, 319, 320–321, 320, 328, 337, 357, 359, 403, 414, 530
 aplasia, pure red cell, 54, **72**, 74, 75, **260**, 261, **261**, **262**, 341, 357, 378, 379, 386, 389, 408, 412–414, 412, 468, 471, 472, **499**, 512
 haemoglobin Bart’s hydrops fetalis, 97, **262**, 333–335, 335
 haemoglobin H disease, 76, 97, 332–333, 333, 334
 haemoglobinopathies, 335–347
 polycythaemia, *see* polycythaemia
 red cell distribution width (RDW), 31, 35, 37, 41, 43, 47, 48, 50, 56, 70, 75, 207, 223, 260, 276, 317, 318, 320, 326, 328, 330, 333, 337, 338, 341, 342, 346, 349, 350, 352, 353, 357, 362, 364, 365, 369, 376, 377, 386, 399, 408, 411, 414, 416, 427, 430, 436, 463, 521, errors in, 207
 normal range, adults, 223, **227**
 red cell enzyme abnormalities, 372–384,
 congenital non-spherocytic haemolytic anaemia, 376, 376, 379, 381–384, **380**, 381
 glucose-6-phosphate dehydrogenase deficiency, 96, 370–377, 375, 376, **381**
 pyruvate kinase deficiency, 42, 80, **82**, 83, 87, 151, **262**, 360, 377–379, 378, 379, **380**, 384, 413

red cell indices, 22, 223, 317, 318, 324, 326, 326, 328, 332, 333, 336, 338, 339, 362, 367, 369, 416,
errors in, 199, **204**, 204

red cell,
agglutination, 5, 7, 55, 64, 64, 65, 68, 69, 72, **78**, 98, 116, 120, 133, 135, 137, **199**, 200, **201**, 203, **204**, 205, **205**, 206, 385, 386, 387, 388, 388, 389, 389, 390, 420, 464, 471, 518, 519, 523
aplasia, 54, **72**, 74, 75, **260**, 261, **261**, **262**, 341, 357, 378, 379, 386, 389, 408, 412–414, 412, 468, 471, 472, **499**, 512
budding, 67, 78, 364
crystals, 97, 98, 341, 342, 343, 344, 384
fragment, 22, 35, 40, 41, 42, 44, 45, 50, 67, 67, 69, 70, **71**, 76, 78, 85–86, 87, 88, 89, 115, 158, **204**, 206, **208**, 209, 209, 329, 333, 336, 345, 348, 349, 352, 361, 362, 362, 363, 364, 393, 396, 396, 397, 397, 398, 399, 399, 400, 400, 403, 405, 405, **407**, 414, 415, 416, 429, 430, 431, 467, 471
inclusions, *see* red cell, crystals, Howell–Jolly bodies, Pappenheimer bodies
membrane, 69, 355
membrane defects, 354–372
morphology, 69–99
nucleated, 75, 91, 93, 95, 97–98, 98, **230**, 329, 335
rosetting, 98–99, 99, **199**, 386, 390
rouleaux formation, 65, 67, 76, 80, 83, 98–99, 99, 149, 177, **260**, 269, 318, 320, 353, 414, 461, 463, 463, 467, 469, **477**, 478, 517, 518, 522, 523, 524, 530,
Reed–Sternberg cells, 153, 154, 530
reference range, 20, 44, 47, 51, 52, 70, 86, 198, **200**, 211, 222, 223, 224, 225, 228, **228**, 230, 231, 234, 235–237, **237**, **238**, 254, 261, 263, 267, 328, 377
renal disease, 81, **394**, 396, 396, 403, 415, 417
reticulated platelet count, 40, 41, 47, 48, 53, 270, 276, 428, 429, 430
reticulocyte, 25–28, 27, **28**, **29**, 34, 74–75, 74, 75, 95, 98, 302, 303, 304, 317, 386, 481,
count, 25–28, 27, **28**, 42, 43, 50–53, 51, 52, 53, 54, 55, **56**
automated, 35, 38, 40–41, 45, 45, 47, 48, 49, 50–53, 51, 52, 53, 55, **56**, 209, 338, 338
errors in, 215, 217, **217**
normal range, 51, 52, 228, 231, 235–237, **237**, **238**
reticulocyte count, 25–28, 27, **28**, 42, 43, 50–53, 51, 52, 53, 54, 55, **56**
reticulocyte immaturity, 52–53, 238
reticulocyte index, 26, 28

reticulocytopenia, 54, 163, 260, 261, 262, 276, 320, 348, 349, 357, 387, 389, 408, 411, 412, 413, 414, 471, 499, 512
reticulocytosis, 72, 80, 149, 150, 151, 244, 246, 246, 260, 267, 276, 324, 326, 333, 337, 342, 345, 346, 356, 360, 362, 364, 367, 369, 370, 377, 378, 383, 386, 389, 392, 399, 407, 408, 431
Rh deficiency syndrome, 367, 368, 369
rheumatoid arthritis, 64, 121, 168, 248, 252, 256, 261, 266, 268, 271, 320, 519, 527
ribosomal-lamellar complex, 515, 516
rouleaux, 65, 67, 76, 80, 83, 98–99, 99, 149, 177, 260, 269, 318, 320, 353, 414, 461, 463, 463, 467, 469, 477, 478, 517, 518, 522, 523, 524, 530

S

Sanfilippo syndrome, 111, 128, 129
SARS-CoV-2, *see* COVID-19
schistocyte, 85–87, 88, 89, 209, 471, *see also* red cell fragment
SC poikilocyte, 91, 91, 341
Sebastian syndrome, 109, 115, 143, 270, 424, 427
severe congenital neutropenia, 104, 108, 252, 256, 259, 265, 273, 321, 420, 481
Sézary cell, ultrastructure, 313
Sézary syndrome, 525–526, 526, 527, 528
sickle cell, 91–92, 91, 336, 336, 337, 339, 340, 340, 341
sickle cell anaemia, 22, 74, 75, 78, 86, 89, 90, 91, 91, 95, 98, 116, 143, 152, 247, 258, 261, 335–339, 336, 337, 338, 413, 489,
blood film and count, 75, 89, 95, 98, 336–338, 336, 337, 338
differential diagnosis, 338–339
further tests, 5, 339
sickle cell/ β thalassaemia, 335, 338, 339–341, 340, 413
sickle cell disease, *see* sickle cell anaemia, sickle cell/
haemoglobin C disease, sickle cell/ β thalassaemia, sickle cell/haemoglobin D
sickle cell/haemoglobin C disease, 22, **71**, 85, **90**, 116, **152**, 258, 338, 340, 341, 341, 413
sickle cell/haemoglobin D, 102, 338
sickle cell trait, 21, 92, **227**, 328, 339, 340
sideroblastic anaemia,
acquired, **71**, 73, 73–74, 324, 353, 354, **499**
congenital, 70, **71**, 259, 321–324, **322**, 323, 324
Siemens instruments, 30, 32, **34**, 43–46, 43, 45, 46, 51, 52, 53, 54, **56**, 56, 75, 87, 150, 235, **236**, **237**, **238**, 305, 317, 333, 338, 350, 357, 362, 365, 369, 387, 399, 400, 402, 467, 486, 495,

- AD VIA series, 43–46, 45, 46, 56, **56**, 75, 87, 150, **212**, 214, 215, 235, **236**, **237**, **238**, 305, 326, 333, 337, 338, 350, 351, 353, 357, 362, 365, 387, 400, 467, 495
- erroneous counts, 198, **201**, 204, 205, 206, **208**, 211, **212**, 214, 215
- H series, 43–44, 43, **212**, **236**, **237**, 326, 333, 337, 337, 350, 357, 387, 399
- sitosterolaemia, 90, **90**, **143**, **271**, 371, 372
- slides, storage of, 13
- snake bite, **78**, **248**, **256**, **272**, **395**, 405, 405
- Southeast Asian ovalocytosis, 80, 81, 88, 90, **262**, 360, 365–366, 366
- specimen container, 2
- evacuated, 3, 3
- specimen mixing, 3
- specimen storage, 7, 24, 28, 31, 45, 56, 65–67, 67, 82, **82**, 108, 120, 142, 163, 198, **199**, **201**, **204**, 205, 206, 207, **207**, 210, 211, 215, **216**, 367, 370, 371
- spheroacanthocyte, 85, 356, 356, 398, **407**,
- spherocyte, 29, 46, 73, 75–77, 77, **78**, 78, 79, 81, 89, 93, 117, 137, 141, 150, 259, 336, 342, 353, 355, 356, 356, 357, 357, 358, 359, 359, 361, 362, 363, 364, 365, 367, **368**, 369, 381, 383, 384, 385, 385, 386, 387, 388, 389, 390, 391, 393, 397, 399, 402, 402, 403, 406, **407**, 413, 414, 417, 429, 464, 512
- spherocytosis, 75–77, 77, **78**, 78,
- hereditary, 22, 42, 46, 76, 77, **78**, 85, 88, 89, 92, 92, **208**, **262**, **311**, 354–360, 355, 356, 357, 358, 359, 365, 370, 371, 413, 464, 480
- blood film and count, 92, 355–357, 365
- differential diagnosis, 359
- further tests, 360
- spheroechinocyte, 77, 81, **82**, 83
- spiculated cell, *see* acanthocyte, echinocyte, keratocyte, schistocyte
- spider bite, 76, **78**, 116, 117, **248**
- splenic lymphoma with villous lymphocytes, 116, 131, 133, 480, **512**, 517, 518
- splenic marginal zone lymphoma, 116, 131, 133, 480, **512**, 517, 518
- spur cell haemolytic anaemia, **87**, 353, 403, 404
- staining of blood films, 5, 7, 11–12, **12**,
- malaria parasites, 12–13
- stomatin-deficient cryohydrocytosis, **366**, 371
- stomatocyte, 82, 88–91, 90, 92, 114, **260**, 353, 355, 356, 359, 365, 366, 366, **366**, 367, 367, **368**, 369, 369, 370, 370, 371, 372, 372, 381, 414, 416, **423**, 496
- stomatocytosis,
- hereditary, 72, 75, 90, 90, 366–369, **366**, 367
- storage,
- of slides, 13
- of specimens, 7, 24, 28, 31, 45, 56, 65–67, 67, 82, **82**, 108, 120, 142, 163, 198, **199**, **201**, **204**, 205, 206, 207, **207**, 210, 211, 215, **216**, 367, 370, 371,
- storage artefacts, 7, 9, 11, 67, 65–67, 77
- Sudan black B, 49, 129, **301**, 304, 305–306, 306, 307, **482**, 483, **493**
- supplementary tests,
- cytochemical techniques, 301–309, **301**
- cytogenetic analysis, 310
- fluorescence *in situ* hybridisation, 310
- immunophenotyping, 309–310, 310, **311–312**, 312, 313
- molecular genetic analysis, 310, 313
- ultrastructural examination, 313, 314, 314, 402
- Sysmex instruments, 29, 31, 34, 37–43, 39, 51, 51, 56, **56**, 167, 317, 326, 357, 378, 465,
- erroneous counts, 174, 198, **201**, 203, **203**, **204**, 205, 207, **207**, **208**, 210, 211, 215, **216**, **217**
- XE-2100, 29, **34**, 35, 38–41, 39, 40, 44, 47, 52, 87, 198, **201**, 207, **207**, **208**, **216**, **217**, 235, **237**, 416
- XE-5000, 41–42, 238, 357, 378
- XN series, 42, 174, **208**, 238, 431, 468
- XT-2000i, 42–43, **201**, 207
- systemic lupus erythematosus, 109, 116, 117, 152, **252**, **256**, **257**, **261**, **262**, **266**, **267**, **268**, **271**, **274**, **275**, 320, 384, 394, **467**
- systemic mastocytosis, 141–142, **248**, **252**, **254**, **256**, **312**, 476, 491, 501, 502, 503
- ## T
- Talaromyces marneffe*, 161
- target cell, 72, 79, 87–88, 89, **90**, 334, 342, 343, 344
- tartrate-resistant acid phosphatase, **301**, 309, 464
- Tay–Sachs disease, 110, **111**, 127, 128
- T-cell lymphoma, 129, 134–135, **248**, **252**, **257**, **266**, **268**, **271**, **467**, 512, 523, 525–529, 526, 527, 528, 528, 530, 531
- T-cell mediated hypereosinophilia, 6, 475
- T-cell prolymphocytic leukaemia, 513, 515, 525, 525, 526
- T-lineage lymphoproliferative disorders, 525–530, 525–529
- teardrop cell, *see* dacrocyte
- thalassaemia, *see* α thalassaemia, β thalassaemia intermedia, β thalassaemia major, β thalassaemia trait

thiamine-responsive megaloblastic anaemia, **72, 275**, 322, **322**, 323, 324, **347**, 352, 352

thick film, 10, 10, 154, 159, 162, 168, 174, 179, 180

thrombocytopenia, **260**, 268–269, **268, 270, 271, 272, 273, 274**, 318, 329, 371, 385, 396, 399, 399, 400, 408, amegakaryocytic, 269, **270, 273, 274, 275**, 419, **421, 426** autoimmune thrombocytopenic purpura, 38, **78, 94, 143**, 207, **266, 271, 274**, 384, 392, **426**, 428–430, 429, 431, 481, 510

Bernard–Soulier syndrome, **143, 270, 311**, 420, **423**, 426, 427, 428, 430

blood film, 114, 141, 144, 269, 348, 385, 396, 397, 399, 426, 427, 429, 471, 522

congenital and neonatal, **270–273, 274**, 419–428, **420, 421–422, 423–425**, 426

cyclical, 258, 263, **270, 271, 273**, 429, 430

DiGeorge syndrome, 118, **255, 268, 273**, 384, **423**, 428

dysmegakaryopoietic, **421**

factitious, 117, 118, 146, 146, 147, 207, **207**, 208–209

Fanconi anaemia, 419

fetal, 270, **270, 274**, 420, 425

grey platelet syndrome, **108, 143**, 144, **273**, 419, **423**, 426, 427, 427

Paris-Trousseau, 145, **270, 422**, 426

phytosterolaemia (sitosterolaemia), 90, **90, 143, 271**, 371, 372, **423**

post-infection immune thrombocytopenic purpura, **271**, 431

Quebec platelet disorder, **421**

thrombotic thrombocytopenic purpura, 393, **394**, 400, 430–431, **431**

Wiskott–Aldrich syndrome, 143, 144, 144, **252, 265, 268, 273, 274, 311**, 384, 419, **420, 422**, 425, 428, 479

with absent radii, **421**

with large platelets, **423–425**

with normal sized platelets, **421–422**

with small platelets, **420**

with viral infection, 429

X-linked, **311**, 419, **420, 424, 425**

thrombocytosis, 257, **258, 259**, 317–318, 329, 416, 432–434, 506–507, 507, blood film, 257, 418, 433, 507 factitious, 209, 210, 211

thrombotic thrombocytopenic purpura, 393, **394**, 400, 430–431, **431**

tourniquet, 2, 3, **199, 223**

toxic granulation, 12, 102, **108**, 109, 110, 110, 111, 114, 121, 130, 149, 157, 246, 247, 461, 461, 462, 463, 464, 469, 470, 471, **477**, 478, 479, 499, 500, 524

toxoplasmosis, 131, **162**, 174, **252, 256**, 259, **271, 273, 274, 275, 426**, 466, **467**, 479

transfusion reaction, 53, 74, **78**, 79, **109**, 263, **266**, 267, **271**, 337, 386, 392, 393

transient abnormal myelopoiesis, 148, 149, 477, 489–490, 491, **254, 258, 262**

triosephosphate isomerase deficiency, **380**, 382

Tropheryma whipplei, 156, 158

Trypanosoma brucei gambiense, **162**, 174, 175, 176, 177

Trypanosoma brucei rhodesiense, **162**, 174, 175, 177

Trypanosoma cruzi, **162**, 174, 175, 176

Trypanosoma evansi, 174

Trypanosoma gambiense, see *Trypanosoma brucei gambiense*

Trypanosoma rangeli, **162**, 175

Trypanosoma rhodesiense, see *Trypanosoma brucei rhodesiense*

trypanosomiasis, **162**, 174, 175, 176, 176, 177

tuberculosis, 6, 138, **248, 252, 253, 255, 256, 258, 261, 266, 271, 273, 275**, 429, 462–464, **467**, 477, 479, 480

tumour cells, 66, 109, 117, 118, 153–154, 155, 156, **248, 252**

U

ultrastructural examination, 313, 314, 314, 402

unstable haemoglobin, 39, 77, **80**, 94, 151, **201**, 302, 346–347, 346, 377

V

vein patency, 2

velocardiofacial syndrome, 423

venepuncture, 1, 2, 3, 3, 4, 6, evacuated container, 2–6, 3 needle and syringe, 2–3, 3

viral infections, 464–472, 465, 466, 467, 468, 469, 470, 471, 472, see also Epstein–Barr virus, cytomegalovirus, human immunodeficiency virus, human lymphotropic virus, parvovirus,

vitamin E deficiency, **87, 258, 262**, 402

von Willebrand disease, **143**, 146, **271, 422, 425**, 428, platelet type, **323**

W

Waldenström macroglobulinaemia, **255, 257, 266, 394**, 395, 518

- warm autoimmune haemolytic anaemia, **78**, 81, 89, 93, 98, **109**, 116, 135, *141*, 174, 360, 384–387, 385, 386, 413, 414, *417*, 512, *514*
- wedge-spread films, 7–9, 9,
problems with, 9, 9, *10*
- WHIM syndrome, 113–114, **264**, **267**, *see also*
myelokathexis,
- Whipple disease, **152**, 156, *158*, **252**, **268**, **272**, 414
- white blood cell count, *see* white cell count
- white cell, 99, 461–531
- white cell count, 22, **29**, 224, 246, 247, 336, 337, 341, 348, 350, 393, 396, 416, 433, 434, 435, 436, 462, **477**, 490, 493, 496, 497, 499, 503, 505, 507, 508, 511, 514, 515, 517, 519, 522, 525, 526, 530, *see also*
leucocytosis, leucopenia,
- differential, 23–25, **25**, 28–29,
automated, **34**
errors in, 24–25, 67, **212**, **216**
- errors in, 56, 120, *121*, 200, **201**, 203, **216**
- normal range, **223**, **225**, **226**,
adults, **228**, **229**
infants and children, **233**, 234
neonate, 228, **230**, 231
pregnancy, **235**
with African ancestry, 227, 228, **229**, 234
- white cell disorders, 461–531,
adult T-cell leukaemia/lymphoma, 129, 512, 523, 526–527, 528
- bacterial infection, *110*, *114*, *121*, *130*, 154, 156, *156*, 158, 159, *160*, 461–464, *461*, *462*, 478
- B-lineage lymphoproliferative disorders, 511–522,
monoclonal B-cell lymphocytosis, 135, 384–385, 429, 468, 513–514
- chronic lymphocytic leukaemia/lymphoma, 25, 39, 48, 50, 105, 133, *133*, 142, *142*, 200, **217**, 253, **255**, 256, **261**, **271**, 308–309, 384, 386, 413, 428, 429, 469, 479, 511–513, **512**, *513*, *514*, 514–515, 522
- chronic lymphoproliferative disorder of NK cells, 529
- Hodgkin lymphoma, 136, *137*, 153, 154, 246, **248**, 249, **252**, 253, 255, **255**, 256, **261**, 268, **268**, **275**, 384, **467**, 530
- idiopathic hypereosinophilic syndrome, *110*, *122*, **252**, 253, **253**, **254**, **273**, 473–474, 475–476, 476
- leukaemia
acute basophilic, 487, *490*
- acute lymphoblastic, 35, 92, 124, *124*, **199**, 209, 249, **252**, **253**, **254**, **261**, **275**, 308, 339, 412, 474, 502, 508–510, 509, *510*, **510**, **511**
- acute myeloid, **109**, *113*, 481–489, **482**, **483**, 483, *484*, 485, 486, 487, 488, 489
- acute myeloid of Down syndrome, 490–491
- atypical chronic myeloid, **254**, **496**, 503, *504*, **504**
- B-cell prolymphocytic, 309, 511–512, **512**, 514–515, 515
- chronic eosinophilic, not otherwise specified, 501–502, *501*
- chronic lymphocytic, 25, 39, 48, 50, 105, 133, *133*, 142, *142*, 200, **217**, 253, **255**, 256, **261**, **271**, 308–309, 384, 386, 413, 428, 429, 469, 479, 511–513, **512**, *513*, *514*, 514–515, 522
- chronic myeloid, *107*, *145*, *149*, 496–499, *497*, *498*, **499**, *499*, *500*
- chronic myelomonocytic, 503–505, **504**, 505
- chronic neutrophilic, *114*, 499–500, *500*
- hairy cell, 131, 133, 145, 209, **255**, 267, **275**, 309, **512**, 515–516, *516*
- hairy cell variant, **255**, **275**, 516–517, *517*
- large granular lymphocytic, 527, 529, 529
- mast cell, 491, *492*, 493, **493**
- plasma cell, 522–525, *524*
- prolymphocytic, 309, 511–512, **512**, 514–515, *515*
- T-cell prolymphocytic, 513, 515, 525, 525, 526
- leukaemoid reaction, 462–463, 463, 476–481, **477**, 478, *479*, *480*
- lymphoid/myeloid neoplasms with abnormalities of *PDGFRA*, *PDGFRB* or *FGFR1* or with *PCMI-JAK2*, **252**, **254**, **496**, 310, 313, **475**, 476, **496**, 501–502, 507–508, *508*,
- lymphoma,
angioimmunoblastic T-cell, 129, 134–135, **248**, **252**, **257**, **266**, **268**, **271**, **467**, 529, *531*
- B-cell, 511–522
- cutaneous T-cell, 525–526, *526*, *527*, *528*
- extranodal NK/T-cell, nasal type, 529, *531*
- follicular, 468–469, 468, 519, 520
- high grade B-cell with *MYC* and *BCL2* rearrangement, 521
- intravascular large B-cell, 522
- lymphoplasmacytic, 517–519, *518*
- mantle cell, 93, 133, 146, **255**, 256, 519, **512**, 515, 519, *520*

white cell disorders (*cont'd*)

- splenic marginal zone, 116, 131, 133, 480, **512**, 517, 518
- splenic with villous lymphocytes, 116, 131, 133, 480, **512**, 517, 518
- T-cell, 525–529, 526, 527, 528, 528, 530
- mastocytosis, 141–142, **248**, **252**, **254**, **256**, **312**, 476, 491, 501, 502, 503
- multiple myeloma, 64, 64, 65, **72**, 98, 99, **109**, 110, 112, 115, 134, **212**, **217**, **248**, **252**, 257, **257**, **261**, **266**, 269, **275**, 393, 394, 462–463, 463, 477, 478, 479, 500, 522–525, 523
- myelodysplastic/myeloproliferative neoplasm, **496**, 504–507, unclassifiable, 507
 - with ring sideroblasts and thrombocytosis, 506–507, 507
- myelodysplastic syndromes, 39, **71**, **72**, 73, 78, 80, **87**, 103, **104**, 106, **109**, **143**, 145, **201**, **216**, **246**, **248**, 249, **254**, 256, **256**, **258**, **260**, **261**, **262**, **266**, **268**, **270**, **275**, **303**, 319, 334, 353, **421**, 430, 468, 493–496, **494**, 494, 495, 496
 - acquired haemoglobin H disease, **71**, 333, 334
- myelokathexis, 102, 102, **104**, **108**, **109**, 113–114, 122, 263, **264**, 267, 495
- myeloproliferative neoplasms, **496**, 496–503
- neutropenia,
 - autoimmune, **255**, **256**, 481, **266**, 386, 480, 481

- cyclical, **248**, **252**, **256**, 263, **264**, **265**, **266**, 481
- severe congenital, **104**, **108**, **252**, **256**, 259, **265**, **273**, 321, 420, 481
- persistent polyclonal B-cell lymphocytosis, 131, 132, 472–473, 472, 473
- reactive eosinophilia, 247, 249, 253, 253, 473–474, 474, 502, 511
- transient abnormal myelopoiesis of Down syndrome, 148, 149, 477, 489–490, 491, **254**, **258**, **262**
- T-cell mediated hypereosinophilia, 475
- T-lineage lymphoproliferative disorders, 525–530
- viral infection, 464–472, 465, 466, 467, 468, 469, 470, 471, 472
- white platelet syndrome, **423**
- Wilson disease, 80, 87, 403, 404
- Wiskott–Aldrich syndrome, 143, 144, 144, **252**, **265**, **268**, **273**, **274**, **311**, 384, 419, **420**, **422**, 425, 428, 479
- Wuchereria bancrofti*, **162**, 178, 179

X

- X-linked thrombocytopenia, **311**, 419, **420**, **424**, **425**

Y

- Yersinia pestis*, 159
- York platelet syndrome, **424**

Z

- Zieve syndrome, **78**, **80**, 353, 359, 403, 404

