

Index

a

Abdominal distension 353
 Abdominocentesis 122–123f
 Aberrant behavior syndrome *See*
 Novice handler syndrome
 Abortion 460
 Abscesses 255–257
 Acantholysis 241
 Acanthosis 241
 Acepromazine 161, 163
 Acidemia 544
 Acidosis 229 *See also* Acidemia
 forestomach (*See* Forestomach,
 acidosis)
 Acorn toxicity 612
 Acquired heart diseases *See* Heart,
 acquired diseases of
 Activated charcoal 593
 Adenovirus 331
 Adnexa 239
 Adrenal gland 391
 Aflatoxicosis 610
 Agalactia 453, 523
 Aging 340
 Albendazole 212 *See also*
 Benzimidazoles
 toxicity 596
 Albumin 408
 hypoalbuminemia 408
 Alfaxalone 163
 Alopecia 237–239
 Alpaca 2
 breeds 6–7
 Alpaca fever *See Streptococcus equi*
 subsp zooepticus
 Alpha-2 receptor agonists 160
 Amnion 296
 Analgesia 169

Anamnesis, history checklist
 109–111t
 Anaplasma phagocytophilum 403
 Anatomy
 female reproductive 434–436
 gastric 1, 345–347
 gastrointestinal 336–337, 343
 male reproductive 424, 424f
 ocular 494
 respiratory 323–326
 skeletal, 303, 304f
 urinary 481
 Anemia, hemolytic 399
 Anesthesia 160–173
 complications 169
 endotracheal intubation 164–165
 epidural 171
 field techniques 162–163
 general anesthesia 164
 inhalant 164–167
 injectable 163
 local anesthesia 170–171
 monitoring 168
 pre-anesthetic evaluation 160
 recovery 168
 sedation 160
 Angular limb deformities 565
 carpal valgus 317, 549
 radiographic imaging for 151
 Anorexia 351
 Anthelmintics 212–213
 resistance to 210, 213
 Antibodies *See* Immunoglobulins
 Antimicrobial toxicity 597
 Arcanobacterium pyogenes *See*
 Trueperella pyogenes
 Arrhythmias 421
 Arthritis

osteoarthritis (*See* Degenerative joint
 disease)
 septic 140
 Arthrocentesis 132–134, 134f
 Arthrogryposis 567
 Artificial insemination 469
 Aspiration pneumonia 332
 Assisted reproductive techniques
 469–470
 of camels 635–636
 Atresia
 ani 384, 551
 choanal 571–573
 coli 384, 551
 intestinal 581
 Atrial fibrillation 421
 Atrial septal defects 418
 Avermectins 213

b

Bactrian *See* Camels
 Balance 30 *See also* Containment
 Behavior 19–20, 20t
 of camels 48, 622–625
 of the male 46–50, 429–431, 466
 of pregnant females 445, 448
 sexual 429–433
 Benzimidazoles 212
 Berserk male syndrome 50, 625 *See*
 also Novice handler syndrome
 β-hydroxybutyrate (BHB) 407–408
 β-nerve growth factor 439, 450, 635
 Bezoars 371
 Bicarbonate *See* Sodium bicarbonate
 Bile duct 351
 Biochemistry 405–408
 reference intervals for 406t
 Biologic wound dressings 296

- Biopsy, endometrial 464–465
 - Bladder rupture 490
 - Blindfolding 24
 - Blister beetle toxicity 617
 - Blood transfusions 400
 - Blood urea nitrogen (BUN) 407
 - Bluetongue 249
 - Body condition 95, 113f
 - Body temperature 114
 - of neonates 513f
 - Body weight 112–113, 112t 512
 - of premature crias 525
 - Bone marrow aspiration 127
 - Borna disease 506
 - BO-SE® *See* Selenium, supplementation
 - Botryomycosis 257
 - Bottle feeding 536, 537t
 - Botulism 507
 - Bovine viral diarrhea virus, in
 - camels 638
 - Bracelet 27
 - Brainworm *See* Meningeal worm
 - Breeding age, of camels 433
 - Breeding soundness exam *See* Physical exam, reproductive
 - Bristle Grass 613–614
 - Bullous keratopathy 498
 - BUN *See* Blood urea nitrogen (BUN)
 - Buprenorphine 170
 - Burns 264–265
 - Butorphanol 162, 163, 169
 - BVDV testing for PI animals 555
- C**
- Calcium 407
 - Camelids
 - guanaco 2, 5f
 - New World (*See* South American Camelids)
 - Old World (*See* Camels)
 - uses of 14–16
 - vicuña 2, 5f
 - CAMELIDynamics 25–26
 - handling facility 26f
 - Camelpox 243
 - Camels 7, 621–640
 - Bactrian 2f, 3f
 - characteristics of 10t
 - distribution of 12f
 - dromedary 2f, 7
 - population of 621
 - reproduction of 450–451, 635–637
 - restraint of 626–632
 - species of 621
 - surgery of 639–640
 - Camelus* spp.
 - C. bactrianus* 1, 621
 - C. dromedarius* 1, 621
 - Canarygrass 611
 - Cancer *See* Neoplasia
 - Candidiasis 254
 - Canines *See* Teeth
 - Capparis tomentosa* toxicity 609
 - Cardiac 417 *See also* Heart
 - Cardiomyopathy 419–420
 - Cardiovascular defects 582–583
 - Carpal valgus 549, 565
 - Caseous lymphadenitis 638 *See also* Pseudotuberculosis
 - Castor bean toxicity 606–608
 - Castration 474–475
 - of camels 639
 - cryptorchid 475
 - early 475
 - Casts 306
 - transfixation pin cast 306–307f
 - Cataracts
 - acquired 499
 - congenital 499
 - Catch pen 24
 - Cerebral hypoxia 548
 - Cerebrospinal fluid 410–411, 503
 - collection of 129, 131f
 - cytologic evaluation 410
 - reference ranges 411t
 - Cervix 435
 - Cesarean section 458, 470
 - Cestodes 197t, 198–200
 - Chemical restraint *See* Sedation
 - Chewing *See* Mastication
 - Chitin 296
 - Chlorhexidine 293
 - Chloride 407
 - Choanal atresia 330, 514, 550, 571–573
 - Choke 364–365
 - Cholesterol 407–408
 - Chorioptic mange 189
 - Chromosome defects 564
 - Chromosome number 560
 - Chronic renal failure 488
 - Chute 25–26
 - Cleft palate 550, 573
 - Cloprostenol 458
 - Clostridial vaccinations 553–554
 - Clostridium botulinum* *See* Botulism
 - Clostridium perfringens*
 - neonatal diarrhea 546
 - Clostridium tetani* *See* Tetanus
 - Coagulation 402–403
 - activated partial thromboplastin time (APTT) 403
 - factor VIII deficiency 403
 - prothrombin time (PT) 403
 - Coccidia, 194t
 - Coccidioidomycosis 252–254, 331
 - Coccidiosis 193–196
 - Colic 354–355
 - Colostrum 530–532
 - absorption of immunoglobulins from, 530–531f
 - failure of passive transfer 532
 - replacement of 533
 - Complete blood count (CBC) 396–397
 - normal values, 397t
 - Conformation 108
 - Congenital defects, 514, 550–552, 560–586, 561t
 - angular limb deformities 317
 - etiology of 563
 - of the heart 418
 - of urinary tract 491–492
 - Constipation 354
 - Contagious ecthyma 245
 - Containment 20–26
 - for camels 626–632
 - for crias and weanlings 36–37
 - for dental procedures 43
 - for injections 34–37
 - for microchipping 43
 - for ocular medication 42–43
 - options for 24–26
 - for oral medication 42
 - for physical exam 41
 - for procedures of the head 41–43
 - for rectal exam 39–41
 - vs. restraint 20
 - for toenail trimming 29–34
 - for transabdominal ultrasound exams 41
 - for transrectal ultrasound 39–41
 - for venipuncture 37–39
 - for veterinary procedures 33–43
 - Copper 98–99
 - toxicity of 594, 600

Copulation 432
 duration of 433
 Corium *See* Dermis
 Cornea
 opacity of 498
 ulcers of 497
 Coronavirus diarrhea 546
 Corpus luteum 440, 459
 Corynebacterium pseudotuberculosis
See Pseudotuberculosis
 Cranial cruciate ligament rupture 315
 Craniofacial dysgenesis 571–573
 Creatinine 407, 484
 Cryptorchidism 581
 Cryptosporidiosis 195, 546
 Cyanide toxicity 593, 608
 Cyanobacteria toxicity 609
 Cyclopia 571
 Cystitis 488
 Cystoscopy 484
 Cysts
 endometrial 459
 follicular 439, 459
 Cytology
 cerebrospinal fluid 410
 peritoneal fluid 408
 uterine 463–464

d

Dacryocystorhinography 497
 Dakin's solution 294
 Deer flies *See* Myiasis, Tabanids
 Degenerative joint disease 138–140
 Dehydration 228
 Delivery *See* Parturition
 Demodex 190
 Dental chart 357f
 Dental disease 356
 Dental eruption 341
 in premature crias 526
 Dental formula 338
 Dental procedures 358–363
 containment for 43
 Dermatophilosis 258
 Dermatophytosis 250
 Dermis 233
 Detomidine 161
 Dexmedetomidine 161, 163
 Diabetes mellitus 394
 Diagnostic procedures 116–134
 abdominocentesis 122
 C1 fluid collection 123–124

for dermatologic conditions
 240–241
 FAMACHA scoring (*See* FAMACHA)
 for GI parasitism 208
 liver biopsy 128
 ophthalmic 496–497
 respiratory system 326–330
 urine collection 124
 venipuncture 116–112
 Diarrhea 353, 545–547
 Diazepam 161
 Dictyocaulus *See* Lungworms
 Dieffenbachia Toxicity 605
 Dietary supplements *See* Feeding
 Diet evaluation 89
 Digestion 58–61
 metabolic adaptations 57–58
 physiologic adaptations 56–57
 Dilated cardiomyopathy 419
 DNA testing 555
 Domestication
 camel 10–12
 South American Camelid 13–14
 Domperidone 453, 612
 Double cervix 576
 Doxapram 527
 Dromedary *See* Camels
 Drugs
 adverse reactions of 267, 595–598
 toxicity of 595–598
 Dulaa 433, 635
 surgery of 639–640
 Dumbcane *See* Dieffenbachia toxicity
 Dummy syndrome *See* Neonatal
 maladjustment syndrome
 Dysautonomia 507
 Dysphagia 351
 Dystocia 453–458
 causes of 453t
 cesarean section 458
 fetal malposition 454–456f
 pelvic size of dam 456f
 uterine inertia 458
 uterine torsion 457
 Dysuria 486

e

Ear 282–286
 hematomas 284
 lacerations of 284
 normal anatomy 282
 otitis 285

shape of 286, 287f
 ticks (*See* Spinose ear tick)
 Earring 44
 Eastern Equine Encephalitis 506
Echinococcus granulosus *See* Cestodes
 Eimeria macusaniensis (E. mac) 195
 Elaphostrongylus cervi 411
 Electroretinography 497
 Emaciation *See* Body condition;
 Malnutrition
 Embryo transfer 469
 of camels 635
 Emesis, induced for intoxication 593
 Endocarditis 418
 Endometritis 460
 Endoscopy 130
 Endotoxic shock 486
 Enema 125–126
 Energy metabolism 393
 Enteritis 369
 Eperythrozoon *See* Mycoplasma
haemolamae
 Epidermal membrane 443
 Epidermis 232
 Epidural 171
 Eponychium 525
 Equidone® *See* Domperidone
 Equine herpesvirus 1 506
 Ergot toxicity 610
 Erythrocytes 397–400
Escherichia coli
 neonatal diarrhea 546
 Esophagus 337
 esophagitis 364
 megaesophagus 365–366
 obstruction of (*See* Choke)
 Estradiol 440
 Estrone sulfate 440
 Evolution 7–10
 Exploratory laparotomy 131
 External fixation 306
 Eye worm *See* *Thelazia californiensis*

f

Facial Eczema 610
 Facilities *See* Handling facilities
 Failure of passive transfer (FPT)
 532–536
 causes of 532t
 detection of 532–533
 management of 533–536
 Failure to thrive *See* Weight loss

- False Hellebore toxicity *See* Veratrum spp.
- FAMACHA 204, 210–211
- Fascioliasis 196
- Fatty liver *See* Hepatic lipidosis
- Feeding 77–93
 dietary evaluation 89–90
 dry matter intake 77–80, 79t
 feeding systems 87
 label assessment 93–94
 mineral supplements 86–89
 supplements 85
 tube feeding 527, 536
- Feed supplements 85–87
- Fenbendazole 547 *See also* Benzimidazoles
- Fentanyl 169
- Fescue toxicity 612
- Fetal age 447
- Fetal membranes 441
- Fetlock hyperextension 305, 311
- Fiber 233–239 *See also* Hair
 density 236
 terminology, 234t
 testing 238
- Fibrinogen 401
- Fleas 177
- Flies *See* Myiasis
- Flow cytometry 404–405
- Fluid therapy 228
 electrolyte additives 229
 volume calculations 228
- Flunixin meglumine 170
- Fluorescein dye 496–497
- Fluroacetate toxicity 611
- Follicles *See also* Ovarian follicles
 cysts 260, 439, 459
 follicular wave, 438f
 of camel 439f
- Folliculitis 257–258
- Foot 267–275 *See also* Toenails
 trauma of 273–275
- Foot and Mouth Disease 246–248
 in camels 638
- Forages 80–85
 assessment 90–93
 grasses 80–83, 81–82t
 legumes 83–84, 85t
- Forestomach 59–61
 acidosis 96, 368–369
 development 59
 fermentation 59
 microbiology 60t
- Foxtails 613
- Fracture 305
 in camels 310
 complications of fixation 309t
 external coaptation 306
 femoral 308
 humeral 307
 internal fixation 307–308
 mandibular (of camels) 310
 metacarpal / metatarsal 308
 radial / ulnar 307
 tibial 308
 vertebral 309
- Fundic examination 496
- Fusobacterium necrophorum* 356
- ## g
- Gait 303
- γ -glutamyltransferase (GGT) 483
- Gastrointestinal tract 343–350, 343f
 cecum 349
 large intestine 61, 349
 small intestine 349
 stomach 343
- Genetics 1, 560
 genetic defects (*See* Heritable conditions)
- Gentamicin toxicity 486, 487
- Gestation *See* Pregnancy
- Giardiasis 196, 547
- Glands 236, 239–240
 interdigital 239
 metatarsal 239
 poll glands of camels 240, 433
 sweat 239
- Glaucoma 500
- Globulin 408
- Glucose 57
- Gonadotropin releasing hormone (GnRH) 459
- Grain overload *See* Forestomach, acidosis
- Granulation tissue 290
 exuberant formation of 295
- Grass tetany *See* Magnesium, hypomagnesemia
- Growth 229t
- Guaifenesin 163
- ## h
- Haemonchus contortus* 203–204
- Hair, 233–239 *See also* Fiber
 alopecia 237–239
 crimp 237
 follicles 237
- Halter Fit 23, 44–46
- Handler helper 27
- Handling facilities 25–26, 49
- Hardinggrass 611
- Heart
 acquired diseases of 418–421
 anatomy and physiology of 417
 ancillary testing 417
 arrhythmias 421
 congenital diseases of 418
 defects of 582–583
 exam of 417
 infectious diseases of 418
 neoplasia of 419
 toxicology of 419
- Heat stress *See* Hyperthermia
- Heavy metals toxicity, 598–600, 599t
- Hematocrit *See also* Erythrocytes;
 Packed cell volume (PCV)
- Hematuria 482
- Hemivertebrae 551–552, 568
- Hemoglobin 398
- Hemorrhage
 blood transfusions 374
 intraabdominal 374
- Hemostasis 288
- Hepatic insufficiency 374–375
- Hepatic lipidosis 96,
 375–376, 393–394
- Heritable conditions
 cardiovascular defects 582–583
 craniofacial defects 571–574
 digestive tract defects 581–582
 management of 562–563
 miscellaneous defects 583, 585
 reproductive system defects 574–581
 skeletal defects 565–571
- Herniorrhaphy 380–381
- Herpesvirus 506
- Hippomanes 444
- History *See* Anamnesis
- Hock
 angulation, 305f
 luxation (*See* Tibiotarsal luxation)
- Honey 295
- Hormone analysis 465
- Horse flies *See* Myiasis, Tabanids
- Human Chorionic Gonadotropin (hCG) 459

Husbandry 555–556 *See also*
 Vaccination
 Hybridization 1, 586, 636
 Hydatid disease *See* Cestodes
 Hydrocele 466
 Hydrogels 296
 Hydrogen peroxide 294
 Hymen 473–474
 Hypercalcemia *See* Calcium
 Hyperchloremia 407, 545 *See also*
 Chloride
 Hyperglycemia 408, 545 *See*
also Glucose
 Hypergranulosis 241
 Hyperkalemia *See* Potassium
 Hyperkeratosis 243
 Hyperlipidemia 393–394
 Hyponatremia 545
 Hyperosmolar syndrome 394–395,
 408, 545
 Hyperphosphatemia *See* Phosphorus
 Hyperplasia 243
 Hyperproteinemia 408
 Hyperthermia 225, 403
 Hypertrophic Osteopathy 332
 Hypocalcemia *See* Calcium
 Hypochloremia *See* Chloride
 Hypodermis 233
 Hypoglycemia, 408, 528 *See*
also Glucose
 Hypokalemia *See* Potassium
 Hyponatremia *See* Sodium
 Hypophosphatemia *See* Phosphorus
 Hypoproteinemia 408
 Hypothermia 227

i

Ichthyosis 265–266
 Ileus 354
 Ill thrift 229
 Immunoglobulins 405, 529
 failure of transfer 532–536
 Immunohistochemistry 404–405
 Immunoprophylaxis *See* Vaccination
 Incisors *See* Teeth
 Infertility 458–469
 female examination 460–465
 male examination, 466–468, 467t
 treatment of 465
 Inflammatory markers 327
 Inflammatory phase of wound
 healing 288

Injections 34–37
 babies and weanlings 37–38
 sites for 35f
 Insect bite hypersensitivity 267
 Insect bites and stings 616
 Insecticide toxicity 594
 Insulin 393–394
 Integument *See* Skin
 Intersex 579–581
 Intestinal atresia 581
 Intestine 349 *See also*
 Gastrointestinal tract
 enteritis 369–370
 obstruction of 370
 ulcers of 372
 Intraocular pressure (IOP) 496
 Intubation
 endotracheal tubes, 164t
 nasogastric 124
 orogastric 123–124, 527, 536,
 538f
 orogastric tube sizes 124t
 Iodine 293
 Ionophores, toxicity of 597
 Iphiona aucheri toxicity 609
 Iron deficiency 399 *See also* Anemia,
 hemolytic
 Ischemia, renal 486
 Ivermectin *See* Anthelmintics;
 Avermectins
Ixodes ricinus 507

j

Jaw deformities 573
 Joint disorders 311–316
 Jugular venipuncture 116–121 *See*
also Venipuncture
 camels 121, 634
 catheterization 120
 distal cervical 119
 mid-cervical, 118f
 neonates 120
 proximal 117
 sites for 116f
 Juvenile Llama Immunodeficiency
 Syndrome (JLIDS) 229, 405

k

Karyotype 1
 Ketamine 162–163, 172
 Ketosis 393–394
 Kidney 481

l

Labor *See* Parturition
 Lactate 407
Lama glama 1
 Laparoscopy, for infertility
 examination 465
 Lead toxicity 594
 Leukocytes 400–402
 antigen expression 404t
 Levamisole 213
 toxicity of 595
 Lice 174
 Limb deformity 317, 549
 Lipemia 408
 Listeriosis 411, 504
 Liver 350
 biopsy of 128f
 hepatic insufficiency 374–375
 hepatic lipidosis 375–376
 Liver fluke *See* Fascioliasis
 Louping ill 507
 Low stress handling 22–24
 Lung 324–326
 Lungworms 214
 Lymphocytes 401
 B-lymphocytes 405
 T-lymphocytes 405
 Lymphoma 224, 409

m

Macrophages 405
 Maggot debridement therapy 295
 Magnesium, hypomagnesemia 407
 Magnetic resonance imaging 132
 ocular 497
 Male behavior 46–50
 of camels 635
 Malnutrition 94
 Mammary gland 275–279, 276f
 anatomy of 275–277
 milk composition 279t
 milk production 278
 Mange *See* Mites
 of the ear 284
 Manuka honey 295 *See also* Honey
 Mastication 58
 Mastitis 280–282, 523–524
 clinical signs 280
 diagnosis 281
 etiology 280
 predisposing factors 280
 prevention 282

therapy 281
 Meconium 516f, 520–521
 Melanocytes 233
 Meloxicam 170
 Meningeal worm 215–218, 411, 503–504
 life cycle 215f
 Meningitis 411, 548
 Meningoencephalitis 411
 Mesentery 336
 Metabolic bone disease 637–638
 Metabolic syndrome 393
 Methemoglobinemia 399
 Metritis 453, 460
 Microchipping 555–556
 Containment for 43
 Middle Eastern Respiratory Syndrome 638
 Midline catch 27
 Milk
 composition 279t, 539t
 replacement feeding 538
 Minerals *See* Nutritional requirements
 Mismatching 458
 Misoprostol 458
 Mites 186–192
 Moist wound healing 296
 Molars *See* Teeth
 Monieziasis *See* Cestodes
 Monocytes 405
 Morphine 170
 Mosquitoes 177–178
 Mouth 337, 355–356 *See also* Oral cavity
 Mucometria 577
 Munge 261–264
 generalized 262
 Muscle relaxants 163
 Muzzling 24
Mycoplasma haemolamae 192, 399
 Mycotoxins 610–612
 Myiasis 178
 black flies 179
 blow flies 180
 bots 180–184
 Tabanids 179

n

N-acetyl- β -D-glucosamidase (NAG) 483
 nasal 261–262
 Nasal cavity 323
 Nasolacrimal duct 323, 547

irrigation of 496–497
 obstruction of 499
 Neck wrap 28–29
 Necrobacillosis 356
 Nematodes 200–201t, 200–207
 esophageal 203
 gastric 203
 large intestinal 206
 small intestinal 204
 Nematodirus 205
 Neonatal maladjustment syndrome 548
 Neonatology 511–557
 bonding of cria and dam 521–522
 care of the umbilicus 522
 characteristics of the neonate 512–513
 cria scoring system 514t
 neonatal care 513–520
 nursing 518–520
 Neoplasia 224
 hematopoietic 403 (*See also* Lymphoma)
 renal 491
 of skin 267
 Nephritis 486, 488
 Neurologic disease 502–508
 diagnosis of 502
 treatment of 508
 New World Camelids *See* South American Camelids
 Nitrate toxicity 608
 Nitrofurazone ointment 294
 Nonesterified fatty acids (NEFA) 408
 Nonsteroidal Anti-inflammatory Drugs (NSAIDs) 170
 No restraint injections 34–36
 Normal values *See* Reference values
 triiodothyronine & thyroxine 392t
 Nostril 323
 discharge 327
 occlusion of 333
 Novice handler syndrome 50–51, 474
 See also Berserk male syndrome
 Nutritional muscular dystrophy 418
 Nutritional requirements 61
 energy 64–70
 macrominerals 72–73t
 microminerals 73–74t
 mineral supplements (*See* Feeding)
 protein 70–71
 vitamins 74–77

water 61–63, 63t 228
 Nutritional secondary hyperparathyroidism 637

o

Oak toxicity 487
 Obesity 96 *See also* Body condition
 Obstetrics 453–458
 Occlusive dressings 296
 Old World Camelids 621–640 *See also* Camels
 Oleander toxicity 604–605
 Omentum 336
 Onychia 272
 Ophthalmology 494–500
 anatomy 494, 495f
 congenital diseases 499
 diagnostic procedures of the eye 496–497
 intraocular tumors 500
 ocular diseases 497–500
 trauma of the eye 500
 Oral cavity 355–356
 dental disease 356
 infection of 356
 Orf *See* Contagious Ecthyma
 Oropharynx 337
 Orphaned crias 536–540
 adoption 537
 Osteoarthritis *See* Degenerative joint disease
 Otitis 285
 cause of neurologic disease 505
 Ovarian follicles 436 *See also* Follicles, follicular wave
 cycle 438
 cysts 459
 size of 438f
 Ovaries 436
 agenesis 579
 hypoplastic 459
 ovarian bursa 436
 oviducts 436
 Ovariohysterectomy 472–473
 Ovulation 438, 440
 failure of 459
 induction factor (*See* β -nerve growth factor)

p

Packed cell volume (PCV) 396, 398
 Pain management *See* Analgesia

- Palpation, rectal 446
 - Pancreas 391
 - Pantoprazole 368
 - Papillomatosis 248
 - Parakeratosis 243
 - Parasites 174–218
 - in camels 639
 - diagnostics 208, 634
 - external parasites 174–191, 175t
 - internal parasites 192–214
 - predilection sites 202f
 - treatment of 212–213
 - Parathyroid gland 391
 - Parelaphostrongylus tenuis *See* Meningeal worm
 - Paromomycin 547
 - Paronychia 272
 - Parturition 447–450
 - fetal malpositioning 454–456f
 - induction of (*See* Pregnancy, termination of)
 - normal fetal positioning 449–450f
 - post-partum care 522–524
 - Passive transfer *See* Failure of passive transfer (FPT)
 - Pastern angulation 305f
 - Patellar luxation 315, 568
 - grades 315t
 - radiographic imaging for 152
 - Patent ductus arteriosus 418
 - Patent urachus 542
 - Pelvic size *See* Dystocia
 - Pemphigus vulgaris 266
 - Pen design 23–25, 23f, 49 *See also* Handling facilities
 - Penis, anatomy of 424–426
 - Pericardial disease 419
 - Pericarditis 419
 - Peritoneal fluid 408–410
 - protein concentration 409
 - reference values 409t
 - volume 409
 - Peritoneum 296, 336
 - Peritonitis 373
 - peritoneal fluid in 409–410
 - PGF2 α 440, 458
 - toxicity of 598
 - Phalaris Staggers 611
 - Pharyngitis 364
 - Phenylbutazone 170
 - Phosphorus 407
 - hypophosphatemia 97
 - Photosensitization 264–265, 605, 610
 - Physical exam 108–116
 - abdomen 115
 - of camels 633
 - checklist 109–111t
 - containment for 41
 - ear 115
 - eye 115, 496
 - heart 114
 - for infertility 460–468
 - for intoxication 590
 - mouth 116
 - parameters 114t
 - reference values 114t
 - reproductive 471–472t
 - skin 240–241
 - thorax 115f, 328, 417
 - vaginal 463
 - Physiology
 - cardiovascular 417
 - digestive system 336–351
 - female reproductive 437–440
 - male reproductive 429
 - respiratory 326
 - Pituitary gland 391
 - Placentation 441–444, 443f
 - Plant toxicity *See* Toxicity, of plants
 - Plasma 534
 - Platelets
 - mean platelet volume (MPV) 402–403
 - ultrastructure 403
 - Pleural fluid 408–410
 - protein concentration 409
 - reference values 409t
 - Pleuritis 409–410
 - Pneumonia 331–332
 - Pododermatitis 273
 - Poisoning *See* Toxicity
 - Polioencephalomalacia 502
 - Polydactyly 569
 - Posthitis 488
 - Postpartum complications 451–453
 - agalactia 453
 - metritis 453
 - rejection of cria 453
 - uterine prolapse 452
 - uterine rupture 452–453
 - vaginal prolapse 451
 - Potassium 407
 - Pregnancy 440–447
 - amniotic fluid 444
 - behavior 445, 448
 - of camels 635
 - determination of 445, 636
 - embryonic development 441
 - fetal aging 447
 - fetal membranes (*See* Placentation)
 - length of in camels 635, 637
 - termination of 458
 - ultrasound evaluation of 447
 - Prematurity 524–529
 - Prepartum care 511
 - Progesterone
 - for pregnancy diagnosis 637
 - supplementation of 459
 - Prolapse
 - rectal 372
 - vaginal 451
 - Proliferative phase of wound healing 289–290
 - Propofol 163
 - Propylene glycol toxicity 596
 - Prostaglandin toxicity 598
 - Proteinuria 483
 - Protozoa 192t
 - Pseudotuberculosis 256–257
 - Psoroptic mange 187
 - Puberty 436–437
 - Pulmonary hypertension 417
 - Pupil, pharmacologic dilation of 496
 - Pyrrolizidine alkaloid toxicity 605
- r**
- Rabies 505–506
 - vaccination 554
 - Radiographic imaging 132
 - for angular limb deformities 151
 - for bulla disease 147
 - normal carpus 142–143f
 - normal radiographic anatomy 152–158f
 - normal skull 148f
 - of osseous sequestration 141
 - for patellar luxation 152
 - for rickets 152
 - of shoulder 141
 - of skull 145
 - technique chart 138
 - of thorax 328–329f
 - Rain rot *See* Dermatophilosis
 - Rectal palpation, for pregnancy determination 446, 636
 - Rectum

- laceration of 372, 383
 - palpation of 463
 - prolapse of 372, 383
 - Reference values
 - biochemistry 406t
 - physical exam 114t
 - Schirmer tear test 496
 - urinalysis 483t
 - Refugia 213–214
 - Regurgitation 351
 - Remodeling phase of wound healing 290
 - Renal disease 486
 - Reproduction
 - of camels 424, 450–451, 635–637
 - female anatomy 434–436, 434t, 435f
 - female receptivity 438
 - of guanacos 423
 - male anatomy 424
 - physiology 429–433, 437–440, 437f
 - strategies of 423–424
 - system defects 574–581
 - of vicuñas 423
 - Respiratory disease 330–333
 - Restraint 20–22
 - of camels 626–628f 626–632
 - chemical (*See* Sedation)
 - Retained placenta 450
 - Reticulocytes 398
 - Retinal detachment 500
 - Rhododendron toxicity 600–604
 - Rickets 97, 318, 549
 - in camels 638
 - radiographic imaging for 152
 - Ringworm *See* Dermatophytosis
 - Rodenticides toxicity 595
 - Romifidine 161
 - Rotavirus diarrhea 546
 - Rumen acidosis *See* Forestomach, acidosis
 - Rut 433, 635
 - Ryegrass toxicosis 610
- S**
- SAC *See* South American Camelids
 - Saliva 59
 - Salivary glands 340, 363
 - Salt, 87 *See also* Nutritional requirements, mineral supplements
 - Sarcocystosis 195, 418
 - Sarcoptic mange 186
 - Scapulohumeral luxation 312–313
 - arthrodesis 313
 - closed reduction 313
 - open reduction 313
 - Scarlet oil 294
 - Schirmer tear test 496
 - Scoliosis 569
 - Sebaceous cysts 260
 - Sedation 44, 160
 - of camels 632–633t
 - Selenium 77, 93, 98 *See also* Nutritional requirements
 - supplementation 554
 - toxicity of 598–600
 - Semen
 - camel 433
 - characteristics of 428t
 - collection of 429, 468
 - degelification 469
 - extension 469
 - Semi-occlusive wound dressings 296
 - Septic arthritis 140
 - Septicemia, neonatal 543–545
 - Sequestrum 317, 542
 - radiographic imaging for 141
 - Serum protein electrophoresis 408
 - Serum urea nitrogen (SUN) 481–483
 - Sexual behavior 429–433
 - Sexual development 579
 - Shoulder luxation *See* Scapulohumeral luxation
 - Silver 293
 - Sinuses 324
 - Skeletal defects 565–571
 - Skin 232–233
 - bacterial diseases 255–259
 - dermis 233
 - epidermis 232
 - fungal diseases 250–255
 - histology, 233f 241–243
 - hypodermis 233
 - neoplasia of 267
 - nutritional diseases of 259–260
 - parasitic diseases of 243
 - viral diseases 243
 - Snake envenomation 614–616
 - Sodium 407
 - Sodium bicarbonate 229, 544
 - Sodium fluoride toxicity 609
 - Sodium hypochlorite 294
 - South American Camelids 2–7
 - characteristics of 9t
 - distribution of 13f
 - weights of 10t
 - Sperm motility 468
 - Spinose ear tick 285
 - Splints 306
 - Sporodesmiomycosis 610
 - Staphylococcus aureus 257
 - Stifle joint 314
 - cranial cruciate ligament rupture 315
 - patellar luxation 315, 568
 - upward fixation of patella 316
 - Stomach 343 *See also* Gastrointestinal tract
 - comparison to ruminant 344t
 - gastric ulcers 366–368
 - gastroliths 371
 - volume 344f
 - Stomatitis 356
 - Stranguria 486
 - Streptococcus equi subspecies zooepidemicus* 332, 373, 409, 418, 638–639
 - Streptothricosis *See* Dermatophilosis
 - Stress 224
 - Strongyloides 205
 - Sugar 295
 - Sugardine 295
 - Supernumerary teats 280
 - Supplements *See* Feeding
 - Surgery
 - abdominal 379–380
 - abdominal-algorithm for 352f
 - in camels 639–640
 - gastric 381–382
 - gastrointestinal 376–385
 - herniorrhaphy 380–381
 - rectal 383
 - reproductive 470–475
 - spiral colon 382–383
 - Surra disease *See* Trypanosomiasis
 - Sway disease 638
 - Syndactyly 569
 - Synovial fluid 133t
- T**
- Tapeworms *See* Cestodes
 - Tarweed 614
 - Taxonomy, 1, 4t
 - Taxus *See* Yew toxicity
 - Teats 277f, 280–282
 - supernumerary teats 280

- Teeth 337–342
 - aging 340
 - canines 340
 - dental formula 338t
 - eruption times 341–342f, 341t
 - extraction of 358–360
 - fighting teeth 338f
 - incisors 338
 - molars 340
 - retained deciduous 360
 - trimming 360–363
 - Temperature *See* Body temperature
 - Teratogenesis 563–564
 - Teratogenic plants 564t
 - Testicle
 - anatomy of 426–428
 - function of 429
 - size of 427t
 - Testicular hypoplasia 581
 - Testosterone 466
 - Tetanus 507
 - Thelazia californiensis* 218, 497f
 - Thermoregulation 225
 - Thiamine 502–503, 508
 - Thomas splint 306f
 - Thoracocentesis 127f
 - Thyroid gland 391
 - Tibiotarsal luxation 316, 569
 - Tick paralysis 185–186, 505
 - Ticks 184–186
 - of the ear 184–185 (*See also* Spinose ear tick)
 - Tiletamine 162, 163
 - Toenails
 - avulsion of 272
 - containment for trimming 29–33
 - crooked 583
 - overgrowth of 268–271
 - Tolazoline intoxication 596
 - Tooth root abscesses 358
 - radiographic imaging for 146
 - Toxicity 590–617 *See also* Toxicity
 - adaptation to 590–591
 - antidotes for 593–594
 - diagnosis of 591
 - of drugs 595–598
 - examination for 590
 - mycotoxins 610–612
 - of plants 99, 564t, 600–610
 - prevention of 592
 - treatment of 592–593
 - Toxoplasmosis 193
 - Trace minerals *See* Nutritional requirements
 - Trachea 324–326
 - Transphyseal bridge 319
 - Transtracheal wash 330
 - Trematodes 196–198, 197t
 - Trema tomentosa* toxicity 609
 - Trichoepithelioma 260
 - Trichophyton* spp. 250f *See also* Dermatophytosis
 - Trichuris* spp. 206
 - Triglycerides 408
 - Triiodothyronine & Thyroxine 392t
 - Triple antibiotic ointment 294
 - Trueperella pyogenes* 356
 - Trypanosoma evansi* *See* Trypanosomiasis
 - Trypanosomiasis 192, 400, 403
 - Tubing *See* Intubation, orogastric
 - Tubular agenesis 577
- u**
- Udder 275–279
 - edema 282
 - Ulcers
 - corneal 497
 - gastric (*See* Stomach, gastric ulcers)
 - intestinal 372
 - Ultrasonography
 - for infertility examination 463
 - kidney 484
 - ocular 497
 - for pregnancy determination 447, 637
 - Umbilicus 522, 541–542
 - hernias 542
 - infection of 541–542
 - patent urachus 542
 - Upward fixation of the patella 316
 - Urethra
 - catheterization of 125f
 - rupture of 491
 - urethritis 488
 - Urinalysis 483t
 - Urinary bladder 481
 - rupture of 490
 - Urinary calculi *See* Urolithiasis
 - Urination 484
 - Urine 481–482
 - collection of 124, 482
 - Urolithiasis 489–491
 - Uroperitoneum 410, 490
 - Uterus 435
 - inertia of 458
 - involution of 450
 - prolapse of 452
 - rupture of 452–453
 - tear of 452–453
 - torsion of 457f
 - unicornis 576–577
- v**
- Vaccination 507, 552
 - of camels 634
 - Vagina
 - examination of 463
 - prolapse of 451
 - Valgus *See* Angular limb deformities
 - Vasectomy 475
 - Venipuncture 116–122
 - jugular 116–121
 - peripheral 121–122
 - Ventricular septal defect (VSD) 582–583
 - Ventricular septal defects 418
 - Veratrum* spp. 572
 - toxicity of 606
 - Vesicular stomatitis 248
 - Vicugna vicugna* 1
 - Viral diseases
 - bovine leukemia virus (BLV) 224
 - in camels 638
 - cause of neonatal diarrhea 546
 - of the nervous system 505
 - of the respiratory system 331
 - of the skin 243
 - teratogenic 565
 - Vitamin B1 *See* Thiamine
 - Vitamin D, 549 *See also* Rickets
 - toxicity of, 482f 597
 - Vitamin D toxicity 487
 - Vitamin E, 554 *See also* Selenium
 - Vitamins, 74–77 *See also* Nutritional requirements
 - Vitamin D, 549 (*See also* Rickets)
 - Volatile fatty acids (VFAs) 59–61
 - Vomeronasal organ, 430f
 - Vulva
 - conformation of 460
 - hypoplasia of 551
- w**
- Warts *See* Papillomatosis
 - Weaning 540–541
 - Weight *See* Body weight
 - Weight loss 229
 - West Nile Virus 506
 - Wet to dry bandages 296
 - Whipworms *See* *Trichuris*

White blood cells *See* Leukocytes

White muscle disease 418

Wool *See* Hair

Wound

burns 264–265

cleansing 292–293

closure of 291–292

debridement 292

dressings 296

evaluation of 290

healing 286–290

local therapy 293–295

management of 291–296

Wry face 550, 583, 584f

X

Xylazine 161, 163, 633

Xylitol toxicity 593

Y

Yew toxicity 606

Z

Zinc, 99 *See also* Nutritional requirements

Zinc responsive dermatosis
259–260

Zolazepam 163

