

Index

a

acetaldehyde photo-oxidation rate
 constants 61
 aerosol-assisted capillary assembly 227
 alkylated metal fullerenes 43
 amine 1
 anhydrous N,N-dimethylformamide (DMF)
 89
 (η^6 -arene)₂Cr 88
 (η^6 -arene)Cr(η^6 -benzene) 88
 (η^6 -arene)Cr(CO)₃ 88
 (η^6 -arene)2M compounds 109
 azafullerene bisadduct 209
 aza[60]fullerene radical 192
 azafullerenes 192
 nucleophilic functionalization 199
 organic solar cells and fuel cells 209
 peapods 206
 radical functionalization 197
 synthesis 196
 azafulleronium 200

b

bench-stable C₆₀-N-MEM-ketolactam
 196
 (η^6 -benzene)Cr(CO)₃ 88
 β -aminocarbonyl product 200
 bilayer graphene (BLG) 56
 bis(aza[60]fullerenyl) dimer 196
 bisazafulleroid 196, 203
 borafullerenes 193

c

carbide-derived carbon film 134
 carbonized VAGLAs 79

carbon materials

 core-shell carbon-based composites
 127
 diamond 115
 hollow carbon spheres 122
 one-dimensional 129
 precise controlled synthesis 115
 solid carbon spheres 117
 synthetic strategies 115
 three-dimensional 135
 two-dimensional 131

carbon quantum dots and carbon spheres,
 see zero-dimensional carbon
 materials 116

Carbon yolk–shell nanocomposites 127
 cellulose diacetate (CDA) nanofibrils 131
 chemical exfoliation 54
 chemical nanocarbons 1
 chemical nitrogen 23
 chemical vapor deposition (CVD) 54
 choline chloride 32
 chromonic liquid crystals 73, 75
 [6,6]-closed azafulleroid 196
 (C₅₉N)₂/SWCNT peapods 207
 CO₂ adsorption isotherms 12
 colloidal crystals 142
 CO₂ photo-reduction efficiencies 61
 copolymer templated nitrogen-rich carbons
 (CTNC) 2
 core-shell carbon-based composites 127
 CO₂ sorbents 12
 Cr(CO)₆ 88
 crumpled-graphene-wrapped Si
 nanoparticle 227

CuO/resorcinol-formaldehyde aerogels 140

cyclic voltammetry of CTNCs 10

d

de-complexation reactions 90

deep eutectic solvents (DES) 32

density gradient ultracentrifugation (DGU) 57

dicyanamido-metallate anions 31

diphenylmethane adduct 198

discotic liquid crystal mixture phase 71

discotic polyaromatics 78

disk-like/plate-like precursor molecules 72

diverse carbon-based spheres 128

double-walled carbon nanotubes (DWCNTs) 207

e

edge functionalization of graphene

post-pyrolysis N-doping 3

pyrolysis of nitrogen containing precursors 3

edge substituted nanographenes 3

effective Faradaic process 10

electric arc (EA-)SWNTs 95

electrode materials, for LIBs

graphene/0D composite nanomaterials 228

graphene/0D Li-alloying materials 225

graphene/0D metal oxides 220

graphene/1D inorganic composites 230

graphene/2D inorganic composites 234

electron beam metal evaporation 91, 107

electronic properties of graphene edges 2

electrospun carbon fibers 8

electrostatic self-assembly approach, for graphene-0D Si nanoparticle composites 226

endohedral metallo(aza)fullerenes 206, 208

endohedral metallofullerenes (EMFs) 192, 207

enolizable nucleophiles 199

epitaxially grown graphene 63

3-ethyl-1-vinylimidazolium

tetrafluoroborate ([VEIM]BF₄) 35

evaporation-induced self-assembly (EISA) 147

external quantum efficiency (EQE) 176

f

few-layer graphene (FLG) 56

g

Ge-based LIB anodes 227

GF/poly(dimethyl siloxane) composite product 139

GO/DNA composite hydrogels 139

graphene

advantages 219

catalysis 59

functionalization and templating 61

mechanically exfoliate 2D crystals 53

physical and chemical properties 218

reduced graphene oxide 54

separation 57

single layer sp² hybridized 2D network 53

solvent exfoliated graphene 54

structure-property relationships 55

synthesis 54

graphene-based electrode materials 219

graphene-based supercapacitors 9

graphene-Co₃O₄ composite 223

graphene-confined Sn nanosheets 236, 237

graphene-Fe₂O₃ composite synthesis 224

graphene foams (GFs) 139

graphene-MoS₂ composite material 235

graphene nanoribbons (GNRs) 56, 178

graphene nanosheet 133

graphene oxide (GO) 50

AFM image 48

Beer's law 46

blue emission 167, 168, 169

dimethylformamide 180, 181

electrical conductivity characterization 50

FTIR spectra 44, 45

functionalization 50

infrared photodetector 172, 174

i-Octyl-Bu-GO 46

laser-induced unzipping 178, 180

- modified hummers method 43
- nano-patterning 163, 164, 165
- n*-butyllithium 43
- photothermal effects 169, 170, 174
- radiation-induced reduction 159, 160
- Raman spectra 45
- sheet resistance and film 49
- sheets 128
- size and thickness 47
- solution-phase UV-Vis-NIR spectroscopy 46
- synthesis procedure 43, 44
- TEM images 48
- TGA curves 46
- thermal fusion 49
- thermal reduction 49
- ultraviolet detector absorption 47
- ultraviolet detector 178, 179
- graphene/Sn-nanopillar multilayered nanocomposite anodes 230
- graphene-SnO₂ nanocomposites 221
- graphene-SnO₂ nanorod synthesis, one-step hydrothermal procedure 230
- graphene-SnS₂ composite 235
- graphene-supported SnO₂ nanosheets 236
- graphenic mesogenic materials
 - applications 77
 - aqueous colloidal phase 82
 - liquid crystalline phases 70
 - lyotropic chromonic liquid crystals 73
 - methods for directing assembly 74
 - polymerization/carbonization pathway 70
 - sp²-hybridized carbon 69
 - supramolecular assembly 69
 - thermal/surface-assisted polymerization 69
 - thermotropic discotic liquid crystal 71, 81
 - thermotropic vs. lyotropic routes 80
- graphite anodes, for LIBs 217
- graphitic carbon 123
- graphitic edge N-doping 2
- Grazing Incidence Small Angle X-ray Scattering (GISAXS) 7
- Grazing Incidence Wide Angle X-ray Scattering (GIWAXS) 7
- guanine 29
- h**
 - hard-templating method 122
 - hemiacetal 203
 - heterofullerene 196
 - hexabenzocoronene 71
 - N*-hexadecyl-pyridinium-dicyanamide (NHP-dca) 31
 - hexahapto-chromium complexes, SWNTs
 - buckybowls 88
 - Cr(CO)₆ and (η^6 -benzene)Cr(CO)₃ 88
 - Diels-Alder reaction 88
 - end-group functionalization 87
 - endohedral metal complexes 87
 - experimental section 89
 - physically confined metal atoms 87
 - Raman spectroscopy 102
 - side-wall chemical addition reactions 87
 - [η^6 -SWNT-CONH(CH₂)₁₇CH₃]Cr(η^6 -C₆H₆)TGA and chromium stoichiometry 95
 - (η^6 -SWNT)Cr(η^6 -C₆H₆) complex (5a) 90
 - (η^6 -SWNT)Cr(CO)₃ complex (3a) 89
 - transition metal-fullerene compounds 87
 - X-ray photoelectron spectroscopy 101
 - 2,3,6,7,10,11-hexahydroxytriphenylene (HHTP) 62
 - highly ordered pyrolytic graphite (HOPG) 9
 - hollow carbon spheres
 - hard-templating method 122
 - soft-templating method 125
 - hollow core and mesoporous shell (HCMS) structures 123
 - hollow polymer spheres (HPS) 126
 - Hummers method-based GO 59
 - hydrogenated arc discharge graphene (HGH) 171
 - hydrogenated graphene 171
 - hydrothermal carbonization (HTC) 121

i

imidazolium bound nitrogen atoms 28
 immiscible sacrificial block (primarily
 poly(*n*-butyl acrylate) - PBA) 6
 infrared photodetector 172, 174
 ionic liquids (ILs)
 applications 34
 carbonisation 25
 carbon precursors 22
 deep eutectic solvents 32
 N-doped carbon materials 23
 precursors 26
 processing, shaping and functionalisation
 30

k

ketolactam 197
 Kratos Axis Ultra spectrometer 89

l

Lambda Physik KrF excimer laser 160
 layered metal chalcogenides 235
 layered metal dichalcogenides 234
 Li₄Ti₅O₁₂ 34
 lithium ion batteries (LIBs) 217
 graphene/0D composite nanomaterials
 228
 graphene/0D Li-alloying materials 225
 graphene/0D metal oxides 220
 graphene/1D inorganic composites 230
 graphene/2D inorganic composites 234
 performances 217
 schematic illustration 217, 218
 Ludox templated N-doped carbon 30
 lyotropic chromonic liquid crystals 73

m

masked patterning of graphene oxide 163
 melamine–formaldehyde (MF) resin 121
 mesocarbon microbeads (MCMB) 77
 mesogenic materials 70
 mesogenic nanocarbons 78
 mesogen monomers 81
 mesophases 70
 mesoporous MnO₂/carbon aerogel
 composites 140
 metal free oxygen reduction reaction 11

metallate surfactants 31
 methylene blue (MB) dyes 60
 methyl-naphthalene 73
 micromechanical cleavage (MMC) 54
 microstructuring of GO nanosheets 167
 mid-infrared spectroscopy (IR) 101
 mixed pentaadduct C59N(OO^tBu)4Br
 203
 molecular precursor assembly 54
 molybdenum dioxide (MoO₂) 225
 monoazafullerene 203, 204
 multiwall CNTs (MWCNTs) 32
 multiwalled graphene oxide nanoribbons
 (MWGONR) 171

n

nanocables 231
 nanocasting 140
 nanographene-constructed hollow carbon
 spheres (NGHCs) 123
 nanoimprint patterning of graphene oxide
 165
 nano-patterning 163, 164, 165
 nanoporous N-rich carbon material 6
 naphthalene 73
 N-doped carbon-anatase nanocomposite
 31
 N-doped carbon materials 23
 N-functionalities in graphitic systems 2
 nitrogen atom doping 121
 nitrogen-containing graphitic edges 5
 nitrogen-doped hollow macroporous
 carbon spheres (NHMCS) 35
 nitrogen-doping (N-doping) 1
 nitrogen-rich copolymer-templated
 mesoporous carbons 8
N,N'-dioctyl-3,4,9,10-perylene-
 tetracarboxylic diimide (PTCDI-C8)
 62

o

octadecylamine-functionalized SWNTs
 89, 91
 of exohedral organometallic atomic
 chromium atoms 98
 olivine-type lithium transition-metal
 phosphates 229

1D carbon materials 129
 1D mesoporous carbon (MC) nanofiber 130
 one-step nanocasting technique 142
 Onsager hard-rod systems 74
 open-cage ketolactone 196
 open-cage thiafullerene 196
 [5,6]-open N-MEM-aza[60]fulleroid 196
 organic solar cells and fuel cells 209
 ortho-dichlorobenzene (ODCB) 43
 oxafullerenes 195
 oxidative stabilization 80
 oxofulleroids 195
 oxygen reduction reaction (ORR) 11, 25

p

pentaadducts C₅₉N(R)₅ 200
 pentaaryladduct 202
 pentasubstituted C₅ fullerene derivatives 87
 3,4,9,10-perylene-tetracarboxylic dianhydride (PTCDA) 62
 phenol-formaldehyde (PF) composite hollow spheres 125
 phenol-formaldehyde (PF) resins 120
 phenol-, resorcinol-/phloroglucinol-based phenolic resins 144
 1,4-phenylenebis(boronic acid) (PBBA) 62
 photothermal effects 169, 170, 174
 Pluronic F127 120
 Pluronic P123 130
 polyacrylonitrile (PAN) 2, 4 nanofibers 131
 polyaromatic precursor (C₅₇H₃₃N₃) 205
 polycrystalline copper 55
 polycyclic aromatic hydrocarbons (PAHs) 54, 133
 poly(furfuryl alcohol) (PFA) 120
 poly(N-isopropylacrylamide) (PNIPAAm)-PIL block copolymer 31
 polystyrene-block-poly(4-vinylpyridine) (PS-P4VP) 144
 polyurea (PUA) gels 136
 porous alumina membrane 30
 post-pyrolysis N-doping 3

pseudo-Faradaic reaction 10
 purified electric arc (EA)-produced SWNTs (P2-SWNT) 89
 2H-pyran-containing fullerene derivative C₆₀(O)(OOH)(OO^tBu)₅ 195
 2H-pyran ring-containing fullerene 195
 pyridinic functionalities 13
 pyridinic nitrogen (N-P) 1, 10
 pyrolysis of nitrogen containing precursors 3

q

quaternary nitrogen 1

r

radiation-induced reduction 159, 160
 Raman spectroscopy 102
 reduced graphene oxide (RGO) 54 Co₃O₄ composites 223, 224
 resorcinol 32
 reversible capacity assembled graphene/Sn-nanopillar multilayered nanocomposite 230
 graphene-Co₃O₄ composite 223
 graphene-SnO₂ nanocomposites 221
 RGO composite 232
 RGO-P25 photocatalysts 60
 [RhCl(PPh₃)₃] 88

s

SBA-15 30
 sedimentation-based DGU 58
 SEG-P25 films 60
 SiNW@RGO composite material 232
 silafullerenes 194
 silica monolith 30, 140
 silicon carbide (SiC) 55
 simple ball-milling method 222
 Si nanowires 232
 single-component monomers 73
 single-walled carbon nanotubes (SWCNT) 131, 206
 SnO₂-based anodes 220
 SnO₂, lithium storage properties 220
 SnO₂ nanoparticles on graphene nanosheets 221
 SnS₂ nanoplates 234

- SnO₂-SiC/G nanocomposite 222
 - soft-templating method 125
 - sol-gel method 135
 - solid carbon spheres
 - hydrothermal carbonization 121
 - pyrolysis 117
 - solid electrolyte interphase (SEI) layer 225
 - solvent-evaporation–induced self-assembly (EISA) process 132
 - solvent exfoliated graphene (SEG) 54, 55
 - solvent reduced graphene oxide (SRGO) 60
 - SRGO-P25 films 60
 - stiff graphite plates 27
 - structural nitrogens 24
 - styrene–divinylbenzene copolymer 121
 - submillimeter-scale graphene patterning 167
 - supercapacitors 8
 - supramolecular ILs 32
 - surface area activated carbon 25
 - surface charges, of SnO₂ nanoparticles and graphene 221
 - surfaces/phase boundaries 74
 - SWNT-CONH(CH₂)₁₇CH₃ 88
 - [(η^6 -SWNT-CONH(CH₂)₁₇CH₃)]Cr(C₆H₆) 107
 - [(η^6 -SWNT-CONH(CH₂)₁₇CH₃)]Cr(η^6 -C₆H₆) complex (6a) 90
 - [(η^6 -SWNT-CONH(CH₂)₁₇CH₃)]Cr(CO)₃ 107
 - [(η^6 -SWNT-CONH(CH₂)₁₇CH₃)]Cr(CO)₃ complex (4a) 90
 - (η^6 -SWNT)Cr(η^6 -C₆H₆) complex (5a) 90
 - (η^6 -SWNT)Cr(CO)₃ complex (3a) 89
 - (η^6 -SWNT)2M complexes 109
 - synthetic efforts, C₅₈N₂ 203
 - “task-specific” ionic liquids 22
- t**
- tetraethylorthosilicate (TEOS) 31
 - thermo-gravimetric analysis (TGA) and chromium stoichiometry 95
 - thermotropic discotic liquid crystals 71, 74
 - thermotropic liquid crystals 73
 - 3D carbon materials
 - dual template 145
 - nanocasting 140
 - self-assembly 143
 - sol-gel method 135
 - TiO₂-based composite materials 225
 - titania (TiO₂) 60
 - [trans-IrCl(CO)(PPh₃)₂] 88
 - transmission electron microscopy (TEM) 98
 - transparent graphene-constructed films (TGFs) 133
 - triaryldihydro[C₅₉N]fullerenes 203
 - 2D carbon materials 131
 - 2D covalent organic frameworks (COFs) 62
- u**
- ultraviolet detector 178, 179
 - ultraviolet-visible-near-infrared-far-infrared spectroscopy (UV-vis-NIR-FIR) 103
 - “untractable char” 22
- v**
- Varian Cary 5000 spectrophotometer 89
 - vertically aligned graphene layer arrays (VAGLAs) 79
 - 1-vinyl-3-ethyl-imidazolium-dicyanamide (VEIM-dca) 27
- w**
- wafer-scale graphene production 54
- x**
- X-ray photoelectron spectroscopy (XPS) 101
- z**
- zero dimensional carbon materials
 - monodispersity 116
 - solid carbon spheres 117
 - spherical morphology 116
 - zero-dimensional inorganic nanoparticles 220