

## Index

### a

- Absolute configuration and stereodescriptors 699–702
- Absolute coverage 393
- Achiral molecules
  - chiral ensembles and monolayers
  - – homochiral vs. heterochiral 713–717
  - – symmetry breaking II 710–713
  - definition 702
  - self-assembly of intrinsically chiral molecules
  - – diastereomers and diastereomeric recognition 724–726
  - – homochiral adsorbates 717–719
  - – racemic mixtures 719–724
- Acrolein (2-propenal)
  - adsorption and interaction energies 611–617
  - alloying effects 611–617
  - with Co/SiO<sub>2</sub> catalysts 599
  - HREELS and DFT 604
  - on Pt(111)
    - – alloying Rh catalysts 599
    - – hydrogenation pathways 595
    - – hydrogenation pathways, energy profiles of 605, 606
    - – NEXAFS and FT-IR studies 597
    - – selectivity of hydrogenation 607
    - – *in situ* SFG vibrational spectroscopy 597
    - – total energy 604
- Acrolein isomers 593, 595
- Activated adsorption 266
- Activated dissociation 1260, 1262
  - CH<sub>4</sub> 1272, 1298
  - H<sub>2</sub> 1264
  - hydrogen adsorption
    - – Ag and Au surfaces 285
    - – with Cu(100) 284
    - – molecular beam experiments 282, 286
    - – sticking probability, for monoenergetic hydrogen beam 283–284
    - N<sub>2</sub> 1264
- Adiabatic approximation 1258, 1261
- Adsorbate-induced substrate restructuring
  - bare Au(110) surface 61–63
  - faceting 64–66
  - fcc(210) surface, hard sphere model of 65
  - Pd(110) surface 60–61
  - Pt(100) surface reconstruction 59–60
  - quasi hexagonal Ir(100) surface reconstruction 58, 59
- Adsorbate structures 419
  - ARUPS (*see* Angle-resolved UV photoelectron spectroscopy (ARUPS))
  - band structure
    - – c(4 × 2) benzene/Ni(110) system 445–448
    - – c(2 × 4) ethylene/Ni(110) system 448–451
    - – 2D band structure 444–445
    - – formation 445
    - – hydrocarbons 445
  - electronic structure
    - – adsorbate level broadening 426
    - – bonding shift 426–427
    - – Franck–Condon principle 425
    - – gaseous and chemisorbed benzene, UPS spectra of 425, 426
    - – relaxation shift 427
    - – substrate-induced intensity 425–426
    - – valence 425
    - – work function 426
  - LEED pattern
    - – benzene adsorption on Ru(0001) 420, 421
    - – CO adsorption on Pt(111) 420

- Adsorbate structures (*contd.*)
  - NO adsorption on Pt(111) 421–422
  - molecule orientation
  - adsorbate/substrate interaction 427, 428
  - single-particle approximation 428
  - symmetry selection rules (*see* Symmetry selection rules)
  - STM
    - advantage 422
    - benzene + CO coadsorption on Rh(111) 422–423
    - CO adsorption on Pt(111) 423, 424
- Adsorption 391
  - accommodation coefficient 4–5
  - ad-particles
    - adsorbed carbon monoxide 46–48
    - adsorbed xenon atoms 44–45
    - corrugation function 42, 43
    - dissociative oxygen adsorption 49–52
    - equilibrium adsorption site 41
    - localization/nonlocalization, degree of 43
    - movement 42
    - ratio of mobile vs. immobile ad-particles 43, 44
  - adsorbate delivery 3–4
  - adsorbate structures (*see* Adsorbate structures)
  - application of computer simulations
    - confined systems 1198
    - features 1160–1163
    - finite-size effects and thermodynamic limit 1154–1160
    - fluctuations 1143
    - molecular dynamics method 1150–1152
    - monolayers 1164–1186
    - Monte Carlo method 1144–1150
    - multilayers and wetting phenomena 1186–1198
    - periodic boundary conditions and interactions 1152–1154
  - aspects/features 396
  - BET isotherm, of multilayer adsorption 19–20
  - bridge sites 394
  - calorimetry 74
    - on well-defined single crystal surface 88–89
  - chemisorption 38–41
  - coadsorption 418–419
  - collective ad-layer properties
    - ad-layer band structures 57–58
    - ad-layer structure 52–53
    - adsorbate-induced segregation 66–69
    - adsorbate-induced substrate restructuring 58–66
    - two-dimensional phase transition 53–57
  - coverage 5–6, 393
  - coverage-dependent measurements
  - benzene adsorption on Ni(111) surface 406–408
  - CO adsorption on Cu<sub>3</sub>Pt(111) surface 405
  - CO adsorption on PtCo surface 405–406
  - CO/Pt(111) 402–404
  - oxygen on Ru(1010) surface 402–404
  - definition 1
  - desorption rate 395
  - energy 73
  - heat of adsorption 20–22
  - hollows sites 394
  - impingement rate 395
  - isotherm 887
    - competitive adsorption 12
    - dissociative adsorption 11–12
    - Fowler–Guggenheim isotherm 13–15
    - and isobars 6, 7
    - kinetic considerations 8
    - Kisliuk model 15–19
    - Langmuir isotherm 9–11
    - Temkin isotherm 12–13
  - kinetics of 396
  - Kisliuk model 396
  - Knudsen cell 4
  - Langmuir behavior 395
  - on metal oxide surfaces (*see* Metal oxide surfaces)
  - on-top sites 394
  - phenomenological surface thermodynamics 884–886
  - physisorption
    - adsorbed xenon atoms 44–45
    - atomic adsorption with 38, 39
    - vs. chemisorption 40
    - van der Waals interactions 37
  - rate of 395
  - reactive sites, semiconductor surfaces
    - conjugation and aromaticity 771–778
    - cycloaddition reactions 766–771
    - dative bonding 763
    - dissociative addition 763–766
    - group IV semiconductors 750–754
    - II–VI vs. III–V semiconductors 754–756
  - semiconductor surfaces
    - acetone 769
    - chemomechanical functionalization, silicon surfaces 778–781

- organic and organometallic reactions 756–760
  - partially hydrogenated semiconductor surfaces 781–786
  - use of kinetic and thermodynamic factors 760–763
  - simple fluids 1066–1088
  - at solid–gas interface 2, 3
  - spatial-temporal pattern formation 836
  - spectroscopic identification (*see* Spectroscopic identification, of adsorbates)
  - on stepped surfaces
    - CO adsorption on Pt(355) 417
    - coverage-dependent sticking coefficients for N<sub>2</sub> 413, 414
    - methane on Pt surfaces 415–416
    - models of 413, 414
    - sticking coefficient 5, 395, 396
    - calculation 407
    - CO on Pd(111) surface 7, 8
    - coverage-dependent development 410
    - definition 4
    - determination 7, 8
    - King and Wells method 408–410
    - methane adsorption on Pt surface 411–413
    - nonequilibrium conditions 6
    - pressure trace 409
    - quadrupole mass spectrometry 408
    - three-stage supersonic molecular beam 409
    - surface defects 5
  - Adsorption-induced chirality 703–704
  - AES. *See* Auger electron spectroscopy (AES)
  - Agglomerated ZnS crystals, SEM image of 508, 509
  - Alkali adsorbates, surface reconstruction by 181–182
  - Alkali and alkaline-earth elements, electron characteristics of 157, 158
  - Alkali metals 157
  - $\alpha$ ,  $\beta$ -unsaturated aldehydes, hydrogenation reactions of 595, 596
  - Angle-resolved UV photoelectron spectroscopy (ARUPS) 428
    - CO on Ni(100) 431, 432
    - description 425
    - dilute benzene layer on Ni(100) 438, 441
    - dilute ethylene layer on Ni(100) 433, 435
    - saturated c(2 × 4) ethylene layer 448
    - symmetry selection rules 429, 431
  - Anharmonicity 603
  - Anthracene
    - on Ag(110) 643
    - on Cu(111)
      - copper(1×1) unit cell 640
      - vs. naphthalene, hexagonal motif 642
      - STM images 641
  - Ar/Pt(111) 1283–1286
  - Artificial structures, physical investigations
    - magnetic structures 1431–1437
    - quantum corrals 1417–1423
    - small chain and island structures, electronic properties of 1423–1431
    - thin insulating film manipulation 1437–1445
  - Associating fluids, density functional theories
    - integral equations and perturbation theory 1035–1038
    - model 1034–1035
    - Segura approach 1038–1041
    - theory of association of Yu and Wu 1041–1043
  - Associative adsorption 9–11
  - Asymmetric adsorption 836
  - Atomic adsorption 9–11
  - Atomic hydrogen
    - dissociative chemisorption
      - activated 282–286
      - fundamentals 276–280
      - one-dimensional Lennard–Jones potential energy diagram 276, 277
      - schematic illustration 275, 276
      - spill-over effect 282
      - spontaneous dissociation 280–282
      - sticking coefficients 280–283
    - Pauling electronegativity 260
    - physical and chemical properties 260
    - production 262
    - stationary Schrödinger equation 259
  - Atomic/molecular adsorption 1280–1281
  - Auger electron spectroscopy (AES) 533
  - Auger spectra, halogenation 207, 209
- b**
- Band structure
    - c(4 × 2) benzene/Ni(110) system
      - adsorbate surface Brillouin zone 445, 446
      - 2a<sub>lg</sub> Bloch wave function 447–448
      - saturated c(2 × 4) ethylene layer on Ni(110)
        - ARUPS spectra 448, 450
        - band structure calculations, sensitivity of 450–451
        - extended Brillouin zone scheme 448, 449
  - Base-centered cubic metals 223

- Baule formula 270
- Benzene
  - on Ag(110) 633
  - on Cu(110) 632
  - on Cu(111)
    - – EELS spectrum 633, 638, 639
    - – peak desorption temperature 631
    - – temperature-programmed desorption 637, 638
  - electronic structure 631
  - molecule packing in hexagonal array 633, 634
  - orientation 631
- BEP correlation. *See* Brønsted–Evans–Polanyi (BEP) correlation
- BET isotherm, of multilayer adsorption 19–20
- Bilayer model 358
- Bistable system 823
- Blyholder model, of CO adsorption 531
- Boltzmann–Matano method 190
- Born–Green–Yvon equations 996–1000
- Born–Oppenheimer approximation 263, 1258–1261
  - gas-surface interactions, breakdown of 1272–1277
- Br/Ni(110) system, facetting for 228, 230
- Brønsted–Evans–Polanyi (BEP) correlation 532
- Brønsted–Lowry acid–base theory
  - formic acid, dissociative adsorption 805
  - reconstructed surface, adsorption on 808–809
  - ZnO(0001) and ZnO(0001), methanol on 806–808
- Br/Pt(110) system, phase transition 230–232
- Bulk fluids, integral equations 1004–1009
- Bulk NiI<sub>2</sub> crystal, atomic structure of 243, 244
- 1,3-Butadiene
  - hydrogenation 505–508
  - hydrogen atom precoverage 582, 583
  - ideal catalytic process 580
  - at 300 K 585
  - on Pt(111) 592
  - – adsorption energy per molecule/atom 587, 588
  - – adsorption modes 586, 587
  - – model catalytic hydrogenation studies 581
  - – Sn promoter for hydrogenation 590–591, 593
  - – thermal evolution, of HREEL spectra 583, 584
  - – vibrational spectra 588, 589
  - – zero-order kinetics 586
- Pt catalyst performance of 581
- selective hydrogenation scheme 580
- sintered Pt–Ge intermetallic powders 581
- Butene isomers
  - C=C stretching frequencies 574
  - on Pt(111)
    - – binding energies 575
    - – desorption spectra 576, 577
    - – di- $\sigma$ -mode 579
    - – Gibbs free adsorption enthalpy 579
    - – H<sub>2</sub> desorption states 577, 578
    - – HREEL spectra 573, 574
    - – monolayer desorption state 576
    - – reflection absorption IR spectroscopy 573, 574
    - – thermal reactivity 578
  - TPR spectra 581, 582
- C**
- Calorimetry
  - adsorption 74
  - description 73
- Calvet-type calorimeters 97–98
- Canonical ensemble density functional theory 1136–1139
- Capillary condensation
  - confined systems 924
  - lattice gas analysis 1199–1207
- Capillary evaporation 925
- Charging procedure 968
- Chemicurrent 1274, 1292
- Chemisorption 38–41, 392–393
  - acid/base properties, experimental probes 804
  - Brønsted–Lowry acid–base theory 805–809
  - dissociative 804–805
  - layer formation, metal halogenation process
  - – commensurate–incommensurate phase transitions 211–223
  - – elastic and electronic interactions 208
  - – electronically driven phase transitions 230–232
  - – reconstructive phase transitions 223–230
  - – submonolayer coverage 208–211
  - Lewis acid–base theory 801–802
  - molecular chemisorption 802–804
- Chiral
  - crystal modification and surface reconstruction 733–735
  - definition 695

- ensembles and monolayers, achiral molecules
- – homochiral vs. heterochiral 713–717
- – symmetry breaking II 710–713
- footprints 705–707
- molecules, chiral surfaces 731–733
- Chirality, definition 702–703
- Chlorinated Cu(100) surface, STM images of 237, 238
- CH<sub>4</sub>/Ni(111) 1298–1302
- Chopped molecular beam experiment 29, 30
- Clausius–Clapeyron equation 74
- Coinage metal single crystal surfaces
- aromatic hydrocarbons 629, 630
- structural parameters of 629, 630
- Collective ad-layer properties
- ad-layer band structures 57–58
- ad-layer structure 52–53
- adsorbate-induced segregation 66–69
- adsorbate-induced substrate restructuring 58–66
- two-dimensional phase transition 53–57
- Commensurate–incommensurate phase transitions
- base-centered cubic metals 223
- face-centered cubic (100) surfaces
- – hollow adsorption case 219–220
- – I/Ni(100) system 221
- – iodine lattice compression on Cu(100) 220–221
- – preferential adsorption sites 219, 220
- face-centered cubic (110) surfaces
- – Br/Pt(110) system 223
- – domain wall model 222
- – I/Cu(110) system 222
- – preferential adsorption sites 221
- face-centered cubic (111) surfaces
- – Cl/Ag(111) system 214–215
- – Cl/Cu(111) system 211–214
- – crowdions 215–219
- hcp metals 223
- in two dimensions 211
- CO molecules on Pt(111) surface
- coverage-dependent measurements 402–404
- spectroscopic identification of 397–400
- Competitive adsorption 12
- Complete mixing 927
- Complete wetting 920
- Concentration-dependent diffusion coefficient 191
- Confined systems
- interfacial phenomena and surface phase transitions 924–926
- lattice gas analysis, capillary condensation 1199–1207
- nanoscopic slit-like pores 1207–1214
- phenomenological surface thermodynamics 894–899
- Conjugation and aromaticity, semiconductor surfaces
- functional groups additivity 777–778
- functionalized aromatics 771–775
- heteroaromatics 775–777
- CO oxidation on Pt and Pd surfaces 489
- asymmetric site blocking 490
- Langmuir–Hinshelwood type reaction 490
- methodology gap 498–502
- polycrystalline metal foil
- – domain boundaries 497
- – field ion microscopy 497–498
- – grain boundaries 497
- – kinetic phase diagrams 495, 496
- – local kinetic measurements 492–494
- – reaction-induced surface morphology changes 498
- – surface termination 491
- – UV-PEEM 491, 493
- in technological catalysis 490
- three-way catalytic converters 498
- Copper crystal surfaces, structural parameters 629, 630
- Coronene (C<sub>24</sub>H<sub>12</sub>)
- adsorption on Ag(110)
- – STM image of 682, 683
- – structures of 683, 684
- – two-structure behavior 682
- adsorption on Au(111) 684
- adsorption on Cu(110)
- – DFT calculations 680, 681
- – molecular modelling calculations 680, 681
- – structures of 681
- D<sub>6h</sub> symmetry 680
- Corrugation function 42, 43
- Crotonaldehyde 598, 600, 601, 603
- adsorption energies 604
- alloying effects 611–617
- decarbonylation 597
- diffuse reflectance Fourier transform infrared spectroscopy 599
- $\eta^1$ -E-(s)-trans-top-OSn structures 611
- interaction and adsorption energies 611–617
- isomers 593, 595
- phase transitions 611
- strong di- $\sigma$ (CC) interaction 597
- TiO<sub>2</sub>-supported Pt catalysts 596–597

- Crystalline phases of ice 357
- Cube model 1268, 1269, 1284
- Curtin and Ashcroft approach 1021–1022
- Cycloaddition reactions
  - [2 + 2] cycloaddition 766–770
  - [4 + 2] processes in competition with [2 + 2] 770–771
- d**
- Dative bonding 763
- d-band model 531
- Demixing transition 927
- Density functional approaches
  - canonical ensemble density functional theory 1136–1139
  - Curtin and Ashcroft approach 1021–1022
  - density expansions 1012–1013
  - expansion of canonical ensemble density profile 1132–1136
  - fundamental measure theory 1025–1032
  - inhomogeneous fluids and mixtures
    - adsorption of simple fluids 1066–1088
    - advantage 1065
    - charged chains 1127–1131
    - electrolyte solutions with solid surfaces and in pores 1098–1110
    - fluid mixtures in pores 1088–1098
    - short-chains with solid surfaces and in pores 1110–1127
  - in isobaric-isothermal ensemble 1139–1143
  - local density approximation 1017–1018
  - Meister–Kroll–Groot theory 1022–1024
  - nonuniform fluids with interparticle interactions 1033–1065
  - perturbation treatment of intermolecular forces 1013–1017
  - square gradient-type approximations 1010–1011
  - theory of Kierlik and Rosinberg 1032–1033
  - weighted density approach of Tarazona 1018–1021
- Density functional theory (DFT) 1257, 1259
  - of associating fluids
    - integral equations and perturbation theory 1035–1038
    - model 1034–1035
    - Segura approach 1038–1041
    - theory of association of Yu and Wu 1041–1043
  - calculations 752
  - elements of electric double layer theory
    - application of equation of state, electrolytes 1061–1063
    - fundamentals of density functional approach 1053–1057
    - reference fluid density approach 1058–1060
    - restricted primitive model 1052–1053
    - theory of electrolytes of Groh, Evans, and Dietrich 1063–1065
    - single-chain simulations 1050–1052
    - theory of Yu and Wu 1043–1049
- Density functional theory–generalized gradient approximation (DFT-GGA) level 534–535
- Desorption 1256, 1263, 1281–1282
  - kinetic order 25–28
  - Polanyi–Wigner–equation 23, 25
  - rate 23
  - thermal desorption spectroscopy
    - CO from ordered Cu<sub>3</sub>Pt(111) alloy surface 32, 34
    - compensation effect 35–37
    - complications 31–32
    - Cu, Ag, and Au from Ru(0001) surface 32, 33
    - experimental setup 24
    - influence of heating 32, 33
    - lateral interactions 34–35
    - silver from Ru(0001) surface 28, 29
    - simulated 26, 27
    - surface heterogeneity 32, 34
    - Xe from Pt(111) surface 24, 25
- Detailed balance 1263–1264
- Devil's staircase 915
- Dewar–Chatt–Duncanson model 531
- DFT. *See* Density functional theory (DFT)
- DFT-GGA level. *See* Density functional theory–generalized gradient approximation (DFT-GGA) level
- Diabatic potential 1262, 1274, 1290
- Diastereomers and diastereomeric recognition 724–726
- 2D ice rules 368
- Diels–Alder reaction 771
- DIET 1276, 1277
- DIMET. *See* Dynamics induced by multiple electronic transitions (DIMET)
- Dipole selection rule 429
- Direct dissociation 1256, 1264–1267
- Direct scattering 1282–1283
- Disjoining pressure/interfacial tension 891
- Dispersion forces 944
- Dissipation system 821
- Dissociative addition 763–766
- Dissociative adsorption 11–12
  - formic acid 805

- Dissociative chemisorption 804–805
  - atomic hydrogen
  - – fundamentals 276–280
  - – one-dimensional Lennard–Jones potential energy diagram 276, 277
  - – schematic illustration 275, 276
  - – spill-over effect 282
  - – spontaneous dissociation 280–282
  - – sticking coefficients 280–283
- Distribution functions
  - charging procedure 968
  - direct correlation function 965–966
  - inhomogeneous fluids 960–962
  - interparticle interactions 963
  - many-particle systems 962
  - multicomponent systems 969–974
  - second-order Ornstein–Zernike integral equation 967
  - variational principle 964
- Dynamics
  - dissociation 1264–1267
  - measurements types 1279–1283
- Dynamics induced by multiple electronic transitions (DIMET) 1277
- e**
- Electric double layer 956
  - application of equation of state, electrolytes 1061–1063
  - fundamentals of density functional approach 1053–1057
  - reference fluid density approach 1058–1060
  - restricted primitive model 1052–1053
  - theory of electrolytes of Groh, Evans, and Dietrich 1063–1065
- Electrochemical calorimetry 95
  - electrochemical heat changes at single electrodes
    - – Calvet-type calorimeters 97–98
    - – experimental problems 98
    - – Lange’s adiabatic differential calorimeter 97
    - – temperature difference, measurement of 96–97
  - electrochemical surface reactions
    - – cyclic voltammogram 99
    - – experimental drawback 100, 101
    - – microcalorimeter 100
    - – mirage effect 99–100
    - – pulse experiments 99
    - – sensitivity of heat measurement 99
    - – temperature-difference experiments 99
  - – thermistor experiments 98
  - – working electrode 99
- Electrochemical Peltier heat, Lange’s adiabatic differential calorimeter for 97
- Electrochemical single-electrode calorimetry
  - entropic effects 113
  - entropy changes of electrochemical reactions
    - – in batteries 115
    - – electrode–electrolyte interface 114
    - – electromotoric force and variation with temperature 113–114
    - – open-cell potential 115
  - Peltier heat 112, 113
  - submonolayer hydrogen adsorption on platinized Pt electrode 113
  - UHV surface calorimetry 112
- Electrolytes
  - application of equation of state 1061–1063
  - solutions with solid surfaces and in pores 1098–1110
  - theory of Groh, Evans, and Dietrich 1063–1065
- Electron characteristics
  - of alkali and alkaline-earth elements 157, 158
  - of rare-earth elements 159, 160
- Electron–core interaction 549
- Electron current manipulation 1386–1388
  - experimental aspects 1388–1393
  - inelastic tunneling electron manipulation 1393–1404
  - molecule chemistry with 1404–1406
  - single molecule chemistry with 1406–1417
- Electron donating defects 813–815
- Electronically driven phase transitions 230–232
- Electronic friction 270, 1273, 1274, 1277
- Electronic structure–reactivity correlations 532
- Electropositive adlayers
  - lateral interactions of adatoms and structure 169
    - – cesium on W(110) surface, adsorption energy of 171
    - – 2D condensation phenomenon 172, 173
    - – density functional approach 173
    - – dipole–dipole interaction 170
    - – first-order phase transition 172
    - – incommensurate structures 175
    - – LEED technique 174
    - – manifestations 174–175
    - – scanning tunneling microscopy 175

Electropositive adlayers (*contd.*)

- – Sr adatom structure on W and Mo 171, 172
- – S-shaped dependence 172
- – substrate-mediated lateral interactions 174
- – surface electronic states 176
- metallization 185
- Mg-Mo(112) system, photoelectron emission 188
- monopole and multipole surface plasmons 187
- multipole plasmons, resonance excitation of 186–187
- nonlinear optical effects 197
- nonmetal–metal transitions
  - – on dielectrics 189
  - – vs. metallization 185
  - – photoemission yield 186
  - – quantum yield of photoelectrons 186
- phase diagram 200
- phase transitions 176–181
- photoelectron spectroscopy of adsorbed xenon 164, 165
- plasmon excitations 188
- on semiconductors 182–185
- surface diffusion 189–193
- surface drift in nonhomogeneous electric fields
  - – description 193–194
  - – direction dependence 195
  - – field emission microscopy 193
  - – polarizability 196
  - – semiconductor tips 196
- surface potential
  - – argon and krypton 165
  - – local perturbations 164
  - – xenon adatom 164–165
- surface properties
  - – alkali metal adsorption on graphite 198
  - – chemisorption 196
  - – electron enrichment of solid surface 197
  - – graphane substrate 198
  - – graphene oxide 199
  - – graphene substrate 198
  - – positive ion sources 197
  - – second-harmonic generation 197
  - – work function 165
- – atomic structure, role of 169
- – close-packed monolayer 168
- – degree of coverage 166
- – Friedel oscillations 167
- – jellium model 166–167
- – metallicity 167
  - – surface Green function method 167

Eley–Rideal chemistry 1256, 1296–1297

Eley–Rideal mechanism 531

Ellipsomicroscopy for surface imaging (EMSI) 827–832

Enantiomers, definition 695

Energetics of hydrogen adsorption and desorption 286

– adsorption energy

– – coverage dependence 292–295

– – low-coverage limit 287–292

– – multilayer relaxation 295

– – subsurface hydrogen 298–300

– – surface reconstruction 296–298

– – surface relaxation 295–296

Energy transfer 1256, 1257, 1267

Ensemble effect 406

Entropy, electrochemical systems 73

Equilibrium heat of adsorption. 901

Ethene

– bonding on Pt(111)

– – IRAS studies 541

– – NEXAFS 540

– –  $\pi$  (CC) ethene formation 540

– – STM 541–542

– – vibrational spectroscopies 541

– di- $\sigma$  and  $\pi$ -ethene 548–557

– – calculated adsorption energies for 550–551

– – C–H stretching frequency 552

– – computed adsorption energies 551

– – computed vibrational frequencies 555–556

– – geometry optimizations 550

– – HREELS spectra 548–549, 551–556

– – periodic DFT approach 549

– – projector-augmented wave method 549

– – Pt<sub>2</sub>Sn(111) surface 555

– – Pt–Sn surface alloys 554

– – Redhead analysis 549

– – slabs 549–550

– – on Pt(111) 539–540

– – ethylidyne vibrational modes on 553

– on Pt-based surfaces

– – C–H bond formation and dissociation mechanisms 546

– – C2-surface intermediates 546

– – dehydrogenation pathways 546–547

– – DFT studies 542

– – Gibbs free energy 545

– – Horiuti–Polanyi mechanism 547

– – hydrogenation pathways 543, 546–547

– – Pt–Sn alloy surfaces 545–546

– – slab models 545



- studies on cluster models 543
- surface relaxations 544–545
- on Pt<sub>2</sub>Sn(111) 539–542
- on Pt<sub>3</sub>Sn(111) 539–542
- TPD, TPRS, and reaction studies 535–539
- vibrational properties and adsorption energies 557–567
- on Cu(111) 564, 565
- Cu<sub>3</sub>Pt(111) surface 559, 560, 563
- Cu(111) surface 559
- energy decomposition scheme 562
- geometric parameters 558
- HREEL spectra 559–560
- interaction energies 561, 563, 564, 566
- I/V-LEED 566
- molecular deformation energy 561
- molecule–surface bond 562
- net adsorption energy 567
- $\nu$  (C–C) stretch and  $\delta_s$  (CH<sub>2</sub>) deformation modes 559
- $\pi$ -ethene 567
- $\pi\sigma$  parameter 557
- on Pt(111) 564, 565
- surface deformation energy 561
- surface–molecule stretching vibration 558
- surface relaxation and perturbation 561
- Ethylene hydrogenation 502–505
- Ethynidyne, decomposition of 547
- Excursus, surface state 1323–1324
- External forcing, using capillary arrays 872–876
- f**
- Face-centered cubic (100) surfaces
  - commensurate–incommensurate phase transitions
  - hollow adsorption case 219–220
  - I/Ni(100) system 221
  - iodine lattice compression on Cu(100) 220–221
  - preferential adsorption sites 219, 220
  - reconstructive phase transitions, halogen-induced 224
- Face-centered cubic (110) surfaces
  - commensurate–incommensurate phase transitions
  - Br/Pt(110) system 223
  - domain wall model 222
  - I/Cu(110) system 222
  - preferential adsorption sites 221
  - reconstructive phase transitions, halogen-induced 227–230
- Face-centered cubic (111) surfaces
  - commensurate–incommensurate phase transitions
  - Cl/Ag(111) system 214–215
  - Cl/Cu(111) system 211–214
  - crowdions 215–219
  - reconstructive phase transitions, halogen-induced
  - Br/Ag(111) system 224
  - LT-STM image 224, 225
  - Moiré-like superstructures 225–227
- Femtochemistry 1277, 1306
- Fermi's Golden rule 428
- Fick's laws 3
- Fluctuation relations 976–977
- Fluid mixtures in pores 1088–1098
- Fowler–Guggenheim isotherm 13–15
- Franck–Condon principle 425
- Frank–van der Merwe (FvdM) model 53, 131–133, 232
- Frenkel–Kontorova model 131–133
- Freundlich isotherm 13
- Frontier orbital model 531
- Functioning model catalysts
  - cryogenic temperature 470
  - polarization-modulation infrared reflection absorption spectroscopy 471
  - pressure gap 470, 471
  - *in situ* spectroscopy 471
  - sum frequency generation 471
  - surface composition 471
  - surface-sensitive studies 471–472
  - surface spectroscopy/microscopy, experimental setup for 472–474
  - UHV investigations 470
- Fundamental measure theory (FMT) 1025–1032
- g**
- Gas-surface interactions
  - experimental overview 1277
  - Ar/Pt(111) 1283–1286
  - CH<sub>4</sub>/Ni(111) 1298–1302
  - dynamics measurements types 1279–1283
  - H<sub>2</sub>/Cu(111) 1292–1296
  - H/Cu(111) 1291–1292
  - H+H–Cu(111) 1296–1298
  - NO/Ag(111) and NO/Au(111) 1286–1291
  - O<sub>2</sub>/Pt(111) 1302–1306
  - techniques 1278–1279
  - theoretical overview 1257–1258
  - Born–Oppenheimer approximation 1258–1261, 1272–1277

- Gas-surface interactions (*contd.*)
  - detailed balance 1263–1264
  - dissociation dynamics 1264–1267
  - GenericPES topologies 1261–1263
  - lattice coupling 1267–1272
  - GenericPES topologies 1261–1263
  - Gibbs adsorption equation 892
  - Global coupling 835
  - Gold crystal surfaces, structural parameters 629, 630
  - Graphene 198
    - water adsorption on
      - adsorption of water monomers 383
      - description 382
      - local carrier concentration 382
      - metal-supported graphene 383–384
  - Graphene oxide 199
  - Green's functions method 1328–1329
  - Gurney model
    - adsorption bond in electronegative adsorbates 162–163
    - electrostatic charge image model 160–161
    - Helmholtz formula 162
    - ionization energy of an atom 159–160
    - potential energy diagram, for free and adsorbed atom 159, 161
    - valence energy level broadening 161–162
- h**
  - Halide growth, metal halogenation process
    - heteroepitaxial growth 232
    - layer-by-layer growth of thin films 232
    - LEED measurements 233
    - nucleation of halide 237–239
    - for semiconductor systems 232
    - surface halides 233–237
    - thin halide films, atomic structure of 240–244
  - Hammond–Leffler postulate 619
  - Hard sphere model of fcc(210) surface 65
  - HBC. *See* Hexabenzocoronene (HBC)
  - hcp metals, commensurate–incommensurate phase transitions 223
  - H<sub>2</sub>/Cu(111) 1292–1296
  - H/Cu(111) 1291–1292
  - Heat
    - of adsorption 20–22
    - of evaporation 909
    - of sublimation 909
  - Helium atom scattering (HAS) method 306–307, 360
  - Helmholtz formula 162
  - Henry isotherm 11
  - Heterochiral 702
    - homochiral vs. 713–717
  - Heterogeneous catalysis
    - adsorption energy in 73
    - confined oscillations 864–868
    - ellipsomicroscopy for surface imaging 827–832
    - external forcing using capillary arrays 872–876
    - initiation of double metastable states 868–870
    - low-energy electron microscopy 827
    - mass spectrometry 824
    - molecular beam 862
    - nonlinear dynamics
      - bistability 823
      - excitability 823
      - monostability 823
      - oscillatory state 824
      - reaction–diffusion system 822
      - self-organization 821
    - spatial coupling mechanisms on metal surfaces 822
    - pattern formation (*see* Spatial-temporal pattern formation)
    - photoemission electron microscope 825–827
    - reflection anisotropy microscopy 827–832
    - relative flux distribution 864, 865
    - schematic diagram 863
    - surface modification 870–872
    - work function 824–825
  - Hexabenzocoronene (HBC) 688
    - on Au(111)
      - deposition and film growth of 686
      - molecular orientation models and STM images of 686, 687
    - photoelectron diffraction images 685
    - on Cu(111)
      - intermolecular spacing 686
      - photoelectron diffraction images 685
    - LEED and STM study 685
  - Hexagonal ice (ice Ih) 357
  - H+H–Cu(111) 1296–1298
  - Higher mono-olefines. *See* Butene; Propenes
  - Highly symmetric adsorption sites 394
  - High-resolution core level spectra, Rh3d<sub>5/2</sub> spin–orbit component 50, 51
  - High-resolution electron energy loss spectroscopy (HREELS) 767
  - High-resolution XPS spectra, CO adsorbed on Pt(111) 47

- High-surface-area model catalysts
  - compositional changes 469
  - metal–support interaction 469–470
  - oxide-supported nanoparticles, structural/compositional changes of 468
  - surface restructuring 468–469
- Hittorf reference plane 80
- Homochiral
  - adsorbates 717–719
  - vs. heterochiral 713–717
- HOMO–LUMO gap 1325
- Horiuti–Polanyi mechanism 531
- Hot atom (HA) 1270, 1292, 1297
- Hot electrons
  - from dynamics 1273–1275
  - dynamics from 1275–1277
- HREELS spectra
  - CO adsorbed on Cu<sub>3</sub>Pt(111) surface 48
  - CO adsorbed on Pt(111) surface 47–48
- Hydride types 261
- Hydrogen
  - atom
    - – Pauling electronegativity 260
    - – physical and chemical properties 260
    - – production 262
    - – stationary Schrödinger equation 259
    - – Born–Oppenheimer approximation 263
  - chemisorbed hydrogen phases, structure of 305
  - – adsorbed phases with long-range order 313–318
  - – bond lengths 306
  - – coordination number 306
  - – helium atom scattering 306–307
  - – LEED method 306
  - – local H–metal adsorption complex 307–312
  - – phase transitions 318–323
  - – STM experiments 307
  - – vibrational spectroscopy 307
  - chemisorption
    - – definition 264, 266
    - – theories 340–346
  - coverage 264
  - discovery 256
  - embrittlement 304
  - energetics (*see* Energetics of hydrogen adsorption and desorption)
  - interaction kinetics/dynamics 263
  - on metal surfaces, adsorption of 530
  - molecular hydrogen
    - – atomic mass 257
    - – dissociation 262
    - – electronic charge distribution 256–258
    - – geometrical size 256
    - – in industry and technology 259
    - – nuclear spins 258
    - – physical and chemical properties 256, 257
    - – quantum delocalization 258
    - – molecular sticking coefficient on Ru(0001) surface 269
    - multiparticle interaction 263
    - physisorption 265
    - role of 255
    - single-particle interaction 263
    - stationary Schrödinger equation 263
    - subsurface hydrogen 298–300
    - surface diffusion
      - – atom diffusion parameters 305
      - – history 302–303
      - – quantum delocalization 303
      - – small size 303–304
      - – tunneling effects 303
    - surface vibrations of adsorbed hydrogen 328, 332
      - – asymmetric stretch 327
      - – HREELS 324–326
      - – impact scattering 325–326
      - – infrared reflection–absorption spectroscopy 324
      - – optical infrared spectroscopy 324
      - – site symmetry and vibration modes 326, 327
      - – symmetric stretch 327
      - – vibrational frequency 323
      - – vibrational modes, selection of 327, 329–331
    - UV-photoemission and work function effects 332–340
- Hydrogenation, of olefins 531
- Hydrostatic approximation 987–990
- i*
  - Impingement rate 395
  - Incomplete wetting 920
  - Independent electron surface hopping (IESH) 1275, 1291
  - Industrial-grade heterogeneous catalysts 459
  - Inhomogeneous fluids
    - distribution functions 960–962
    - integral equations 1004–1009
    - and mixtures
      - – adsorption of simple fluids 1066–1088
      - – advantage 1065
      - – charged chains 1127–1131
      - – electrolyte solutions with solid surfaces and in pores 1098–1110

Inhomogeneous fluids (*contd.*)

- fluid mixtures in pores 1088–1098
- short-chains with solid surfaces and in pores 1110–1127

## Integral equations

- Born-Green-Yvon equations 996–1000
- density expansions 982–983
- hydrostatic approximation 987–990
- inhomogeneous fluids 1004–1009
- for multicomponent fluids 1000–1001
- potential expansions 980–982
- second-order theories 990–996
- singlet integral equations for local density 983–986
- sum rules for density profiles 1001–1004

## Interface depinning transition 924

## Interfacial phenomena and surface phase transitions

- confined systems 924–926
- liquid-vapor interface 906
- liquid-vapor phase diagrams 911–912
- mixture 926–931
- monolayers 912–920
- multilayers and wetting 920–924
- roughening transition 907
- system free energy 908

## Intermolecular pairwise forces 942

## Interparticle interactions models

- dispersion forces 944
- intermolecular pairwise forces 942
- permanent charge interactions 948–949
- short-range forces 943–944
- short-range repulsive and dispersion interactions 944–948

## Intrinsically chiral molecules, self-assembly

- diastereomers and diastereomeric recognition 724–726

- homochiral adsorbates 717–719

- racemic mixtures 719–724

## Inverse model catalysts 463, 465

## Irreversible adsorption 76, 77

## Isostatic heat 74

- of adsorption 20, 902, 903

**j**

## Jump diffusion coefficient 191

**k**

## Kinetics 1255, 1264

- thermal 1279–1280
- and thermodynamic factors 760–763

## Kisliuk model 15–19, 396

## Krischer, Eiswirth, Ertl (KEE) model 837

**l**

## Lange's adiabatic differential calorimeter 97

## Langmuir behavior 395

## Langmuir–Hinshelwood mechanism 531, 1256, 1296

- type reaction 490

## Langmuir isotherm

- assumptions 9
- atomic and associative adsorption 9–11

- competitive adsorption 12

- dissociative adsorption 11–12

## Laser-induced desorption experiments, Xe and Kr on Pt(111) 146

## Laser state to state techniques 1278

## Lattice coupling 1267–1270

- in dissociation dynamics 1271–1272

## Lattice gas analysis, capillary condensation phenomena 1199–1207

## Layering transitions. 922

## Leading edge method 28

LEED. *See* Low-energy electron diffraction (LEED)LEIS experiments. *See* Low-energy alkali ion scattering (LEIS) experiments

## Lennard-Jones (LJ) 1262, 1281

- potentials 37, 38, 945

## Lewis acid–base theory 801–802

## Linear Brønsted–Evans–Polanyi (BEP) correlation 532

Linear mono-olefins. *See* Ethene

## Lippman equations 957

## Liquid–air and solid–liquid interface, chiral expression 738

## Local density, singlet integral equations 983–986

## Local gas dosing system

- confined oscillations 864–868

- external forcing using capillary arrays 872–876

- initiation of double metastable states 868–870

- molecular beam 862

- relative flux distribution 864, 865

- schematic diagram 863

- surface modification 870–872

## Local reactant dosing

- using 2×1 capillary array 872–874

- using 2×2 capillary array 874–876

## Long-range forces 942

## Lorentz–Berthelot mixing rules 946

## Low-energy alkali ion scattering (LEIS) experiments 534

- Low-energy electron diffraction (LEED) 533  
 – issue of 360
- Low-energy electron microscopy (LEEM) 827
- m**
- Maleic anhydride reactions 769
- Manipulation  
 – and basic manipulation modes, STM 1354–1359  
 – electron current 1386–1388  
 – – experimental aspects 1388–1393  
 – – inelastic tunneling electron manipulation 1393–1404  
 – – molecule chemistry with 1404–1406  
 – – single molecule chemistry with 1406–1417  
 – vertical  
 – – with particle transfer to tip 1381–1384  
 – – wire formation 1384–1386
- Meister–Kroll–Groot theory 1022–1024
- Metal halogenation process 207  
 – chemisorbed layer formation  
 – – commensurate–incommensurate phase transitions 211–223  
 – – elastic and electronic interactions 208  
 – – electronically driven phase transitions 230–232  
 – – reconstructive phase transitions 223–230  
 – – submonolayer coverage 208–211  
 – halide growth  
 – – heteroepitaxial growth 232  
 – – layer-by-layer growth of thin films 232  
 – – LEED measurements 233  
 – – nucleation of halide 237–239  
 – – for semiconductor systems 232  
 – – surface halides 233–237  
 – – thin halide films, atomic structure of 240–244  
 – – thick halide films 244–245
- Metal–organic frameworks (MOFs) 198
- Metal oxide surfaces  
 – bulk structure 796–797  
 – chemisorption  
 – – acid/base properties, experimental probes 804  
 – – Brønsted–Lowry acid–base theory 805–809  
 – – dissociative 804–805  
 – – Lewis acid–base theory 801–802  
 – – molecular chemisorption 802–804  
 – O<sub>2</sub> adsorption 812  
 – physisorption 800–801  
 – point defects 809–810  
 – – electron donating defects 813–815  
 – – oxygen vacancies 810–813  
 – polarity 797  
 – polarity compensation, MgO(111) system 797–799  
 – study of 794–796  
 – water adsorption on 813–825  
 – – MgO 380–381  
 – – water dissociation 379
- Metal-supported graphene, water adsorption on 383–384
- Methanol steam reforming (MSR)  
 – Cu–ZnO catalyst 475  
 – description 475  
 – Pd–ZnO catalyst  
 – – aberration-corrected HRTEM 477  
 – – ambient-pressure catalysis 484, 485  
 – – Auger electron spectroscopy 482  
 – – CO adsorption 481–482, 488–489  
 – – CO<sub>2</sub>-selective multilayer alloy 487–488  
 – – formation/decomposition, of PdZn surface alloy 481  
 – – HRTEM images 475, 476  
 – – LEIS measurements 482, 483  
 – – near-ambient-pressure XPS spectra 486  
 – – Pd 3d and valence band results 486, 487  
 – – PdZn multilayer and monolayer 484–486  
 – – PdZn surface alloy preparation 478  
 – – quick-EXAFS 476, 477  
 – – structural changes 477  
 – – structure and composition 476  
 – – XPS 478–480  
 – selectivity 474, 475
- MgO, water adsorption on 380–381
- Micromechanical calorimeter 89
- Mirage effect 99–100
- Missing-row (MR) model 181
- Mixtures  
 – binary fluid phase diagrams 927–928  
 – complete and partial mixing 926  
 – critical end point 927–929  
 – critical temperatures 927  
 – demixing transition 926  
 – and inhomogeneous fluids  
 – – adsorption of simple fluids 1066–1088  
 – – advantage 1065  
 – – charged chains 1127–1131  
 – – electrolyte solutions with solid surfaces and in pores 1098–1110  
 – – fluid mixtures in pores 1088–1098  
 – – short-chains with solid surfaces and in pores 1110–1127

- Mixtures (*contd.*)
  - interfacial phenomena 931
  - phase diagram topology 929–930
  - pressure–temperature phase diagrams 928
  - tricritical point 929
  - wetting behavior 931
- Model catalysis/model surface science approach 530
- Model surface science approach 530
- Modulated beam relaxation spectroscopy (MBRS) 29–31
- Molar heat of adsorption 78
- Molecular beams 1278, 1280
- Molecular chemisorption 802–804
- Molecular chirality, at surfaces
  - absolute configuration and stereodescriptors 699–702
  - achiral molecules, chiral ensembles and monolayers
    - homochiral vs. heterochiral 713–717
    - symmetry breaking II 710–713
  - achiral surfaces, self-assembly of intrinsically chiral molecules
    - diastereomers and diastereomeric recognition 724–726
    - homochiral adsorbates 717–719
    - racemic mixtures 719–724
  - chiral crystal modification and surface reconstruction 733–735
  - chirality, definition 702–703
  - chiral molecules, chiral surfaces 731–733
  - liquid–air and solid–liquid interface, chiral expression 738
  - stereochemistry, historical development 697–699
  - switching handedness 735–737
  - symmetry breaking I
    - adsorption-induced chirality 703–704
    - chemical reactions 707–708
    - chiral footprints 705–707
    - oblique alignment 704–705
    - parity eigenstates perturbation 708–710
  - symmetry breaking II 710–713
  - symmetry breaking III 726–731
- Molecular dynamics method, adsorption 1150–1152
- Molecular dynamics with electronic frictions (MDEF) 1274, 1277
- Molecular hydrogen
  - associative adsorption on surfaces
    - closed-shell entity 267
    - dissociative chemisorption 271
    - elastic and direct inelastic scattering 267
    - energetics and kinetics of hydrogen physisorption 271–275
    - physisorption 269–270
    - reaction channels 267–268
    - transient trapping 267, 268
  - atomic mass 257
  - dissociation 262
  - electronic charge distribution 256–258
  - geometrical size 256
  - in industry and technology 259
  - interaction mechanism 263
  - multiparticle interaction 263
  - nuclear spins 258
  - physical and chemical properties 256, 257
  - quantum delocalization 258
  - single-particle interaction 263
- Molecule–surface interaction 532
- Monolayer
  - adsorption isotherms 913–914, 918
  - commensurate phases and order-disorder phase transitions 1164–1186
  - devil's staircase 915
  - domain wall 916–917
  - herringbone ordered structure 916–917
  - incommensurate and high-order commensurate phases 915–916
  - krypton condensation adsorbed on MgO 919–920
  - lattice unit cell symmetries, fcc crystals 913–914
  - phase diagram 913
- Monolayer adsorption, isotherms of
  - Fowler–Guggenheim isotherm 13–15
  - Kisliuk model 15–19
  - Langmuir isotherm
    - assumptions 9
    - atomic and associative adsorption 9–11
    - competitive adsorption 12
    - dissociative adsorption 11–12
    - Temkin isotherm 12–13
- Monopole and multipole surface plasmons 187
- Monostable system 823
- Monte Carlo method, adsorption 1144–1150
- Morse potential 946
- MSR. *See* Methanol steam reforming (MSR)
- Multicomponent fluids, integral equations 1000–1001
- Multicomponent systems, distribution functions 969–974
- Multilayers
  - application of computer simulations
    - adsorption isotherm 1186–1187
    - bulk phase diagram 1188–1189

- – condensation 1186
- – energy distribution function and adsorption energy 1198
- – finite droplet spreading 1192–1193
- – grand canonical ensemble Monte Carlo simulations 1190–1191
- – hard spheres 1194–1196
- – hard spherocylinder fluid 1195, 1197
- – layering transitions 1186, 1188
- – pre-freezing 1193
- – prewetting transition 1188, 1190
- – surface phase diagrams 1186–1187
- – wetting transitions 1187
- complete and incomplete wetting 920
- drying transition 924
- interface depinning transition 924
- intermediate substrate regime 922
- layering transitions 922
- roughening temperature 922
- strong substrate regime 921
- thin-thick film transition 923
- weak substrate regime 924
- wetting transition 921

## **n**

- Na<sup>+</sup> ion covered diamond nanoparticle, for tumor therapy 199
- Nanoscope slit-like pores 1207–1214
- Naphthalene
  - on Ag (111)
  - – IR spectra 638, 639
  - – near-edge X-ray absorption fine structure 639–640
  - on Cu (111)
  - – increasing adsorption energy 637
  - – ordered structures 636, 637
  - – temperature-programmed desorption 637, 638
- Near-edge X-ray absorption fine structure (NEXAFS) 767
- Negative electron affinity (NEA) photoemitters 184, 185
- Ni<sub>3</sub>Al(111) surface
  - chemical order 67
  - high temperature exposure 68
  - oxide film growth structural model 67, 68
  - STM image
  - – after oxidation 67
  - – Al-oxide film growth 68, 69
- NO/Ag(111) 1286–1291
- NO/Au(111) 1286–1291
- Non-activated dissociative adsorption 266
- Non-adiabatic 1272–1274

Noncontact atomic force microscopy (nc-AFM) 360

Nonlinear dynamics

- bistability 823
- excitability 823
- monostability 823
- oscillatory state 824
- reaction-diffusion system 822
- self-organization 821
- spatial coupling mechanisms on metal surfaces 822

Nonmetallic surfaces, water adsorption on

- graphene
- – adsorption of water monomers 383
- – description 382
- – local carrier concentration 382
- – metal-supported 383–384
- metal oxides
- – MgO 380–381
- – water dissociation 379
- sodium chloride 381–382

Nonmetal–metal (NM) transitions,

- electropositive adlayers
- on dielectrics 189
- vs. metallization 185
- photoemission yield 186
- quantum yield of photoelectrons 186

Nonuniform fluids with interparticle

- interactions 1033–1065

Novaco–McTague rotation 142

Nucleation of halide 237–239

## **o**

Olefins

- Dewar–Chatt–Duncanson model for 531
- hydrogenation of 531

One-dimensional water chains on Cu(110) 369–370

O<sub>2</sub>/Pt(111) 1302–1306

Ortho-hydrogen 258, 259

Oscillatory system 824

Oxygen-adsorption

- metal oxide surfaces 812
  - surface core level spectroscopy 50
- Oxygen vacancies 810–813

## **p**

Para-hydrogen 258, 259

Paratartaric acid 698

Parity eigenstates perturbation 708–710

Partially dissociated water structures on

Ru(0001) 370–371

Partially hydrogenated semiconductor surfaces 781–786



- PAW method. *See* Projector-augmented wave (PAW) method
- Pentacene
  - adsorption on Ag(111) 658–659
  - on Ag(110) 660–661
  - on Au(100) 667–669
  - on Au(110) 665–667
  - on Au(111) 661–665
  - on Cu(110)
    - – equivalent structure 653
    - – low-density structure 654
  - on Cu(111) 654–657
  - deposition on Ag(111) 659
- Permanent charge interactions 948–949
- Perylene (C<sub>20</sub>H<sub>12</sub>)
  - on Ag(110)
    - – high-density structure model 677, 678
    - – LEED/STM investigations 675–676
  - STM image 677, 678
  - structures 676
  - on Ag(111) 674–675
  - on Au(110) 678–680
  - on Cu(100)
    - – c(8×4) structure 674
    - – DFT calculations 673
    - – at room temperature 672
  - on Cu(110)
    - – molecular orbital calculations 671
    - – striped phase, STM image of 671
    - – structures of 670
  - description 669
- Phase diagrams
  - interfacial phenomena and surface phase transitions 911–912
  - mixtures 929–930
  - monolayers 913
  - multilayers and wetting phenomena 1186–1189
  - surface thermodynamics, evaluation of 941
- Phase transitions, in electropositive adlayers
  - annealing 181
  - antisolitons 177, 178
  - commensurate structures 176
  - incommensurate adlayers 178
  - misfit dislocations/solitons 177, 178, 180
  - second-order transitions 177
  - strict long-range order 178–179
  - structure transitions within first monolayer 176
  - thermal disordering process 179
- Phenomenological surface thermodynamics
  - adsorption phenomena 884–886
  - of confined systems 894–899
  - for excess quantities 889–894
  - phases 899–906
  - surface excess quantities 886–889
- Photochemistry 1276
- Photoelectron spectroscopy of adsorbed xenon (PAX) 164, 165
- Photoemission electron microscope (PEEM) 825–827
- Physisorption 392–393, 800–801
  - adsorbed xenon atoms 44–45
  - atomic adsorption with 38, 39
  - vs. chemisorption 40
  - van der Waals interactions 37
- Piezos 1318
- Point defects 809–810
  - electron donating defects 813–815
  - oxygen vacancies 810–813
- Polanyi–Wigner equation 75
- Polarity 797
  - compensation, MgO(111) system 797–799
  - metal oxides 799
- Polyaromatic hydrocarbons on coinage metal surfaces
  - acene series
    - – anthracene 640–643
    - – coronene 680–684
    - – hexabenzocoronene 685–688
    - – naphthalene 636–640
  - pentacene 653–669
  - perylene 669–680
  - size and shape, of unit cells 635, 636
  - tetracene 643–652
  - benzene 631–634
- Potential energy functions
  - interparticle interactions models
    - – dispersion forces 944
    - – intermolecular pairwise forces 942
    - – permanent charge interactions 948–949
    - – short-range forces 943–944
    - – short-range repulsive and dispersion interactions 944–948
  - molecules-solid substrates interactions 949–958
  - surface-mediated interactions 958–959
- Potential energy surface (PES) 1257, 1259
- Precursor-mediated dissociation 1256, 1264, 1267
- Prenal (3-methyl-2-butenal) 593, 595, 596
  - adsorption and interaction energies 611–617
  - alloying effects 611–617
  - increased Pauli repulsion 612, 613
  - minimum-energy reaction pathway 607
  - Pt(111)
    - – desorption states 600



- HREEL spectra 600–602
- vs. Pt(553) surface, hydrogenation 597
- SFG vibrational spectroscopy 597
- TPRS experiments 600
- Pt<sub>80</sub>Fe<sub>20</sub> (111) bulk alloy surface 604
- on Pt<sub>3</sub>Sn(111) and Pt<sub>2</sub>Sn(111) alloy films 607–611
- Pressure tensor 977–979
- Prewetting transition 923
- Pristine graphene 382
- Prochiral, definition 695
- Projector-augmented wave (PAW) method 549
- Propenes
  - adsorption energy on Pt<sub>x</sub>Sn<sub>y</sub> (111) 572
  - interaction energies 572, 573
  - on Pt(111)
    - dehydrogenation channel 568
    - HREEL spectra 569, 571
    - hydrogenation mechanism 570, 572
    - molecular desorption 568, 570
    - reversible chemisorption 568
    - TPRS studies 568, 569
- Proton disorder 357
- Pseudoracemate 720
- Pt<sub>2</sub>Sn(111) surface alloys 534
- Pt<sub>3</sub>Sn(111) surface alloys 534

## q

- Quantum delocalization 258
- Quasi hexagonal Ir(100) surface reconstruction 58, 59

## r

- Racemate 698
- Racemic mixtures 719–724
- Rare-earth elements, electron characteristics of 159, 160
- Rare gas adsorption
  - adsorption energies 135, 137–138
  - analytical tools 130
  - Ar on Cu(110), island trapping and sticking probability 135, 136
  - desorption energies and kinetics 138–140
  - 2D heat of condensation 138
  - diffusion kinetics 146
  - Einstein mode determination 147
  - electronic structure
    - binding energies 144–145
    - photoemission spectroscopy of adsorbed Xe 145
    - Topping formula 144
    - Xe on Pt(110)-(1×2)-H 145
  - first-order desorption kinetics 139–140

- Frenkel–Kontorova model 131–133
  - He-atom scattering 130
  - Kr on exfoliated graphite, adsorption isotherm for 128, 129
  - Landolt–Börnstein database 127
  - lattice dynamics 147, 148
  - photoemission of adsorbed xenon 127
  - preferential adsorption sites 143
  - rare gas interaction on surfaces
    - holding potential 133, 134
    - hybridization role 134
    - intrinsic surface electronic states 134–135
    - surface corrugation 134
    - scanning probe techniques 130
    - sticking probability 135
    - structure and phase diagram
      - Xe on graphite 140, 141
      - Xe on Pt(111) 142–143
    - trapping efficiency 135
    - two-dimensional phase diagram 128, 129
    - Xe atom manipulation on Ni(110) surface 130, 131
  - Rare gas interaction on surfaces
    - holding potential 133, 134
    - hybridization role 134
    - intrinsic surface electronic states 134–135
    - surface corrugation 134
  - Reconstructive phase transitions, halogen-induced 223
    - face-centered cubic (100) surfaces 224
    - face-centered cubic (110) surfaces 227–230
    - face-centered cubic (111) surfaces
      - Br/Ag(111) system 224
      - LT-STM image 224, 225
      - Moiré-like superstructures 225–227
  - Redhead approximation 28
  - Reference fluid density approach 1058–1060
  - Reflection anisotropy microscopy (RAM) 827–832
  - Relative coverage 393
  - Restricted primitive model (RPM) 1052–1053
  - Reversible adsorption 76, 77
- ## s
- SCAC. *See* Single-crystal adsorption calorimetry (SCAC)
  - Scaling theory 937–941
  - Scanning tunneling microscope (STM)
    - advantage of 1320
    - Ag(111) image 1320

- Scanning tunneling microscope (STM) (*contd.*)
- Ag(100), oxygen atoms images 1321
  - bulk dislocations (BDs) 1320
  - constant current mode 1319
  - Cu(111) images 1323
  - electron current manipulation 1386–1388
  - experimental aspects 1388–1393
  - inelastic tunneling electron manipulation 1393–1404
  - molecule chemistry with 1404–1406
  - single molecule chemistry with 1406–1417
  - experimental aspects 1318–1323
  - surface state 1323–1324
  - theoretical background 1324–1325
  - feedback loop 1319
  - historical remarks 1316–1317
  - H<sub>2</sub>O cluster 1323
  - interpretation 1321
  - manipulation and basic manipulation modes 1354–1359
  - para-chloronitrobenzene 1322
  - physical investigations, artificial structures
    - magnetic structures 1431–1437
    - quantum corrals 1417–1423
    - small chain and island structures, electronic properties of 1423–1431
  - thin insulating film manipulation 1437–1445
  - scanning tunneling spectroscopy
    - experimental aspects 1333–1335
    - theoretical background 1331–1333
  - Si(001) surface 764, 765
  - soft lateral manipulation, tip particle forces
    - large molecules 1369–1381
    - pulling, pushing, and sliding of atoms and small molecules 1359–1369
  - spectroscopy with 1329–1331
  - standing waves 1321
  - vertical manipulation
    - with particle transfer to tip 1381–1384
    - wire formation 1384–1386
  - vibrational spectroscopy 1335–1336
  - experimental aspects 1336–1340
  - theoretical background 1340–1353
- Scanning tunneling microscopy (STM) 707
- appearance 736
  - experimental aspects 1333–1335
  - inelastic electron tunneling spectroscopy 1329
  - methyl group position 709–710
  - mirror domains for corannulene on Cu(110) 711
  - oligophenylene derivatives 719
  - P-[7]H structures 721
  - pinwheel assembly, pentacene on Bi(111) 713
  - theoretical background 1331–1333
  - tip forming 1332
- Scattering
- atomic/molecular 1282–1283
  - lattice coupling in 1267–1270
- Second Kelvin relation 83
- Second-order Ornstein–Zernike integral equation 967
- Second-order theories 990–996
- Self-assembly, intrinsically chiral molecules
- diastereomers and diastereomeric recognition 724–726
  - homochiral adsorbates 717–719
  - racemic mixtures 719–724
- Self-organization 821
- Semiconductors, electropositive adlayers on
- catalytic reactions 184
  - Cs and Ba adlayers on Si(111)7 × 7, 184
  - K on Si(100)2 × 1
    - adsorption energy 183
    - charge-transfer region 184
    - energy diagram 182, 183
    - perturbation of electrostatic potential 183
  - Schottky barrier 183
  - surface states 182
  - work function 182
- negative electron affinity photoemitters 184, 185
- Semiconductor surfaces, adsorption
- chemomechanical functionalization, silicon surfaces 778–781
  - organic and organometallic reactions 756–760
  - partially hydrogenated semiconductor surfaces 781–786
  - reactive sites on
    - conjugation and aromaticity 771–778
    - cycloaddition reactions 766–771
    - dative bonding 763
    - dissociative addition 763–766
    - group IV semiconductors 750–754
    - II–VI vs. III–V semiconductors 754–756
    - use of kinetic and thermodynamic factors 760–763
- Short-chains with solid surfaces and in pores 1110–1127
- Short-range forces 943–944
- Short-range repulsive and dispersion interactions 944–948

- Silicon surfaces, chemomechanical functionalization 778–781
- Silver crystal surfaces, structural parameters 629, 630
- Simple fluids, adsorption 1066–1088
- Single-chain simulations, density functional theories 1050–1052
- Single-crystal adsorption calorimetry (SCAC) 74
  - with infrared detector 89–91
  - with pyroelectric contact detector 91
  - – Campbell design 93
  - – gas adsorption on planar model catalysts 94, 95
  - – polymer sample setup 92
  - – single-crystalline sample setup 92
- Singlet integral equations, for local density 983–986
- Small droplets 885
- Smoluchowski effect 168
  - electron smoothing 54
- Sodium chloride (NaCl), water adsorption on 381–382
- Soft lateral manipulation, tip particle forces
  - large molecules 1369–1381
  - pulling, pushing, and sliding of atoms and small molecules 1359–1369
- Solid–electrolyte interface, modern calorimetry 75
- Solid–gas interfaces
  - adsorption energy measurement
  - – equilibrium thermodynamics 76
  - – temperature-programmed desorption 75–76
  - adsorption of molecules 101–103
  - energetics of reaction intermediates 103–105
  - energy differences between two solid surface phases 109–110
  - metal adsorption on oxides and organic materials 105–109
  - particle-size-dependent adsorption energies 110–112
  - thermodynamic considerations 77
    - – adsorption enthalpy 78
    - – constant-volume UHV apparatus 76
    - – degrees of freedom 79–80
    - – integral heat of adsorption 78
    - – molar heat of adsorption 78
    - – sticking probability 76
- Solid–liquid interfaces
  - electrochemical Peltier effect
  - – Bouty’s first measurement 83, 84
  - – Eastman’s entropy of transfer 81, 82
  - – historical conception of 83–85
  - – Hittorf reference plane 80
  - – Hittorf transference numbers 81
  - – Peltier heat 81, 82
  - – theoretical explanation 80
  - – Thomson’s second relation 83
  - – transported entropy 82
  - heat evolution at single electrodes 80
  - irreversible heat effects 85–86
- Spatial coupling mechanisms, on metal surfaces 822
- Spatial-temporal pattern formation
  - asymmetric adsorption 836
  - CO spiral formation 838, 839
  - evolution of spirals 832–833
  - global coupling 835
  - global forcing via gas-phase 850–862
  - local control of surface reactions 847–580
  - O<sub>2</sub> annihilation 837–838
  - PEEM image sequence 834
  - reconstruction model, schematic diagram 836–837
  - spiral waves attached to surface defect 832–833
  - standing waves 835
  - subsurface oxygen on Pt 843–847
  - temperature patterns 838–843
- Spectroscopic identification, of adsorbates
  - CO molecules on Cr(110) surface 400
  - CO molecules on Pt(111) surface
  - – high-resolution electron energy loss spectroscopy 399
  - – IR spectroscopy 397–398
  - – X-ray photoelectron spectroscopy 399–400
  - N<sub>2</sub> molecule 400–401
  - oxygen molecule on Pt(111) surface 400
- Spill-over effect 282
- Square gradient-type approximations 1010–1011
- Standing waves 835
- Statistical surface thermodynamics
  - elements of scaling theory 937–941
  - interfacial phenomena and surface phase transitions
    - – confined systems 924–926
    - – liquid-vapor interface 906
    - – liquid-vapor phase diagrams 911–912
    - – mixture 926–931
    - – monolayers 912–920
    - – multilayers and wetting 920–924
    - – roughening transition 907
    - – system free energy 908
    - phase diagram evaluation 941

- Statistical surface thermodynamics (*contd.*)
  - phenomenological thermodynamics
    - – adsorption phenomena 884–886
    - – confined systems 894–899
    - – surface excess quantities 886–889
    - – surface phases 899–906
    - – thermodynamic relations for excess quantities 889–894
  - potential energy functions
    - – interparticle interactions models 942–949
    - – molecules–solid substrates interactions 949–958
    - – surface-mediated interactions 958–959
  - theory of phase transitions and critical phenomena 931–937
- Statistical thermodynamics of interfaces 959–960
  - distribution functions
    - – charging procedure 968
    - – direct correlation function 965–966
    - – inhomogeneous fluids 960–962
    - – interparticle interactions 963
    - – many-particle systems 962
    - – multicomponent systems 969–974
    - – second-order Ornstein–Zernike integral equation 967
    - – variational principle 964
  - fluctuation relations 976–977
  - internal energy 975
  - pressure tensor 977–979
  - thermodynamic potential 974
- Stereochemistry, historical development 697–699
- Stereodescriptors, absolute configuration and 699–702
- Sticking coefficient 5, 395, 396, 1278
  - CO on Pd(111) surface 7, 8
  - definition 4
  - determination 7, 8
  - nonequilibrium conditions 6
- Sticking probability/coefficient
  - definition 265
- Stranski–Krastanov mode
  - growth 53
  - mechanism 175
  - on Pt(111) 533
- Strong metal support interaction (SMSI) 463
- Structure and phase diagram
  - rare gas adsorption
    - – Xe on graphite 140, 141
    - – Xe on Pt(111) 142–143
- Subsurface hydrogen 298–300
- Sum frequency generation (SFG) selection rules 360–361
- Supported nanoparticle model catalysts
  - atomic-layer deposition 467
  - electron beam lithography 467
  - Pd–Al<sub>2</sub>O<sub>3</sub>/NiAl(110) model catalysts 465–467
- Surface alloys 533
- Surface and interface chemistry studies, primary goals in 529
- Surface crystallography 704
- Surface diffusion
  - continuum model 301
  - description 300–301
  - of electropositive adsorbates
    - – Boltzmann–Matano method 190
    - – concentration-dependent diffusion coefficient 191
    - – coverage dependence, Li, Sr, Dy, and Cu on Mo(112) 190
  - – heterogeneous systems 191
  - – kinetic factor/jump diffusion coefficient 191
  - – soliton diffusion mechanism 192–193
  - – surface potential corrugation 189
  - Fickian diffusion coefficient 301
  - of hydrogen
    - – atom diffusion parameters 305
    - – history 302–303
    - – quantum delocalization 303
    - – small size 303–304
    - – tunneling effects 303
  - temperature dependence 302
- Surface excesses
  - adsorption isotherms 889, 890
  - definition 886
  - quantities 886–889
  - thermodynamic relations 889–894
- Surface halides
  - Cl/Ag(111) system 233–235
  - Cl/Au(111) system 235–236
  - Cl/Pt(110) system 236–237
  - I/Cu(111) system 235
- Surface ionization 157
- Surface-mediated interactions 958–959
- Surface melting 907
- Surface microcalorimetry
  - on single crystals 115–116
  - thermodynamic principles of
    - – solid–gas interfaces 75–80
    - – solid–liquid interfaces 80–86
- Surface mobility determination, rare gas adsorption 146
- Surface oscillator model (SOM) 1271

- Surface phases 899–906
- Surface pressure 891
- Surface reactions
  - ellipsomicroscopy for surface imaging 827–832
  - forcing through local gas dosing
  - confined oscillations 864–868
  - external forcing using capillary arrays 872–876
  - initiation of double metastable states 868–870
  - molecular beam 862
  - relative flux distribution 864, 865
  - schematic diagram 863
  - surface modification 870–872
  - low-energy electron microscopy 827
  - mass spectrometry 824
  - photoemission electron microscope 825–827
  - reflection anisotropy microscopy 827–832
  - spatial-temporal pattern formation
    - asymmetric adsorption 836
    - CO spiral formation 838, 839
    - evolution of spirals 832–833
    - global coupling 835
    - global forcing via gas-phase 850–862
    - local control 847–580
    - O<sub>2</sub> annihilation 837–838
    - PEEM image sequence 834
    - reconstruction model, schematic diagram 836–837
    - spiral waves, on surface defect 832–833
    - standing waves 835
    - subsurface oxygen on Pt 843–847
    - temperature patterns 838–843
    - work function 824–825
- Surface reconstruction, by alkali adsorbates 181–182
- Surface residence time 265
- Surface science methodology, catalyst modeling with
  - active site control 459
  - agglomerated ZnS crystals, SEM image of 508, 509
  - 1,3-butadiene hydrogenation 505–508
  - CO oxidation on Pt and Pd surfaces 489
  - asymmetric site blocking 490
  - Langmuir–Hinshelwood type reaction 490
    - in technological catalysis 490
  - ethylene and hydrogenation 502–505
  - functioning model catalysts
    - cryogenic temperature 470
    - polarization-modulation infrared reflection absorption spectroscopy 471
    - pressure gap 470, 471
    - *in situ* spectroscopy 471
    - sum frequency generation 471
    - surface composition 471
    - surface-sensitive studies 471–472
    - surface spectroscopy/microscopy, experimental setup for 472–474
    - UHV investigations 470
    - high-surface-area model catalysts
      - compositional changes 469
      - metal–support interaction 469–470
      - oxide-supported nanoparticles, structural/compositional changes of 468
      - surface restructuring 468–469
    - inverse model catalysts 463, 465
    - metal–oxide interface examination 463, 465
    - Pd–Al<sub>2</sub>O<sub>3</sub> catalyst 460–461
    - PdZn system for methanol steam reforming 474–489
    - single-crystal surfaces of noble/transition metals 464
      - adsorption/desorption experiments 463
      - density functional theory 463
      - finite size effects 462
      - microscopic methods 463
      - strength 461
      - structural homogeneity 462–463
    - supported nanoparticle model catalysts
      - atomic-layer deposition 467
      - electron beam lithography 467
      - Pd–Al<sub>2</sub>O<sub>3</sub>/NiAl(110) model catalysts 465–467
- Surface selection rule 325
- Surface thermodynamics
  - adsorption phenomena 884–886
  - confined systems 894–899
  - for excess quantities 889–894
  - phases 899–906
  - surface excess quantities 886–889
- Switching handedness 735–737
- Symmetry breaking I
  - adsorption-induced chirality 703–704
  - chemical reactions 707–708
  - chiral footprints 705–707
  - oblique alignment 704–705
  - parity eigenstates perturbation 708–710
- Symmetry breaking II 710–713
- Symmetry breaking III 726–731
- Symmetry selection rules

Symmetry selection rules (*contd.*)

- benzene on Ni(110)
- – angle-resolved UPS spectra of 438, 441
- – benzene with symmetry elements 438
- – dilute benzene layer 438, 442
- – molecular symmetries of benzene 438, 440–441
- – saturated  $c(4 \times 2)$  benzene layer 442–444
- CO on Ni(100) surface 431–432
- dilute ethylene layer on Ni(110) surface 433, 435–436
- dipole selection rule 429
- ethylene on Ni(110) surface 432–434
- for perpendicularly oriented CO 429–431
- for point group  $C_{2v}$  429–431
- saturated  $c(2 \times 4)$  ethylene layer 436–438

**t**

Temkin isotherm 12–13

Temperature-programmed desorption (TPD) 74–75, 800

- experiments 548–549
- spectroscopy vs. TP-XPS 360

Temperature-programmed X-ray photoelectron spectroscopy (TP-XPS) vs. TPD spectroscopy 360

Tersoff–Hamann theory, tunneling current 1326–1328

## Tetracene

- on Ag(110) 647–649
- on Ag(111) 644
- – ordered structures 645
- – thermal desorption behavior 646
- on Au(111) 643
- on Cu(110)
- – LEED and STM results 650, 651
- –  $p(11 \times 2)$  structure modifications 651, 652
- – STM image 649

Theory of phase transitions and critical phenomena 931–937

Thermal desorption spectroscopy (TDS)

- CO from ordered  $Cu_3Pt(111)$  alloy surface 32, 34
- compensation effect 35–37
- complications 31–32
- Cu, Ag, and Au from Ru(0001) surface 32, 33
- experimental setup 24
- influence of heating 32, 33
- lateral interactions 34–35
- oxygen from Pt(111) 49
- silver from Ru(0001) surface 28, 29

– simulated 26, 27

– surface heterogeneity 32, 34

– Xe from Pt(111) surface 24, 25

Thermal kinetics 1279–1280

Thermodesorption spectrum, chlorine

adsorption on Cu(100) surface 207, 208

Thick halide films 244–245

Thin halide films, atomic structure of

- iodine on Ag(100)
- – atomic-resolution STM image 240, 241
- – DFT calculation 242
- – Fourier transformed image 241
- – sandwich-like model 242
- – STM images 240
- nickel iodide film on Ni(111)
- – Moiré-like pattern 242–243
- – STM images 242, 243

Tip forming 1332

TPD experiments. *See*

Temperature-programmed desorption (TPD)

Transfer Hamiltonian method 1325–1326

Transition-state theory (TST) 278, 1258

Trapping coefficient 1256, 1269

Tricritical point 929

**u**

UHV adsorption calorimeter 87–88

UHV surface calorimetry 112

UV-photoemission spectra

- CO adsorbed on Pd(111) surface 46
- oxygen adsorption on gallium film 49, 50

**v**

van der Waals (vdW)

- forces 944
- interactions 1260
- potential 944–945

Vertical manipulation

- with particle transfer to tip 1381–1384
- wire formation 1384–1386

Vibrational de-excitation 1275, 1277, 1279, 1290

Vibrational excitation 1265, 1277, 1283, 1288

Vibrational spectroscopy 1335–1336

- experimental aspects 1336–1340
- theoretical background 1340–1353

Viedma ripening 738

Volmer–Weber growth 53

**w**

Water adsorption

- bilayer model 358
- coadsorption 359

- helium atom scattering 360
  - high-resolution electron energy loss spectroscopy 360, 361
  - ice-like bilayer structure 368, 369
  - low-energy electron diffraction 360
  - metal oxide surfaces 813–825
  - multilayer adsorption 375
    - hydrophobicity/hydrophilicity 376
    - thin ice films on Cu(111) 377–379
    - thin ice films on Pt(111) 377
  - noncontact atomic force microscopy 360
  - on nonmetallic surfaces 379–385
  - one-dimensional water chains on Cu(110) 369–370
  - orientations of water molecules 367, 368
  - partially dissociated water structures on Ru(0001) 370–371
  - sum frequency generation selection rules 360, 361
  - temperature-programmed X-ray photoelectron spectroscopy 360
  - two-dimensional ice rule 368
  - water film preparation 358–359
  - water hexamers 366–367
  - water monomer on close-packed metal surface
    - adsorption energies 362–363
    - binding energy 362
    - diffusion mechanism and dimer formation 364–366
      - structure 361
      - vibrational spectroscopy 363
    - water–oxygen interaction 359
    - wetting layers 371–372
      - on Pt(111) surface 373–374
      - on Ru(0001) surface 374–375
    - X-ray adsorption spectroscopy 360
    - X-ray photoelectron spectroscopy 360
  - Weak metal support interaction (WMSI) 470
  - Wedler's spherical thin-film adsorption calorimeter 86–87
  - Weighted density approach of Tarazona 1018–1021
  - Well-defined model catalysts 532–535
  - Well-defined mono- and bimetallic model catalyst surfaces 532, 533
  - Wentzel–Kramers–Brillouin (WKB) approximation 1325
  - Wetting layers 371–372
    - on Pt(111) surface 373–374
    - on Ru(0001) surface 374–375
  - Wetting phenomena
    - application of computer simulations
      - adsorption isotherm 1186–1187
      - bulk phase diagram 1188–1189
      - condensation 1186
      - energy distribution function and adsorption energy 1198
      - finite droplet spreading 1192–1193
      - Grand canonical ensemble Monte Carlo simulations 1190–1191
      - hard spheres 1194–1196
      - hard spherocylinder fluid 1195, 1197
      - layering transitions 1186, 1188
      - pre-freezing 1193
      - prewetting transition 1188, 1190
      - surface phase diagrams 1186–1187
      - wetting transitions 1187
    - complete and incomplete wetting 920
    - drying transition 924
    - interface depinning transition 924
    - intermediate substrate regime 922
    - layering transitions 922
    - roughening temperature 922
    - strong substrate regime 921
    - thin-thick film transition 923
    - weak substrate regime 924
    - wetting transition 921
  - Wetting transition 921
  - Work function values
    - vs. Ba adatom on W(112) surface 157, 160
    - vs. Cs adatom on W(110) and (100) surface 157, 159
    - electropositive adlayers 165
      - atomic structure, role of 169
      - close-packed monolayer 168
      - degree of coverage 166
      - Friedel oscillations 167
      - jellium model 166–167
      - metallicity 167
      - surface Green function method 167
    - vs. Li on Mo(110) 169
    - polycrystalline surfaces 157, 158
    - surface reactions 824–825
    - W(112) surface 159
- X**
- XPD experiments. *See* X-ray photoelectron diffraction (XPD) experiments
  - X-ray adsorption spectroscopy (XAS) 360
  - X-ray photoelectron diffraction (XPD) experiments 534
  - X-ray photoelectron spectroscopy (XPS) 360

