

Index

Page numbers followed by f indicate figures. Page numbers followed by t indicate tables.

- Abbé flap, 275f
- Ablative skin resurfacing, complications
 - with, 212–215
 - ectropion, 215
 - exuberant skin tightening, 215
 - herpetic infection, 212–213
 - infection, 214
 - milium and acne eruption, 214
 - persistent erythema, 213, 213f
 - scarring, 214–215
- Ablative surgery, complications with, 247–263
 - benign tumors and, 261–263
 - motor nerve injury, 263
 - predictive factors, 261
 - recurrence of odontogenic tumors, 261–262, 261t, 262f
 - recurrence of parotid tumors, 262–263, 263f
 - sensory nerve injury, 263
 - chylous fistula, 258–259, 259f
 - distant metastatic disease, 253, 254f
 - failure to cure, 249–250
 - infection, 257–258
 - local recurrence, 250–251, 250f
 - malignant tumors and, 247–260
 - neurologic dysfunction, 255–257
 - facial nerve, 255–256, 256f, 263
 - hypoglossal nerve, 257, 258f
 - phrenic nerve, 256–257, 257f
 - spinal accessory nerve, 255, 256f
 - vagus nerve, 257
 - predictive factors, 247–249
 - advanced age, 247–248
 - compromised nutritional status, 248
 - medical comorbidity, 248–249, 249t
 - reconstruction plate exposure, 260, 260f
 - regional recurrence, 251–252, 251f
 - second primary disease, 254–255
 - wound dehiscence, 259–260
- Abscess, as sinusitis complication, 81
- Acne eruption, as cosmetic procedure complication, 214
- Addison's disease, 19
- Adenotonsillectomy, 155–156
- Adjacent osseous structures, injury to, 32–33
- Adjacent teeth, injury to during surgery, 31–32
- Adrenal crisis, as anesthesia complication, 19
- Age
 - anesthetic risk and, 5–6
 - oversedation risk and, 12
 - response to anesthesia and, 12
- Air embolism, 48, 193
- Airway issues
 - edema in obstructive sleep apnea patient, 171
 - obstruction as rhinoplasty complication, 226, 228f
 - in orthognathic patient, 111
 - as palatoplasty complication, 185
- Airway management, for obstructive sleep apnea patients, 152–153, 152t
- Allergic reaction
 - to tattoo removal, 212
 - as temporomandibular joint surgery complication, 239
- Allografts, 286–287
- Alopecia
 - as cosmetic surgery complication, 219
 - as craniofacial surgery complication, 194
- ALTf (anterolateral thigh flap), 327, 328f
- Alveolar osteitis
 - defined, 25
 - described, 26
 - incidence of, 25–26
 - management in third molar surgery, 25–26
- Ambulatory anesthesia, complications in, 3–23
 - cardiopulmonary, 13–17
 - acute vascular events, 16
 - aspiration, 15
 - asthma, acute, 14
 - bronchospasm, 14
 - cardiac arrhythmias, 16–17
 - hypertension/hypotension, 17
 - laryngospasm, 14–15
 - preoperative fasting period (NPO guidelines, 15
 - respiratory depression/arrest, 13–14
 - endocrine, 18–19
 - adrenal crisis, 19
 - hypoglycemia, 18
 - gastrointestinal, 18
 - hypersensitivity reactions, 19
 - immunologic, 19
 - incidence, 11
 - IV line placement and, 20
 - nausea and vomiting, 18
 - neurological, 11–13
 - oversedation, 11–13
 - seizures, 13
 - syncope, 11
 - overview, 3–4
 - patient positioning and, 20
 - in pediatric patients, 20–22
 - cardiovascular, 22
 - prevention and management, 22–23
 - respiratory, 21–22
 - prevention, 4–11
 - equipment and emergency supplies, 10, 10t
 - intraoperative patient monitoring, 8–9
 - patient characteristics/selection, 4–6, 5t
 - patient screening, 6–8
 - in pediatric patients, 22–23
 - personnel preparedness, 9–10
 - postoperative monitoring, 10–11
 - procedure characteristics/selection, 6
 - psychiatric and emotional, 19
- Ameloblastoma, 261–262, 261t, 262f
- American Society of Anesthesiologists (ASA)
 - NPO guidelines, 15
 - physical status classification, 4, 5t, 249
- Amicar (epsilon-aminocaproic acid), 28
- Anaphylactic reaction, 19
- “Andy Gump” deformity, 298
- Anesthesia. *See also* Ambulatory anesthesia
 - considerations for obstructive sleep apnea, 151
 - hypotensive, 153

- Angina, as anesthesia complication, 16
- Angioedema, 19
- Animal bites, 55–57, 57f
- Ankylosis, temporomandibular joint (TMJ), 73, 75, 75f, 241, 242f, 243
- Anterolateral thigh flap (ALTF), 327, 328f
- Antibiotics
- for ablative surgery infection, 257–258
 - for bite injuries, 57
 - for implant surgery, 48
 - for mandibular fractures, 66
 - for maxillomandibular advancement surgery, 162–163
 - for osteomyelitis, 38
 - for soft tissue reconstruction surgery, 329
 - for surgical site infection, 27
 - for temporomandibular joint surgery, 238
- Antiemetic medications, 18t
- Antifibrinolytic, 28
- Antithrombotic treatment, 27
- Anxiety, as anesthesia complication, 19
- Apertognathia, 111
- Apnea hypopnea index (AHI), 149
- Arrhythmias. *See* Cardiac arrhythmias
- Arterio-venous (A-V) fistula, 235
- Arteriovenous malformation (AVM), 27, 28f
- Arthroscopy complications,
- temporomandibular joint, 240–241
 - extravasation of irrigating fluid, 240–241, 240f
 - instrument breakage, 240
 - scuffing of fibrocartilage, 241
- ASA. *See* American Society of Anesthesiologists
- Aspiration, 15, 35, 36f
- Asthma, acute, 14
- Auriculotemporal nerve injury, as temporomandibular joint surgery complication, 237–238
- Autogenous bone graft, 285–286
- AVM (arteriovenous malformation), 27, 28f
- Bernard flap, 275f
- Bilateral sagittal split osteotomy (BSSO), 128, 160
- Bilevel positive airway pressure (BiPAP), 149
- Biofilm, temporomandibular joint prostheses and, 238
- BiPAP (bilevel positive airway pressure), 149
- Bispectral (BIS) monitor, 9
- Bite injuries, 55–57, 57f
- Bleeding/hemorrhage
- as bone graft complication, 288
 - botulinum toxin injection site, 205
 - as cleft lip repair complication, 176
 - as cosmetic surgery complication, 218
 - as craniofacial surgery complication, 193
 - with implant surgery, 48
 - as maxillary fracture complication, 99–100
 - as orthognathic surgery complication
 - perioperative, 117
 - postoperative, 125, 127 - as palatoplasty complication, 185
 - as rhinoplasty complication, 226
 - with temporomandibular joint surgery, 233–235, 235f
 - as third molar surgery complication, 27–28
 - treatment, 28
- Blepharoplasty, 215–218
- dry eyes (keratoconjunctivitis sicca), 217
 - ectropion, entropion, lid shortening, poor lid seal, and ptosis, 216–217, 216f–217f
 - edema, ecchymosis, conjunctival irritation, and corneal abrasion, 216
 - glaucoma, acute angle, 218
- Blindness
- as craniofacial surgery complication, 194
 - as orthognathic surgery complication, 126
- Blistering, as cosmetic procedure complication, 210, 211f
- Blood pressure
- control for obstructive sleep apnea patients, 153
 - control in sleep apnea patient, 172
 - hypotensive anesthesia, 153
 - intraoperative monitoring, 9
- Blood transfusion, risks of, 284
- Blowout and blowin fractures, 84, 85f
- Bolton discrepancy, 25
- Bone graft
- active infections, 285
 - allograft, 286–287
 - autogenous, 285–286
 - calvarial, 288–289
 - complications, 286
 - costochondral grafts, 289–291, 290f
 - donor site morbidity and complications, 287
 - iliac crest harvest site, 288
 - intraoral donor sites, 287–288
 - in maxillomandibular advancement (MMA), 166–167, 167f
 - pedicled, 281
 - recipient site considerations, 298–299
 - anterior mandibular defects, 298–299
 - condylar defects, 299
 - lateral mandibular defects, 299
 - maxillary defects, 299
 - tibial, 281
 - xenograft, 286–287
- Bone morphogenetic proteins, 287
- Bone necrosis, 297, 297f
- Bone reconstruction. *See* Hard tissue reconstruction
- Bone resorption, as facial implant complication, 224–225, 225f
- Bony sequestra, as third molar surgery complication, 37
- Bossae, as rhinoplasty complication, 229f, 230
- Botulinum toxin, complications with, 203–205, 204f
- brow and lid droop, 205
 - inability to close eye, 205
 - injection site bleeding, 205
 - upper lid ptosis, 204–205, 204f
- Bradycardia, 17
- Bronchodilators, 14
- Bronchospasm, as anesthesia complication, 14
- Brow and lid droop, 205
- Bruxism, implant component fractures and, 42
- BSSO (bilateral sagittal split osteotomy), 128, 160
- Buccal cortical plate fracture, during third molar extraction, 32–33
- Calvarial bone grafts, 288–289
- Canine bites, 56, 57f
- Capnography, 9
- Cardiac arrhythmias, as anesthesia complication, 16–17
- Cardiac testing, 7–8
- Cardiopulmonary complications of ambulatory anesthesia, 13–17
- acute vascular events, 16
 - aspiration, 15
 - asthma, acute, 14
 - bronchospasm, 14
 - cardiac arrhythmias, 16–17
 - hypertension/hypotension, 17
 - laryngospasm, 14, 15
 - preoperative fasting period (NPO) guidelines, 15
 - respiratory depression/arrest, 13–14
- Cardiovascular disease
- complications of anesthesia, pediatric, 22
 - screening patients for anesthesia, 7–8
- Cavernous sinus thrombosis, 81, 82f
- CCI (Charlson comorbidity index), 248
- Centric relation/centric occlusion (CR/CO) discrepancy, 144
- Cerebrospinal fluid (CSF) leak
- as craniofacial surgery complication, 194
 - as frontal sinus fracture complication, 82–83, 83f
 - as temporomandibular joint surgery complication, 239

- Cerebrovascular accident (stroke), as
anesthesia complication, 16
- Charlson comorbidity index (CCI), 248
- Chylous fistula, 258–259, 259f
- Cleft lip repair, complications of, 175–181
cutaneous lip problems, 177–179
long upper lip, 177–178
philtrum abnormalities, 178–179, 179f
short upper lip, 178, 178f
tight upper lip, 178
early complications, 175–176
flap necrosis, 176
hemorrhage, 176
lip dehiscence, 176
nasal obstruction, 176
facial growth, 181
late complications, 176–177, 177f
nasal asymmetry, 180–181
nostril stenosis, 179, 180f
overview, 175
- Cleft palate repair. *See* Palatoplasty
- Clinical assessment, of implant surgery
patient, 42–43, 43f
- Computer-assisted surgery, 299–305
complications, 305
digital imaging and communications in
medicine (DICOM), 301
navigation and intraoperative imaging,
304–305
orbital reconstruction, 302
overview, 299–301, 300f, 301f
preoperative software planning, 304
tactile rapid-prototyped models,
302–304, 303f
- Condylar defects, 299
- Continuous positive airway pressure
(CPAP), 149–151, 171–172
- Contour irregularities, as cosmetic surgery
complication, 222, 222f–223f
- Corticosteroids, perioperative use and
effect on bone healing, 285
- Cosmetic surgery complications,
203–230
conservative procedures, 203–215
ablative skin resurfacing, 212–215
ectropion, 215
exuberant skin tightening, 215
herpetic infection, 212–213
infection, 214
milia and acne eruption, 214
persistent erythema, 213, 213f
scarring, 214–215
botulinum toxin, 203–205, 204f
brow and lid droop, 205
inability to close eye, 205
injection site bleeding, 205
upper lid ptosis, 204–205, 204f
injectable soft tissue volumizers and
fillers, 205–210, 206t
filler agent allergic reaction and
granuloma formation, 209–210
inappropriate location of filler
placement, 206
injection hematoma, 206–208, 207f
intra-arterial injection of filler, 210
nonablative and ablative cosmetic skin
therapy, 210–215
allergic reaction to tattoo removal,
212
dyspigmentation, 210–212, 212f
edema, 210
erythema, purpura, and blistering,
210, 211f
managing facelift complications by
region of incision, 211t
subsurface fat atrophy and
irregularity, 212
surgical procedures, 215–230
blepharoplasty, 215–218
dry eyes (keratoconjunctivitis
sicca), 217
ectropion, entropion, lid
shortening, poor lid seal, and
ptosis, 216–217, 216f, 217f
edema, ecchymosis, conjunctival
irritation, and corneal abrasion,
216
glaucoma, acute angle, 218
facial implants, 224–225
bone resorption and implant
exposure, 224–225, 225f
implant mobility, 225
infection, 224
neurosensory disturbances, 225
forehead and brow procedures,
218–219
alopecia, 219
bleeding/hematoma formation, 218
edema, 219
facial motor weakness, 219
postoperative pain, 218
relapse, 219
sensory disturbances, 219
lower facial procedures, 219–224
contour irregularities, 222,
222f–223f
facial nerve injury, 220
hematoma, 219–220, 220f
neurosensory disturbances, 221
pixie ear deformity, 222, 223f, 224
superficial epidermolysis, 220, 221f
rhinoplasty, 225–230, 227f–229f
airway obstruction, 226, 228f
bossae, 229f, 230
hemorrhage, 226
infection, 226, 227f
intracranial communications,
226–227
inverted-V deformity, 230
keel deformity, 230
open roof deformity, 227, 229,
229f
polly-beak deformity, 229f, 230
rocker-deformity, 230
saddle nose deformity, 229
Costochondral grafts, 289–291, 290f
CPAP (continuous positive airway
pressure), 149–151, 171–172
Cranial nerve injury, as orthognathic
surgery complication
perioperative injury, 117
postoperative issues, 129–130
Craniofacial surgery, 192–194, 195f–196f
intraoperative complications, 192–194
late postoperative complications, 194,
195f–196f
Cranio-orbital fractures, 89, 90f
CR/CO (centric relation/centric occlusion)
discrepancy, 144
CSF. *See* Cerebrospinal fluid (CSF) leak
Cupid's bow, 178
Cyclokapron (tranexamic acid), 28
Cyclooxygenase-2 (COX-2), 255
- Dacrocystorhinostomy, 94
Deep circumflex iliac artery (DCIA) free
flap, 340, 341f
Deep circumflex iliac artery myoosseous
(cutaneous) flap, 293–294
Deep venous thrombosis (DVT)
prophylaxis, 172
Diabetes mellitus, effect on bone healing,
285
Diaphragmatic paralysis, 256–257
Digital imaging and communications in
medicine (DICOM), 301
Displacement of dental implants, 47–48,
47f
Displacement of teeth, as third molar
surgery complication, 33–35, 34f
Distraction osteogenesis (DO), 137–146
advantages and disadvantages of, 137
in bone reconstruction, 294–295
complications, 294–295
intraoperative phase, 139–164
dental injury, 139
improper device placement, 139, 141,
142f
incomplete osteotomy, 141, 142f
paresthesia, 139
for obstructive sleep apnea patients, 169
overview, 137
postoperative phase, 142–145
device failure, 142–143
inadequate bony regenerate, 145,
146f
inadequate distraction, 143–144,
143f–144f
infection, 144, 145f
preoperative planning
distraction vector planning, 138,
139f–140f
patient selection, 137–138

- Distraction vector planning, 138, 139f–140f
 DO. *See* Distraction osteogenesis
 Donor site skin graft failure, as radial forearm flap complication, 336–337
 Downfracture of the maxilla, 115–116, 115f
 Dry eyes (keratoconjunctivitis sicca), 217
 Dry socket. *See* Alveolar osteitis
 Duke Activity Index, 4, 5t
 Dural tear
 as bone graft complication, 289
 as temporomandibular joint surgery complication, 239
 DVT (deep venous thrombosis)
 prophylaxis, 172
 Dyspigmentation, as cosmetic procedure complication, 210–212, 212f
- Ear injuries, 239
 Ectropion
 cicatricial, 62
 as cosmetic procedure complication, 215
 lateral, 62, 63f–64f
 medial, 62, 62f
 Edema
 airway, 171
 as cosmetic procedure complication, 210
 as cosmetic surgery complication, 219
 extravasation of irrigating fluid, 240–241, 240f
 in obstructive sleep apnea patient, 171
 EDS (extreme daytime sleepiness), 151
 Electrolyte abnormalities, as craniofacial surgery complication, 193
 Embolism
 air, 48, 193
 risk of permanent neurological complications from, 234
 in temporomandibular joint (TMJ) surgery, 234
 Emergency drugs and equipment, 10, 10t
 Endocrine complications of ambulatory anesthesia, 18–19
 adrenal crisis, 19
 hypoglycemia, 18
 Endonasal synechiae, 96f
 Endotracheal intubation, 14
 Endotracheal tube, laceration of, 118
 Enophthalmos, as orbital fracture complication, 85, 87, 86f–87f
 Entropion, traumatic, 63, 64f, 65
 Epinephrine, for bronchospasm, 14
 Epistaxis, as nasal fracture complication, 95
 Erythema, as cosmetic procedure complication, 210, 211f, 213, 213f
 Erythropoietin, 284
 Estlander flap, 275f
- Eustachian tube dysfunction, as orthognathic surgery complication, 127
 External auditory canal stenosis, 239
 External carotid artery ligation, 234, 235f
 Extraocular muscle movement limitations, as orbital fracture complication, 84–85
 Extravasation of irrigating fluid, in temporomandibular joint arthroscopy, 240–241, 240f
 Extreme daytime sleepiness (EDS), 151
 Eye
 inability to close, 205
 trauma, 93, 93f
 Eyelid malposition, as orbital fracture complication, 87–88
- Facial implants, 224–225
 bone resorption and implant exposure, 224–225, 225f
 implant mobility, 225
 infection, 224
 neurosensory disturbances, 225
 Facial motor weakness, as cosmetic surgery complication, 219
 Facial nerve injury
 as ablative surgery complication, 255–256, 256f, 263
 as cosmetic surgery complication, 220
 with distraction osteogenesis, 139
 as madibular fracture complication, 76
 as orthognathic surgery complication, 126, 130
 peripheral, 59–60, 59f, 60f
 as temporomandibular joint surgery complication, 235–237, 236f, 237f
 Fasting, preoperative, 15
 Fat atrophy and irregularity, as cosmetic procedure complication, 212
 Feline bites, 56
 Fibrocartilage, scuffing of, 241
 Fibrous integration, implant, 49, 49f
 Fibula flap, 337–339, 339f
 delayed wound healing, 338, 339f
 foot ischemia/vascular compromise, 338
 gait disturbance, 338
 limited flexion of great toe, 338
 neurologic injuries, 338
 skin paddle loss, 338–339, 339f
 Fibula myoosseous (cutaneous) flap, 291–293, 292f, 293f
- Fistula
 arterio-venous (A-V), 235
 chylous, 258–259, 259f
 oral-antral, 29–31
 oral-cutaneous, 330, 330f
 oronasal, 115f
 palatal
 closure techniques, 186–187
 management of, 185–186
 tracheocutaneous fistula (TCF), 101
 tracheoinnominate fistula (TIF), 101
 Flap necrosis, as cleft lip repair complication, 176
 Foot ischemia, as fibula flap complication, 338
 Forehead and brow cosmetic procedures, 218–219
 alopecia, 219
 bleeding/hematoma formation, 218
 edema, 219
 facial motor weakness, 219
 postoperative pain, 218
 relapse, 219
 sensory disturbances, 219
 Fractures
 buccal cortical plate, 32–33
 downfracture with orthognathic surgery, 115–116, 115f
 frontal sinus, 76–84
 iliac crest, 288
 implant component, 42–43, 43f
 mandible, 28–29, 29f, 50–51, 50f, 65–76
 maxillary, 97–100, 97f–99f
 maxillary tuberosity, 32, 32f
 nasal, 95–97, 96f
 naso-orbital-ethmoidal (NOE), 93–95, 94f
 orbital, 84–89
 orbito-zygomaticomaxillary complex, 89–92
 temporal bone, 100, 100f
 Frey's syndrome, 238
 Frontal sinus fractures, 76–84
 aesthetic deformity, 84
 cerebrospinal fluid leak, 82–83, 83f
 goals of treatment, 76
 management principles, 77
 rate of complications, 76–77
 sinusitis, 77–81
- Gait disturbance
 as fibula flap complication, 338
 as iliac crest free flap complication, 341
 Gastrointestinal complications of anesthesia, 18
 Genial tubercle advancement (GTA), 157–159
 complications of, 158–159, 158t
 technique, 158f
 Genioglossus advancement, 157–160
 Genioplasty, 118–119
 perioperative complications, 118–119, 119f
 postoperative complications, 119
 preoperative complications, 118
 Geniotomy advancement, 159, 159t, 160f
 Globe rupture, 93, 93f

- Glossectomy, 157
- Great toe flexion, limited, as fibula flap complication, 338
- Hand ischemia, as radial forearm flap complication, 335–336
- Hard tissue reconstruction, 283–305
- bone necrosis and infection, 297, 297f
 - bony reconstruction, 294–297
 - distraction osteogenesis, 294–295
 - fixation schemes, 295–296, 295f
 - hyperbaric oxygen, 295
 - computer-assisted surgery, 299–305
 - complications, 305
 - digital imaging and communications in medicine (DICOM), 301
 - navigation and intraoperative imaging, 304–305
 - orbital reconstruction, 302
 - overview, 299–301, 300f–301f
 - preoperative software planning, 304
 - tactile rapid-prototyped models, 302–304, 303f
 - debridement issues, 298
 - donor bone selection considerations, 285–291
 - allografts, 286–287
 - autogenous bone grafts, 285–286
 - bone morphogenetic proteins, 287
 - calvarial bone grafts, 288–289
 - costochondral grafts, 289–291, 290f
 - iliac crest harvest site, 288
 - intraoral donor site, 287–288
 - pedicled bone flaps, 291
 - tibial bone grafts, 291
 - xenografts, 286–287
 - hardware removal, 298
 - microvascular bone flaps, 291–294
 - deep circumflex iliac artery myoosseous (cutaneous) flap, 293–294
 - fibular myoosseous (cutaneous) flap, 291–293, 292f–293f
 - radial forearm osteofasciocutaneous flap, 294
 - scapula myosseous (cutaneous) flap, 294
 - patient determined factors, 283–285
 - active infections, 285
 - blood transfusion risks, 284
 - diabetes control, 285
 - nicotine use, 285
 - nutritional status issues, 284–285
 - preoperative comorbidity, 283–284
 - recipient site considerations, 298–299
 - anterior mandibular defects, 298–299
 - condylar defects, 299
 - lateral mandibular defects, 299
 - maxillary defects, 299
- Hardware failure, as orthognathic surgery complication, 126, 128
- HBO. *See* Hyperbaric oxygen (HBO) therapy
- Hearing, temporomandibular joint surgery and, 239
- Heart block, 17
- Heart rate and rhythm monitoring, 9
- Heimlich maneuver, 35
- Hematoma
 - as bone graft complication, 288–289
 - as cosmetic surgery complication, 218–220, 220f
 - epidural, 81f
 - injection of soft tissue volumizers and fillers, 206–208, 207f
 - septal, 95
 - in sinus cavity, 286
 - as soft tissue reconstruction complication, 330–331, 331f
 - sublingual, 48
- Hemidiaphragm, 257, 257f
- Hemophilia, 27
- Hemorrhage/bleeding
 - as bone graft complication, 288
 - botulinum toxin injection site, 205
 - as cleft lip repair complication, 176
 - as cosmetic surgery complication, 218
 - as craniofacial surgery complication, 193
 - with implant surgery, 48
 - as maxillary fracture complication, 99–100
 - as orthognathic surgery complication
 - perioperative, 117
 - postoperative, 125, 127
 - as palatoplasty complication, 185
 - as rhinoplasty complication, 226
 - with temporomandibular joint surgery, 233–235, 235f
 - as third molar surgery complication, 27–28
 - treatment, 28
- Hemostatic agents, 234, 284
- Hernia, as iliac crest free flap complication, 340
- Herpetic infection, as cosmetic procedure complication, 212–213
- Human bites, 57
- Hyoid advancement, 157
- Hyperbaric oxygen (HBO) therapy
 - with lip reconstruction surgery, 277
 - for orthognathic surgery patient, 126
 - for osteomyelitis, 38
 - for osteoradionecrosis, 295
- Hypercoagulable conditions, 321t
- Hypersensitivity reactions, as anesthesia complication, 19
- Hypertension
 - as anesthesia complication, 17
 - in obstructive sleep apnea patient, 172
- Hypoglossal nerve injury, as ablative surgery complication, 257, 258f
- Hypoglycemia, as anesthesia complication, 187
- Hypotension, as anesthesia complication, 17
- IAN injury. *See* Inferior alveolar nerve (IAN) injury
- Ileus, postoperative, 288
- Iliac crest, as bone graft donor site, 288
- Iliac crest free flap, 340–341
 - contour deformity, 341, 341f
 - gait disturbance, 341
 - neurologic sequelae, 341
 - ventral hernia, 340
- Iliolinguinal nerves injury, as iliac crest free flap complication, 341
- Immunologic complications of anesthesia, 19
- Impacted tooth
 - defined, 25
 - indications and timing of removal, 25
- Implant fractures, 42–43, 43f
- Implant surgery, 41–52
 - antibiotic prophylaxis, 48
 - complications, 45–51
 - delayed postoperative, 49–51
 - displacement of implants, 47–48, 47f
 - early postoperative, 48
 - fibrous integration, 49, 49f
 - inferior alveolar nerve injury, 45–47, 47f
 - intraoperative, 45–48, 46f, 47f
 - mandible fracture, 50–51, 50f
 - peri-implant disease, 51
 - sinusitis, 49–50
 - sublingual hematoma, 48
 - preoperative planning, 41–45
 - clinical assessment, 42–43, 43f
 - patient assessment, 41–42
 - prosthodontic and surgical treatment planning, 43–45, 44f
- Infection
 - as ablative surgery complication, 257–258
 - animal bites, 55–57
 - as bone graft complication, 288, 289
 - bone grafting and, 285
 - as cosmetic procedure complication, 214
 - as craniofacial surgery complication, 193
 - in distraction osteogenesis, 144
 - as facial implant complication, 224
 - following rib harvest, 290
 - as hard tissue reconstruction complication, 297
 - as mandibular fracture complication, 66
 - as maxillomandibular advancement complication, 161–163
 - as palatoplasty complication, 185

- Infection (*cont'd*)
 as rhinoplasty complication, 226, 227f
 sinusitis, 77–81
 as soft tissue reconstruction
 complication, 329
 as temporomandibular joint surgery
 complication, 238
 in third molar surgery, 26–27
- Inferior alveolar nerve (IAN) injury
 as ablative surgery complication, 263
 with distraction osteogenesis, 139
 with implant surgery, 45–47
 as maxillomandibular advancement
 complication, 160–161
 as temporomandibular joint surgery
 complication, 237
 in third molar surgery, 35–36
- Infraorbital nerve injury, 92, 237
- Ingestion, as third molar surgery
 complication, 35
- Insomnia, 171
- Internal maxillary artery, hemorrhage
 from, 234
- Intracranial communications, as
 rhinoplasty complication,
 226–227
- Intracranial injury, as temporomandibular
 joint surgery complication, 239
- Intraoral vertical ramus osteotomy (IVRO),
 120, 121f, 129
- Intubation
 of obstructive sleep apnea patients,
 152–153
 techniques for, 152t
- Inverted-V deformity, 230
- Irrigating fluid, extravasation during
 arthroscopy, 240–241, 240f
- Ischemia
 foot as fibula flap complication, 338
 hand as radial forearm flap
 complication, 325
 necrosis of the maxilla, 167–168
- IV line placement, complications related to,
 20
- Kaplan-Feinstein index (KFI), 248
- Karapandzic flap reconstruction technique,
 275f, 277
- Keel deformity, 230
- Keratoconjunctivitis sicca, 217
- Laboratory tests, for anesthesia patients, 7
- Laryngeal mask airway insertion, 14
- Laryngospasm, as anesthesia complication,
 15
- Larynx, cancer of, 252
- Laser-assisted uvulopalatoplasty (LAUP),
 156
- Lateral femoral cutaneous nerve injury,
 288, 341
- Lateral femoral nerve injury, as iliac crest
 free flap complication, 341
- Lateral pharyngeal edema, 240–241, 240f
- Leech therapy, medicinal, 324, 342, 342f
- Le Fort fracture, 97–99, 97f
- Le Fort I osteotomy, 112–117, 160
- Lingual nerve injury
 as maxillomandibular advancement
 complication, 161
 as temporomandibular joint surgery
 complication, 237
 in third molar surgery, 36
- Lingual plate exposure, as third molar
 surgery complication, 37
- Lip cancer, 267–281
 diagnosis, 267, 268f–270f
 incidence of, 267
 overview, 267
 radiation therapy complications, 280
 reconstruction surgery complications,
 271–280
 microstomia, 277, 278f, 279
 neurologic injury, 279
 scarring and poor cosmetic outcome,
 279–280, 279f–280f
 wound dehiscence, 271, 274f, 276–277
 reconstruction techniques, 271,
 272f–275f, 276t
 staging, 267, 270t–271t, 271
 wound care, 276t
- Lip problems, as cleft lip repair
 complication, 177–179,
 178f–179f
- Local recurrence, of malignant tumors,
 250–251, 250f
- Lower facial cosmetic procedures, 219–224
 contour irregularities, 222, 222f–223f
 facial nerve injury, 220
 hematoma, 219–220, 220f
 neurosensory disturbances, 221
 pixie ear deformity, 222, 223f, 224
 superficial epidermolysis, 220, 221f
- Malar flattening, 91–92, 91f–92f
- Malignant tumors, complications related to
 ablative surgery for, 247–260
- Mallampati's classification, 4
- Malocclusion
 as mandibular fracture complication, 66,
 68
 as maxillary fracture complication, 98
 as maxillomandibular advancement
 complication, 161, 162f
 as orthognathic surgery complication,
 125
 as temporomandibular joint surgery
 complication, 241
- Malunion, mandibular, 66, 68, 73, 74f
- Mandible
 anterior mandibular defects, 298–299
 hypomobility, 73
 lateral mandibular defects, 299
 orthognathic surgery, 120–123,
 121f–124f
- Mandibular fractures, 65–76
 angle fractures, 68–69, 68f
 atrophic edentulous, 70, 70f
 condyle fractures, 72–73
 facial asymmetry, 73, 75f
 malunion/malocclusion, 73, 74f
 “double unilateral,” 71, 72f
 facial asymmetry, 71, 72f
 facial nerve injury, 76
 fixation principles, 65
 goals of treatment, 65
 as implant surgery complication, 50–51,
 50f
 infections, 66
 malunion/malocclusion, 66, 68
 mandibular angle fractures, 68
 mandibular widening, 71, 71f
 nonunion, 69–70, 69f
 principles of rigid internal fixation, 67f
 teeth in line of fracture, 65–66
 as third molar surgery complication,
 28–29, 29f
 trigeminal nerve injury, 76
- Materials failure, as temporomandibular
 joint surgery complication, 243,
 243f
- Maxilla
 defects, 299
 ischemic necrosis of, 167–168
 mobilizing, 116
 orthognathic surgery, 112–118
 sinus grafts, 286
- Maxillary tuberosity fracture, during third
 molar extraction, 32, 32f
- Maxillofacial trauma, 55–102
 facial nerve injury, 76
 frontal sinus fractures, 76–84
 aesthetic deformity, 84
 cerebrospinal fluid leak, 82–83, 83f
 goals of treatment, 76
 management principles, 77
 rate of complications, 76–77
 sinusitis, 77–81
 mandibular fractures, 65–76
 mandibular hypomobility, 73
 maxillary fractures, 97–100, 97f–99f
 hemorrhage, 99–100
 malocclusion, 98
 overview, 97–98
 sinusitis, 99
 nasal fractures, 95–97, 96f
 epistaxis, 95
 nasal scarring, 96–97
 saddle nose deformity, 95, 96f
 septal deviation, 95–96
 septal hematoma, 95

- naso-orbital-ethmoidal (NOE) fractures, 93–95, 94f
 nasolacrimal duct obstruction, 94
 saddle nose deformity, 95
 telecanthus, 94, 94f
 ocular trauma, 93, 93f
 orbital fractures, 84–89
 blowout and blowin fractures, 84, 85f
 cranio-orbital fractures, 89, 90f
 enophthalmos, 85, 87, 86f–87f
 extraocular muscle movement
 limitations, 84–85
 eyelid malposition, 87–88
 orbito-zygomaticomaxillary complex fractures, 89–92
 malar flattening, 91–92, 91f–92f
 neurosensory complications, 92
 soft tissue injuries, 55–65
 animal bites, 55–57, 57f
 ectropion, 62, 63f–64f
 entropion, 63, 64f, 65
 facial nerve injury, peripheral, 59–60, 59f–60f
 nasolacrimal injury, 60–61, 61f
 parotid duct injury, 57–59, 58f
 temporal bone fractures, 100, 100f
 temporomandibular joint ankylosis, 73, 75, 75f
 tracheostomy complications, 100–102, 101f
 trigeminal nerve injury, 76
 Maxillomandibular advancement (MMA), 155, 160–169
 complications
 fixation failure, 164f
 infection, 161–163
 ischemic necrosis, 167–168
 malocclusion, 161, 162f
 nerve injury, 160–161
 nonunion, 166–167
 plate fracture, 164f
 respiratory, 169
 screw failure, 165f
 skeletal relapse, 166
 unaesthetic facial changes, 168
 velopharyngeal insufficiency, 168–169
 success rate, 160
 timing of, 160
 Median nerve injury, as radial forearm flap complication, 336
 Medical comorbidity, as predictor of
 ablative surgery complication, 248–249, 249t
 Meningitis, as sinusitis complication, 80
 Metoprolol, 17
 MFTT (microvascular free tissue transfer), 320
 Microstomia, as lip reconstruction
 complication, 277, 278f, 279
 Microvascular bone flaps, 291–294
 deep circumflex iliac artery myoosseous (cutaneous) flap, 293–294
 fibular myoosseous (cutaneous) flap, 291–293, 292f–293f
 radial forearm osteofasciocutaneous flap, 294
 scapula myoosseous (cutaneous) flap, 294
 Microvascular composite bone flaps, complications of, 335–343
 flap failure, 341–343
 management of, 341–342
 nonsurgical management, 342, 342f
 radiologic evaluation, 342–343
 iliac crest free flap, 340–341
 contour deformity, 341, 341f
 gait disturbance, 341
 neurologic sequelae, 341
 ventral hernia, 340
 osteocutaneous fibular flap, 337–339, 339f
 delayed wound healing, 338, 339f
 foot ischemia/vascular compromise, 338
 gait disturbance, 338
 limited flexion of great toe, 338
 neurologic injuries, 338
 skin paddle loss, 338–339, 339f
 osteocutaneous radial forearm flap, 335–337, 337f
 donor site graft failure, 336–337
 hand ischemia, 335–336
 radius fracture, 336
 sensory/motor deficit, 336
 scapula free flap, 339–340
 scapula winging, 340, 340f
 shoulder dysfunction, 340
 Microvascular free flaps, 320–324
 donor site complications, 324–327, 325f–327f
 anterolateral thigh flap, 327, 328f
 radial forearm free flap, 324–325, 325f
 rectus abdominus myocutaneous flap, 325–327, 326f
 flap salvage, 323–324
 vascular anastomosis, 323
 Microvascular free tissue transfer (MFTT), 320
 Milia, 214
 Minor's starch-iodine test, 238
 MMA. *See* Maxillomandibular advancement
 Modified radical neck dissection (MRND), 251–252
 Motor deficit, as radial forearm flap complication, 336
 Motor disturbances, as fibula flap complication, 338
 Mucocoele and mucopyocoele, 78
 Mucosal dehiscence, as orthognathic surgery complication, 126
 Mucositis as radiation therapy complication, 280
 Myocardial infarction, as anesthesia complication, 16
 Myocardial ischemia, as anesthesia complication, 16
 Myoosseous (cutaneous) flap
 deep circumflex iliac artery, 293–294
 fibula, 291–293, 292f–293f
 scapula, 294
 Nager syndrome, 146f
 Nasal and sinus complications, of orthognathic surgery, 127
 Nasal asymmetry, as cleft lip repair complication, 180–181
 Nasal cavity, surgery for obstructive sleep apnea, 154–155
 Nasal fractures, 95–97, 96f
 epistaxis, 95
 nasal scarring, 96–97
 saddle nose deformity, 95, 96f
 septal deviation, 95–96
 septal hematoma, 95
 Nasal obstruction, as cleft lip repair complication, 176
 Nasal septum, deviation of, 154
 Nasolacrimal duct obstruction, 94
 Nasolacrimal injury, 60–61, 61f
 Naso-orbital-ethmoidal (NOE) fractures, 93–95, 94f
 nasolacrimal duct obstruction, 94
 saddle nose deformity, 95
 telecanthus, 94, 94f
 Nausea
 as anesthesia complication, 18
 as orthognathic surgery complication, 125
 Neck surgery, ablative, 247–263
 Necrosis, flap, 327–328
 Nerve injury. *See also specific nerves*
 as ablative surgery complication, 255–257
 facial nerve, 255–256, 256f, 263
 hypoglossal nerve, 257, 258f
 phrenic nerve, 256–257, 257f
 spinal accessory nerve, 255, 256f
 vagus nerve, 257
 during Le Fort osteotomy, 117
 as temporomandibular joint surgery complication, 235–238, 236f–237f
 Neurological complications
 of ambulatory anesthesia, 11–13
 oversedation, 11–13
 seizures, 13
 syncope, 11
 of orthognathic surgery, 126
 in third molar surgery, 35–37

- Neurologic injury
 - as fibula flap complication, 338
 - as lip reconstruction surgery complication, 279
 - as radial forearm flap complication, 336
 - Neuromas, as radial forearm flap complication, 336
 - Neurosensory disturbances
 - as cosmetic surgery complication, 221
 - as facial implant complication, 225
 - of orbito-zygomaticomaxillary complex fractures, 92
 - Nicotine, vascular effects of, 285
 - NOE fractures. *See* Naso-orbital-ethmoidal (NOE) fractures
 - Nonunion
 - as mandibular fracture complication, 69–70, 69f
 - as maxillomandibular advancement complication, 166–167
 - Nostril stenosis, 179, 180f
 - NPO guidelines, 15
 - Nutrition
 - bone reconstruction procedures and, 284
 - orthognathic surgery patient and, 126
 - as predictor of ablative surgery complication, 248
 - Obesity, anesthesia complications and, 4–5
 - Obstructive sleep apnea (OSA), 149–172
 - comorbidities associated with, 150t
 - intraoperative phase, 152–153
 - airway management, 152–153, 152t
 - blood pressure control, 153
 - nonsurgical treatment, 149
 - overview, 149
 - postoperative considerations, 170–172
 - airway edema and obstruction, 171
 - blood pressure control, 172
 - deep venous thrombosis (DVT) prophylaxis, 172
 - maintaining oxygenation, 171–172
 - monitoring, 170
 - pain management and sedatives, 170–171
 - preoperative phase, 150–152
 - anesthesia considerations, 151
 - consultation and medical clearance, 151
 - CPAP, 151–152
 - medical history considerations, 150
 - medications, 151
 - surgical procedures, 154–170
 - distraction osteogenesis (DO), 169
 - genioglossus advancement, 157–160, 158f, 158t–159t, 160f
 - glossectomy, 157
 - hyoid advancement, 157
 - hypopharyngeal, 157–159
 - by location of upper airway obstruction, 154t
 - maxillomandibular advancement (MMA), 160–169, 161t, 162f–167f
 - nasal cavity, 154–155, 155f
 - oropharyngeal, 155–156
 - palatal procedures, 156
 - radiofrequency ablation of tongue base, 157
 - tonsillectomy, 155–156
 - tracheostomy, 170
 - Ocular trauma, 93, 93f
 - Odontogenic tumors, 261–262, 261t, 262f
 - Open roof deformity, 227, 229, 229f
 - Open septorhinoplasty (OSRP), 229f
 - Oral and Maxillofacial Surgery National Insurance Company (OMSNIC), 32
 - Oral-antral communication, as third molar surgery complication, 29–31, 30f
 - Oral-cutaneous fistula, 330, 330f
 - Orbital fractures, 84–89
 - blowout and blowin fractures, 84, 85f
 - cranio-orbital fractures, 89, 90f
 - enophthalmos, 85, 87, 86f–87f
 - extraocular muscle movement limitations, 84–85
 - eyelid malposition, 87–88
 - Orbital reconstruction, computer-assisted, 302
 - Orbito-zygomaticomaxillary complex fractures, 89–92
 - malar flattening, 91–92, 91f–92f
 - neurosensory complications, 92
 - Oronasal fistula, following segmental maxillary surgery, 115f
 - Orthodontic issues, as orthognathic surgery complication, 128–129
 - Orthognathic surgery, complications of, 109–130, 110f
 - genioplasty, 118–119
 - perioperative complications, 118–119, 119f
 - postoperative complications, 119
 - preoperative complications, 118
 - infection, 161–163
 - intraoperative, 112–124, 112f
 - genioplasty, 118–119
 - hemorrhage, 117–118, 118f
 - mandible surgery, 120–124
 - maxillary surgery, 112–116
 - nerve injury, 117
 - mandible surgery
 - intraoral vertical ramus osteotomy (IVRO), 120, 121f
 - sagittal split ramus osteotomy, 120–123, 121f–124f
 - maxillary surgery, 112–118
 - airway compromise, 118
 - dental trauma, 113
 - downfracture, 115–116, 115f
 - fixation issues, 113
 - hemorrhage, 117–118, 118f
 - maxillary mobilizing and positioning, 116
 - nerve injury, 117
 - soft tissue issues, 113, 114f–115f
 - maxillomandibular advancement (MMA), 160–169
 - by osteotomy location, 110f
 - postoperative, 124–130, 124f
 - bleeding, 125, 127
 - cranial nerve damage, 129–130
 - hardware failure, 126, 128
 - hearing, 127
 - long-term complications, 129–130
 - malocclusion, 125
 - nasal and sinus, 127
 - nausea, 125
 - neurological, 126
 - nutrition, 126
 - orthodontic issues, 128–129
 - pain, 125
 - patient satisfaction, 129
 - psychological, 126
 - range of jaw motion, 127
 - sequestrum formation, 128
 - short-term complications, 124–129
 - splints, 127–128
 - stability, 129
 - swelling, 125
 - taste alteration, 128
 - TMS issues, 127, 130
 - transverse issues, 128
 - wound healing, 126
 - preoperative, 109–112, 110f
 - airway issues, 111
 - dental issues, 111–112
 - diagnosis, 109
 - medical issues, 110–111
 - motivation of patient, 110
 - orthodontic preparation, 111
- OSA. *See* Obstructive sleep apnea; Obstructive sleep apnea (OSA)
- OSRP (open septorhinoplasty), 229f
- Osteocutaneous fibular flap, 337–339, 339f
 - delayed wound healing, 338, 339f
 - foot ischemia/vascular compromise, 338
 - gait disturbance, 338
 - limited flexion of great toe, 338
 - neurologic injuries, 338
 - skin paddle loss, 338–339, 339f
- Osteocutaneous radial forearm flap, 335–337, 337f
 - donor site graft failure, 336–337
 - hand ischemia, 335–336
 - radius fracture, 336
 - sensory/motor deficit, 336

- Osteomyelitis
 as sinusitis complication, 80
 as third molar surgery complication, 37–38, 38f
 treatment, 38
 types, 37, 37t
- Osteoradionecrosis, 295
- Osteotomy
 bilateral sagittal split osteotomy (BSSO), 128, 160
 genioplasty, 119
 incomplete in distraction osteogenesis, 141
 intraoral vertical ramus (IVRO), 120, 121f, 129
 Le Fort, 112–117, 160
 sagittal split ramus osteotomy, 128–129
 unfavorable (bad split), 111–112
- Osteotomy, sagittal split (SSO), 120–123, 121f–124f
- Otitis media from temporomandibular joint arthroscopy, 238–239
- Oversedation, 11–13
- Oxymetazoline, 30
- Pain
 chronic pain in the multiply-operated-on patient, 243–244
 as cosmetic surgery complication, 218
 as lip reconstruction surgery complication, 279
 management for obstructive sleep apnea patients, 170–171
 as orthognathic surgery complication, 125
 postoperative after third molar surgery, 33
- Palatal procedures for obstructive sleep apnea, 156
- Palatoplasty, 181–192
 growth after, 187–188
 outcome differences, 182–184
 palatal fistula
 closure techniques, 186–187
 management of, 185–186
 perioperative complications, 185
 procedures
 Bardach, 182, 183f
 Furlow, 182–184, 184f
 von Langenbeck, 182–184
 V-Y pushback, 182
 velopharyngeal insufficiency (VPI)
 complications of surgery, 192
 management of, 188–189
 surgical techniques for, 189–192, 190f–191f
- PALS (pediatric advanced life support protocol), 23
- PAP (positive airway pressure), 149–150
- Paramedian forehead flap, 319–320
- Paresthesia
 with distraction osteotomy, 139
 with lateral femoral cutaneous nerve injury, 288
 as lip reconstruction surgery complication, 279
 as maxillomandibular advancement complication, 160–161
 as third molar surgery complication, 36–37
- Parotid duct injury, 57–59, 58f
- Parotid tumors, 262–263, 263f
- Patient assessment, preoperative for implant surgery, 41–42
- Patient monitoring, intraoperative, 8–9
 bispectral (BIS) monitor, 9
 blood pressure, 9
 capnography, 9
 heart rate and rhythm, 9
 precordial (esophageal) stethoscope, 9
 pulse oximetry, 8–9
- Patient motivation, orthognathic surgery and, 110
- Patient positioning, complications related to, 20
- Patient selection for ambulatory anesthesia, 6–8
- Pectoralis major myocutaneous flap (PMMF), 317, 319, 318f–319f
- Pediatric advanced life support protocol (PALS), 23
- Pediatric patients
 airway of, 21, 21f
 anesthesia complications, 20–22
 cardiovascular, 22
 prevention and management, 22–23
 respiratory, 21–22
- Pedicle bone flaps, 281
- Pedicle soft tissue flaps, 317–320, 318f–319f
 paramedian forehead flap, 319–320
 pectoralis major myocutaneous flap (PMMF), 317, 319, 318f–319f
 submental island flap, 319
- Peri-implant disease, 51
- Peroneal artery magna, 292
- Peroneal nerve injury, as fibula flap complication, 338
- Pharyngocutaneous fistulas, 330
- Pharyngoplasty, 189, 191, 191f
- Philtrum abnormalities, with cleft lip repair, 178–179, 179f
- Phrenic nerve injury, as ablative surgery complication, 256–257, 257f
- Pixie ear deformity, as cosmetic surgery complication, 222, 223f, 224
- Pleomorphic adenoma, 262–263, 263f
- PMMF (pectoralis major myocutaneous flap), 317, 319, 318f–319f
- Pneumothorax, as rib harvest complication, 290, 290f
- Polly-beak deformity, 229f, 230
- Polypectomy, 154
- Positive airway pressure (PAP), 149–150
- Positive pressure ventilation, 15
- Postoperative nausea and vomiting (PONV), 18
- Posterior superior alveolar artery, 99
- Postoperative monitoring, 10–11, 23
- Pott's Puffy tumor, 80, 81f
- Precordial (esophageal) stethoscope, 9
- Pregnancy test, 7
- Preoperative fasting period, 15
- Preoperative planning, for implant surgery, 41–45
- Prosthodontic treatment planning, 43–45, 44f
- Pseudoaneurysm of the superficial temporal artery, 234
- Psychiatric and emotional complications of anesthesia, 19
- Psychological complications, of orthognathic surgery, 126
- Psychosis, steroid-induced, 126
- Pterygoid plate fracture during Le Fort osteotomy, 115f
- Ptosis, upper lid, 204–205
- Pulse oximetry, 8–9
- Purpura, as cosmetic procedure complication, 210, 211f
- Pyramidal fracture of maxilla, 115f
- Radial forearm flap, 322f, 328f, 335–337, 337f
 donor site graft failure, 336–337
 hand ischemia, 335–336
 radius fracture, 336
 sensory/motor deficit, 336
- Radial forearm free flap (RFFF), 324–325, 325f
- Radial forearm osteofasciocutaneous flap, 294
- Radiation therapy
 complications related to, 280
 for lip cancer, 271, 280
- Radiofrequency ablation of the tongue base, 157
- Radiofrequency submucosal reduction, 155
- Radiologic evaluation, of microvascular flap, 342–343
- Radius fracture, as radial forearm flap complication, 336
- Range of motion, for jaw after orthognathic surgery, 127
- Recombinant bone morphogenetic protein-2 (rhBMP-2), 287
- Rectus abdominus myocutaneous flap (RAMF), 325–327, 326f

- Regional recurrence, of malignant tumors, 251–253, 251f–253f
- Respiratory arrest, in ambulatory anesthesia, 13–14
- Respiratory complications
of anesthesia
cardiopulmonary complications, 13–17
obese patients, 5
pediatric patients, 21–22
of maxillomandibular advancement, 169
of rib harvesting, 289–291, 290f
- Respiratory depression, in ambulatory anesthesia, 13–14
- Review of systems, 6
- RFFF (radial forearm free flap), 324–325, 325f
- Rhinitis medicamentosa, 30
- Rhinitis sicca, 155
- Rhinoplasty, 225–230, 227f–229f
airway obstruction, 226, 228f
bossae, 229f, 230
hemorrhage, 226
infection, 226, 227f
intracranial communications, 226–227
inverted-V deformity, 230
keel deformity, 230
open roof deformity, 227, 229, 229f
polly-beak deformity, 229f, 230
rocker-deformity, 230
saddle nose deformity, 229
- Rhinorrhea, CSF, 83
- Rib harvesting, 289–291, 290f
- Rocker-deformity, 230
- Rule of 10's, 175
- Saddle nose deformity, 95, 96f, 229
- Sagittal split ramus osteotomy, 120–123, 121f–124f, 128–129
- Salivary gland tumor, 262–263, 263f
- Scapula free flap, 339–340
scapula winging, 340, 340f
shoulder dysfunction, 340
- Scapula myoosseous (cutaneous) flap, 294
- Scapular winging, 340, 340f
- Scarring
as cosmetic procedure complication, 214–215
ectropion, 62
lip, 179
nasal, 96–97
tracheostomy, 101
- Schirmer secretion test, 61
- Seizures, 13
- Sensory disturbances
as cosmetic surgery complication, 219
from radial forearm flap harvest, 336
- Septal deviation, 95–96
- Septal hematoma, 95
- Septoplasty, 154–155, 155f
- Sequestrum formation, in orthognathic surgery, 128
- Shoulder dysfunction, as scapula free flap complication, 340
- Sialocele formation, with parotid gland injury, 59
- Sinusitis
complications
cavernous sinus thrombosis, 81, 82f
intracranial abscess, 81
meningitis, 80
mucocoele and mucopyocele, 78
orbital, 79–80, 80f
osteomyelitis, 80
as frontal sinus fracture complication, 77–81
as implant surgery complication, 49–50
as maxillary fracture complication, 99
- Skin paddle loss, as fibula flap complication, 338–339, 339f
- Skin tightening, exuberant as cosmetic procedure complication, 215
- Sleep apnea. *See* Obstructive sleep apnea (OSA)
- Soft tissue injuries, 55–65
animal bites, 55–57, 57f
ectropion, 62, 63f–64f
entropion, 63, 64f, 65
facial nerve injury, peripheral, 59–60, 59f–60f
nasolacrimal injury, 60–61, 61f
parotid duct injury, 57–59, 58f
- Soft tissue reconstruction, complications
of, 317–332
fistula, 330
flap loss, 327–329, 328f
hematoma, 330–331, 331f
infection, 329
microvascular free flaps, 320–324
donor site complications, 324–327, 325f–327f
flap salvage, 323–324
vascular anastomosis, 323
pedicled soft tissue flaps, 317–320, 318f, 319f
paramedian forehead flap, 319–320
pectoralis major myocutaneous flap (PMMF), 317, 319, 318f–319f
submental island flap, 319
- Speech therapy, 111
- Sphincter pharyngoplasty, 189, 191, 191f
- Spinal accessory nerve injury, as ablative surgery complication, 255, 256f
- Splints, with orthognathic surgery, 127–128
- Squamous cell carcinoma, 249–255, 250f, 252f–254f
- Steroid-induced psychosis, of orthognathic surgery, 126
- Stroke, as anesthesia complication, 16
- Sublingual hematoma formation, with implant surgery, 48
- Submental island flap, 319
- Succinylcholine, for laryngospasm, 15
- Superficial epidermolysis, as cosmetic surgery complication, 220, 221f
- Superficial temporal artery, bleeding from, 234
- Superiorly based pharyngeal flap, 189, 190f
- Surgically assisted rapid palatal expansion (SARPE) surgery, 128
- Surgical site infection (SSI), in third molar surgery, 26–27
- Swelling
as orthognathic surgery complication, 125
postoperative after third molar surgery, 33
- Syncope, 11
- Tachycardia, 17
- Tactile rapid-prototyped models, 302–304
- Tattoo removal, allergic reaction to, 212
- TCF (tracheocutaneous fistula), 101
- Telecanthus, 94, 94f
- Temporal bone fractures, 100, 100f
- Temporomandibular joint surgery, 233–244
allergic reactions, 239
arthoscopy complications, 240–241
extravasation of irrigating fluid, 240–241, 240f
instrument breakage, 240
scuffing of fibrocartilage, 241
infection, 238
intracranial injury, 239
long-standing complications, 241–244
ankylosis, 241, 242f, 243
chronic pain, 243–244
malocclusion, 241
materials failure, 243
nerve injury, 235–238, 236f, 237f
otologic complications, 238–239
reasonable expectations from, 233
vascular injury, 233–235, 235f
- Temporomandibular joint ankylosis, 73, 75, 75f
- Temporomandibular joint (TMJ) injury
with orthognathic surgery, 127, 130
as third molar surgery complication, 33
- Third molar surgery, complications in, 25–38
alveolar osteitis, 25–26
aspiration/ingestion, 35, 36f
bleeding/hemorrhage, 27–28, 28f
displacement of teeth, 33–35, 34f
infection, 26–27
injury to adjacent osseous structures, 32–33, 32f
injury to adjacent teeth, 31–32
management of, 25–26

- mandibular fracture, 28–29, 29f
- neurological, 35–37
- oral-antral communication, 29–31, 30f
- osteomyelitis, 37–38, 37f–38f
- pain and swelling, 33
- rate of complications, 25
- temporomandibular joint injury, 33
- wrong tooth extraction, 31–32, 31f
- Thoracic duct injury, 258
- Thrombosis
 - cavernous sinus, 81, 82f
 - of microvascular free flap, 323
- Tibial bone grafts, 281
- TIF (tracheoinnominate fistula), 101
- Tongue
 - radiofrequency ablation of the tongue base, 157
 - squamous cell carcinoma, 250f, 252f–254f
- Tonsillar (Yankauer) suction, 15
- Tonsillectomy, 155–156
- Tooth bud injury, with distraction osteogenesis, 139
- Tracheocutaneous fistula (TCF), 101
- Tracheoinnominate fistula (TIF), 101
- Tracheostomy, 170
- Tracheostomy complications, 100–102, 101f
- Trauma. *See* Maxillofacial trauma
- Trigeminal nerve injury
 - as mandibular fracture complication, 76
 - as temporomandibular joint surgery complication, 237
- Turbinate reduction, 154–155
- Ulnar nerve injury, as radial forearm flap complication, 336
- Upper lid ptosis, 204–205
- Uvulopalatopharyngoplasty (UPPP), 149, 156
- Vagus nerve injury, as ablative surgery complication, 257
- Valsalva maneuver, 259f
- Vascular anastomosis, complications of, 323
- Vascular injury with temporomandibular joint surgery, 233–235, 235f
- Velopharyngeal incompetence, 111
- Velopharyngeal insufficiency (VPI), 156, 168–169
 - complications of surgery, 192
 - management of, 188–189
 - surgical techniques for, 189–192, 190f–191f
- Vermillionectomy, 271, 279
- Volumizers and fillers, complications with injectable soft tissue, 205–210, 206t
- filler agent allergic reaction and granuloma formation, 209–210
- inappropriate location of filler placement, 206
- injection hematoma, 206–208, 207f
- intra-arterial injection of filler, 210
- Vomiting
 - as anesthesia complication, 18
 - antiemetic medication, 18t
- Von Willebrand disease, 27
- VPI. *See* Velopharyngeal insufficiency
- Wound dehiscence
 - as ablative surgery complication, 259–260
 - as bone graft complication, 286
 - as cleft lip repair complication, 176
 - in lip reconstruction surgery, 271, 274f, 276–277
- Wound healing
 - delayed with fibula flap, 338
 - orthognathic surgery patient and, 126
- Wrong tooth extraction, 31–32, 31f
- Xenografts, 286–287
- Xerostomia, 279
- Zygomaticomaxillary complex fractures, 92