

Contents

| | | |
|----------|--|-----------|
| 1 | Shell patterns - a natural picture book to study dynamic systems and biological pattern formation | 1 |
| 1.1 | Dynamic systems everywhere | 1 |
| 1.2 | Pattern formation | 2 |
| 1.3 | Dynamic systems are difficult to predict | 3 |
| 1.4 | Pattern formation in biology | 4 |
| 1.5 | Most shell patterns preserve a faithful time record | 5 |
| 1.6 | Elementary patterns: Lines perpendicular, parallel and oblique to the direction of growth | 6 |
| 1.7 | Oblique lines | 8 |
| 1.8 | Relief-like patterns follow the same rules | 9 |
| 1.9 | Many open questions and some hints | 10 |
| 1.10 | The hard problem: complex patterns | 15 |
| 1.11 | Earlier attempts to understand shell patterns | 17 |
| 2 | Pattern formation by local self-enhancement and long range inhibition | 19 |
| 2.1 | The activator – inhibitor scheme | 19 |
| 2.2 | Stable patterns require a rapid antagonistic reaction | 20 |
| 2.3 | Periodic patterns in space | 21 |
| 2.4 | The width of stripes and the role of saturation | 25 |
| 2.5 | Early fixation of a pattern | 27 |
| 2.6 | The activator - depleted substrate scheme | 29 |
| 2.7 | The influence of growth | 30 |
| 2.8 | Inhibition via destruction of the activator | 32 |
| 2.9 | Autocatalysis by an inhibition of an inhibition | 33 |
| 2.10 | Formation of graded concentration profiles | 35 |
| 2.11 | Pattern formation in two dimensions | 38 |
| 3 | Oscillations and traveling waves | 41 |
| 3.1 | The coupling between the oscillators by diffusion | 44 |
| 3.2 | The width of bands and interbands | 47 |

| | | |
|----------|--|------------|
| 3.3 | Oblique lines: traveling waves in an excitable medium | 47 |
| 3.4 | Traveling waves require a pace-maker region | 49 |
| 4 | Superposition of stable and periodic patterns | 53 |
| 4.1 | The formation of undulating lines and the partial synchronization of cells by activator diffusion | 54 |
| 4.2 | Reducing wave termination with a longer activation period | 58 |
| 4.3 | Interconnecting wavy lines and the formation of arches | 58 |
| 4.4 | Hidden waves | 60 |
| 4.5 | Pattern on the shell of <i>Nautilus pompilius</i> | 61 |
| 4.6 | Stabilizing an otherwise oscillating pattern by diffusion | 62 |
| 4.7 | Combinations of oscillating and nonoscillating patterns | 63 |
| 4.8 | Rows of patches parallel to the direction of growth | 63 |
| 4.9 | The possible role of a central oscillator | 66 |
| 4.10 | Conclusion | 68 |
| 5 | Crossings, meshwork of oblique lines and staggered dots: the combined action of two antagonists | 71 |
| 5.1 | Displacement of stable maxima or enforced de-synchronization by a second antagonist | 71 |
| 5.2 | Pattern variability | 73 |
| 5.3 | Global pattern rearrangements | 74 |
| 5.4 | Traces of the additional inhibition: oblique lines initiated or terminated out of phase | 76 |
| 5.5 | Crossings and branching | 79 |
| 5.6 | Changing the wave speed before and during collisions | 82 |
| 5.7 | Parallel and oblique rows of staggered dots | 84 |
| 5.8 | Conclusion | 89 |
| 6 | Branch initiation by global control | 91 |
| 6.1 | Branch formation: the trigger of backwards waves | 91 |
| 6.2 | Simultaneous pattern change in distant regions | 93 |
| 6.3 | No <i>Oliva</i> shell is like another | 98 |
| 6.4 | The influence of parameters | 99 |
| 6.5 | Alternative mechanisms | 100 |
| 6.6 | A very different pattern generated by the same interaction | 101 |
| 7 | The big problem: two or more time-dependent patterns that interfere with each other | 105 |
| 7.1 | Inherent similarities in complex patterns | 105 |
| 7.2 | White nonpigmented drop-like pattern on a pigmented background | 108 |
| 7.3 | Evidence of a sudden extinguishing reaction | 110 |
| 7.4 | Resolving an old problem with the separate extinguishing reaction | 111 |
| 7.5 | The next step in complexity: an additional stabilizing pattern | 112 |

| | | |
|-----------|--|------------|
| 7.6 | Branch formation by a temporary stabilization | 116 |
| 7.7 | Intimate coupling of an enhancing and an extinguishing reaction | 119 |
| 7.8 | Extinguishing that results from a depletion of resources due to an enhancing reaction | 121 |
| 7.9 | Related patterns reveal unsolved problems | 123 |
| 7.10 | Apparently different patterns can be simulated by closely related models | 126 |
| 7.11 | Conclusion | 128 |
| 8 | Triangles | 131 |
| 8.1 | The crossing solution through the backdoor | 132 |
| 8.2 | Triangle <i>versus</i> branch formation | 135 |
| 8.3 | The involvement of three inhibitory reactions | 139 |
| 8.4 | Breakdown as a failure of the enhancing reaction | 143 |
| 8.5 | Conclusion | 145 |
| 9 | Parallel lines with tongues | 147 |
| 9.1 | Survival using a precondition pattern | 147 |
| 9.2 | Tongue formation: refresh comes too late | 150 |
| 9.3 | Variations on a common theme | 157 |
| 9.4 | <i>Conus textile</i> : tongues and branches on the same shell | 159 |
| 9.5 | Missing elements, missing links | 162 |
| 10 | Shell models in three dimensions | 167 |
| 10.1 | Mathematical descriptions of shell shape: a brief history | 167 |
| 10.2 | Elements of shell shape | 168 |
| 10.3 | The helico-spiral | 169 |
| 10.4 | The generating curve | 171 |
| 10.5 | Incorporating the generating curve into the model | 171 |
| 10.6 | Modeling the sculpture on shell surfaces | 174 |
| 10.7 | Shells with patterns | 179 |
| 11 | The computer programs | 187 |
| 11.1 | Introductory remarks | 187 |
| 11.2 | Using the program | 187 |
| 11.3 | GUIDED TOURS | 190 |
| 11.4 | Implementation of the interactions | 190 |
| 11.5 | Numerical instabilities that may cause errors | 192 |
| 11.6 | Compilers and versions | 193 |
| 11.7 | Parameters used in the program | 194 |
| 12 | Pattern formation in the development of higher organisms | 205 |
| 12.1 | Hydra, a versatile model system | 208 |
| 12.2 | Tissue polarity and graded competence | 211 |
| 12.3 | How to avoid periodic structures during growth | 212 |
| 12.4 | How to generate structures at a distance: head and foot of hydra | 214 |

| | | |
|-----------|--|------------|
| 12.5 | Induction of adjacent structures | 215 |
| 12.6 | The evolution of the main body axes | 216 |
| 12.7 | Gene activation under the control of a morphogen gradient | 219 |
| 12.8 | Position-dependent activation of several genes | 221 |
| 12.9 | A problem that the mollusks don't have: the initiation of legs and wings | 224 |
| 12.10 | Conclusion | 228 |
| 13 | Pattern formation in development in which shell-related mechanisms are implicated | 231 |
| 13.1 | Arrangement of leaves and staggered dots on shells - two similar patterns | 231 |
| 13.2 | Veins and nerves: the formation of net-like structures | 235 |
| 13.3 | Chemotactic orientation of cell polarity | 239 |
| 13.4 | Highly dynamic effects in preparing cell division in budding yeast | 242 |
| 13.5 | Out-of-phase oscillations in <i>E.coli</i> bacteria for center-finding to determine the plane of cell division | 244 |
| 13.6 | <i>Dictyostelium</i> : traveling waves at the border to multicellular organisms | 245 |
| 13.7 | Feather patterns | 247 |
| 13.8 | Color patterns of feathers | 248 |
| 13.9 | Barbs of flight feathers are separated by traveling waves of local signals | 250 |
| 13.10 | Nerve conduction as a traveling wave phenomenon | 251 |
| 13.11 | Activation and extinguishing waves in blood coagulation | 252 |
| | References | 255 |
| | Index | 265 |