

Index

a

- Acetylcholine 19–20
- Adenoids 91, 141, 147–149, 151, 234
 - adenoidal faces 89, 149
 - adenotonsillectomy (T&A) 88, 92–95, 234
- Adenosine 21
- Advanced sleep phase 15, 39
- Adverse outcomes *see* Side effects
- Age
 - adolescent/child 15, 44, 84–86, 88, 91–92, 96, 121, 126, 138, 234
 - adult 124, 138
 - elderly 15
 - infant/newborn 15
 - teens/teenager 15
- Airway 91, 96, 139, 146, 148–151, 167–168, 170, 174–175, 216, 222, 235, 242–244
 - airway assessment/evaluation 132
 - airway collapse 146, 228, 239
 - airway obstruction 137
 - airway patency 211
 - airway resistance 219, 228
 - nasal airway 132
 - pharyngeal airway 136, 147, 171, 228
 - upper airway 211, 214, 226, 229, 232
- Alar rim 140, 142–143, 231, 241, 259
- Alcohol 61, 112
- Alpha waves 14
- Allergy/allergic 133, 135, 240
 - allergic/atopic march 94
 - allergic shiners 89
- Alzheimer's 40, 50
- American academy of dental sleep medicine (AADSMD) 101
- American academy of orofacial pain (AAOP) 152
- American academy of sleep medicine (AASM) 5, 36, 101, 155, 157, 162, 167, 170, 181, 183, 196, 199, 214, 237, 239
- American dental association (ADA) 100, 114–115, 168
- Anatomy 27, 229
- Antidepressants 61, 93
- Anxiety 8, 26, 93, 109, 124, 237
- Apnea 31, 44, 87, 88, 146, 155–157, 160, 174, 211, 216, 226, 228, 237, 239, 242
 - apnea-hypopnea index (AHI) 45–46, 88–89, 95, 105, 108, 125, 136, 160, 163, 173–176, 183, 196, 214, 221, 227, 229–234, 238–239, 241–243
 - central sleep apnea (CSA) 38, 46, 62, 211, 244
 - obstructive sleep apnea (OSA) 15, 26, 38, 44, 47, 49–51, 70–71, 74–76, 88–89, 94, 102, 114–115, 117, 122–124, 130–134, 137–138, 145–146, 148, 151, 160–163, 167–168, 170–171, 173–175, 177–178, 211, 214, 218, 221–222, 226, 228–231, 234–235, 237–239, 241, 243–244

Arousal 175, 183, 217
 Arrhythmias/Afib 45, 47, 227
 Asthma 49, 94, 133, 227
 Atheromas 148
 Atonia 14, 40
 Attention deficit disorder (ADD) 92–93
 Attention deficit hyperactivity disorder (ADHD) 85, 92–93, 95

b

Berlin Questionnaire 123
 Bernoulli 33
 Bite registration *see* Interocclusal record
 Blood pressure/hypertension 6, 43–44, 47, 51, 95, 100–101, 104–105, 123, 130, 133, 173–174, 195, 214, 221, 227, 239
 Body mass index (BMI) 43, 48, 122, 124, 233, 238–239, 243
 Brain/brainstem 18
 Breathing 91, 167–168, 231
 mouth breathing 26, 71, 87, 94–95, 126, 135, 139, 149, 200, 207, 240
 nasal breathing 171, 231, 240–241
 sleep related breathing disorders (SRBD) *see* Sleep
 Bruxism/sleep-related bruxism 41, 69–73, 84, 89, 93, 101, 103, 105, 110, 114, 133, 157, 172–173, 243
 Burning mouth 77

c

Caffeine 93
 Calibration *see* Mandibular repositioning
 Cancer 50, 130
 Cardiovascular/cardiovascular disease (CVD) 6, 8–9, 43–47, 50, 101, 130, 133, 173–174, 195, 214, 221–222, 227, 239
 Cataplexy 93
 Cone beam CT (CBCT) 151
 Cephalometrics/cephalometric x-ray 29, 33, 148

Cervical spine (vertebrae) 31, 149, 201
 Cheyne–Stokes respiration 46
 Chronic obstructive pulmonary disease (COPD) 49, 227
 Circadian rhythm 22, 36, 39, 58, 92, 110
 Clenching 71, 110, 133
 Co-morbid insomnia and sleep apnea (COMISA) 109
 Cognitive behavioral therapy (CBT) 244–245
 Combination therapy 222
 Compliance 199, 218, 220–221
 Computed tomography (CT) 146–147, 214, 228
 Confusional arousals 40, 57
 Congestive heart failure 46, 211
 Continuous positive airway pressure (CPAP), *see* Positive airway pressure (PAP)
 Coronary artery disease (CAD) 46, 51, 101, 222
 Cortisol 20, 48
 Cottle test 142
 Craniofacial 33, 91, 94, 102, 146, 148, 151, 175, 220
 C-reactive protein (CRP) 75, 125

d

Deep sleep 14, 91
 Delayed sleep phase 39, 58, 92
 Delta sleep 91
 Dementia 50
 Dental 69, 132, 134, 145–146, 170, 172, 181–182, 192, 204, 220
 Dental sleep medicine (DSM) 67, 102, 114, 116–117, 178, 181
 Dentist 8, 38, 67, 69, 84, 93, 96, 100–102, 104–105, 108, 110, 114–116, 119, 124–125, 128, 130–131, 139, 146, 151, 153, 155, 162–163, 167, 178, 181, 183, 187, 192, 195–196, 203, 205, 209, 237, 239

Dentistry 1, 35, 114, 237
 Dentition 70
 Depression 8, 26, 101, 109, 133, 157, 243
 Diabetes 6, 43–44, 47–49, 51, 101, 104,
 130, 133, 148, 173, 196, 222, 239
 Didgeridoo 243
 Digital scanner/impression 183, 187
 Dopamine 18, 93
 Dream sleep 14, 58
 Drug induced sleep endoscopy
 (DISE) 175–176, 188, 229, 233
 Durable medical equipment (DME) 117

e

Electroencephalogram (EEG) 12–14, 17
 Endoscopy 228–229
 Endotyping 175
 Epidemiology 3
 Epworth Sleepiness Scale (ESS) 105,
 122–123, 173–174, 195, 214,
 231–232, 242
 Eustachian tube(s) 141
 Evaluation 117, 119, 132, 228
 Excessive daytime sleepiness (EDS) 92–93,
 109, 214, 221–222, 227, 244
 Expiration 26, 31, 213

f

Federal Drug Administration
 (FDA) 167, 176–178
 Ferritin 93
 Fibromyalgia 59
 Flip-flop switch 22
 Follow-up 192–197
 Frenum/frenectomy 231, 242
 Friedman tongue position 136, 228
 Fusion custom mask 177, 222

g

Gamma-aminobutyric acid or
 γ -aminobutyric acid (GABA) 21, 57–58
 George gauge 143, 185, 194

GERD/reflux 41, 49, 94, 102, 105, 133
 Gherlin 239
 Glutamate 20
 Glycine 21
 Gut microbiome/microbiota 22,
 50, 71, 140

h

Headache(s) 75–76, 86, 92, 121, 133, 150,
 170, 193
 Histamine 19–20
 Home sleep (apnea) testing (HST/
 HSAT) 88, 121, 160–163, 218
 Hours of sleep 91
 Hyoid 148
 Hyperactivity 85, 95
 Hypersomnolence/hypersomnia 5, 38–39,
 110, 158
 Hypertension *see* Blood pressure
 Hypnic headache 76
 Hypocretin 20, 57, 93
 Hypoglossal nerve stimulation *see* Surgery/
 surgical
 Hypopharynx 27, 30, 151, 188, 226
 Hypopnea 44, 87–88, 155–156, 160,
 216, 226
 Hypothalamus 17–18, 57
 Hypothyroidism/hyperthyroidism 50, 133
 Hypoxia/hypoxemia 38, 45, 47, 238

i

Imaging 119, 144, 146, 148, 151, 153
 Implant(s) 69, 72
 Impression 181–182, 203, 207
 Informed consent 189, 207
 Insomnia 5, 15, 26, 35–38, 43, 45, 51, 58,
 74–76, 84–85, 87, 92, 104, 108, 121,
 123–124, 157, 237, 243–245
 Inspiration/inspiratory 26, 31, 49, 135,
 141, 213, 216, 229, 239
 Insulin resistance 43
 Intermittent hypoxia 50, 71, 238

International classification of sleep disorders (ICSD) 35–36, 72, 87–88, 108, 110

Interocclusal record 181, 183, 185, 187

Iron 93

j

Jet lag 39, 58

k

K complex 14

l

Leaf gauge 204–205

Leptin 239

Limb movement *see* RLS and PLMDs

Lip seal 89, 135, 143, 173, 200, 205, 207, 240

Loop gain 33, 176

m

Magnetic resonance imaging (MRI) 146–147, 214

Maintenance of wakefulness test (MWT) 158

Mallampati score 136, 228

Mandible/mandibular 29, 151, 169, 171, 181–182, 185, 188, 199, 203, 205, 220, 222, 229, 232

mandibular advancement 169, 172, 176, 183, 194, 204, 229

mandibular repositioning 134, 143, 146, 152, 168, 171, 175, 183, 200, 205

vertical opening 172, 183, 185, 207

Marijuana (cannabinoids) 62, 112

Maxilla/maxillary 151, 169, 181–182, 188, 220, 229, 232

Maxillomandibular 232

Medical 43

Medication(s) 56, 133, 201, 221, 228

Melatonin 21, 58, 96

Memory 14, 222

Metabolic syndrome 43

Microbiome *see* Gut microbiome/microbiota

Models 181–182, 187

Mood swings/disorders 93, 104, 105, 133, 221–222, 228, 237

Motor vehicle accident (MVA) 51, 222

Mouth taping 189, 200, 241

Movement 41, 93

Mueller's maneuver 228

Multiple sleep latency test (MSLT) 157–158

Muscles/musculature 27, 30, 134, 170, 200–201, 208

myofascial (muscle) pain 193

Muscular hydrostat 29, 242

Myofascial pain 77

Myofunctional tongue therapy 200, 231, 242

n

Narcolepsy 5, 38, 84, 93, 105, 109–110, 157–158

Nasal/nose 88, 94, 135, 140, 143, 151, 207, 214, 216, 221, 231, 241, 243

nasal airway 33, 94–95, 124, 135, 139–140, 142, 147, 173, 189, 200, 218–219, 227–228, 233, 239–241

nasal crease 89

nasal dilation 189, 241

nasal irrigation 189

nasal septum 231

nasal speculum 141–143

nasal sinuses 147

nasal surgery *see* Surgery/surgical

nasal turbinates 140, 151, 231

nasal valve 141, 241

Nasopharyngoscopy *see* Endoscopy

Nasopharynx 27, 141, 148, 151, 226, 232

National sleep foundation (NSF) 92

Neck/neck size 91, 170, 244

Neuralgia 76

Neuropathy 77

Neurotransmitters 16, 18, 21
 Nicotine 61, 93, 112
 Nightmare 40, 58
 Nitric oxide 47
 nonREM (NREM) 3, 12–15, 17–18, 40, 76,
 91, 110, 160
 Norepinephrine 18, 59
 NOSE scale 124, 139

O

Obesity/obese 44, 48, 51, 91, 94, 96,
 122–123, 148, 175, 227, 234,
 238–239, 242
 Occlusion 116, 134, 181, 185–186,
 193, 203–205
 occlusal trauma 70
 Opioid(s) 62, 112, 157
 Oral appliance(s) (OA) 46, 100, 104, 108,
 117, 130, 134, 139, 144–146, 151–153,
 161–162, 165, 167, 169–178, 181–183,
 185, 187–189, 193–197, 199–203,
 205–207, 222, 242, 244–245
 adverse (side) effects 165, 172, 189, 193
 delivery 117, 188
 effectiveness 162, 169, 173
 fabrication 117
 follow-up 108, 117, 162, 189, 192–193
 history 168–170
 oral appliance therapy (OAT) 33,
 102–104, 112, 114–117, 125, 161–163,
 167–169, 173–174, 176–177, 181,
 188–189, 192, 195, 199, 204–205,
 226–227, 230–233, 237
 titration *see* Mandibular repositioning
 treatment protocol 146
 trial 176
 Orexin 20, 57, 93
 Orofacial 69, 201
 orofacial pain 73, 101, 103, 116, 237
 Oropharynx 27, 102, 136, 150–151, 171,
 175, 188, 226, 230, 233, 235
 Orthodontics 232
 Overweight 48, 91, 238

Oxygen 108, 124, 173, 195, 219, 227,
 231, 243–244
 desaturation 48, 216
 desaturation index (ODI) 105, 163, 196,
 233, 238–239, 244
 saturation 88, 160, 163, 232
 Oxidative stress 47, 50, 71, 174
 Oximetry 160, 163

P

Pain/painful 8, 26, 48, 51, 59, 62, 73, 92,
 101, 124, 170, 237
 Palate 89, 95, 135, 137, 171, 182, 200, 204,
 207, 214, 226–227, 230–231, 233, 235
 Panoramic radiography 147
 Paradoxical sleep 14
 Parasomnia 39–40, 57, 72, 110, 157
 Parkinson's 40, 50
 Pathophysiology 146
 Pcrit 33
 Pediatric, *see* Adolescent/child
 Periodic limb movement disorder (PLMD/
 PLMs) 40–41, 105, 109–110, 157,
 237, 243
 Periodontal disease 51, 69–71, 130,
 135, 148
 Pharynx 171, 232
 Phenotyping 175
 Pineal gland 18
 Pittsburgh sleep quality index (PSQI) 74,
 77–78, 124
 Pneumatic splint 211, 214, 222
 Poiseule's law 241
 Polyps 231
 Polysomnography/polysomnogram
 (PSG) 76, 88, 110, 121, 155–158,
 160–161, 196, 217
 Portable monitoring 160, 196
 Positive airway pressure (PAP) devices 88,
 100, 104, 133, 140, 157, 162, 167,
 173–174, 177–178, 195, 197, 204–205,
 209, 211, 213–214, 216–217, 219–222,
 226–227, 230–233, 237, 244

Positive airway pressure (PAP) devices (*cont'd*)
 auto-titrating 211, 214, 218, 222
 bilevel 211, 213–214, 222
 continuous (CPAP) 195–197, 209, 211,
 212–214, 219, 222, 233, 244–245
 Posture 31, 150
 Precision medicine 175
 Pregnancy 51, 124
 Prevalence 4–5, 84, 100, 108
 Pulse oximetry 88, 163, 196

q

Quality of life (QOL) 3, 108, 123–125, 145,
 196, 214, 221–222, 232, 234

r

Radiofrequency 231
 Rapid eye movement (REM) 3, 12–13,
 17–18, 40, 51, 57–58, 61, 76, 108, 110,
 157, 160, 175, 217
 REM sleep behavior disorder
 (RBD) 36, 40, 157
 Respiration 26, 31, 33
 Respiratory
 respiratory disturbance index
 (RDI) 105, 108, 173
 respiratory effort related arousals
 (RERAs) 216
 Restless limb syndrome (RLS) 5, 41, 45,
 84–85, 92–93, 105, 109–110, 237, 243
 Restorative sleep 14, 91
 Reticular activating system 18
 Rhythmic masticatory muscle activity
 (RMMA) 110, 173

s

Screening 104, 114, 119, 121, 128, 131
 Septum *see* Nasal septum
 Serotonin 18–19, 21, 59
 Shift work 39
 Shim stock 134, 193, 203–204

Side effects 193–194, 199, 208, 212,
 219, 222
 Sleep/sleep medicine 12, 26, 56, 73, 76, 84,
 100–101, 103, 108, 116, 125, 133, 153,
 155, 157, 162–163, 195, 201, 212, 214,
 220, 229, 233, 244–245
 sleep aids 57
 sleep apnea 8, 36, 47, 87–88, 91, 94, 96,
 100, 108, 115, 123, 126, 130–131,
 135–138, 141, 146, 155, 158, 162, 165,
 168, 171, 176, 181, 195, 201, 205,
 211–212, 214, 216–217, 237,
 239, 242–243
 sleep architecture 58, 62
 sleep cycles
 sleep disorders 1, 3–4, 8, 35–36, 43,
 59–60, 84–85, 89, 95, 100–103, 105, 108,
 110, 112, 114, 121, 123–126, 128, 130,
 133, 157, 181, 226, 237, 243
 sleep disruption 48, 86, 91–92, 109–110
 sleep disturbance 49, 57, 74,
 76–78, 92, 95
 sleep duration 51, 74–75
 sleep enuresis 40
 sleep fragmentation 45, 109
 Sleep Heart Health Study
 (SHHS) 43–44, 48
 sleep hygiene 86, 226, 243–245
 sleep latency 60
 sleep loss/restriction 44, 51
 sleep quality 76–77, 96, 124, 145,
 193, 242
 sleep-related breathing disorder
 (SRBD) 1, 6, 9, 15, 26, 29, 31, 35, 38,
 43–44, 47, 49–50, 67, 69, 75, 84–89, 91,
 93–95, 100–102, 104, 108–109, 112,
 114–117, 119, 121–123, 125–126,
 130–134, 136, 138–139, 145–146, 148,
 152–153, 157, 160, 162–163, 165,
 167–168, 170, 172–173, 175–178, 192,
 195, 209, 226, 228–229, 231, 233–235,
 237–238, 243–245

sleep-related bruxism *see* Bruxism/
 sleep-related bruxism
 sleep-related eating disorder 40, 57
 sleep-related headaches 41
 sleep-related movement disorder 41,
 72, 84, 93
 sleep stages 12, 217
 sleep study 109, 155, 216, 228
 sleep talking 40
 sleep terrors 39
 sleep-wake cycle 36, 39
 sleep walking 39, 57
 sleepiness/sleepy 87, 121, 123, 133, 158,
 174, 213, 244
 slow-wave sleep (SWS) 14, 50, 62
 snore/snoring 1, 6, 26, 31, 38, 44, 46–47,
 71, 85, 94–95, 100, 102, 104, 121–122,
 130, 135, 137–138, 143, 146, 148, 165,
 168, 171, 176, 178, 181, 201, 216, 226,
 228, 230–231, 242–243
 primary/benign snoring 226
 soft palate 27–28
 speech/speech therapist 93
 STOP-Bang 122–123, 163
 Stress 8
 Stroke 43, 47, 51, 101
 Suprachiasmatic nucleus 18
 Surgery/surgical 100, 151, 161, 167,
 174–175, 178, 205, 209, 226–229,
 231–235, 245
 adenotonsillectomy/tonsillectomy 234
 bariatric 234, 239
 genioglossus advancement 232, 235
 hyoid myotomy/suspension
 232, 234
 hypoglossal nerve stimulation
 231–233
 LAUP 230
 maxillomandibular
 advancement 174–175, 232, 235
 nasal surgery 231, 240
 orthognathic 146, 232

tonsillectomy 234
 tracheostomy 229–230
 UPPP 174, 230–232, 234

t

Teeth/tooth 134, 172, 182, 185, 188, 193,
 203, 206–207
 tooth loss 69, 71
 tooth wear 69
 tooth mobility 69–70, 207
 Telehealth/telemedicine 117, 162, 197,
 221, 245
 Thyroid 61
 Titration *see also* Mandibular repositioning
 oral appliances 183, 192, 194–197
 PAP 217
 TMD/TMJ 74, 77, 116, 132–133, 147,
 152, 170, 172, 181, 193, 199–202,
 208, 237
 Tomography *see* CBCT
 Tongue 29, 136, 168, 173, 175, 182, 200,
 204–205, 214, 222, 227, 231, 233,
 239, 242
 enlarged tongue 124
 scalloping (crenations) 89, 136
 Tongue retaining device (TRD) 168
 Tonsillectomy (T&A) *see*
 Adenotonsillectomy
 Tonsils 91, 136, 138–139, 228, 234
 Total sleep time (TST) 60
 Trigger points 201
 Turbinates (nasal) 231

u

Upper Airway Resistance Syndrome
 (UARS) 87
 Uvula 89, 136–137, 230–231

v

Venturi 33
 VOTE classification 233

W

Wake state 108, 121

 wakefulness 3, 12

Waist/wasit size 48, 105, 239

Weight/weight loss 88, 91, 93, 95, 105,
161, 226, 234, 238–239, 242

Willis–Ekbom disease 5, 41, 110 *see*
also RLS

