

Index

Page locators in **bold** indicate tables. Page locators in *italics* indicate figures. This index uses letter-by-letter alphabetization.

A

- ABB *see* autogenous block bone
- ABCD *see* alveolar bone classification by deficiency
- ABC sinus augmentation classification, 438–439, **439**
- absorbable collagen sponge (ACS), 338
- abutments
- allogenic block bone graft, 213
 - complete-arch dental implants, 519, 521, 521, 531, 531
 - guided bone regeneration, 150, 150, 184, 188, 188
 - orthodontic implant site development, 400
 - prosthetic evaluation in implant dentistry, 77–79, 78
 - ridge-split expansion procedure, 265, 265
 - short and ultra-short implants, 483–484, 484, 487, 488–489, 492, 492–493
 - tent-pole abutment technique, 403–418
- acellular dermal matrix (ADM), 468–469
- ACS *see* absorbable collagen sponge
- ADM *see* acellular dermal matrix
- ADO *see* alveolar distraction osteogenesis
- AFG *see* autologous fibrin glue
- AIC *see* anterior iliac crest
- ALARA principle, 51, **52**
- alcohol, bone biology, 8
- alginate impressions, 522–523, 522
- alkaline phosphatase (ALP), 234
- allogenic block bone graft
- anterior sextant, 221–227, 222–227, **222**
 - autogenous block bone graft, 210–211
 - biopsy interpretation, 224–227, 226–227, 230, 231–232
 - complications, 404
 - concepts and definitions, 210–211
 - conforming/contouring the block, 217, 218, 222–224, 224, 229, 229–230
 - discussion, 234–235
 - features of irradiated allogenic block grafts, 213, **213**
 - fixation of the block, 218, 218
 - horizontal ridge augmentation, 209–238
 - implant placement and prosthetic rehabilitation, 219–220, 219–222, 227, 227, 232, 233
 - incision and flap design, 214–217, 216–217, 221–222, 223, 229, 229
 - indications, 211, 211–213, **211–213**
 - management of voids and coverage, 219, 219
 - materials and methods, 214, **214**
 - patient selection criteria, 214, **214**
 - posterior sextant, 228–232, 228–233, **228**
 - post-operative assessment and surgical re-entry, 224, 225–226, 229–230, 230–231
 - pre-operative considerations, 214, **214**, 221, 222–223, **223**, 228, 228, **228**
 - single anterior tooth, 214–220, 215–222
- allograft dermis, 468–469, 469–470
- allografts
- bone grafting materials, 130, 133, 134
 - guided bone regeneration, 180, 181
 - tissue engineering and regenerative medicine, 541
- alloplasts
- bone grafting materials, 135–136, 136
 - tissue engineering and regenerative medicine, 541
- ALP *see* alkaline phosphatase
- alternative surgical techniques (AST), 97
- alveolar bone classification by deficiency (ABCD), 91–103
- alternative surgical techniques, 97
 - decision tree algorithm, 91, 97–101, **98**, 99–101
 - extraosseous versus intraosseous alveolar bone defects, 94, 94–95
 - graft healing and vascularization, 97
 - main surgical techniques, 95–97, 96–97
 - onlay versus inlay alveolar bone grafts, 94, 95
 - ridge preservation and ridge augmentation, 92–93, 93
 - risk factors, 95
 - static versus dynamic surgical techniques, 94–95
 - type 0/I, 99, 99–100
 - type II/I, 100, 100
 - type III/II, 101, 101
- alveolar distraction osteogenesis (ADO)
- advantages and disadvantages, 374
 - anterior maxilla, 375, 376–378
 - case reports, 375–379, 376–379
 - complications, 374–375
 - conclusion and recommendations, 376–379

alveolar distraction osteogenesis (ADO) (*Continued*)

- indications, 373–374, 374–375
 - posterior mandible, 376, 378–379
 - surgical procedure, 369–371, 369–373
 - vertical ridge augmentation, 367–380
- alveoloplasty, 531, 531
- anatomical transpositioning, 334–336
- anchoring sutures, 109–110, 110
- angiogenesis
- biological rationale for surgical procedure, 116–117, 120–122
 - bone biology, 8–9, 9
 - guided bone regeneration, 179
 - platelet-rich fibrin, 155
 - wound healing, 19
- angulated alveolar ridge, 212
- ANS *see* anterior nasal spine
- anterior iliac crest (AIC)
- autogenous block bone graft, 331, 332, 333
 - titanium mesh, 312, 313
- anterior mandible, 47–48, 47–48
- anterior maxilla, 42–44, 43–45
- anterior nasal spine (ANS), 43, 44
- anterior palate, 329, 330
- anterior superior alveolar (ASA) canal, 42, 43
- anterior superior alveolar nerve, 30
- antibiotics
- guided bone regeneration, 143
 - maxillary sinus elevation using lateral window approach, 433
 - orthodontic implant site development, 385
 - tent-pole abutment technique, 405
 - titanium mesh, 311, 321
- antral septa, 440
- antrostomy, 424–430, 425–429
- applied surgical jaw anatomy, 23–38, 23
- bone biology, 24
 - guided bone regeneration, 178
 - mandible, 30–37, 31–37
 - maxilla, 24–31, 26–31
 - maxillary sinus elevation using lateral window approach, 422–423
 - maxillary sinus elevation using transcrestal sinus floor elevation, 438–440, **439**
- artifacts, 51, 51
- ASA *see* anterior superior alveolar
- AST *see* alternative surgical techniques
- autogenous block bone (ABB) graft
- allogenic block bone graft, 210–211
 - alveolar bone classification by deficiency, 93, 95, 96
 - anatomical transpositioning, 334–336
 - augmentation techniques, 332–338
 - biological rationale for surgical procedure, 118–120, 122–123
 - case presentations, 199–205
 - complications, 404

- concepts and definitions, 196
 - cortical autogenous block tenting, 334, 335–336
 - cortical autogenous tenting, 196, 198–204, 198, 202–203
 - discussion, 338–339
 - donor sites for block bone, 327–332, 328–333
 - guided bone regeneration, 196, 197–198, 204–205, 204–205
 - horizontal ridge augmentation, 195–206
 - inferior alveolar nerve lateralization, 337, 337
 - inlay bone grafting, 336–337, 336
 - onlay block bone grafting, 332–334, 334, 337, 339
 - onlay bone grafting, 196, 197–198, 199, 201–205, 201, 203–205
 - pedicle segmental rotation, 337–338, 338
 - recipient site analysis, 196–197, 197
 - recipient site classification and defect analysis, 326–327, 327–328
 - regenerative techniques in bone grafting, 199, 200
 - techniques, 197–199
 - vertical ridge augmentation, 325–341
 - see also* Khoury split bone block grafting technique
- autogenous bone grafts
- short and ultra-short implants, 481, 482, 486, 490, 491
 - tissue engineering and regenerative medicine, 540–541
 - titanium mesh, 309–310
- autoinduction, 211
- autologous fibrin glue (AFG), 285, 407
- axial pattern flaps, 106

B

- bacterial contamination, 95
- BBG *see* block bone graft
- BBM *see* bovine bone mineral
- BDP-flap *see* buccally displaced palatal flap
- beam hardening artifacts, 51
- Bell, William H., 240
- benign (paroxysmal) positional vertigo (BPV/BPPV), 272, 440, 452–453
- beta-titanium archwire, 383, 388, 391
- BFPSC *see* buccal fat pad-derived stem cells
- biCAT *see* bilateral cortical autogenous tenting
- Bicon implants *see* short and ultra-short implants
- bilateral cortical autogenous tenting (biCAT), 334, 335
- biofilm, 19
- Bio-Heat trays, 168–169, 168–169
- biological rationale for surgical procedure, 116–125
- angiogenesis, 116–117, 120–122
 - conclusion and recommendations, 123–124
 - graft revascularization sources, 117–123, 118–123, **119**
 - Khoury split bone block grafting technique, 120, 121–122, 356
 - posterior sandwich osteotomy, 344
 - ridge-split expansion procedure/crestal sinus lift, 297–298
- biomimetics, 96
- Bio-Oss, 134–135
- biopsy, 224–227, 226–227, 230, 231–232
- bleeding/hemorrhage

- guided bone regeneration, 180
 - wound closure and healing, 112, 113
 - block bone graft (BBG)
 - alveolar bone classification by deficiency, 93, 95, 96
 - biological rationale for surgical procedure, 118–122, 121–123
 - see also* allogenic block bone graft; autogenous block bone graft
 - BMP *see* bone morphogenetic protein
 - BMSC *see* bone marrow stem cells
 - bone biology, 3–17, 3
 - anatomical aspects, 4–6, 5–6
 - angiogenesis, 8–9, 9
 - applied surgical jaw anatomy, 24
 - biomaterials for bone regeneration, 9–11, 10–11
 - loading, 14–15, 14
 - osseointegration, 12–13, 12–13, 12
 - remodeling and healing, 6–9, 6–9
 - bone-borne guides, 55
 - bone core technique, 359–361, 361–362
 - bone density, 51
 - bone grafting materials, 130–140
 - allografts, 130, 133, 134
 - alloplasts, 135–136, 136
 - autogenous bone grafts, 131–133
 - characteristics of normal bone, 130, 131
 - guided bone regeneration, 180, 181
 - maxillary sinus elevation using lateral window approach, 431
 - maxillary sinus elevation using transcrestal sinus floor elevation, 447–449, 449
 - platelet-rich fibrin, 158–159
 - tissue engineering and regenerative medicine, 540–542, 542
 - titanium mesh, 309–310
 - types of bone grafts, 130–131, 132
 - xenografts, 130–131, 134–135, 135
 - bone harvesting
 - autogenous block bone graft, 327–332, 328–333
 - guided bone regeneration, 180
 - Khoury split bone block grafting technique, 357, 358, 361–362, 363
 - short and ultra-short implants, 481, 482, 486, 490, 491
 - tent-pole abutment technique, 414
 - titanium mesh, 311–312, 312–314
 - bone loss
 - applied surgical jaw anatomy, 24, 25, 37
 - complete-arch dental implants, 527, 527
 - maxillary sinus elevation using transcrestal sinus floor elevation, 447–448
 - orthodontic implant site development, 388, 395
 - bone marrow stem cells (BMSC), 199, 545–546
 - bone morphogenetic protein (BMP)
 - allogenic block bone graft, 234
 - bone biology, 4, 9, 11, 11
 - bone grafting materials, 133
 - Khoury split bone block grafting technique, 357
 - posterior sandwich osteotomy, 347–348, 353
 - tissue engineering and regenerative medicine, 541, 545–546
 - bone quality, 51, 439
 - bone split, 257
 - bony fractures, 375
 - bony lid technique, 359, 360
 - book flap, 250, 250, 252, 289, 290–291, 294, 295
 - bovine bone mineral (BBM), 163, 309–310
 - bovine spongiform encephalopathy (BSE), 134
 - BPV/BPPV *see* benign (paroxysmal) positional vertigo
 - bridges
 - complete-arch dental implants, 529–532, 530–534
 - prosthetic evaluation in implant dentistry, 83–84, 84–87
 - ridge-split expansion procedure, 265, 265
 - zygomatic and pterygoid implants, 507–508
 - Broumand zygomatic notch retractor, 501, 501
 - BSE *see* bovine spongiform encephalopathy
 - buccal fat pad-derived stem cells (BFPSC), 199, 200
 - buccal flap release, 180, 181
 - buccally displaced palatal flap (BDP-flap), 432–433, 433
 - buccinator muscle, 26, 26, 29, 31, 33–34
- ## C
- CAD/CAM
 - allogenic block bone graft, 235
 - complete-arch dental implants, 518–519, 518
 - cone beam computed tomography, 54–58, 56–59
 - prosthetic evaluation in implant dentistry, 63, 80
 - short and ultra-short implants, 481
 - titanium mesh, 308, 309, 318–320
 - CAF *see* coronally advanced flap
 - calvarium
 - autogenous block bone graft, 331–332, 333
 - titanium mesh, 312, 314
 - canalis sinuosus, 42, 43
 - cancellous bone grafts
 - autogenous block bone graft, 197, 333–334
 - biological rationale for surgical procedure, 120
 - bone biology, 6, 8–9, 9
 - bone grafting materials, 132
 - canine fossa, 42
 - Carota technique, 359–361, 361–362
 - CAT *see* cortical autogenous tenting
 - Cawood–Howell classification, 480, 481
 - CBCT *see* cone beam computed tomography
 - CEJ *see* cemento-enamel junction
 - cell proliferation, 155
 - cell recruitment, 155
 - cemento-enamel junction (CEJ), 465
 - centric relation (CR), 517–522, 517
 - CGF *see* concentrated growth factor
 - chin
 - autogenous block bone graft, 329, 329
 - Khoury split bone block grafting technique, 361–362, 363

- chlorhexidine, 391, 433
- collagen membranes
 - alveolar bone classification by deficiency, 93
 - guided bone regeneration, 145, 145
 - platelet-rich fibrin, 169
- combination tooth–bone-borne guides, 55
- compact bone, 6, 6, 8–9, 9, 14
- complete-arch dental implants, 513–535
 - metal-resin implant with delayed immediate loading, 514–524
 - case planning, 518–519, 518
 - centric relation, 517–522, 517
 - discussion and conclusion, 523
 - photogrammetry, 521–522, 521–522
 - provisionalization, 519–522, 520–522
 - restorative building blocks, 517–523, 517–523
 - site classification, 514–516, 515–517
 - soft tissue, 522–523, 523
 - surgical procedures, 519, 519
 - vertical dimension of occlusion, 517–522, 518
 - platelet-rich fibrin, 169, 170
 - staged ceramo-metal implant rehabilitation, 525–535
 - case report, 526–534, 526–534
 - diagnosis, 527–528
 - discussion and conclusion, 534
 - examination and clinical presentation, 526–527, 526–528
 - failing/deteriorating dentition, 525–526
 - final treatment plan, 529
 - patient history, 526
 - provisionalization, 529–531, 530–532
 - surgical-restorative sequence performed, 529–532, 529–534
 - treatment options, 528–529
- compliance, 179
- computed tomography (CT)
 - allogenic block bone graft, 213
 - applied surgical jaw anatomy, 26, 27, 35
 - maxillary sinus elevation using lateral window approach, 423
 - maxillary sinus elevation using transcrestal sinus floor elevation, 439
 - orthodontic implant site development, 385, 389
 - prosthetic evaluation in implant dentistry, 67–72, 68–72, 77, 85
 - ridge-split expansion procedure, 280
 - zygomatic and pterygoid implants, 499–500, 500
 - see also* cone beam computed tomography
- computer-guided surgery, 70
- concentrated growth factor (CGF)
 - ridge-split expansion procedure, 285
 - tent-pole abutment technique, 407, 411, 412, 413–414
- cone beam computed tomography (CBCT)
 - allogenic block bone graft, 215, 220–222, 225, 228, 231, 233
 - alveolar bone classification by deficiency, 94, 100–101
 - anterior mandible, 47–48, 47–48
 - anterior maxilla, 42–44, 43–45
 - applied surgical jaw anatomy, 28, 31, 34–36, 35
 - autogenous block bone graft, 200, 203, 205
 - biological rationale for surgical procedure, 122
 - complete-arch dental implants, 526–527, 527–528
 - considerations for treatment planning, 42
 - distraction osteogenesis, 369, 369–370, 374–375
 - evaluation of the alveolar ridge, 39–60
 - guided bone regeneration, 142, 144, 147, 148
 - imaging considerations, 50–51, 51, 52
 - interactive implant treatment planning, 51–54, 52–55
 - maxillary sinus elevation using lateral window approach, 422–424, 426, 428–429
 - maxillary sinus elevation using transcrestal sinus floor elevation, 439, 443, 448
 - platelet-rich fibrin, 158, 161, 170
 - posterior mandible, 48–50, 48–50
 - posterior maxilla, 44–47, 45–47
 - posterior sandwich osteotomy, 348, 349
 - prosthetic evaluation in implant dentistry, 62–63, 64–65, 67–72, 69
 - ridge-split expansion procedure, 241–245, 242, 243, 245–246, 269, 272–275, 273, 275
 - role of radiography in implant dentistry, 40–42, 41
 - scan orientation, 52, 52–53
 - short and ultra-short implants, 481
 - surgical guides, 54–56, 56
 - technological advances, 56–58, 57–59
 - tent-pole abutment technique, 412, 416
 - titanium mesh, 309, 310, 315, 318–320
 - zygomatic and pterygoid implants, 503, 504, 506–508
- conical progressive osteotomies, 269–271, 269–271
- connective tissue grafts (CTG), 464–468
 - biological rationale for surgical procedure, 122–123, 123
 - covered connective tissue graft, 466–468, 466–468
 - free connective tissue graft, 465, 465–466
 - guided bone regeneration, 150
 - maxillary sinus elevation using lateral window approach, 433
 - tissue engineering and regenerative medicine, 543
- continuous sutures, 111, 111
- coronally advanced flap (CAF), 466–468, 466–468
- cortical autogenous tenting (CAT), 196, 198–204, 198, 202–203, 334, 335–336
- cortical bone grafts
 - autogenous block bone graft, 197, 331–333, 333
 - bone biology, 6, 6
 - bone grafting materials, 132–133
 - Khouri split bone block grafting technique, 357, 358
- cortico-cancellous bone grafts
 - autogenous block bone graft, 197, 330–331, 331–332
 - bone grafting materials, 133
- corticotomy *see* ridge-split expansion procedure
- CR *see* centric relation
- crestal corticotomy, 256
- crestal incisions, 107, 109, 112

crestal osteotomy, 259, 280
 crestal sinus lift (CSL)
 biological rationale for surgical procedure, 297–298
 case reports, 298–302, 298–302
 ESLI sequence, 296
 platelet-rich fibrin, 167–168, 167
 ridge-split expansion procedure, 294–303
 vertical ridge augmentation, 295–296, 296
 volumetric bone augmentation in posterior maxilla, 296–302, 297–302
 see also transcrestal sinus floor elevation
 crowns
 complete-arch dental implants, 532, 532–534
 maxillary sinus elevation using lateral window approach, 421
 orthodontic implant site development, 382, 385, 385, 390, 394–395, 397, 400
 prosthetic evaluation in implant dentistry, 77, 79, 83–84, 84–87
 ridge-split expansion procedure, 260
 short and ultra-short implants, 483–484, 484, 487, 488–489, 492, 492–493
 titanium mesh, 309
 Cr:YSGG lasers, 280
 CSL *see* crestal sinus lift
 CT *see* computed tomography
 CTG *see* connective tissue graft
 cutaneous fistula, 508–509
 cytokines, 18–19

D

DBBM *see* deproteinized bovine bone matrix
 decortication, 214–217, 217
 demineralized freeze-dried bone allografts (DFDBA), 133
 allogenic block bone graft, 211
 platelet-rich fibrin, 159
 demineralized tooth bone block, 407, 408
 dense polytetrafluoroethylene (d-PTFE) membranes
 alveolar bone classification by deficiency, 93, 96
 guided bone regeneration, 178, 184–190, 185–191, 193
 volumetric ridge augmentation, 404
 dental examination, 63
 dental pulp stem cells (DPSC), 544
 dental stem cells, 544, 544, **544**
 dentures
 applied surgical jaw anatomy, 24, 25
 complete-arch dental implants, 520, 520, 525
 partial dentures, 190–191, 191–192
 prosthetic evaluation in implant dentistry, 84–89, 88
 deproteinized bovine bone matrix (DBBM), 163
 detached/devascularized buccal bone fragment, 272, 274
 DFDBA *see* demineralized freeze-dried bone allografts
 diabetes mellitus, 8
 diagnostic casts/wax-ups
 complete-arch dental implants, 518–519, 518, 529–530, 530–533

guided bone regeneration, 143
 prosthetic evaluation in implant dentistry, 63, 66–67, 68, 71–72, 73
 ridge-split expansion procedure, 245, 247
 titanium mesh, 309
 distraction osteogenesis (DO)
 advantages and disadvantages, 374
 alveolar bone classification by deficiency, 95, 96–97, 97
 anterior maxilla, 375, 376–378
 biological rationale for surgical procedure, 118, 119
 case reports, 375–379, 376–379
 complications, 374–375
 conclusion and recommendations, 376–379
 indications, 373–374, 374–375
 posterior mandible, 376, 378–379
 surgical procedure, 369–371, 369–373
 vertical ridge augmentation, 367–380
 DPSC *see* dental pulp stem cells
 d-PTFE *see* dense polytetrafluoroethylene
 dual-scan techniques, 67–73, 71–75
 dynamic surgical techniques, 94–95

E

Early Healing Score (EHS), 21, **21**, 22
 ECM *see* extracellular matrix
 edentulous patient
 prosthetic evaluation in implant dentistry, 72–73, 73–75, 83–89, 84–88
 zygomatic and pterygoid implants, 496, 497, 506–508, 506–508
 edentulous ridge expansion (ERE), 240
 EHS *see* Early Healing Score
 El Chaar technique, 470, 471
 endochondral ossification, 7
 endodontics, 382, 384
 endoscope-controlled maxillary sinus elevation, 449
 endosteal revascularization, 117
 envelope flaps, 107
 e-PRF *see* extended platelet-rich fibrin
 e-PTFE *see* expanded polytetrafluoroethylene
 ERE *see* edentulous ridge expansion
 Er:YAG lasers, 280
 ESLI sequence, 296
 esthetics
 gingival display, 526, 526
 gingival hue, 78, 78
 orthodontic implant site development, 382, 383
 prosthetic evaluation in implant dentistry, 76–80, 76–80
 soft tissue grafts, 460
 expanded polytetrafluoroethylene (e-PTFE), 404
 extended platelet-rich fibrin (e-PRF), 168–169, 168–171
 external oblique ridge, 31
 extracellular matrix (ECM), 18–19, 540

extractions

- alveolar bone classification by deficiency, 92
 - applied surgical jaw anatomy, 24, 30
 - complete-arch dental implants, 525, 528–529
 - cone beam computed tomography, 50
 - guided bone regeneration, 144–145, 145, 147–148, 148, 181, 182–183
 - orthodontic implant site development, 382, 383, 384, 388
 - platelet-rich fibrin, 157–160, 161
 - prosthetic evaluation in implant dentistry, 76, 76
 - short and ultra-short implants, 484–489, 484–489
 - soft tissue grafts, 471–472, 472–473
- extraoral harvest, 330–332, 331–333
- extraoral soft tissue examination, 63
- extraosseous alveolar bone defects, 94, 94
- extrasinus surgical approach, 501–503, 504

F

- facial esthetics, 169, 171
- FDBA *see* freeze-dried bone allografts
- FFBA *see* fresh-frozen bone allografts
- FGF *see* fibroblast growth factor
- FGG *see* free gingival graft
- fiber-reinforced composite (FRC), 480–481
- fibroblast growth factor (FGF), 540–541, 545–546
- fiduciary markers, 69
- field of view (FOV), 50
- fissure bur, 278, 279
- fixed prosthesis
- prosthetic evaluation in implant dentistry, 84–89, 88
 - short and ultra-short implants, 480–481
 - zygomatic and pterygoid implants, 498, 505
- flap design, 106–108, 107–109
- allogenic block bone graft, 214, 216, 221–222, 223, 229, 229
 - guided bone regeneration, 180
 - maxillary sinus elevation using lateral window approach, 423–424, 432–433, 433
 - ridge-split expansion procedure, 249–250, 250, 256–257, 257, 261
 - short and ultra-short implants, 484–486, 485–487, 490, 490
 - soft tissue grafts, 460–461, 461–462, 464–469, 465–470
 - tent-pole abutment technique, 407, 413–414
 - titanium mesh, 312–314
- flapless extraction, 145, 145, 151
- forced eruption, 381–382
- FOV *see* field of view
- fracture displacement *see* island flap
- fractured teeth, 147–150, 147–151
- FRC *see* fiber-reinforced composite
- free connective tissue graft, 465, 465–466
- free gingival graft (FGG), 464, 543
- freeze-dried bone allografts (FDBA)
- allogenic block bone graft, 211
 - bone grafting materials, 133

platelet-rich fibrin, 158–159

fresh-frozen bone allografts (FFBA), 133

FTF *see* full-thickness flap

full-arch dental implants *see* complete-arch dental implants

full-thickness flap (FTF), 250, 256–257, 257, 261, 272

G

- GBR *see* guided bone regeneration
- general anesthesia, 311
- genial tubercles, 48, 48
- genioglossus muscle, 32
- gingival display, 526, 526
- gingival hue, 78, 78
- gingival mesenchymal stem cells (GMSC), 544
- granulation tissue, 19
- greater palatine foramen, 46–47, 47
- greenstick-fracture *see* book flap
- GTR *see* guided tissue regeneration
- guided bone regeneration (GBR)
- alveolar bone classification by deficiency, 92, 93, 95–96, 96
 - applied surgical anatomy, 178
 - autogenous block bone graft, 196, 197–198, 204–205, 204–205, 334, 339
 - basic principles, 179–180
 - biological rationale for surgical procedure, 118, 120
 - bone loss due to peri-implantitis, 189–190, 189–191
 - case reports, 144–150, 144–151, 181–191
 - complications, 192
 - conclusion and recommendations, 151
 - discussion, 150–151, 193
 - distraction osteogenesis, 368
 - failing endosseous implant, 182–184, 183–184
 - failing partial denture, 190–191, 191–192
 - fractured maxillary incisor, 147–150, 147–151
 - horizontal ridge augmentation, 177–194
 - indications and contraindications, 179
 - literature review, 142–143
 - orthodontic implant site development, 387
 - platelet-rich fibrin, 157, 157, 160–163, 163
 - posterior sandwich osteotomy, 347, 352–353
 - post-operative care, 192
 - ridge preservation, 141–152
 - ridge-split expansion procedure, 250–252, 251–252, 275, 275
 - soft tissue grafts, 144–147, 145–147
 - surgical technique, 143–144, 180–181, 181
 - tent-pole abutment technique, 403–418
 - tissue engineering and regenerative medicine, 542
 - titanium mesh, 308
 - titanium-reinforced dPTFE membranes, 178, 184–190, 185–191, 193
 - traumatic mandibular molar extraction, 181, 182–183
 - traumatic tooth loss, 185–189, 187–189
 - volumetric ridge augmentation, 404

guided surgery, 70, 520–521, 520
 guided tissue regeneration (GTR)
 alveolar bone classification by deficiency, 92–93, 96
 horizontal ridge augmentation, 181, 182
 ridge-split expansion procedure, 251, 258

H

HA *see* hyaluronic acid
 HANT *see* heat-activated nickel-titanium
 Haversian canal, 8–9, 9
 heat-activated nickel-titanium (HANT) archwire, 391, 395–396
 hematoma, 112, 113
 hemostasis, 18, 21, 21
 HIF *see* hypoxia inducible factor
 histomorphometric analysis, 226–227, 227, 231
 HIV/AIDS, 133
 horizontal ridge augmentation
 allogenic block bone graft, 209–238
 alveolar bone classification by deficiency, 93, 93, 95–96, 98
 autogenous block bone graft, 195–206
 guided bone regeneration, 177–194
 prosthetic evaluation in implant dentistry, 78–80, 80
 ridge-split expansion procedure, 239–276, 277–292
 ridge-split expansion procedure/crestal sinus lift, 294–303
 tent-pole abutment technique, 410–411, 410–413
 Howship's lacunae, 6–7, 7
 hyaluronic acid (HA), 10, 11
 hydraulic pressure technique, 444–446, 446
 hydroxyapatite (HA)
 bone biology, 5, 10, 11
 bone grafting materials, 131, 134–135, 137
 hypermineralization, 5–6
 hypomineralization, 5
 hypoxia inducible factor (HIF), 9

I

IAC *see* integrated abutment crowns
 IAN *see* inferior alveolar nerve
 IBG *see* inlay bone grafting
 IGF *see* insulin-like growth factor
 implant migration, 452
 implant-related complications, 273–275, 274–275
 implant stability quotient (ISQ), 165
 implant-supported bridges
 complete-arch dental implants, 529–532, 530–534
 prosthetic evaluation in implant dentistry, 83–84, 84–87
 ridge-split expansion procedure, 265, 265
 zygomatic and pterygoid implants, 507–508
 incision design, 106
 allogenic block bone graft, 214–217, 217, 221–222, 223, 229, 229
 guided bone regeneration, 180
 maxillary sinus elevation using lateral window approach, 423–424
 titanium mesh, 312–314
 incisive canal, 47, 47

incisus labii superioris muscle, 28
 inferior alveolar nerve (IAN)
 applied surgical jaw anatomy, 34–35, 35
 autogenous block bone graft, 327, 337, 337
 cone beam computed tomography, 48, 48–49
 distraction osteogenesis, 368–369, 370, 375
 inflammation/infection
 cone beam computed tomography, 44–46, 46
 distraction osteogenesis, 375
 maxillary sinus elevation using transcrestal sinus floor
 elevation, 450
 orthodontic implant site development, 385
 tissue engineering and regenerative medicine, 540
 titanium mesh, 321–322
 wound healing, 18–19, 21, 21
 informed consent, 63
 infraorbital nerve, 423
 infraorbital neurovascular bundle, 27, 27
 infratemporal fossa, 27, 31
 inlay bone grafting (IBG)
 alveolar bone classification by deficiency, 94, 95
 autogenous block bone graft, 336–337, 336
 biological rationale for surgical procedure, 344
 clinical applications, 347–351, 347–352
 discussion, 351–353
 posterior mandible, 350–351, 351–353
 posterior maxilla, 344–348, 345–351
 posterior sandwich osteotomy, 343–354
 technique, 344–346, 345–346
 insulin-like growth factor (IGF), 338, 541, 545–546
 integrated abutment crowns (IAC), 483–484, 484, 487, 488–489,
 492, 492–493
 internal oblique ridge, 32
 interrupted sutures, 111, 111
 intramembranous ossification, 7
 intramembranous osteogenesis, 7
 intraoral harvest, 327–330, 328–330
 intraoral soft tissue examination, 63
 intraoral ultrasonography, 58
 intraosseous alveolar bone defects, 94, 95
 island flap, 250, 250, 252, 259, 272, 273, 287–289, 288–291,
 291, 294, 295
 ISQ *see* implant stability quotient

J

Jensen all-on-four site classification, 514–516, 515–517

K

Kazanjian vestibuloplasty, 364, 365
 keratinization
 allogenic block bone graft, 234
 guided bone regeneration, 182–184, 183–184, 188
 ridge-split expansion procedure, 276
 soft tissue grafts, 459–474

Khoury split bone block grafting technique, 355–366
 augmentation techniques, 359–365
 biological rationale for surgical procedure, 120, 121–122, 356
 biology of bone regeneration, 356–359, 358
 bone core technique, 359–361, 361–362
 bony lid technique, 359, 360
 large bony defects/severe bone atrophy, 361–365, 363–364
 knife-edged crest, 44, 45

L

large bony defects, 361–365, 363–364
 lateral canal, 47, 47
 lateral cephalometric radiography, 377
 lateral implant site development, 388–390, 392–394
 lateral pterygoid muscle, 33
 lateral ramus cortical bone (LRCB), 327, 334, 334
 lateral sinus lift/bone graft
 anesthesia, 423
 applied surgical anatomy, 422–423
 flap management/entry, 423–424
 indications and contraindications, 420
 insertion of graft material and implant placement, 430–431
 maxillary sinus elevation, 419–435
 perforation, 430
 post-operative considerations, 433
 pre-operative diagnosis, planning, and case difficulty, 420–422, 421
 preparation of implant sites, 430
 sinus membrane elevation, 430
 stage two surgery, 432–433, 433
 window preparation/antrostomy, 424–430, 425–429
 leukocyte- and platelet-rich fibrin (L-PRF), 155–156, 155–156
 autogenous block bone graft, 201, 201–202
 maxillary sinus elevation using lateral window approach, 433
 levator anguli oris muscle, 28
 levator labii superioris muscle, 28
 lingual foramen, 47, 47
 lingual nerve, 33, 35–36, 49–50
 LMS classification, 196–197, 197, 328
 loading
 bone biology, 14–15, 14
 guided bone regeneration, 143, 145
 local anesthesia
 guided bone regeneration, 143, 148
 maxillary sinus elevation using lateral window approach, 423
 titanium mesh, 311
 locking continuous sutures, 111, 111
 long buccal nerve, 36
 long face syndrome, 526–534, 526–534
 low window technique, 425–427
 L-PRF *see* leukocyte- and platelet-rich fibrin
 LRCB *see* lateral ramus cortical bone
 lymph nodes, 31

M

macrophages, 19
 mandible
 applied surgical jaw anatomy, 30–37, 31–37
 blood supply, 30–31, 36–37, 36–37
 cone beam computed tomography, 42, 47–50, 47–50
 innervation of lower jaw and associated structures, 33, 34–35, 35
 muscles of surgical importance, 32–34, 33–34
 mandibular body/ramus
 autogenous block bone graft, 327–329, 328
 titanium mesh, 311, 312
 mandibular symphysis, 329, 329, 361–362, 363
 manual osteotome/chisel, 282, 282, 439–440, **440**
 masseter muscle, 34
 mastication, 92, 95
 matrix metalloproteinases (MMP), 18–19
 mattress sutures, 111–112, 111–112
 maxilla
 applied surgical jaw anatomy, 24–31, 26–31
 arterial supply, 30–31, 30
 cone beam computed tomography, 42–47, 43–47
 lymphatic drainage, 31
 muscles of surgical importance, 28–29, 29
 sensory innervation, 29–30, 29
 surgical access to maxillary sinus, 27–28, 27–28
 venous drainage, 31, 31
 maxillary full-arch dental implants *see* complete-arch dental implants
 maxillary nerve, 423
 maxillary sinus elevation
 anesthesia, 423
 applied surgical anatomy, 422–423, 438–440, **439**
 complications, 450–453, **451–452**
 conclusion and recommendations, 453
 endoscope-controlled maxillary sinus elevation, 449
 flap management/entry, 423–424
 hydraulic pressure technique, 444–446, 446
 implant length in osteotome procedures, 449
 indications and contraindications, 420
 insertion of graft material and implant placement, 430–431, 447–449, 449
 instrumentation and techniques, 440–449, **440–441**
 lateral sinus lift/bone graft, 419–435
 osseodensification burs, 439–440, 446–447, 447–448
 perforation, 430
 post-operative considerations, 433, 450
 pre-operative diagnosis, planning, and case difficulty, 420–422, 421
 preparation of implant sites, 430
 reamers approach, 443–444, 443, 445
 sinus membrane elevation, 430
 staged crestal maxillary sinus augmentation, 444
 stage two surgery, 432–433, 433
 Summers' osteotomy technique, 440–443
 transcrestal sinus floor elevation, 437–456

window preparation/antroostomy, 424–430, 425–429
 maxillary tuberosity
 autogenous block bone graft, 329–330, 330
 guided bone regeneration, 150, 150
 zygomatic and pterygoid implants, 496, 499–500, 500, 504
 mCAT *see* multiple cortical autogenous tenting
 MDT *see* multidisciplinary team
 medial pterygoid muscle, 32–33
 membrane perforation
 cone beam computed tomography, 44, 45–46
 maxillary sinus elevation using lateral window approach, 430
 maxillary sinus elevation using transcrestal sinus floor elevation, 448–449, 450
 platelet-rich fibrin, 164–166, 165
 mental foramen
 applied surgical jaw anatomy, 31, 35
 cone beam computed tomography, 48–49, 49
 mentalis muscle, 33, 34
 mental neurovascular bundle, 31
 mental symphysis, 311–312, 313
 mesenchymal stem cells (MSC)
 autogenous block bone graft, 199, 338
 bone grafting materials, 131
 tissue engineering and regenerative medicine, 542, 544–545
 MGL *see* muco-gingival line
 micro-saw, 278, 279, 357–359, 358
 microvascular anastomosis, 117
 middle superior alveolar nerve, 30
 MMP *see* matrix metalloproteinases
 MOPF *see* muco-osteoperiosteal flap
 MSC *see* mesenchymal stem cells
 muco-gingival line (MGL), 461, 461–462, 464
 muco-osteoperiosteal flap (MOPF), 261
 mucoperiosteal flap
 allogenic block bone graft, 216
 applied surgical jaw anatomy, 31, 37
 guided bone regeneration, 180, 190–191
 incision design, 106
 ridge-split expansion procedure, 256
 short and ultra-short implants, 484–486, 485–487, 490, 490
 tent-pole abutment technique, 407, 413–414
 wound closure and healing, 108–109, 109
 multidirectional orthodontic movement, 391, 394–397
 multidisciplinary team (MDT), 62
 multiple cortical autogenous tenting (mCAT), 334, 335
 mylohyoid muscle, 32, 33
 mylohyoid nerve, 36

N

nasal floor, 43, 44
 nasopalatine canal, 42, 43
 nasopalatine foramen, 42
 nerve injury, 112, 112

neurosensory complications, 273
 nickel-titanium (NiTi SE) coil spring, 390–391, 394, 396–397
 nonsteroidal anti-inflammatory drugs (NSAID), 433

O

OBG *see* onlay bone grafting
 occlusal examination, 63
 occlusal radiography, 42
 OISD *see* orthodontic implant site development
 OMC *see* osteomeatal complex
 onlay bone grafting (OBG)
 alveolar bone classification by deficiency, 94, 95
 autogenous block bone graft, 196, 197–198, 199, 201–205, 201, 203–205, 332–334, 334, 337, 339
 distraction osteogenesis, 373–374, 375
 oral mucosa, 20–21, 21–22, 21
 oral soft tissue, 20–21, 21–22, 21
 oro-sinus fistula, 508–509
 orthodontic implant site development (OISD)
 advantages, 399, 399, 399
 conclusion and recommendations, 399, 400
 contraindications, 392–399, 399
 discussion, 392–399, 398–399, 399
 distraction osteogenesis, 371, 372, 375
 forced eruption, 381–382
 lateral implant site development, 388–390, 392–394
 limitations, 399
 multidirectional movement, 391, 394–397
 posterior teeth, 385, 386–387
 prosthetic evaluation in implant dentistry, 67, 77
 technique, 382–385, 383–385
 three-dimensional bone remodeling, 388, 388–391
 vertical ridge augmentation, 381–401
 orthognathic surgery, 30–31
 orthopantograph *see* panoramic radiography
 orthopedics, 92
 osseodensification
 allogenic block bone graft, 227, 227, 232
 maxillary sinus elevation using transcrestal sinus floor elevation, 439–440, 446–447, 447–448
 ridge-split expansion procedure, 283, 283
 osseointegration
 bone biology, 12–13, 12–13, 12
 bone grafting materials, 130
 maxillary sinus elevation using lateral window approach, 431
 orthodontic implant site development, 382, 383, 400
 ridge-split expansion procedure, 275
 short and ultra-short implants, 483
 zygomatic and pterygoid implants, 498
 ossification, 7, 11
 osteoblasts, 4, 5, 6–7, 6–7
 osteocalcin, 234
 osteoclasts, 4, 5, 6–7, 7

osteocondensation, 298
 osteoconduction
 allogenic block bone graft, 211
 bone grafting materials, 130, 132–133
 Khoury split bone block grafting technique, 357
 maxillary sinus elevation using lateral window approach, 431
 ridge-split expansion procedure, 252–253
 tissue engineering and regenerative medicine, 541
 osteocytes, 4, 14
 osteogenesis
 autogenous block bone graft, 197
 bone biology, 7, 11
 bone grafting materials, 130
 Khoury split bone block grafting technique, 357
 tissue engineering and regenerative medicine, 541
 osteoinduction
 bone grafting materials, 130, 132–133
 Khoury split bone block grafting technique, 357
 tissue engineering and regenerative medicine, 541
 osteomeatal complex (OMC), 44–46, 45–46, 422
 osteomobilization, 252, 253
 osteons, 6, 6
 osteoperiosteal flap, 249–252, 250, 252
 osteoporosis, 179
 osteosynthesis screws, 272, 274
 overdentures, 84–89, 88

P

Palacci technique, 470
 palatal defects, 78, 79
 palatal incisions, 107, 109
 panoramic radiography
 allogenic block bone graft, 215, 222, 228, 231, 233
 biological rationale for surgical procedure, 121
 complete-arch dental implants, 526–527, 527, 530
 distraction osteogenesis, 370, 371, 372–374, 377–379
 evaluation of the alveolar ridge, 40, 41, 49–50, 53, 53
 Khoury split bone block grafting technique, 363–364
 maxillary sinus elevation using lateral window approach, 432
 maxillary sinus elevation using transcrestal sinus floor elevation, 442
 orthodontic implant site development, 397
 posterior sandwich osteotomy, 347
 prosthetic evaluation in implant dentistry, 69, 72–75, 77, 81, 83–84, 87–88
 ridge-split expansion procedure, 241, 260, 263, 265, 269, 289, 291
 short and ultra-short implants, 481, 483–484, 487–490, 492–493
 tent-pole abutment technique, 407–409, 414
 titanium mesh, 315, 318–319
 zygomatic and pterygoid implants, 497, 508
 papilla management, 470, 471
 paralleling pins, 481, 490–491
 partial dentures, 190–191, 191–192

partially edentulous patient, 67–72, 70–72, 76–83, 76–83
 partial-thickness flap (PTF), 250
 particulate bone grafts
 autogenous block bone graft, 328
 ridge-split expansion procedure, 258, 258
 PASS principles, 211
 PDGF *see* platelet-derived growth factor
 pedicled vascularized segmental osteotomy, 343–354
 biological rationale for surgical procedure, 344
 clinical applications, 347–351, 347–352
 discussion, 351–353
 posterior mandible, 350–351, 351–353
 posterior maxilla, 344–348, 345–351
 technique, 344–346, 345–346
 pedicle segmental rotation (PSR), 337–338, 338
 periapical radiography
 allogenic block bone graft, 215, 221
 complete-arch dental implants, 526–527, 527
 evaluation of the alveolar ridge, 40, 41
 guided bone regeneration, 183–186, 189, 191–192
 Khoury split bone block grafting technique, 360, 363–364
 maxillary sinus elevation using lateral window approach, 425, 427, 429
 maxillary sinus elevation using transcrestal sinus floor elevation, 442, 445, 448–449
 orthodontic implant site development, 383, 386–387, 392–398, 400
 posterior sandwich osteotomy, 350–351
 prosthetic evaluation in implant dentistry, 66, 68, 76–77, 79–83
 ridge-split expansion procedure, 271, 281, 284–285, 287, 291
 ridge-split expansion procedure/crestal sinus lift, 296, 298, 300–302
 soft tissue grafts, 472
 tent-pole abutment technique, 406–409, 412–413, 415–416
 titanium mesh, 319–320
 peri-implant bone resorption, 322–323
 peri-implantitis
 bone biology, 4
 complete-arch dental implants, 525
 guided bone regeneration, 189–190, 189–191
 soft tissue grafts, 466–468, 466–468
 periodontal disease
 bone biology, 4
 complete-arch dental implants, 526–528, 526–528
 guided bone regeneration, 179
 periodontal examination, 63
 periodontal therapy, 382, 384
 periosteal release incision, 214–217, 217, 229
 periosteal revascularization, 117
 PGR *see* prosthetically guided regeneration
 photogrammetry, 521–522, 521–522
 PIC *see* posterior iliac crest
 piezoelectric surgery
 maxillary sinus elevation using lateral window approach, 427–430, 428–429

- ridge-split expansion procedure, 280–281, 282
 - platelet concentrates, 11
 - platelet-derived growth factor (PDGF)
 - alveolar bone classification by deficiency, 96
 - autogenous block bone graft, 338
 - platelet-rich fibrin, 155
 - tissue engineering and regenerative medicine, 540–541, 545–546
 - platelet-rich fibrin (PRF), 153–174
 - advantages, 166
 - allogenic block bone graft, 219, 219
 - alveolar bone classification by deficiency, 96
 - autogenous block bone graft, 199, 201, 201–203
 - bone graft versus bone graft + PRF, 159
 - centrifugation protocols, 155–157, 155–157
 - clinical uses, 157–166
 - discussion and future research, 167–171, 167–171
 - extended platelet-rich fibrin, 168–169, 168–171
 - extraction site management, 157–160, 161
 - facial esthetics, 169, 171
 - growth factors, 154, 155
 - guided bone regeneration, 157, 157, 160–163, 163
 - historical development, 154–155
 - Khouri split bone block grafting technique, 362–363
 - leukocyte- and platelet-rich fibrin, 155–156, 155–156, 201, 201–202
 - maxillary sinus elevation using lateral window approach, 433
 - maxillary sinus elevation using transcrestal sinus floor elevation, 447
 - Schneiderian membrane perforations, 164–166, 165
 - sinus grafting procedures, 164–168, 165–167
 - titanium mesh, 314
 - versus bone grafting material, 158–159
 - wound closure and healing, 158
 - platelet-rich plasma (PRP), 96, 199
 - PLGA *see* poly(lactic-co-glycolic) acid
 - PMN *see* polymorphonuclear neutrophils
 - poly(lactic-co-glycolic) acid (PLGA), 546
 - polymers, 10–11
 - polymorphonuclear neutrophils (PMN), 18–19
 - polytetrafluoroethylene (PTFE) membranes
 - alveolar bone classification by deficiency, 93, 96
 - guided bone regeneration, 178, 181, 181, 184–190, 185–191, 193
 - volumetric ridge augmentation, 404
 - pontics
 - guided bone regeneration, 148, 149, 182–184, 183–184
 - orthodontic implant site development, 396–397
 - posterior iliac crest (PIC), 330–331, 331, 333
 - posterior mandible, 48–50, 48–50
 - posterior maxilla, 44–47, 45–47
 - posterior sandwich osteotomy, 343–354
 - biological rationale for surgical procedure, 344
 - clinical applications, 347–351, 347–352
 - discussion, 351–353
 - posterior mandible, 350–351, 351–353
 - posterior maxilla, 344–348, 345–351
 - technique, 344–346, 345–346
 - posterior superior alveolar (PSA) artery, 424
 - posterior superior alveolar (PSA) canal, 42, 43, 46
 - posterior superior alveolar (PSA) nerve, 29
 - premature ossification, 375, 379
 - PRF *see* platelet-rich fibrin
 - proliferation, 19
 - prosthodontically guided regeneration (PGR), 309
 - prosthetic evaluation in implant dentistry, 61–90
 - clinical applications, 76–89
 - completely edentulous patient, 83–89, 84–88
 - crown and bridge restoration, 83–84, 84–87
 - overdentures and fixed complete dentures, 84–89, 88
 - partially edentulous patient in esthetic zone, 76–80, 76–80
 - partially edentulous patient in posterior dentition, 80–83, 81–83
 - cone beam computed tomography, 54, 54–55
 - diagnosis and treatment plan, 63
 - diagnostic casts and wax-ups, 66–67, 68
 - diagnostic work-up, 62–63, 64–65
 - initial evaluation, 62–73
 - radiographic guides, 62–63, 67–73, 69–75
 - smile evaluation, 63–66, 66–67
 - provisionalization, 519–522, 520–522, 529–531, 530–532
 - PRP *see* platelet-rich plasma
 - PSA *see* posterior superior alveolar
 - pseudocysts, 44–45, 46
 - PSR *see* pedicle segmental rotation
 - pterygoid implants, 495–512
 - clinical cases, 507–508, 507–508
 - complete-arch dental implants, 516, 516–517
 - complications, 507–510, 509
 - contraindications, 499, 499
 - discussion and conclusion, 510
 - historical development, 496
 - indications, 498
 - pre-operative planning, 499–500, 500
 - prosthetic considerations, 505
 - surgical approaches, 503–505, 505
 - treatment concepts, 496–498, 498
 - pterygomandibular space, 32–33, 33
 - pterygomaxillary process, 498–500, 500
 - pterygopalatine fossa, 27, 29–30
 - PTF *see* partial-thickness flap
 - PTFE *see* polytetrafluoroethylene
- R**
- radiation dose, 51, 52
 - radiographic guides, 62–63, 67–73, 69–75
 - random pattern flaps, 106
 - RANK/RANKL, 4
 - RAP *see* regional acceleratory phenomenon

- RBC *see* red blood cells
- reamers approach, 443–444, 443, 445
- reciprocation saw, 279–280, 279–281
- recombinant bone morphogenetic protein (rhBMP-2)
- alveolar bone classification by deficiency, 96
 - autogenous block bone graft, 338
 - platelet-rich fibrin, 163
 - tissue engineering and regenerative medicine, 545–546
 - titanium mesh, 310
- red blood cells (RBC), 156
- re-epithelialization, 19, 21, **21**, 22
- regional acceleratory phenomenon (RAP), 216
- remodeling process
- bone biology, 6–9, 6–9, 14
 - wound healing, 19
- residual alveolar height classification, 438–439, **439**
- retention, 371, 372
- revascularization
- biological rationale for surgical procedure, 117–123, 118–123, **119**
 - bone grafting materials, 132–133
 - Khoury split bone block grafting technique, 357
 - ridge-split expansion procedure/crestal sinus lift, 297
- rhBMP-2 *see* recombinant bone morphogenetic protein
- rhinosinusitis, 509
- ridge atrophy/hypoplasia
- allogenic block bone graft, 212–213
 - complete-arch dental implants, 514–516, 515–517
 - cone beam computed tomography, 42, 43–44, 45, 47–48, 50, 50
 - Khoury split bone block grafting technique, 361–365, 363–364
 - ridge-split expansion procedure, 272, 273
 - zygomatic and pterygoid implants, 496, 498, 506–508, 506–508
- ridge expanders, 282–283, 282–284
- ridge preservation (RP)
- alveolar bone classification by deficiency, 92–93, 93
 - bone grafting materials, 130–140
 - guided bone regeneration, 141–152
 - platelet-rich fibrin, 153–174
- ridge-split expansion procedure (RSEP)
- advanced techniques for experienced practitioners, 266–271
 - alveolar bone classification by deficiency, 94–95, 95, 96
 - alveolar split with conical progressive osteotomies, 269–271, 269–271
 - anatomic difference of maxilla and mandible, 249
 - biological rationale for surgical procedure, 118, 120, 297–298
 - case reports, 258–260, 259–260, 263–265, 263–265, 269–271, 269–271, 280, 280–281, 283–289, 284–291, 298–302, 298–302
 - complications, 272–275, 273–275
 - conclusion and recommendations, 275–276
 - cone beam computed tomography, 241–245, **242**, 243, 245–246
 - crestal sinus lift, 294–303
 - diagnosis and treatment planning, 240–248
 - diagnostic work-up, 243–244, 244
 - ESLI sequence, 296
 - guided bone regeneration, 250–252, 251–252, 275, 275
 - historical development, 240
 - horizontal ridge augmentation, 239–276, 277–292, 294, 295
 - instrumentation, 244, 245–247, 247, 257, 257, 278–283, 279–283
 - management of fractured buccal segment, 291, 291
 - osteoconduction of surrounding bone, 252–253
 - osteomobilization of buccal bone fragment, 252, 253
 - patient (host) selection, 240
 - piezoelectric surgery, 280–281, 282
 - ridge defect analysis and classification, 241–243, 241, **242**, 243
 - ridge expanders, 282–283, 282–284
 - secondary intention and wound healing, 250–252, 251–252
 - single-stage alveolar split/immediate implant/closed flap, 266, 267
 - single-stage alveolar split/immediate implant/open flap, 267–268, 268
 - single-stage alveolar split/open flap, 267
 - single-stage mandibular alveolar split/closed flap, 266
 - single-stage mandibular alveolar split/simultaneous implant, 285, 286–287
 - single-stage maxillary alveolar split, 261–265
 - single-stage maxillary alveolar split/simultaneous implant, 283, 284–285
 - spreader-driven ridge expansion, 268–269, 268
 - staged RSEP/fracture of the buccal segment, 287–288, 288–289
 - staged RSEP/reposition of greenstick-fractured buccal segment, 289, 290–291
 - surgical principles, 249–253
 - surgical stent, 245, 247
 - two-stage mandibular alveolar split, 254–260
 - two-stage ridge-split expansion, 285–287
 - vascularization, 249–250, 250
 - vertical ridge augmentation, 294–303
 - volumetric bone augmentation in posterior maxilla, 296–302, 297–302
- ridge width augmentation, 80–81, 81–82
- roll technique, 461–464, 462–464
- rotary disk, 278, 279
- rotary expanders, 283, 283
- rotary window preparation, 427
- rotated pediculated lingual marginal tissue, 470, 471
- rotated pediculated marginal tissue, 470
- rotational stability, 452
- RP *see* ridge preservation
- RSEP *see* ridge-split expansion procedure
- S**
- SAD *see* simplified antrostomy design
- sagittal sandwich osteotomy (SSO), 118, 120
- sandwich split cortical graft, 240
- sandwich technique, 336–337, 336
- SANTA tent-pole abutments, 406, 409–415, 410–416
- SBB *see* Khoury split bone block grafting technique
- scaffolds, 545–546, 545–546
- SCA kit *see* sinus crest augmentation kit
- scar tissue, 20–21, 21, 109

- Schneiderian membrane, 44, 439
- screw-retained restorations, 188–189, 189
- segmental sandwich osteotomy (SSO), 96
- segmentation tools, 143
- semilunar flaps, 107
- septa, 440
- SHED *see* stem cells from human exfoliated deciduous teeth
- short and ultra-short implants, 479–493
 - case presentations, 481–492
 - considerations and pitfalls, 493
 - extracted maxillary right second molar, 484–489, 484–489
 - historical development, 480–481
 - loose mandibular molar implant and premolar, 489–492, 489–493
 - thin alveolar ridge/steep crest, 481–484, 481–484
- side-by-side implant placement, 78, 79
- simplified antrostomy design (SAD), 424–425
- sinus crest augmentation kit (SCA kit), 443–444, 443
- sinus floor, 44–46, 45–46
- sinus grafting procedures, 164–168, 165–167
- sinusitis
 - maxillary sinus elevation using transcrestal sinus floor elevation, 450
 - zygomatic and pterygoid implants, 499, 499, 508
- sinus membrane, 422–423
- skeletal discrepancies, 212
- skin, 20, 21
- slow-motion osteotomy, 481, 482, 485–486, 486
- smile evaluation, 63–66, 66–67
- smoking and nicotine products
 - bone biology, 8
 - guided bone regeneration, 179
 - ridge-split expansion procedure, 240, 275
 - zygomatic and pterygoid implants, 499
- sockets
 - applied surgical jaw anatomy, 24
 - guided bone regeneration, 144
 - soft tissue grafts, 471–472, 472–473
 - see also* wound closure and healing
- soft-tissue borne guides, 55
- soft tissue complications, 272, 317–321
- soft tissue flaps
 - flap designs, 106–108, 107–109
 - vascularization, 106, 107
- soft tissue grafts (STG), 457–475
 - allograft dermis, 468–469, 469–470
 - autograft subepithelial connective tissue, 464–468, 465–468
 - biological rationale for surgical procedure, 122–123, 123
 - extraction socket grafting, 471–472, 472–473
 - flap management, 460–461, 461–462
 - free gingival graft, 464
 - guided bone regeneration, 144–147, 145–147
 - papilla management, 470, 471
 - roll technique, 461–464, 462–464
 - tissue engineering and regenerative medicine, 543
 - tunnel technique, 469, 469–470
- sphenopalatine neurovascular bundle, 27, 29
- split bone block (SBB) *see* Khoury split bone block
- grafting technique
- split expansion graft (SEG) *see* ridge-split expansion procedure
- spreader-driven ridge expansion, 268–269, 268
- SSO *see* segmental sandwich osteotomy
- staged crestal maxillary sinus augmentation, 444
- stainless steel archwire, 383, 390–391, 394, 397
- static surgical techniques, 94–95
- stem cells from human exfoliated deciduous teeth (SHED), 544
- STG *see* soft tissue grafts
- sticky bone protocol
 - Khoury split bone block grafting technique, 362–363
 - platelet-rich fibrin, 157, 157, 165–166
 - tent-pole abutment technique, 407, 408, 414, 415
- streak artifacts, 51, 51
- subcutaneous malar emphysema, 508–509
- sublingual fossa, 42, 49, 50
- submandibular fossa, 42, 49, 49
- Summers' osteotomy technique, 440–443, 441–442
- suppuration, 321–322
- surgical guides, 54–56, 56, 190
- surgical stent, 245, 247
- sutures *see* wound closure and healing
- synthetic biomaterials, 10, 11
- ## T
- TAB *see* tubero-alveolar block
- tartrate-resistant acid phosphatase (TRAP), 5
- TCP *see* tricalcium phosphate
- temporalis muscle, 33
- temporomandibular joint (TMJ), 33, 51
- tension release incisions, 109–110, 110
- tent-pole abutment technique, 403–418
 - advantages over other techniques, 404
 - alveolar bone classification by deficiency, 94
 - biological rationale for surgical procedure, 120, 122–123
 - horizontal ridge augmentation, 410–411, 410–413
 - SANTA tent-pole abutments, 406, 409–415, 410–416
 - utilizing low-profile healing abutment, 406–407, 407–409
 - utilizing titanium screw, 405, 405–406
 - volumetric ridge augmentation, 405–407, 405–409, 413–415, 413–416
- TERM *see* tissue engineering and regenerative medicine
- TGF *see* transforming growth factor
- three-dimensional bone remodeling, 388, 388–391
- three-dimensional cone beam computed tomography, 53–54, 54
- three-dimensional ridge augmentation *see* volumetric ridge augmentation
- threshold strain, 14–15
- TIMP *see* tissue inhibitors of metalloproteinases
- tissue cyanoacrylate, 415, 416

tissue engineering and regenerative medicine (TERM), 539–549

- basics of wound healing, 540, **541**
- bone biology and grafting, 540–542, 542
- bone marrow stem cells, 545–546
- cells, scaffolds, and growth factors, 545–546, 545–546
- concepts and definitions, 540
- conclusion and recommendations, 546
- dental stem cells, 544, 544, **544**
- guided bone regeneration, 542
- soft tissue regeneration, 543
- tooth development and regeneration, 543, 543

tissue inhibitors of metalloproteinases (TIMP), 19

titanium implants, 12, 13

titanium mesh

- adaption and fixation to recipient site, 314
- anesthesia, 311
- bone grafting materials, 309–310
- bone harvesting procedure, 311–312, 312–314
- clinical cases, 317, 318–320
- complications, 317–322
- contraindications, 309
- discussion, 322–323
- donor sites, 310–311
- flap tension and sutures, 314, 315
- guided bone regeneration, 178
- implant re-opening and prosthetic phase, 316–317, 317, **317**
- indications, 308–309
- patient preparation, 311
- peri-implant bone resorption, 322–323
- post-operative follow-up, 316
- pre-operative planning, 309–311, 310
- preparation of surgical field, 311
- regeneration with, 312–316, 313–315
- removal and implant placement, 316
- surgical procedures, 311–312, 312
- survival rate of implants, 323
- vertical ridge augmentation, 307–324
- volumetric ridge augmentation, 404
- wound closure and healing, 113

titanium-reinforced PTFE membranes, 178, 181, 181, 184–190, 185–191, 193

TMJ *see* temporomandibular joint

Tolstunov classification *see* alveolar bone classification
by deficiency

tooth-borne guides, 55

tooth development and regeneration, 543, 543

transcrestal sinus floor elevation (tSFE)

- applied surgical anatomy, 438–440, **439**
- complications, 450–453, **451–452**
- conclusion and recommendations, 453
- endoscope-controlled maxillary sinus elevation, 449
- hydraulic pressure technique, 444–446, 446
- implant length in osteotome procedures, 449
- insertion of graft material and implant placement,

447–449, 449

- instrumentation and techniques, 440–449, **440–441**
- maxillary sinus elevation, 437–456
- osseodensification burs, 439–440, 446–447, 447–448
- post-operative considerations, 450
- reamers approach, 443–444, 443, 445
- staged crestal maxillary sinus augmentation, 444
- Summers' osteotomy technique, 440–443

transforming growth factor (TGF)

- autogenous block bone graft, 338
- platelet-rich fibrin, 155
- tissue engineering and regenerative medicine, 540–541, 545–546

transmissible spongiform encephalopathies (TSE), 134

TRAP *see* tartrate-resistant acid phosphatase

trapezoidal flaps, 106–107, 107

trapezoid osteotomy

- autogenous block bone graft, 336, 336
- distraction osteogenesis, 370, 378

traumatic tooth loss, 92, 185–189, 187–189

trephine kits, 359–360, 361

triangular flaps, 107, 108

tricalcium phosphate (TCP)

- bone grafting materials, 130, 135–137
- platelet-rich fibrin, 158–159
- tissue engineering and regenerative medicine, 546

trigeminal nerve, 29–30, 29, 34

TRINIA, 481

TSE *see* transmissible spongiform encephalopathies

tSFE *see* transcrestal sinus floor elevation

tubero-alveolar block (TAB), 329, 330

tunnel technique, 469, 469–470

type H vessels, bone biology, 9

U

ultra-short implants *see* short and ultra-short implants

Underwood's septa, 423

V

VAS *see* visual analog score

vascular endothelial growth factor (VEGF)

- alveolar bone classification by deficiency, 96
- autogenous block bone graft, 338
- bone biology, 9
- platelet-rich fibrin, 155
- tissue engineering and regenerative medicine, 540–541, 545–546

vascularization

- allogenic block bone graft, 234
- alveolar bone classification by deficiency, 97
- autogenous block bone graft, 327
- biological rationale for surgical procedure, 118, 118
- maxillary sinus elevation using lateral window approach, 423

posterior sandwich osteotomy, 343–354
 ridge-split expansion procedure, 249–250, 250, 272
 soft tissue flaps, 106, 107
 VDO *see* vertical dimension of occlusion
 VEGF *see* vascular endothelial growth factor
 veneers, 394, 397
 vertical dimension of occlusion (VDO), 517–522, 518
 vertical ridge augmentation
 alveolar bone classification by deficiency, 93, 93, 95–96, **98**
 autogenous block bone graft, 325–341
 distraction osteogenesis, 367–380
 Khouri split bone block grafting technique, 355–366
 maxillary sinus elevation using lateral window
 approach, 419–435
 maxillary sinus elevation using transcrestal sinus floor
 elevation, 437–456
 orthodontic implant site development, 381–401
 posterior sandwich osteotomy, 343–354
 ridge-split expansion procedure/crestal sinus lift, 294–303
 tent-pole abutment technique, 403–418
 titanium mesh, 307–324
 vestibular cortical fenestration, 508–509
 vestibular fornix, 37
 vestibular incisions, 108, 109
 vestibule, 26, 26
 virtual restorations, 54, 54–55
 visual analog score (VAS), 160
 Volkmann canal, 8–9, 9
 volumetric ridge augmentation
 alveolar bone classification by deficiency, 93, 93
 guided bone regeneration, 404
 ridge-split expansion procedure/crestal sinus lift,
 296–302, 297–302
 tent-pole abutment technique, 405–407, 405–409,
 413–415, 413–416
 voxel size, 50

W

white blood cells (WBC), 156
 Wolff's law, 92
 wound closure and healing, 3, 18–22, 105–113
 allogenic block bone graft, 219
 alveolar bone classification by deficiency, 93, 97
 bone biology, 7–8, 8
 complications, 112–113, 112–113
 distraction osteogenesis, 370, 371
 factors leading to impaired healing, 19
 guided bone regeneration, 179–180
 incision design, 106
 main types, 19–20, 20
 maxillary sinus elevation using lateral window approach,
 427, 429, 431

oral soft tissue, 20–21, 21–22, **21**
 phases of wound healing, 18–19
 platelet-rich fibrin, 158
 posterior sandwich osteotomy, 348, 349
 preparing for wound closure, 109–110, 110
 primary/secondary intention healing, 19–20, 20
 principles of suturing, 110–112, 111–112
 reflection of the mucoperiosteum, 108–109, 109
 ridge-split expansion procedure, 250–252, 251–252, 256
 short and ultra-short implants, 483, 487, 491
 soft tissue flaps, 106–108, 107–109
 soft tissue grafts, 463, 467–468, 468, 470
 tension release incisions, 109–110, 110
 tent-pole abutment technique, 414, 414–415
 tissue engineering and regenerative medicine, 540, **541**
 titanium mesh, 314, 315
 types of sutures, 111–112, 111–112
 wound dehiscence
 autologous block bone grafting, 404
 biological rationale for surgical procedure, 121
 maxillary sinus elevation using transcrestal sinus floor
 elevation, 450–452
 wound closure and healing, 107–108, 112–113, 113

X

xenografts
 bone grafting materials, 130–131, 134–135, 135
 guided bone regeneration, 180, 181
 posterior sandwich osteotomy, 348, 350, 353
 tissue engineering and regenerative medicine, 541
 X-Guide Machine, 56–58, 57–59

Z

zirconia-based restorations
 tent-pole abutment technique, 409, 411, 415, 416
 zygomatic and pterygoid implants, 506–508, 506–508
 zygomatic implants, 495–512
 clinical cases, 506–508, 506–508
 complete-arch dental implants, 516, 516–517
 complications, 507–510, 509
 contraindications, 499, 499
 discussion and conclusion, 510
 historical development, 496
 indications, 498
 instrumentation, 501, 501
 platelet-rich fibrin, 169, 170
 pre-operative planning, 499–500, 500
 prosthetic considerations, 505
 prosthetic evaluation in implant dentistry, 88, 89
 surgical approaches, 500–503, 501–504
 treatment concepts, 496, 497
 zygomatic nerve, 29

