

Contents

Introduction	1
References	8
1 Descriptions and Challenges of AFM Based Nanorobotic Systems ...	13
1.1 Descriptions	14
1.1.1 The AFM as a Nanorobot–Beyond Imaging	14
1.1.2 AFM-Based Nanomanipulation	16
1.1.3 AFM/SEM Hybrid Nanorobotic Systems	18
1.2 Challenges and Opportunities	19
1.2.1 Two-Dimensional Applications	19
1.2.2 Manipulation Efficiency	21
1.2.3 Automation	24
1.3 Conclusion	26
References	26
2 Instrumentation Issues of an AFM Based Nanorobotic System	31
2.1 Force Calibration Issues in AFM (Normal Force and Lateral Force Calibration)	31
2.1.1 Normal Force Calibration	32
2.1.2 Lateral Force Calibration	34
2.1.3 Optical Lever Calibration in Atomic Force Microscope with a Mechanical Lever	43
2.1.4 Enhanced Accuracy of Force Application Using Nonlinear Calibration of Optical Levers	49
2.2 Cross-Talk Compensation in Atomic Force Microscopy	54
2.2.1 Cross-Talk Compensation Procedure	57
2.2.2 A Case Study for the Cross-Talk Compensation	64
2.3 Thermal Drift Compensation in AFM Based Nanomanipulation	66
2.3.1 Drift Tracking with Bayesian Filtering	68
2.3.2 Experimental Results	77
2.4 Conclusion	83
References	84

3	Nanomechanics of AFM Based Nanomanipulation	87
3.1	The Physics of the Micro/Nanoworld	88
3.1.1	van der Waals Forces	89
3.1.2	Capillary Forces	91
3.1.3	Electrostatic Forces	94
3.1.4	Elastic Contact Mechanics	97
3.2	Nanomechanics of Contact Pushing or Pulling Using One Probe	99
3.2.1	Problem Definition	100
3.2.2	Methods	102
3.2.3	Automatic Pushing Scheme	106
3.2.4	Experiments	107
3.3	Nanomechanics of Pick-and-Place Manipulation Using Two Probes	110
3.3.1	Problem Definition	110
3.3.2	Contact Mechanics of Nanoscale Grasping	112
3.3.3	Nanoscale Grasping with Different Grippers	118
3.3.4	Nanotip Gripper Implementation Experiments	124
3.3.5	List of Selected Symbols	131
3.3.6	Deflections on the Cantilever	132
3.4	Conclusion	133
	References	133
4	Teleoperation Based AFM Manipulation Control	145
4.1	Introduction	145
4.2	Bilateral Scaled Teleoperation Control Using an AFM	147
4.2.1	Architecture of a Teleoperation System	147
4.2.2	Performance Measurement	148
4.2.3	Direct Force Feedback	155
4.2.4	Force-Position Control	158
4.2.5	Passivity Based Bilateral Control	165
4.2.6	Conclusion	167
4.3	Experimental Platforms	167
4.3.1	AFM Force Measurement	167
4.3.2	Material for Experiments	171
4.4	1-D Teleoperated Touch Feedback Using AFM	173
4.4.1	Approach Retract Experiment Using Direct Force Feedback Control	174
4.4.2	Approach Retract Experiment Using Force-Position Control	176
4.4.3	Approach Retract Experiment Using Passivity Control	179
4.4.4	Conclusion	189
4.5	2-D Micro Teleoperation with Force Feedback	191
4.5.1	Haptic Feedback Determination	191
4.5.2	Experimental Results	194
4.5.3	Conclusion	197

4.6	3-D Teleoperated Touch Feedback Using AFM	197
4.6.1	Three-Dimensional Force Decoupling	198
4.6.2	Adaptive Friction Model	202
4.6.3	Experimental Results	203
4.6.4	Conclusion	211
4.7	Haptic Teleoperation for 3D Microassembly of Spherical Objects ..	211
4.7.1	Experimental Setup	212
4.7.2	3D Microassembly Protocol	214
4.7.3	Assisted Gripper Alignment	215
4.7.4	Pick-and-Place with Haptic Feedback	224
4.7.5	Construction of a Two-Layer Pyramid	229
4.7.6	Remarks	231
4.8	Conclusion	232
4.9	Nomenclature	233
	References	233
5	Automated Control of AFM Based Nanomanipulation	237
5.1	Automated Two-Dimensional Micromanipulation	238
5.1.1	Problem Definition	239
5.1.2	Image Processing	240
5.1.3	Parameter Estimation	241
5.1.4	Controlled Pushing and Pulling	244
5.1.5	Trajectory Planning for Pattern Formation	251
5.1.6	Assembly	252
5.2	Three-Dimensional Automated Micromanipulation Using a Nanotip Gripper with Multi-feedback	254
5.2.1	System Configuration	255
5.2.2	Manipulation Schemes	256
5.2.3	Protocol for Automated Pick-and-Place	258
5.2.4	Task Planning	259
5.2.5	Grasping Point Searching and Contact Detection	260
5.2.6	Experimental Results and Discussion	264
5.3	Atomic Force Microscopy Based Three-Dimensional Nanomanipulation	266
5.3.1	System Configuration	267
5.3.2	Manipulation Protocol	268
5.3.3	Pick-and-Place Nanomanipulation	273
5.4	Parallel Imaging/Manipulation Force Microscopy	278
5.5	High-Efficiency Automated Nanomanipulation with Parallel Imaging/Manipulation Force Microscopy	282
5.5.1	System Set-Up of the PIMM	283
5.5.2	Strategies for Automated Parallel Manipulation	286
5.5.3	Automated Control of the Parallel Nanomanipulation	293
5.5.4	Experimental Results	299
5.6	Conclusion	303
	References	304

6	Applications of AFM Based Nanorobotic Systems	313
6.1	Flexible Robotic System	313
6.1.1	AFM-Based Flexible Robotic System	314
6.1.2	AFM-FRS Setup	314
6.1.3	The Configuration of 3-D Micromanipulation	319
6.1.4	The Configuration of 3-D Nanomanipulation	321
6.1.5	The Configuration for Parallel Nanomanipulation	325
6.1.6	Experimental Results	327
6.2	In Situ Nanoscale Peeling of One Dimensional Structure	332
6.2.1	Methods	333
6.2.2	Results and Discussion	337
6.3	Conclusion	339
	References	339