

Index

a

- Absolute crossbite 421
- Adam case study
 - deband records 527–528
 - dental deep bite 526, 528
 - diagnostic findings and problem list 525–526
 - enlarged adenoids 526
 - initial records 524–525
 - mixed dentition stage 527
 - primary problems list 526
 - skeletal deep bite 526, 528
- Adenoidal facies 641
 - features of 642
 - nasal obstruction and mouth breathing 641–642
 - scientific evidence 642
- Adolescent growth spurt 46
- Alaina case study
 - asymmetric mandibular growth 775
 - diagnostic findings and problem list 774
 - early treatment 776–777
 - fixed orthodontic appliances 778
 - future jaw growth 777
 - initial records of 773–774
 - lateral CR-CO shift detection 775
 - left CR-CO shift 777
 - left posterior lingual skeletal crossbite 776
 - mandible 775
 - mandibular arch 776
 - maxillary arch 776
 - permanent tooth eruption 778
 - progress records 779–780
 - space analysis 776
 - take-home pearls 778, 780
 - treatment options 777
 - treatment recommendations 777
 - unilateral left crossbite 775–776
- Alana case study
 - cervical-pull headgear 352
 - Class II correction 350–351
 - Class II molar relationships 361
 - Class II skeletal discrepancy 351–353
 - Class II skeletal relationships 350–351
 - deband photographs 359–360
 - early treatment 358–359
 - general ways to reduce OJ 350–351
 - high-pull headgear 351–353
 - initial records of 347–349
 - mandibular incisor inclination 349
 - maxillary anterior spacing 349–350
 - maxillary incisor angulation 349
 - overjet (OJ) 349
 - primary problem list 349
 - skeletal etiology 350
 - take-home pearls 361
- Alexandra case study
 - cephalometric analysis 398
 - diagnostic findings and problem list 394
 - early treatment 395, 397
 - eventual goals 400
 - future jaw growth 398
 - initial consultation records 396
 - lateral cephalometric radiograph 394
 - lip soft tissue coverage 398
 - LLHA placement 400
 - mandibular arch 395
 - mandibular incisor palatal impingement 397
 - mandibular primary canines extraction 397
 - maxillary arch 395
 - OJ and trauma 397–398
 - primary problem list 395
 - RME 399
 - serial extraction 397
 - skeletal discrepancies 398
 - space analysis 394–395
 - treatment options 398–399
 - treatment recommendations 398–399
- Alex case study
 - final records 382
 - initial records of 380
 - progress records 381
- Alicia case study
 - cause of delayed eruption 270
 - deband records 275–278
 - dental open-bite features 270
 - diagnostic findings and problems list 269–270
 - early treatment 273–274
 - ectopically erupting mandibular lateral incisors 273
 - initial records of 271–272
 - mandibular arch 273
 - maxillary arch 273
 - maxillary right permanent central incisor 270
 - over-correction 278
 - primary problems 273
 - progress records 276
 - retention protocol 279
 - RME 279

- serial extraction 274
- space analysis 272–273
- space regaining 273
- take-home pearls 279
- treatment options 274
- treatment recommendations 275
- treatment validation 279
- vertical facial growth 275, 278
- vertical pull chin cup 278–279
- Allison case study
 - anteroposterior correction 461–462
 - anteroposterior skeletal discrepancies 456–457
 - Class III orthopedic treatment 457–458
 - deband records 463–466
 - diagnostic findings and problem list 451, 454
 - early treatment 455–456, 466
 - future jaw growth 459
 - initial records of 452–453
 - LLHA placement 466
 - long-term treatment goals 456
 - mandibular arch 455
 - mandibular incisor inclination 455
 - maxillary arch 454–455
 - maxillary midline diastema 466
 - posterior transverse correction 461
 - primary problems 455
 - proclined maxillary incisors 455
 - progress records 462
 - reverse pull headgear (RPHG) 462–463
 - serial extraction 456
 - significant mandibular growth 466
 - skeletal discrepancies 459
 - space analysis 454–455
 - take-home pearls 466–468
 - treated without RPHG 466
 - treatment options 459–461
 - treatment recommendations 461
 - treatment timing 457
 - 2-year post-treatment 468
 - undetected CR-CO shift 459
- Alveolar bone grafting 494
 - common problems 494
 - maxillary arch treatment 495
- Amber case study
 - deband records 135–136
 - diagnostic findings and problem list 127–128
 - early treatment 128, 130–131
 - evidence-based orthodontic practice 135
 - future jaw growth 131
 - initial records of 126–127
 - lower dental midline (LDML) 128
 - mandibular arch 129
 - mandibular fixed retainer 136
 - mandibular skeletal deficiency 129
 - maxillary arch 129
 - maxillary dental retraction 134
 - mixed dentition stage 133
 - non-extraction treatment 133–135
 - orthodontic retention 136
 - primary problems 129
 - progress records 134–135
 - at age 12, 132–133
 - reliable indicator 129
 - serial extraction 130
 - skeletal open bite 129–130
 - space analysis 128–129
 - take-home pearls 137
 - treatment options 131–132
 - upper dental midline (UDML) 128
- Amelia case study
 - anterior crowding 106
 - changes at age 12, 107–110
 - deband records of 110–112
 - dental arch space analysis 105
 - diagnostic findings and problem list 104
 - early treatment 105–107
 - initial records of 103
 - mandibular arch 105
 - mandibular right central incisor extraction 110, 112
 - maxillary arch 105
 - non-extraction/extraction treatment 109
 - primary problems list 105
 - progress records 107–110
 - retention protocol 112
 - serial extraction 106
 - space maintenance 106
 - space regaining 106, 107
 - take-home pearls 112
 - treatment options 109
- Angle classification of malocclusion 56
- Angle molar classification 392
- Anisa case study
 - digit habits 561–562
 - fabrication of an LLHA 559–561
 - initial records 554–556
 - posterior open bites 557–559
 - primary problems list 556
- Ankylosis 60, 61
 - maxillary central incisors 266
 - maxillary primary canines 378
 - primary molar ankylosis 60
- Anna case study
 - anterior interposition tongue habit 598
 - bilateral maxillary transverse deficiency 599
 - causes of open bite 599
 - crowding 598
 - dental open bites 597–598
 - features 596–597
 - early treatment 600
 - frontal intraoral photographs
 - observations 600, 601
 - ideal time for crossbite 600
 - incisor ankylosis 598
 - initial records of 597
 - mandibular asymmetry 599–600
 - normal maxillary incisor eruption 601
 - panoramic image 599
 - progress records 601
 - take-home pearls 601–602
 - temporary anterior open bite 598–599
 - treatment options 600–601
 - treatment recommendations 601
 - unilateral right posterior lingual crossbite 599
- Anneke case study
 - deband records 740, 741
 - dental/skeletal cross bites 706
 - etiologic factors 699–702
 - initial records 698–699
 - left posterior crossbite 738, 740
 - mandibular asymmetric growth 740
 - maxillary primary canines 740
 - primary problems list 699, 737
 - progress records 738, 739
 - take-home pearls 740, 742
 - treatment options 737
 - treatment recommendations 737
- Anterior crossbite correction 442, 476, 784, 785
- Anterior tooth crowding range 77

Anteroposterior problems

- Class II functional
 - appliances 354–355
 - Class II relationship 353
 - compensatory molar eruption 353
 - early treatment 344–345
 - inadequate OJ/anterior
 - crossbite 361, 362
 - long-term skeletal effects 353
 - overjet (OJ) 344
- Apical base 5
- Average mesiodistal widths
- permanent mandibular tooth 75
 - permanent maxillary tooth 75
 - permanent teeth 105, 115, 120, 129, 140, 149, 157, 160, 171, 176, 181, 187, 197, 204, 258, 272–273, 283–284, 293, 300, 308, 313, 323, 332, 391, 394–395, 401–402, 417, 432, 440, 454, 472, 574, 578, 584, 604, 616, 631, 645, 657, 672, 744, 757, 770, 776, 783
 - primary mandibular tooth 75
 - primary maxillary tooth 75
 - primary teeth 105, 115, 120, 129, 140, 149, 157, 160, 171, 176, 181, 187, 197, 204, 258, 273, 284, 293, 300, 308, 313, 323, 332, 391, 395, 402, 417, 432, 440, 454, 472, 574, 578, 584, 604, 616, 632, 645, 657, 672, 744, 757, 770, 776, 783

b

Bella case study

- Class I first molars 121
- diagnostic findings and problem
 - list 119
- early mandibular anterior
 - crowding 121
- early treatment 121
- early treatment
 - recommendations 120
- follow-up appointment 122–123
- initial records of 118
- mandibular arch 120
- mandibular midline
 - improvement 123
- maxillary arch 120
- periapical radiograph 119
- permanent first molars
 - eruption 119–120
- primary problems 120

soldered spur wrapping 122

space analysis 120

take-home pearls 123

transseptal fiber pull 119

treatment options 121–122

Bite plate effect 353

Brian case study

- Bolton tooth-size discrepancy 335
- bonded FPD 336
- comprehensive treatment 335–336
- CR-CO shift elimination 335
- deband records 337–338
- diagnostic findings and problems
 - list 331–332
- ideal canine substitution
 - case 334–335
- initial records of 330–331
- mandible 332
- mandibular arch 333
- mandibular left primary second
 - molar 338
- maxillary arch 332–333
- primary problems 333
- progress panoramic image 336
- progress periapical radiograph 337
- space analysis 332–333
- take home pearls 337–339
- treatment goals 335
- treatment options 333
- treatment
 - recommendations 333, 336

Brody case study

- Class II relationship 260
- convex profile and deficient
 - mandible 257–258
- diagnostic findings and problems
 - list 254, 257
- early treatment 260–261
- eruption timing 259
- initial records of 256–257
- mandibular arch 259
- mandibular incisor
 - proclination 260
- maxillary arch 258–259
- possible eruption
 - etiologies 259–260
- primary problems 259
- progress photos 261–262
- retrusive maxilla 260
- space analysis 258–259
- space maintenance 261
- take-home pearls 262

treatment options 261

treatment recommendations 261

c

Caden case study

- early treatment 24
- initial records of 22–23
- primary problems list 21
- treatment recommendations 21, 23

Cara case study

- causes of right posterior open
 - bite 300
- Class II orthopedic treatment 302
- deband panoramic image 305
- diagnostic findings and problems
 - list 299–300
- early treatment 300, 302
- initial records of 301
- LLHA placement 304
- mandibular arch 300
- maxillary arch 300
- panoramic images
 - observations 302–304
- permanent tooth eruption 302
- primary problems 300
- primary second molar
 - ankyloses 303
- space analysis 300
- take home pearls 304
- treatment options 303–304

Carlie case study

- anteroposterior position of
 - A-Point 490
- CBCT image 490
- deband records 497–498
- diagnostic findings and problem
 - list 489–490
- initial records of 488–489
- maxillary skeletal anteroposterior
 - deficiency 490
- objectives 495
- orthopedic treatment options 495
- primary problems 490
- progress photos 496
- right alveolar cleft 494
- skeletal Class III 491
- take-home pearls 498–499
- treatment goals 495
- treatment
 - recommendations 496–497
- 2-year post-deband records 499
- unknowns 495–496

- Carson case study
 - causes of 511
 - dental deep bite 512
 - initial records 509–510
 - maxillary central incisal edges 511
 - primary problems list 511
 - recall visits 520
 - skeletal deep bites 512
- Carter case study
 - anterior open bites 633
 - dental open bite features 630–631
 - diagnostic findings and problem list 628
 - early treatment 632–633
 - etiology of open bite 631
 - initial records of 629–630
 - large lip incompetence 630
 - mandibular arch 632
 - masking or camouflage 636
 - maxillary arch 632
 - orthopedic options 635
 - orthopedic treatments 634–636
 - primary problems 632
 - skeletal Class II treatment 636
 - skeletal open bite treatment 636
 - space analysis 631–632
 - take-home pearls 637–638
 - transverse relationship 636–637
 - treatment
 - guidelines 634
 - principles 635
 - recommendations 633–634, 636, 637
 - undetected CR-CO shift 637
- Cephalometric radiographs 797, 798
 - AP deficient maxilla 804
 - ideal mandibular AP
 - position 798, 801
 - ideal maxillary AP
 - position 797, 799
 - judging mandibular AP
 - position 798–799, 803
 - LAFH/TAFH 806
 - mandibular AP position 798
 - mandibular AP skeletal
 - protrusion 799, 804
 - mandibular skeletal AP
 - retrusion 799, 804
 - maxillary AP position 798, 802
 - TAFH measurement 804
 - take-home pearls 808
 - vertical relationships 801–803, 806
- Cervical-pull headgears (CPHG) 517
- Clair case study
 - deband records 209–212
 - deficient mandible 203
 - diagnostic findings and problem list 202–203
 - early treatment 205
 - future jaw growth 205
 - initial records of 201–202
 - mandibular arch 204
 - maxillary arch 204
 - minimal buccal corridors 210
 - occlusal and periapical radiographs 203, 204
 - over-retract incisors 206
 - panoramic radiograph 207
 - primary problems 204–205
 - progress records at 11 years
 - 9 months of age 207–209
 - Same Lingual Opposite Buccal (SLOB) 204
 - serial extraction 205, 210
 - space analysis 204
 - symmetric posterior anchorage 206
 - take-home pearls 210, 212
 - treatment options 206
 - treatment recommendations
 - 206–207, 209
- Clark's rule 218
- Class II functional appliances
 - bionator 354
 - create OJ 356
 - dentoalveolar effects 354
 - herbst appliance 354–355
 - orthopedics 408
 - skeletal Class II dental
 - compensations 356
 - unlocking the bite 356–357
- Class II orthopedics 191, 286, 589, 772
 - treatment 393–394, 399
- Class III orthopedics 383, 496
 - elastics 383
 - molar relationships 386
 - orthopedic treatment 384, 442, 450
 - treatment timing 384–385
- Class III skeletal discrepancy
 - effects of RPHG 376
 - high-pull chin cup 379
- Cleft lip and palate
 - clinical features 491
 - incidence rate of 491
 - intervention times 491, 492
 - typical interventions 491
 - velopharyngeal surgery 494
- Cleft palate maxillary
 - expansion 494–495
- Controlled slicing 246
- Cooper case study
 - asymmetric mandibular
 - growth 448, 449
 - cephalometric radiograph 446
 - chin position evaluation 448
 - Class III skeletal discrepancy 449
 - diagnostic findings and problem list 446
 - discussions with parents 450
 - early treatment 449
 - final recommendation 451
 - future jaw growth 449
 - initial records of 447
 - masking/camouflage 450
 - maxillary first permanent
 - molars 446, 448
 - primary problems 448
 - skeletal Class III patient 448
 - TAD-supported Class III elastic
 - wear 450
 - treatment options 450–451
 - treatment timing 450
 - zero-meridian line 446
- Cory case study
 - Class II orthopedics 420
 - Class II skeletal
 - discrepancy 419–420
 - complete left buccal crossbite 421
 - craniofacial asymmetry 421
 - CR-CO shift 421
 - deband records 425–427
 - diagnostic findings and problem list 414, 417
 - early mandibular dental arch
 - expansion 425
 - early treatment options 421–423
 - early treatment
 - recommendation 423–425
 - high-pull headgear 424
 - incisor injury 420–421
 - initial records of 415–416
 - jaw growth 421
 - mandibular arch 418
 - mandibular deficiency 420
 - maxillary and mandibular
 - incisors 417

Cory case study (*cont'd*)
 maxillary arch 418
 non-extraction treatment 425–427
 primary problems 418
 proclined mandibular incisors 425
 Schwarz appliance 423, 424
 serial extraction 418–419
 space analysis 417–418
 space maintenance 418
 take-home pearls 427–428

Cranial base 29–30

Craniofacial abnormalities, breathing problems 41

Craniofacial growth and development
 aberrations 40–41
 abnormal 38
 anteroposterior skeletal relationships 40
 genetic control 28
 jaws rotation 43
 mechanism 28
 normal and abnormal 33–34
 transverse dental movements 35–36
 transverse morphologic changes 35
 transverse skeletal relationships 40
 in vertical dimension 39–40

Crossbite
 absolute 458
 corrections 364–365
 dental crossbite 458–459
 relative 458
 skeletal crossbite 458, 459

Crowding
 defer extraction 78, 113, 206
 D-space 80
 early crowding management 113
 early mixed dentition stage 90
 “end-on” first permanent molar occlusion 88–89
 E-space 80
 incisor alignment 87–88
 leeway space 80
 maintain arch symmetry 87
 mandibular E-space 80
 maxillary E-space 80
 panoramic image 90
 panoramic radiograph 89
 patient compliance 91
 permanent tooth crowding 85
 primary/early mixed dentitions 130
 principles, non-extraction treatment 78

re-evaluating 130
 serial extraction 93–94
 space maintenance 78, 88, 113
 space regaining 90
 space requirements 94–95

d

Delayed chronologic tooth eruption 60

Dental open bites
 anterior tooth eruption 545
 digit-sucking habits 536
 etiology of 537
 growth pattern 535
 recommendations 541
 thumb-sucking habits 536
 tongue interposition 538–539
 treatments 540–541
 vertical facial development 545

Dentoalveolar development 44

Dento maxillary appliance (DMA) 491
 before and after treatment 493

Digit-sucking habits
 non-compliance based options 537
 thumb cribs 538
 thumb paints 537–538

Dillon case study
 changes after treatment 152–154
 diagnostic findings and problem list 148
 early treatment 150
 facial and cephalometric features 149
 final records of 153
 Hertwig's epithelial sheath 151
 ideal serial extraction 150–151
 initial records of 146–147
 lateral cephalometric radiograph 146–148
 mandibular arch 150
 maxillary arch 149
 maxillary incisor roots 154
 moderate anterior crowding 150
 permanent tooth eruption 149
 primary problems 150
 progress records 152–153
 space analysis 149–150
 space regaining 147, 151–152
 take-home pearls 154
 treatment options 151

Direct perimeter measurement 63, 64

Downgraft osteotomy surgery 528, 529

D-space 80

Dylan case study
 circumferential supracrestal fiberotomy (CSF) 24
 deband records 26–27
 early treatment 26
 fixed lingual retainer/wire bonded 26
 front tooth correction 24
 initial records of 25
 orthodontic treatment 24
 progress records 26
 take-home pearls 24, 26–28
 treatment recommendations 24

e

Early mesial shift 55

Early orthodontic treatment
 anterior crossbite relationships 3
 apical base 5
 benefits 2
 consultation 3
 description 1
 future treatment complexity 1
 goal of 1
 lateral cephalometric radiograph 3, 5
 maxillary canines 3
 options 8
 patient evaluation 2
 reducing/eliminating unknowns 1
 total treatment time 2
 traumatic edge-to-edge occlusion 2

Easton case study
 bony chin projection 307
 diagnostic findings and problems list 305
 early treatment 309–310
 initial records of 306–307
 mandibular arch 309
 mandibular plane angle 307
 maxillary arch 308–309
 maxillary left premolars 311
 maxillary left primary second molar extraction 308
 maxillary left second premolar guidelines 309
 maxillary right permanent central incisor eruption 307–308
 panoramic image observations 308

- primary problems 307
- progress records 310–311
- screw distalizer appliance 310
- space analysis 308–309
- take home pearls 312
- treatment options 310
- treatment
 - recommendations 310, 312
- unfavorable changes 307
- Ectopic tooth eruption
 - adverse sequelae 216, 217
 - alveolar bone crest
 - levels 227–229, 232
 - ankylosis 245, 248, 249
 - anterior and posterior extraction
 - patterns 216
 - controlled slicing 246
 - diagnosis of 217
 - early treatment options 218
 - extraction cases 238, 241–243
 - extraction space 241
 - late tooth germ development 245
 - mandibular canines 223
 - mandibular permanent molar 227
 - alveolar bone crest 245
 - ankylosis 245, 246
 - complications 251
 - delay premolar eruption 229
 - extraction 233–234
 - favorable eruption 242
 - Halterman appliances 231
 - panoramic image 232
 - periapical radiographic 237
 - radiograph progress 236, 241
 - retention check 242
 - root development and
 - eruption 233
 - surgical luxation/elevation 231
 - treatment 230
 - treatment recommendations 241
 - maxillary permanent canine
 - concomitant extraction 220
 - early treatment diagnosis 218
 - lateral incisor roots 219
 - palpation of 218
 - panoramic image 218, 219
 - predict palatal displacement 218
 - primary canine extraction 220
 - spontaneous eruption 221
 - maxillary permanent
 - molar 235, 236
 - causes 237
 - initial panoramic image 236
 - magnified images 242, 245
 - observation 235
 - permanent tooth
 - eruption 235, 236
 - radiograph progress of
 - patient 236
 - retention check 242
 - mesiodistal width
 - reduction 246, 248
 - mixed dentition stage 217
 - molar extractions 251–254
 - molars and regaining space
 - lost 224–227
 - non-extraction cases 237, 238
 - palatal displacement 217
 - primary failure of eruption
 - (PFE) 234–235
 - primary tooth ankylosis 229
 - recommendations 221, 222
 - surgical exposure 224
 - take home pearls 238–239, 251
 - treatment principles 216
 - unerupted maxillary permanent
 - molar 235
 - Edward case study
 - anterior crossbite 441–442
 - corrections 445
 - diagnostic findings and problem
 - list 438, 440
 - early treatment 440–441, 445
 - future jaw growth 441
 - initial records of 439
 - LLHA placement 445
 - mandibular arch 440
 - maxillary arch 440
 - primary problems 440
 - progress records of 442–445
 - pseudo Class III patient 440
 - serial extraction 441
 - space analysis 440
 - take-home pearls 445–446
 - thin gingival biotype labial 445
 - treatment options 442
 - treatment recommendations 442
 - Elastic chain premaxillary retraction
 - (ECPR) 491, 493
 - Elijah case study
 - anterior open bite 529, 531
 - digit-sucking habit 536, 540
 - excessive mandibular incisor
 - eruption 531
 - inadequate maxillary incisor
 - eruption 531
 - initial records 530–531
 - LAFH soft tissue 532
 - primary problem list 529
 - Emily case study
 - anterior open bite 605
 - anteroposterior relationship 608
 - asymmetric mandibular
 - growth 606
 - bilateral first permanent molar
 - relationship 610–611
 - CR-CO shift 606
 - dental open bite 605
 - diagnostic findings and problem
 - list 602
 - early treatment 606–607
 - eruption times 604
 - etiology of 605
 - initial records of 603
 - lateral CR-CO shift
 - detection 608, 610
 - left Class II relationship 606
 - left lingual crossbite 606
 - left posterior crossbite
 - correction 606
 - LLHA 610
 - mandibular arch 604
 - maxillary arch 604
 - maxillary left primary second
 - molar 608, 610
 - maxillary midline
 - diastema 605–606
 - maxillary second premolar crown
 - calcification 604
 - mild bilateral Class II 608
 - primary problems 604
 - recall records of 608–609
 - RME 611
 - space analysis 604
 - take-home pearls 611
 - treatment options 607–608
 - treatment recommendations 608
 - Emma case study
 - deband records 101–102
 - diagnostic findings and problem
 - list 99–100
 - initial records of 98–99
 - LLHA 101
 - premature loss of primary
 - canines 100
 - serial extraction 100–101
 - severe mandibular anterior
 - crowding 101
 - treatment recommendations 101

Erin case study

- diagnostic findings and problem list 320
- early treatment 325–327
- final records 327–328
- initial records 321–322
- mandibular arch 323–324
- mandibular right primary second molar 326–327
- maxillary arch 323
- non-extraction treatment 327
- primary problems 324
- rotated maxillary molar 322–323
- serial extraction 325–326
- soft-tissue chin projection 320, 322
- space analysis 323–324
- take home pearls 327–329
- thin periodontal biotype 323
- treatment options 324–325
- treatment recommendations 324

E-space 80, 188

Evan case study

- early treatment 126
- immediate placement of LLHA 123
- initial records of 124–125
- LLHA 125
- Nance holding arch 123, 125
- non-extraction comprehensive treatment 126
- progress photographs 125
- space maintenance 126
- take-home pearl 126

f

Facial bone surface drift 29

Facial growth 44

Facial skeleton 28, 29

- normal development 34
- temporal relationships 38–39

First permanent molar emergence

- body mass index (BMI) 50
- congenital absence 50
- timing of 50, 55

Fixed appliance orthodontic treatment 496–497

Fixed orthodontic appliances 600, 621

Frankfort Horizontal and the mandibular plane (FMA) 805

Functional appliance Class II orthopedics 423

g

Gabby case study

- anteroposterior jaw descriptions 615
- archwire biomechanics 625–626
- breathing-related questions 617
- cephalometric measurements 615
- chin position 615
- Class II molar relationship 624
- Class II orthopedic treatment 620
- deband records 622–624
- dental open bite features 617–618
- diagnostic findings and problem list 612
- early treatment 616–617, 626
- etiology of dental open bite 618
- facial convexity 624
- fixed orthodontic appliances 625
- future jaw growth 621
- hyperdivergence 618
- inadequate incisal display 614–615
- initial records of 613–614
- LLHA placement 622
- long-term treatment goals 621
- magnitude of Class II discrepancy 619–620
- mandible 620
- mandibular anteroposterior position 615
- mandibular arch 616
- mandibular first premolars extraction 620–621
- mandibular incisors eruption 626
- maxillary anteroposterior position 615
- maxillary arch 616
- maxillary first premolars 625–626
- midpalatal suture expansion 625
- open bite returns 625
- orthodontic treatment 625–626
- primary problems 616
- retention protocol 626
- skeletal discrepancies 618–619
- skeletal open bite 618
- space analysis 616
- take-home pearls 626–627
- thumb habit 618
- transverse skeletal discrepancy 620
- treatment options 621–622, 624
- treatment recommendations 622

Growth rotation 42–43

- angular remodeling 43
- apparent rotation 42–43
- dentoalveolar development 44
- diagnostic indices 43
- duration, and direction 43
- forward/backward 43
- true rotation 43
- vertical dimension 43

h

Haas maxillary expander 720, 721

Halee case study

- anterior crossbite correction 787
- central incisor anterior crossbite correction 786
- diagnostic findings and problem list 782
- early treatment 783–784
- initial records 780–781
- mandibular arch 783
- maxillary arch 783
- molar inclination 783
- primary problems 783
- progress records 785, 786
- at 11 years and 7 months of age 788–789
- right posterior lingual crossbite correction 784
- space analysis 783
- take-home pearls 786, 787, 789
- treatment options 784
- undetected lateral CR-CO shift 783
- unilateral right posterior skeletal crossbite 783

Halterman appliance 227, 231

Headgear 133, 189, 424

- cervical-pull headgear 352, 353
- Class II malocclusions 356
- Class II orthopedics 422–423
- force applied 353–354
- high-pull headgear 353
- straight-pull headgear 353

Herbst appliance

- hyperdivergent Class II growing child 355–356
- ideal candidate 355
- profile improvement 356
- High-pull chin cup 378–379, 460, 476–477

- anterior crossbite correction 379
 - Class III skeletal discrepancy 379
 - duration 383
 - temporomandibular joint disorder (TMD) 383
 - Hyperdontia 62
 - Hypodontia 61
 - cause of 61
 - dental or craniofacial anomalies 61–62
 - Hyrax expander 721
- i**
- Infant orthopedic treatment
 - controversies associated 492
 - dento maxillary appliance (DMA) 491
 - elastic chain premaxillary retraction (ECPR) 491
 - goal of 491
 - presurgical 491
 - Infraocclusion 50, 52
 - Interocclusal relationships 50
 - Iowa AP classification primer
 - angle classification scheme 808
 - Class I malocclusion 810
 - ideal Class I occlusion 809
 - shorthand notation 810
 - subdivision patient 810–811
 - Iowa classification of
 - malocclusion 56–57
 - Iowa molar classification 392
- j**
- Jack case study
 - diagnostic findings and problem list 19–20
 - early orthopedic treatment 20–21
 - initial records of 18–19
 - primary problems 20
 - progress records 21
 - treatment recommendations 20
 - Jake case study
 - chin projection 393
 - Class II orthopedics 393
 - Class I molar relationship 394
 - diagnostic findings and problem list 389–391
 - early treatment 392–393
 - initial records of 390
 - mandibular arch 391–392
 - maxillary arch 391
 - palatal pain/tissue damage 393
 - primary problems 392
 - space analysis 391–392
 - treatment options 393–394
 - Jasmin case study
 - bilateral posterior overjet deficit 745
 - Class II compressed springs 751
 - Class II elastics 751
 - CR-CO shift 744
 - deband records 751–753
 - diagnostic findings and problem list 744
 - early treatment 745
 - future jaw growth 746
 - initial intraoral frontal photos 745
 - initial records of 743
 - inter-arch Class II treatments 749, 751
 - late asymmetric mandibular growth 751
 - lateral CR-CO shift 748
 - left mandibular growth 746
 - mandible 745
 - mandibular growth asymmetry 745
 - maxillary expansion 747, 748
 - occlusal settling 751–752
 - permanent incisor crowding 744
 - primary problems 745, 748
 - progress records 749
 - at age 10 750
 - retention protocol 752, 754
 - right lateral shift 744–745
 - take-home pearls 753–754
 - treatment options 746
 - treatment recommendations 746–747, 751
 - unilateral mandibular growth 746
 - Jasmine case study
 - dental arch space analysis 114, 116
 - diagnostic findings and problem list 114–115
 - early treatment 116
 - initial records of 113–114
 - LLHA 117
 - mandibular arch 115
 - maxillary arch 115
 - primary problems 116
 - treatment options 116–117
 - treatment recommendations 117
 - “washout”/enamel decalcification 117
 - Jaw growth 37–38
 - Jeff case study
 - anteroposterior relationship 186
 - bimaxillary protrusion 193–194
 - Class II dental relationship 186–187
 - deband records 191–193
 - deep bite corrections 189
 - diagnostic findings and problem list 186
 - early treatment 189–190
 - future maxillary/mandibular growth 190
 - initial records of 185
 - late mixed dentition stage of development 189
 - LLHA placement 191, 193
 - mandibular arch 187
 - maxillary arch 187
 - maxillary permanent canines eruption 185, 193
 - premature loss of primary canines 187–188
 - primary problems 187
 - proclined mandibular incisors 193
 - root resorption 194
 - serial extraction 188
 - severe mandibular anterior crowding 187–188
 - skeletal Class II 188
 - space analysis 187
 - take-home pearls 194
 - treatment options 190–191
 - treatment recommendations 191
 - undetected CR-CO shift 190
 - vertical and anteroposterior facial growth 191
 - Jenna case study
 - apical root resorption 767
 - chin projection 759
 - Class II functional appliance 759
 - Class II molar relationship 759
 - correction 765, 766
 - Class II relationship 762, 764
 - coincident midlines 767
 - diagnostic findings and problem list 755
 - early treatment 758–759
 - final panoramic image 766–767

Jenna case study (*cont'd*)

final records 764–767
 Hyrax appliance 762, 764
 initial records of 756–757
 labial ectopic eruption 762
 mandibular arch 758
 mandibular midline deviation 758
 maxillary arch 758
 maxillary left primary canine eruption 758
 maxillary posterior dentition 762
 permanent canine crown overlap 758
 primary problems 758
 progress records
 at 10 years and 3 months of age 761
 at 11 years and 1 month of age 762–764
 at 12 years and 6 months of age 765
 rapid maxillary expansion (RME) 762
 retention protocol 768
 right posterior lingual skeletal crossbite 759–760
 root resorption 767
 space analysis 757–758
 take-home pearls 768
 treatment options 760
 treatment recommendations 760–762

Jessa case study

dental open bite 532–535
 skeletal open bite 532–535
 tongue-interposition habit 535
 vertical facial growth 534–535

Jonathan case study

bilateral posterior lingual crossbite 771
 Class II orthopedic treatment 771
 diagnostic findings and problem list 770
 early treatment 771
 initial records 769
 lateral CR-CO shift 771
 mandibular arch 770
 mandibular incisor alignment 772
 maxillary arch 770
 primary problems 770–771
 space analysis 770
 take-home pearls 772
 treatment options 771–772

k

Kassandra case study

clear/vacuum-formed retainer 199–200
 dental Class III 197
 diagnostic findings and problems list 196
 early treatment 198
 E space 197–198
 fixed orthodontic appliances 199
 initial records of 194–195
 LLHA placement 197
 with spurs soldered distal 199, 200
 mandibular arch 197
 maxillary arch 197
 primary problems 198
 progress records 199
 serial extraction 200
 space analysis 197
 take-home pearls 200
 treatment options 198–199

Kate case study

deband records 144–145
 diagnostic findings and problem list 139
 early treatment 141
 ideal serial extraction 142
 initial records of 137–138
 keratinized attached tissue labial 145
 keratinized gingival tissue 141
 labial biotype 141
 mandibular anterior crowding 141–142
 mandibular arch 140
 maxillary arch 140
 maxillary first molar mesial rotation 140
 periapical radiograph 140
 primary problems 141
 progress panoramic radiographs 143
 space analysis 140
 steep MPA 140
 take-home pearls 145–146
 treatment options 142–143
 treatment recommendations 143–144

Katie case study

diagnostic findings and problems list 312–313
 distal shoe appliance 313

early treatment 315–316
 ectopic eruption 313
 elastomeric separator 317
 future jaw growth 317
 initial records of 314–315
 mandibular arch 315
 maxillary anterior crowding 315
 maxillary arch 313–315
 maxillary left molar 313
 maxillary primary canines extraction 318
 primary problems 315
 progress record 317, 319
 space analysis 313–314
 take home pearls 318–319
 treatment options 316
 treatment recommendations 317–318
 undetected CR-CO shift 317

L

Late mesial shift 56

Leeway space 80

Lower anterior face height (LAFH) 346

Lower incisor angulation 807

Lower lingual holding arches (LLHA) 78, 79

banding primary second molars 89

Class II mixed-dentition patient 589

crowded mandibular anterior teeth 80–82

crowded mandibular incisors 79–80

first reported 82

lateral incisor distal drift 87

made with bands 88–89

mandibular permanent first molar eruption 82

mandibular primary second molars 88

mandibular second molar impaction 85–86

and permanent tooth eruption 82–83

placement of 85–86

prevent mesial drift 89

second molar impaction 85
 uses of 84, 85

Lucas case study

additional anchorage 182
 anterior open bite 181

- diagnostic findings and problem
 - list 180
 - early teeth extraction
 - guidelines 183
 - early treatment 182–183
 - initial records of 179
 - mandibular arch 181
 - maxillary arch 181
 - maxillary incisal display 181–182
 - posterior cross bite 182
 - primary problems 181
 - serial extraction 183
 - space analysis 180–181
 - take-home pearls 184
 - treatment options 183–184
- Lynnear case study**
- chin projection 574
 - chin-throat length 574
 - diagnostic findings and problem
 - list 574
 - early treatment 575
 - initial records of 573
 - mandibular arch 575
 - maxillary arch 575
 - nasal tip angle 574
 - primary problems 575
 - space analysis 574–575
 - tissue indentation 574
 - treatment options 575–576
 - treatment recommendations 576
- m**
- Madison case study**
- Class II elastic wear 167
 - common mistake during initial canine movement 164–165
 - cross bite 160
 - deband records 166–167
 - diagnostic findings and problem
 - list 156
 - early treatment 157–158
 - elastic force 165
 - erupted teeth crowns 162, 163
 - future jaw growth 157
 - initial records of 154–155
 - mandibular arch 157, 161
 - maxillary arch 157, 160–161
 - maxillary permanent canine
 - impaction 164
 - maxillary right lateral incisor 165–166
 - maxillary right permanent canine eruption 165
 - mesial drift of molars 159
 - occlusal cant 155–157
 - overjet (OJ) 167
 - primary problems 157
 - proclined maxillary
 - incisors 167–168
 - progress panoramic image 164
 - progress records
 - at 9 years and 2 months of age 159–160
 - at 11 years and 1 month of age 162–163
 - retention protocol 168
 - right-to-left occlusal size 157
 - root canal therapy 165
 - roots resorption 164
 - serial extraction 158, 162
 - shallow OB 168
 - space analysis 157
 - at 9 years and 2 months of age 160–161
 - space maintenance 161, 162
 - take-home pearls 168–169
 - treatment options 158, 161, 162
 - treatment recommendations
 - 158–159, 161, 163, 164
 - vertical ramus growth 156–157
- Malocclusion, oral habits 63–64**
- Mandible alveolar process 32**
- Mandible coronoid process 32**
- Mandibular anterior crowding**
- estimating 75–77
 - LLHAs (lower lingual holding arches) 79
 - in mixed dentition patient 78–79
 - non-extraction treatment 79
 - reliable indicator 78
 - space maintenance 79
- Mandibular anterior repositioning appliance (MARA) 346**
- Mandibular AP skeletal retrusion 799**
- Mandibular AP skeletal WRN 800**
- Mandibular arch length 57**
- Mandibular arch model 82, 83**
- after LLHA placement 82
- Mandibular dental expansion 459**
- Mandibular E-space 80**
- Mandibular incisor angulation 807**
- Mandibular permanent incisor eruption 604**
- Mandibular permanent molar alveolar bone crest 245**
- ankylosis 245, 246**
- complications 251**
- delay premolar eruption 229**
- extraction 233–234**
- favorable eruption 242**
- Halterman appliances 231**
- panoramic image 232**
- periapical radiographic 237**
- radiograph progress 236, 241**
- retention check 242**
- root development and eruption 233**
- surgical luxation/elevation 231**
- treatment 230**
- treatment recommendations 241**
- Mandibular primary canines**
- extraction 87–88
 - loss 58
- Mandibular primary first molars vs. second molars 50–52**
- Mandibular space maintenance 296, 310, 408, 421–422, 433, 442, 450, 459, 476**
- Mandibular space regaining 399, 408**
- Mara case study**
- ankylosed maxillary left primary
 - second molar 668
 - A-point 676
 - cause of posterior open
 - bites 671–672
 - cephalometric findings 676
 - deband records 681–684
 - dental deep bite 673
 - dental effects of CPHG wear 684
 - diagnosis 676
 - diagnostic findings and problem
 - list 667–668
 - early treatment 674, 685–686
 - eruption and mesial
 - tipping 670, 671
 - fixed orthodontic appliances 680
 - headgear 679
 - hygiene instructions 680
 - impacted maxillary left second premolar 679
 - incisor proclination 685
 - initial records of 669–670
 - interposition tongue habit 672
 - intraoral photos of 686
 - left second premolars 685
 - LLHA placement 685
 - mandibular arch 673
 - mandibular left primary second molar 668

Mara case study (*cont'd*)

- mandibular right permanent canine 675
 - maxillary arch 673
 - maxillary left first permanent molar 680, 681
 - maxillary midline diastema 686
 - Nance holding arch placement 670–671
 - oral hygiene 675
 - panoramic image
 - at 11 years and 1 month of age 675
 - at 12 years and 1 month of age 675, 676
 - panoramic radiograph
 - observations 675
 - poor hygiene 673–674
 - poor orthodontic bracket 684
 - primary problems 673
 - primary tooth ankylosis 668
 - progress records 680
 - at 12 years and 4 months of age 675–678
 - right posterior crossbite options 679
 - RME 685
 - skeletal crossbite 673
 - skeletal effects of CPHG wear 684
 - small posterior open bites 688
 - space analysis 672–673
 - take-home pearls 686–688
 - treatment options 674
- Marc case study
- Class III skeletal discrepancy 377
 - Class III skeletal relationship 375–376
 - deficient anteroposteriorly maxilla 374
 - excessive anteroposteriorly mandible 374
 - final records 387–388
 - initial records of 373
 - maxillary lateral incisor bracket 374
 - maxillary left lateral incisor 373, 374
 - panoramic image 373, 374
 - primary problems list 374
 - progress panoramic image 387
 - progress records 386
 - RPHG treatment 376–378
 - TAD-supported RPHG 385, 386
 - take-home pearls 387–389

Mark case study

- Class II molar relationship 407
- Class II orthopedic treatment 405, 410, 412
- Class II relationship 410
- Class II skeletal discrepancy 404–405
- deband records 411–412, 566–567, 569–570
- dental deep bite 404, 406
- diagnostic findings and problem list 400, 564
- early mandibular arch treatment 409
- early treatment 403–404
- headgear treatment 406
- incisor overeruption 403
- initial records 401–402, 562–564
- lingual crown torque 406–407
- mandibular arch 402–403
- maxillary and mandibular growth 407
- maxillary arch 402
- maxillary left permanent primary molar 565
- maxillary left permanent second molar 567
- maxillary posterior teeth 406, 407
- midline diastema 404
- models viewed from front 403
- non-extraction treatment 410, 412–413
- overcorrect and maintain 410
- overerupted mandibular incisors 403
- overerupted maxillary incisors 403
- periapical radiograph 566
- permanent first molars 407
- posterior open bite etiologies 565
- primary failure of eruption (PFE) 569, 570
- primary problems 403, 565
- recall records 567, 568
- re-treatment progress 567, 568
- RME 412
- serial extraction 404
- severe OJ 406
- space analysis 401–403
- take-home pearls 413–414, 571–572
- 10-year recall records 413
- treatment changes 410

options 407–408

- recommendations 409, 565–566
- undetected CR-CO shift 407

Mason case study

- anterior crossbite 433–434
 - CR-CO shift 430–432
 - deband intraoral photos 436
 - deficient mandible 430
 - diagnostic findings and problem list 430
 - discontinuing treatment 436
 - early treatment 432–433, 436, 438
 - fixed appliances 434
 - future jaw growth 433
 - initial records of 429
 - intraoral photographs of 431
 - lateral cephalometric radiograph 431
 - LLHA placement 435, 436
 - long skeletal LAFH 431
 - mandibular arch 432
 - maxillary and mandibular skeletal deficiencies 432
 - maxillary arch 432
 - maxillary incisors angulation 431
 - maxillary lateral incisor roots 436
 - maxillary permanent lateral incisors 434–435
 - primary problems 432
 - progress records 434
 - after crossbite correction 435
 - protruded mandibular lip 432
 - recall records of 435, 437
 - serial extraction 433
 - space analysis 432
 - take-home pearls 438
 - treatment options 433
 - true dental relationship 430
- Maxillary anterior crowding estimation 75–77
- Maxillary AP skeletal retrusion 799, 800
- Maxillary arch expansion 496
- Maxillary arch length 57
- Maxillary central incisors, delayed eruption etiology 265
- Maxillary E-space 80
- Maxillary incisal display 515, 516
- Maxillary incisor angulation 806–807
- Maxillary permanent canine, ectopic tooth eruption concomitant extraction 220

- early treatment diagnosis 218
- lateral incisor roots 219
- palpation of 218
- panoramic image 218, 219
- predict palatal displacement 218
- primary canine extraction 220
- spontaneous eruption 221
- Maxillary permanent incisors
 - average eruption age 599
 - ectopic/mesial eruption 62–63, 292
 - eruption 604
 - lateral position of 49–50
- Maxillary permanent molar
 - causes 237
 - initial panoramic image 236
 - magnified images 242, 245
 - mobile 91
 - non mobile 91
 - observation 235
 - permanent tooth eruption 235, 236
 - radiograph progress of patient 236
 - retention check 242
- Maxillary primary canine loss 59
- Maxillary skeletal expansion 607
- Maxillary space maintenance 90, 296, 310, 422, 433, 442
- Melissa case study
 - diagnostic findings and problems
 - list 293
 - early treatment 295
 - ectopic maxillary permanent canine 295
 - initial records of 294
 - mandibular arch 295
 - maxillary arch 295
 - maxillary left first premolar eruption 295
 - maxillary right lateral incisor 293
- Nance holding arch 297
- panoramic image
 - at 6 years and 10 months of age 296
 - at 9 years and 8 months of age 297
- primary problems 295, 297
- progress records of 298–299
- space analysis 293–294
- take home pearls 297, 299
- treatment
 - guidelines 295–296
 - options 296
 - recommendations 296–297
- Mesial molar drift 83–84
- Misaligned incisor 24
- Mixed dentition
 - early 188
 - ectopic tooth eruption 217
 - late 188
 - mandibular anterior
 - alignment 82
 - mandibular anterior crowding 78–79
 - molar interocclusal relationships 57
 - skeletal Class III patient, LLHA placement 384
 - space analysis 84
 - spontaneous alignment 79–82
 - without severe crowding 130
- Moyer's analysis 85
- Mudathir case study
 - Class III molar relationship 175
 - diagnostic findings and problem
 - list 174–175
 - distorted panoramic image 175
 - early treatment 176–177
 - initial records of 173–174
 - mandibular arch 176
 - maxillary arch 176
 - primary problems 176
 - serial extraction 177
 - space analysis 175–176
 - take-home pearls 178
 - treatment options 177–178
- Multiple piece maxillary osteotomy (MPMO) 732–734
- Muriel case study
 - diagnostic findings and problem
 - list 170
 - early treatment 171–172
 - early treatment options 172–173
 - initial records of 169–170
 - mandibular arch 171
 - maxillary arch 171
 - primary problem 171
 - serial extraction 172
 - skeletal/dental arch
 - asymmetry 170, 171
 - space analysis 171
 - treatment recommendations 173
- n**
- Nance holding arch 89–90, 316, 460
- cementation 125
- Nasio alveolar molding (NAM)
 - 491, 492
 - before and after treatment 493
- Nasion perpendicular line 257, 797
- Nasomaxillary complex 30–32
- Nathan case study
 - alveolar bone crest 479
 - anterior crossbite occlusion 472
 - canine anteroposterior position 477
 - cephalometric diagnostic findings 470, 472
 - Class III orthopedics 479
 - deband records 483–485
 - diagnostic findings and problem
 - list 470
 - early treatment 473–474, 486
 - fixed partial denture 486
 - future apical root resorption 486
 - future jaw growth 475
 - high-pull chin cup 479, 480, 485–486
 - incisal embrasures 486
 - initial records of 468–469
 - left maxillary and mandibular
 - bonded bridges 486
 - long-term goals 474
 - mandibular arch 473
 - mandibular growth 485
 - mandibular left ankylosed primary
 - second premolar 482
 - mandibular left primary second molar 477
 - maxillary arch 473
 - maxillary incisor angulation 472
 - maxillary incisor root
 - resorption 486
 - maxillary left canine-first premolar roots 483
 - maxillary midline diastema 476
 - Nance holding arch placement 470
 - non-extraction treatment 480, 482
 - observations 9 months later 479
 - previous panoramic
 - images 471, 472
 - primary problems 473
 - progress panoramic image 479
 - progress radiographs 480
 - of edentulous sites 482–483
 - progress record 480–481
 - after advancing maxillary incisors 477–478
 - made previous year 470–471

Nathan case study (*cont'd*)

- serial extraction 474
 - shorter clinical crowns 479
 - skeletal Class III 470, 473
 - skeletal discrepancies 475
 - space analysis 472–473
 - take-home pearls 487
 - traditional angle molar
 - classification 470
 - treatment options 476–477
 - treatment recommendations
 - 477, 482
 - treatment timing 475–476
 - worsened ANB angle 479
- Natural head position 807–808
- Ned case study
- Class II skeletal
 - discrepancy 585–587
 - deband records 592–594
 - deep bite correction 595
 - deep labiomental sulcus 584
 - dental deep bite 587–588
 - diagnostic findings and problem
 - list 582–583
 - diastema 584
 - early treatment 585
 - facial convexity 594
 - four first premolar extractions 595
 - future jaw growth 589
 - HPHG wear 594
 - initial records of 581–582
 - labiomental sulcus 594
 - LLHA removal 592
 - mandibular anterior labial
 - periodontal biotype 592
 - mandibular arch 584
 - mandibular incisor palatal
 - impingement 590
 - maxillary anteroposterior
 - position 583
 - maxillary arch 584
 - maxillary dental arch space 592
 - maxillary incisor angulation 594
 - maxillary midline frenum 584
 - mixed dentition diastemas 595
 - non-extraction treatment 595
 - orthodontic forces 587
 - primary problems 584
 - progress records 590–591
 - 1 year later 590–592
 - protrusive lower lip 584
 - retention protocol 595–596

- RME appliance 592
- skeletal crossbite 588
- skeletal discrepancy 588
- space analysis 584
- take-home pearls 596
- transverse dental
 - compensations 588
- treatment
 - goals 589
 - options 589
 - recommendations 584, 590, 592
- undetected CR-CO shift 589
- uprighting mandibular molars 588

Nora case study

- ankylosis of primary molars 659
 - anterior crossbite
 - recommendations 658
 - bilateral posterior tongue 658
 - causes of posterior open bites 658
 - Class II functional appliance 658
 - dental deep bite 660
 - diagnostic findings and problem
 - list 654
 - digit-sucking habit 659
 - early treatment 660–661
 - incisor trauma 658
 - initial records of 655–657
 - LLHA 663, 664
 - mandibular arch 657–658
 - maxillary arch 657, 658
 - maxillary incisal
 - angulation 656–657
 - posterior tongue-interposition
 - habit 658
 - primary failure of eruption
 - (PFE) 659–660
 - primary problems 658
 - progress panoramic image at 11
 - years 663, 665
 - progress records 662–663
 - 5 months later 663, 664
 - at 13 years of age 663, 665–666
 - RME 660
 - space analysis 657–658
 - take-home pearls 666–667
 - tongue-interposition habit
 - 658, 660
 - treatment options 661–662
 - treatment recommendations 662
- Normal interocclusal dental
 - relationships 34, 35

O

- Occlusal disarticulation 353
 - Orthodontic movement, surgically
 - exposed canines 225, 226
 - Orthopedic treatment, Class III
 - elastics 384
 - Osteogenic mechanisms 28–29
 - Overbite (OB)
 - definition 506
 - techniques to reduce 521–522
 - Overcorrection 356, 458, 476
 - Overjet (OJ)
 - excessive OJ 345, 346
 - soft tissue injuries 345
 - traumatic dental injuries 344
 - ideal OJ 345
 - magnitude of 344
 - measure of 345
 - treatment options 346–347
 - variables that affect
 - susceptibility 344
- P**
- Palatally displaced permanent
 - maxillary canines
 - cause of 62
 - prevalence of 62
 - Pediatric obstructive sleep apnea 41
 - Pediatric OSA 41–42
 - Peg-shaped permanent maxillary
 - lateral incisors 62
 - Permanent average mesiodistal
 - widths 75
 - Permanent first molar anteroposterior
 - relationship 57
 - Permanent incisor eruption 363–364
 - mandibular primary intercanine
 - width 57
 - Permanent tooth
 - emergence 48
 - mesiodistal dimension 47
 - root length development 48, 49
 - sequence of
 - emergence 48–49, 51–54
 - spatial relationship 48
 - Pharynx
 - adolescence 33
 - mature pharynx 33
 - newborn 33
 - Posterior Face Height (PFH) 806
 - Posterior lingual crossbites 458
 - Posterior open bites

- causes of 557–558
 - deband models 566–567
 - deband records 569–570
 - diagnostic findings and problem list 564
 - digit habits 561–562
 - fabrication of an LLHA 559–561
 - initial records 554–556, 562–564
 - maxillary left permanent primary molar 565
 - maxillary left permanent second molar 567
 - periapical radiograph 566
 - primary failure of eruption (PFE) 569, 570
 - primary problems list 556, 565
 - recall records 567, 568
 - re-treatment progress 567, 568
 - take-home pearls 571–572
 - treatment 558–560
 - treatment
 - recommendations 565–566
 - Presurgical infant orthopedic treatment 491
 - Primary dentition
 - features of 48
 - vertical occlusal characteristics 47
 - Primary molar ankylosis
 - dental anomalies 61
 - prevalence of 60
 - signs of 60
 - treatment alternatives 60
 - vertical alveolar growth 61
 - Primary teeth
 - age range 46
 - anterior crossbite correction 450
 - exfoliation 46–47
 - spacing 47
 - Primate space 47
 - Proclining maxillary incisors 356
 - Pseudo Class III malocclusion
 - 361–363
 - etiologic factors 361–362
 - vs. true skeletal Class III malocclusions 363
 - Pubertal growth acceleration 44
 - facial growth pattern 45
 - females 44
 - growth in cms 45
 - males 44
 - measurable indicator 45–46
 - peak facial growth velocity 44
 - periods 46
 - rate of forward and downward growth 45
- R**
- Rachael case study
 - adenoidectomy 549, 550
 - airway evaluation 549
 - cephalometric radiographs 549
 - deband records 553–554
 - diagnostic findings and problem list 548
 - initial records 546–547
 - lip incompetence 549
 - maxillary first permanent molars 549
 - molar relationships 549
 - nasal obstruction and facial morphology 549–550
 - primary problems list 552
 - recommendations 552
 - skeletal and dental open bite 550–551
 - tonsillectomy 549
 - treatment 551
 - VME features 551
 - Ramus case study
 - anterior crossbite correction 370, 371
 - Class I malocclusion 366
 - factors to treat anterior crossbite 369
 - initial records of 368
 - mildly convex profile 366
 - orthodontic cement placement 370
 - panoramic image 366, 369
 - permanent central incisors eruption 369–370
 - progress records 369–370
 - removable maxillary appliances 370, 372
 - tongue blade 370
 - treatment 370
 - Rapid maxillary expansion
 - (RME) 286, 326, 408, 460, 601, 621, 674, 746, 760, 771, 777, 784
 - bonded appliances 722, 724
 - buccal crown torque 720
 - Class II improvement 726–727
 - effect of 42
 - fan-shaped expander 495
 - hemi-maxillae 712, 713
 - ideal amount of 601
 - long-term retention 716
 - mandibular posterior teeth 716, 718
 - maxillary left first premolar band 725, 726
 - midpalatal suture separation 714
 - nasal cross-sectional area 726
 - obstructed breathing 42
 - obstructive sleep apnea 726
 - overcorrection/overexpansion 716, 717
 - periodontium 720
 - post-activation retention periods 716, 717, 719
 - post-expansion maxillary molar 716
 - recommendations 715–716
 - root resorption 720
 - signs 715
 - skeletal expansion 719
 - skeletal resistance 712–714
 - treatments 726
 - Rebecca case study
 - ankylosis of the maxillary central incisors 266
 - central incisor situation 265
 - deband records 266, 268
 - diagnostic findings and problems list 262–263
 - initial records of 264
 - panoramic image observation 265
 - permanent tooth eruption timing 263, 265
 - possible risks of monitoring 266
 - primary problems 263
 - progress records of 267
 - retention protocol 266–267
 - take-home pearls 267, 269
 - treatment options 265–266
 - treatment recommendations 266
 - undetected CR-CO shift 266
 - zero-meridian line 263
 - Recall 116, 131, 158, 161, 162, 172, 177, 183, 190, 206, 261, 274, 285–286, 296, 303, 310, 316, 326, 393, 398–399, 407–408, 421, 433, 442, 450, 459, 476, 575–576, 580, 589, 600, 607, 621, 674, 746, 760, 771, 777, 784
 - Relative crossbite 421
 - Relative intrusion 587

Reverse-pull facemask 376

Reverse pull headgear

(RPHG) 460, 476

A-Point advance 376–377

early Class III treatment 377

effects of 376

miniplate anchorage RPHG 377

overcorrection 378, 383

treatment plan 376

S

Schwarz appliance 423

Sella-Nasion line and the mandibular plane (SN-MP) 805

Serial extraction 93–94, 117, 121, 122, 132, 143, 151, 158, 161, 162, 173, 178, 184, 191, 199, 206, 274, 286, 296, 316, 326, 408, 433, 442, 461, 477, 589

drawback of 130

external apical root resorption 98

extraction sequence 95–96

incisor stability 98

vs. later conventional premolar

extractions 97, 98

normal anteroposterior

relationship 93–94

normal incisor angulation/proclined incisors 94

normal transverse relationship 94

normal vertical relationship 94

poor patient selection 96–97, 188

severe amount of anterior

crowding 93

vs. space maintenance 206

Severe mandibular anterior crowding

premature loss of primary

canines 57

reliable indicator 57, 100, 187–188

Severe mandibular skeletal

deficiency 422

Skeletal deep bites 39

downgraft osteotomy

surgery 528, 529

etiology of 514, 516

favorable mandibular growth 518

features of 532

mandibular incisors 518–520

masking 517–518

maxillary incisors 520

orthopedic treatment 516–518

surgery 518

unfavorable mandibular

growth 518

vertical facial growth 514,

515, 534–535

Skeletal open bites 39

etiology of 541

masking 542–544

orthopedic treatment 541–544

surgery 542–545

vertical facial development 545

SNA and SNB angles 800–801

Space maintenance 59–60, 78, 116,

122, 131, 142, 151, 158, 161, 162,

172–173, 177, 183–184, 190, 198,

206, 274, 286, 303, 316, 326, 393,

399, 408, 576, 580, 589, 607,

621–622, 674, 746, 772, 777, 784

Space regaining 90–93, 116, 122, 131,

142, 151, 158, 161, 162, 173,

177–178, 190, 198–199, 206, 261,

274, 286, 303, 310, 316, 326, 433,

442, 459–460, 476, 589

elastomeric separator insertion 91

Halterman appliance 91

maxillary right primary second

molar extraction 91

split plate 94

Spontaneous alignment

crowded mandibular anterior

teeth 80–82

crowded mandibular

incisors 79–80

Straight-pull headgears (SPHG) 517

Straight (flush) terminal plane 50, 55

Surgically assisted rapid maxillary

expansion (SARME) 732, 734

Sydney case study

dental and skeletal deep

bite 512–514

diagnostic findings and problem

list 577–578

early treatment 579

initial records of 576–577

mandibular arch 578

maxillary arch 578

maxillary midline labial

frenum 579–580

primary problems 579

soft tissue trauma 578

space analysis 578

treatment options 580

treatment recommendations 580

T

Teeth drift 59

Temporary anchorage device (TAD)

advantages 383–384

Class III orthopedic effects 383

disadvantages 384

supported Class III

elastics 460–461, 477

Theo case study

Angle classification system 7

anterior incisor crossbite

correction 11

assessment issue 3

cephalometric findings 16–17

changes at age 15 11

deband photographs 10

diagnostic findings and problems

list 5–6

early treatment 16

deband photographs 10

options 8–9

principles 8

initial records of 4–5

lateral cephalometric radiograph 5

LLHA placement 11, 13

mandibular anterior labial

periodontium 11

mandibular skeletal anteroposterior

position 6

maxillary canine problem 11

maxillary fixed appliances 9–10

nasion-perpendicular line 6

orthodontic diagnosis 3

orthodontic treatment 16

panoramic radiograph 3

primary problems list 8

progress records 14–15

at 15 years of age 12–13

recalling recommendations 9–10

skeletal jaw discrepancies 17

thin labial periodontal biotype 7

treatment recommendations 13, 16

Thumb habit correction 621

Timing of puberty 46

Tomas case study

anterior crossbite 366

dentally Class I 366, 367

initial records of 367

Tooth crowding 63

arch perimeter 63

etiology of 63

tooth-size 63

- Tooth emergence 46
 - age range 46
 - permanent tooth root maturation 48
 - timing and sequence 46–47
 - Tooth eruption 46
 - delayed chronologic 60
 - gender differences in timing 50
 - habit duration or force magnitude 618
 - modal sequence 49, 53
 - primary failure 61
 - rate of 48
 - stages of 48
 - timing of 47
 - tooth movement 48
 - Tooth position equilibrium 63
 - Tooth-size arch length discrepancy (TSALD) 47
 - Transitional dentition crowding 63
 - Transverse orthopedics 589
 - Transverse posterior dental compensations 36–37
 - Transverse problems
 - bilateral crossbite 733–734
 - bonded maxillary expanders 722
 - buccal crown torque 695, 696
 - causes 700
 - crossbite corrections 697
 - cuspid-to-cuspid occlusion 696, 697
 - cuspid-to-fossa occlusion 696, 697
 - dental crossbites 704–705, 709–711
 - dental relationships 697
 - diagnosis and treatment plan 702–704
 - Haas maxillary expander 720, 721
 - Hyrax expander 721
 - Hyrax expansion screw appliance 711, 712
 - lingual crown torque 695, 696
 - mandibular
 - arch expansion 722, 724, 725
 - asymmetry 697
 - surgeries 734–737
 - masking skeletal crossbites 727–730
 - maxillary
 - anchor teeth 710
 - arch expansion 722, 724, 725
 - molar transverse occlusion 695
 - MPMO 732, 733
 - occlusal interferences 707
 - posterior crossbites 707–709
 - quad-helix 711, 712
 - rapid maxillary expansion (RME)
 - bonded appliances 722, 724
 - buccal crown torque 720
 - Class II improvement 726–727
 - hemi-maxillae 712, 713
 - long-term retention 716
 - mandibular posterior teeth 716, 718
 - maxillary left first premolar band 725, 726
 - midpalatal suture separation 714
 - nasal cross-sectional area 726
 - obstructive sleep apnea 726
 - overcorrection/overexpansion 716, 717
 - periodontium 720
 - post-activation retention periods 716, 717, 719
 - post-expansion maxillary molar 716
 - recommendations 715–716
 - root resorption 720
 - signs 715
 - skeletal expansion 719
 - skeletal resistance 712–714
 - treatments 726
 - right molar problems 710
 - SARME vs. MPMO 732
 - Schwarz expanders 729, 730
 - skeletal crossbites 704–705
 - split plate appliance 710, 712
 - treatment goals 706
 - treatment options 707
 - unilateral crossbite 697, 702, 723
 - Tricia case study
 - adenoidal facies 642
 - adenoidectomy 639
 - bonded RME 652
 - chin projection 639, 641
 - Class II relationship 639, 647
 - convex profile 647
 - deband records 650–652
 - dental open bite 644, 646
 - diagnostic findings and problem list 638–639
 - early treatment 642–643
 - future jaw growth 649
 - hyperdivergent growth pattern 644
 - incisor eruption 652
 - initial records of 640–641
 - intraoral scan views 644
 - lip competence 642
 - mandible 647
 - mandibular arch 645
 - mandibular incisor crowding 645
 - masking (camouflage) 648
 - maxillary arch 645
 - mentalis strain 639
 - open bite treatment 649
 - orthopedic treatment options 647–648
 - posterior crown torques 644–645
 - posterior overjet/posterior crossbite 644
 - posterior transverse relationship 648–649
 - primary problems 645
 - progress records 650
 - retention protocol 653
 - second adenoidectomy 641
 - skeletal open bite 643–644, 646–647
 - space analysis 645
 - take-home pearls 653
 - tonsillectomy 639
 - treatment recommendations 649–650
 - vertical-pull chin cup wear 652
 - Trista case study
 - Class II molar relationship 283
 - Class II orthopedics 283
 - CR-CO shift 280
 - diagnostic findings and problems list 279–280
 - early treatment 283–285, 288
 - FMIA 288
 - Herbst appliance 286–287
 - initial records of 281–282
 - LLHAs 287–288
 - mandible 280
 - mandibular arch 284
 - mandibular dental arch crowding 288
 - mandibular first permanent molar eruption 287–288
 - maxillary arch 284
 - primary problems 284, 291
 - progress records 287–290
 - serial extraction 285
 - space analysis 283–284

Trista case study (*cont'd*)
 stainless-steel ligature wire 289
 take home pearls 292
 transverse dental compensations
 283
 treatment options 285–286,
 290–292
 treatment
 recommendations 286, 292

V

Vertical condylar growth 40
 Vertical problems
 dental deep bites
 erupting posterior teeth 515
 etiology of 514, 515
 vertical facial growth 514,
 515, 534–535
 dental open bites
 anterior tooth eruption 545
 digit-sucking habits 536
 etiology of 537
 growth pattern 535
 recommendations 541
 thumb-sucking habits 536
 tongue interposition 538–539
 treatments 540–541
 vertical facial development 545

digit-sucking habits
 non-compliance based
 options 537
 thumb cribs 538
 thumb paints 537–538
 ideal overbite 506–508
 mandibular incisor palatal soft tissue
 impingement 522–523
 overbite (OB)
 definition 506
 techniques to reduce 521–522
 posterior open bites
 causes of 557–558
 deband models 566–567
 deband records 569–570
 diagnostic findings and problem
 list 564
 digit habits 561–562
 fabrication of an LLHA 559–561
 initial records 554–556, 562–564
 maxillary left permanent primary
 molar 565
 maxillary left permanent second
 molar 567
 periapical radiograph 566
 primary failure of eruption
 (PFE) 569, 570
 primary problems list 556, 565

recall records 567, 568
 re-treatment progress 567, 568
 take-home pearls 571–572
 treatment 558–560
 treatment recommendations
 565–566
 skeletal deep bites
 downgraft osteotomy
 surgery 528, 529
 etiology of 514, 516
 favorable mandibular
 growth 518
 features of 532
 mandibular incisors 518–520
 masking 517–518
 maxillary incisors 520
 orthopedic treatment 516–518
 surgery 518
 unfavorable mandibular
 growth 518
 vertical facial growth 514,
 515, 534–535
 skeletal open bites
 etiology of 541
 masking 542–544
 orthopedic treatment 541–544
 surgery 542–545
 vertical facial development 545

