Contents

Part I	Quantum $1/r^2$ Models	
	the Ideal Semion Gas: Spinons and Quantum Symmetries grable Haldane-Shastry Spin Chain Haldane	3
for Quantu	Integrable System: The Universal Hamiltonian m Chaos mastry (With 2 Figures)	21
Fermion M	persymmetry in Exactly Soluble Multi-Component lodels amoto	36
with Invers	al Extension of Quantum Models se-Square Interaction vakami	43
and Its App	System with $1/r^2$ Exchange Interaction plication to Resonances in Narrow Channels ek, A. Okiji, and N. Kawakami	49
Part II	Symmetries and Excitations for Integrable Models	
The Role of By V.E. K	of Symmetries in Systems of Strongly Correlated Electrons orepin and F.H.L. Essler	57
	Approach to Solvable Lattice Models	68
	Field-Theory Approach to Quantum-Impurity Problems ck (With 6 Figures)	82
	Excitations for Impurity Models i. S. Suga, M. Yamashita, and N. Kawakami (With 5 Figures)	96

digitalisiert durch NATIONAL BIBLIOTHEK

Part III	Phase Diagram for 1D Correlated Electron Systems	
	n of the One-Dimensional Kondo-Lattice Model With 1 Figure)	107
	of the Kondo-Lattice Model o, K. Ueda, and H. Tsunetsugu (With 4 Figures)	113
Variational Wafor Strongly C	ave Functions in the One-Dimensional t-J Model Correlated Regimes (With 2 Figures)	121
Peierls Transit	ation and Strong Electron-Phonon Interaction — ion with Mott Transition ma (With 4 Figures)	128
Part IV	Edge States of the Quantum Hall Effect	
Edge Excitation By X.G. Wen	ons in Abelian and Non-Abelian FQH States	135
Field Theory of	of Fermions in the Lowest Landau Level	146
in a Strong Ma	Approach to Electron Correlations agnetic Field	154
Narrow-Chann into One Dime	el Fractional Quantum Hall States and Their Projection ension – Non-Tomonaga-Luttinger-Liquid Behavior a and M. Ogata (With 3 Figures)	161
Chern-Simons of the Fraction	Ginzburg-Landau Theory al Quantum Hall System with Edges a and M. Kohmoto	168
Part V	2D Correlated Electrons	
via Trellis Latt	: From One Dimension to Two Dimensions ices S. Gopalan, M. Sigrist, and F.C. Zhang (With 5 Figures)	177
Spin-Charge Doin a Quantum	ecoupling and the One-Hole Green's Function Antiferromagnet and Q.F. Zhong (With 1 Figure)	
Charge-Spin Se	eparation and Pairing by Chiral Spin Fluctuations and A. Muramatsu	185

Transitions to Incompressible States By M. Imada (With 1 Figure)	203
Mass Anomaly in the Hubbard Model Near Half-Filling By N. Furukawa and M. Imada (With 2 Figures)	210
Index of Contributors	215