

# Index

---

## A

- Ableism, 9, 317
- Abnormal eye gaze, 51. *See also* Eye contact
- Accommodations, 109–110, 115
- Active learning, 144–145
- Active listening, 152
- ADHD. *See* Attention-deficit/hyperactivity disorder (ADHD)
- Adolescent girls with ASD, 159–160
- Adolescent skills concern, 152–154
- ADOS-2. *See* Autism Diagnostic Observation Schedule, 2nd edition (ADOS-2)
- Adults with autism, 169–174
  - areas of difference and challenges for, 170
  - in college settings, 171
  - core treatment areas, 184–192
  - cost of care, 169
  - cultural considerations, 179
  - daily living skills, 172, 190–191
  - difficulties with adaptive behavior skills, 172
  - employment, 169–170, 192
  - environment, 181–182
  - evidence-based approaches, 183
  - internship opportunities, 181–182, 187
    - and meaningful employment, 182–183
  - loneliness, 176
  - parent perspectives, 177–179
  - parent–professional partnership, 185
  - sexual victimization, 191
  - sheltered employment, 169
  - social anxiety issues, 181
  - social blindness, 188
  - social challenges, 178, 179
  - social media, 180–181
  - Spectrum Shield program, 191
  - Wiley’s journey with autism, 169, 175–177
- AFIRM project. *See* Autism Focused Intervention Resources and Modules (AFIRM) project
- African-American parents, 297–298
- American Psychological Association (APA), 296, 306
- American Speech and Hearing Association, 79, 85
- American Speech–Language–Hearing Association (ASHA), 46–47, 205, 226, 254, 296, 306
- Antecedent-based interventions, 85
- Applied behavior analysis, 308
- ASD. *See* Autism spectrum disorder (ASD)
- Asian parents, 298
- Asperger’s syndrome, 2, 12, 317
- Assessment(s), 19–21
  - caregiver counseling, 34–35
  - clinical application, 32–36
  - of culturally, linguistically diverse populations, 21–22
  - ethnographic interviewing, 22
  - formal, 27–28
  - informal, 28–29
  - self-reports, 61
  - tools, 20, 26–27
- Attainable goals, 37
- Attention-deficit/hyperactivity disorder (ADHD), 23
- Audiologists, 24–25
- Augmentative and alternative communication (AAC), 244
  - caregivers, 251
  - competence
    - linguistic, 248
    - operational, 247

Augmentative and alternative communication (AAC) (*cont'd*)  
    social, 249  
    strategic, 250  
cultural considerations, 251–252  
high-tech options, 245  
intervention considerations, 252–259  
    environmental arrangement, 255–259  
    incorporating peer models, 255  
    modeling, 253  
    timing, 253  
    working from least to most prompts, 253–254  
introduction of, 250–252  
low and no tech options, 245–247  
nonverbal and minimally verbal clients, 244–245  
parent training, 251  
student's use of, 251  
successful, 251  
Autism Ally program, 171  
Autism core classrooms, 107  
Autism Diagnostic Interview Revised (ADI/R), 27  
Autism Diagnostic Observation Schedule, 2nd edition (ADOS-2), 27, 60  
Autism Focused Intervention Resources and Modules (AFIRM) project, 84–85  
Autism spectrum disorder (ASD), 9  
    and brain, 6–7  
    clinical team, 7–8  
    comorbidity in, 30–31  
    cultural competence and, 226–230  
    diagnostic team, 24–26  
    DSM IV diagnostic criteria, 2, 3  
    gender disparity, 29–30  
    historical perspectives of, 1–2  
    medical and social models of, 10  
    neurodiversity movement, 9–11  
    one domain for, 4  
    social justice and, 231–235  
“Autism the label”, 179–181

## **B**

Behavioral parent training, 308  
Behavioral supports, in classroom, 107–108  
    environmental arrangement, 109–110  
    positive environment, 113  
    timers, 117–118  
    token economy system, 114, 116–117  
    visual behavior reminders, 111

    visual cue card, 110–112  
    visual schedules, 113–114  
Bernstein, Diane, 99  
Bittner, Melissa, 283  
Black parents, 297  
Body language, 54–55  
Brain and autism, 6–7  
Bullying, 152

## **C**

Calendar token system, 117  
Camouflaging, 12, 155, 317  
Career interest, 153  
Caregivers, 251, 269  
    counseling, 34–35  
    education, 7  
Carrie, 195  
CBT. *See* Cognitive behavioral therapy (CBT)  
Childhood Autism Rating Scale, 2nd edition (CARS-2), 27  
Classroom accommodations, 109–110  
Clinical team, 7–8  
Cognitive behavioral therapy (CBT), 195  
Collaboration, 274  
Communication, 267–268  
    impairments, 2–4  
Communication and Symbolic Behavior Scales Developmental Profile, 27  
Communicative competence, 248  
Community-based outing, 161, 317  
Community engagement, 160–161  
Community integration tasks, 69, 317  
Comorbidity, 30–31, 317  
Comprehensive Assessment of Spoken Language, 2nd edition (CASL-2), 28  
Connections, 87–90  
Conventional gestures, 52  
Conversations, 56–58, 64–65, 154  
Critical learning period, 78, 84, 317  
Cube chairs, 110  
Cultural awareness, 227  
Cultural blindness, 230  
Cultural competence, 226–230  
Cultural destructiveness, 230  
Cultural differences, 21–22, 48–49  
Cultural humility, 227, 230, 317  
Cultural incapacity, 230  
Cultural knowledge, 228  
Cultural pre-competence, 230  
Cultural responsiveness, 226, 227, 229, 296, 317  
Cultural skill, 228

**D**

Daily living skills, 172, 190–191  
 DBT. *See* Dialectical behavior therapy (DBT)  
 Delayed echolalia, 207, 215  
 Denver Early Start Model, 85  
 Department of Labor's O\*NET database, 188  
 Depression, 293  
 Descriptive gestures, 52  
 Developmental language delay, 23  
 Diagnoses  
   differential, 23  
   other than autism, 23–24  
 Diagnostic and Statistical Manual of  
   Mental Disorders, fifth edition  
   (DSM-V), 78  
 Diagnostic team, 24–26  
 Dialectical behavior therapy (DBT), 195  
 Differential Ability Scales–II (DAS-II), 28  
 Differential diagnosis, 23  
 DIR®/DIRFloortime®, 86  
 Disparity, 289–292, 317  
 Double empathy problem, 11, 317  
 Down Syndrome, 4  
 Drama therapy, 216–218  
 Dynavox, 245

**E**

Early diagnosis and intervention  
   critical learning period, 78, 84  
   environmental arrangement, 93–95  
   establishing natural connection, 87–90  
   evidence-based practices, 84–87  
   eye-gaze, 89–90  
   family involvement, 82–83  
   interprofessional collaboration, 96  
   joint attention, 89  
   language milestones and therapeutic  
     activities, 80–81  
   neurotypical development, 78–82  
   organization in therapy, 93  
   parent-mediated interventions, 83  
   playfulness, 90–92  
 Early language developmental milestones,  
   80–81  
 Echolalia, 204–205  
   delayed, 207, 215  
   functionality of, 208–210  
   and gestalt language acquisition, 206–207  
   immediate, 207  
   interactional, 209  
   mitigated, 208, 209

non-interactional, 209–210  
 in people with autism spectrum  
   disorder, 211, 212  
 severity of, 210  
 therapeutic action plan, 210–218  
   bringing reality and relevance to echolalic  
     production, 215  
   drama therapy, 216–218  
   jumping into character, 216  
   teaching a client to pause, 213–215  
   working to be direct, 211, 213  
 types of, 207–208  
 Elopers, 317  
 Emotional regulation, 317  
 Emotions cards, 54  
 Employment, 169–170, 192  
 Environmental arrangement, 93–95, 109,  
   143, 255–259  
 Equity vs. equality, 229  
 Error analysis, 148  
 Ethnographic interviewing, 22, 317  
 Evidence-based approach/practice, 46–47,  
   84–87, 183, 307–308  
 Executive functioning, 59–60, 154, 189, 317  
 Exercise, 86  
 EXPAND, 276–277  
 Eye contact, 48, 51–52, 89–90

**F**

Facial expressions, 54–55  
 Family involvement, 82–83  
 Fannin, Danai Kasambira, 163  
 Firsthand reports, 61  
 Fluency-based challenges, 69  
 Formal assessments, 27–28  
 Free and appropriate public education  
   (FAPE), 115  
 Friendships, 152, 235  
 Functional play, 91, 318

**G**

Gender disparity, 29–30  
 General education settings, 107  
 Gestalt language acquisition, 205–207  
 Gesture, 52–53  
 Gilliam Autism Rating Scale, 3rd edition  
   (GARS-3) Helps, 27  
 Goal setting, 37, 108  
   SMART goal, 37–38  
 Group services, 270–271, 306  
 Group work, 130

**H**

Hanen Program®, 308  
Harrop, Clare, 219  
Hybrid approach, 281

**I**

Identity-first language, 318  
IEP. *See* Individual education plan (IEP)  
IFSP. *See* Individualized family service plan (IFSP)  
Imagery associated with autism, 11  
Immediate echolalia, 207  
Independent tasks, 132–133  
Individual education plan (IEP), 105–106, 115  
Individualized family service plan (IFSP), 105, 115  
Individual services, 270–271  
Individuals with Disabilities in Education Improvement Act, 305  
Informal assessments, 28–29  
In-home services, 275–277  
Instrumental/informational gestures, 52  
Integrated employment opportunities, 169, 318  
Intellectual impairment, 30  
Interactional echolalia, 209  
Interdependent group-oriented contingencies, 118, 318  
Internship opportunities, 181–182, 184, 187  
Interpreter, 26, 318  
Interprofessional collaboration, 96  
Interprofessional education (IPE), 265–266, 318  
Interprofessional practice (IPP), 265, 267, 318  
Intersectionality, 227  
Intervention settings, 272  
Interview(ing)  
    ethnographic, 22  
    parent, 29  
Ito, Nadhiya, 135

**J**

John, 196  
John Holland's Six Occupational Types of Personality, 187  
Joint attention, 50, 89, 318  
Joint attention symbolic play engagement regulation (JASPER), 86

**K**

Kanner, Leo, 2  
Kasari, Connie, 15  
Koegel, Lynn Kern, 70–71

**L**

Language sample analysis (LSA), 29  
Latina mothers of children with ASD, 299  
LatinX parents, 298–299  
Law enforcement, 238  
Least restrictive environment (LRE), 106, 115  
Lesson plans, 119–124  
Linguistic competence, 248  
Literacy tasks, 129  
Loneliness, 150, 153, 176

**M**

Masking. *See* Camouflaging  
Mastery, 318  
M-CHAT-R/F. *See* Modified Checklist for Autism in Toddlers, Revised with Follow-up (M-CHAT-R/F)  
Measurable goals, 37  
Mediated intervention approaches, 269–270  
Medical model of disability, 9, 318  
Menstruation, adolescent girls with ASD, 159–160  
Mental health, parent's, 293–295  
Minimally verbal children, 244–245, 257  
Mitigated echolalia, 208, 209  
Modified Checklist for Autism in Toddlers, Revised with Follow-up (M-CHAT-R/F), 20, 26, 27  
More Than Words, 308  
Mullen Scales of Early Learning, 28  
Music-mediated intervention, 86

**N**

National Autism Indicators report (2017), 169  
Natural environment observation, 29  
Naturalistic intervention, 86  
Natural language paradigm, 70, 86  
Negative statements, 57, 58  
Neurodevelopmental pediatricians, 25  
Neurodevelopmental psychologists, 25  
Neurodiversity movement, 9–11, 318  
Neurotypical development, 78–82, 318  
Neurotypical peer models, 255  
Non-interactional echolalia, 209–210  
Nonverbal, 79, 82, 244–245  
Nonverbal social communication challenges, 50–55  
    body language, 54–55  
    eye contact, 48, 51–52  
    facial expressions, 54–55  
    gestures, 52–53  
    joint attention, 50

**O**

Obsessive-compulsive disorder (OCD), 23  
 Oh goodness! plan, 318  
 Online gaming, 176  
 Onlooker behavior, 318  
 Operational competence, 247  
 Organization in therapy, 93

**P**

PACT model, 219  
 Parallel play, 318  
 Parent(s)  
   African-American, 297–298  
   Asian, 298  
   Black, 297  
   celebrating small victories with, 294, 307  
   coaching, 302  
   confidence, 304  
   creating a winning mentality, 308–309  
   cultural considerations, 295–299  
   disparate treatment, 291  
   education, 269  
   engagement, 82–83, 300  
   evidence-based approaches, 307–308  
   in group setting, 305–307  
   Hispanic, 298–299  
   interview, 29  
   mental health, 293–295  
   methods of treatment, 302–303  
   questions, 305  
   sharing information, 206, 302  
   shifting perspectives, 308–309  
   training, 308  
 Parent-mediated interventions, 83, 86, 269, 318  
 Parent-professional partnership, 185  
 Parent support groups (PSGs), 294–295, 318  
 Peete, Holly Robinson, 331  
 Performance deficits, 68  
 Personal skills development, 184  
 Person-first language, 318  
 Pervasive developmental disorder—not  
   otherwise specified (PDD-NOS), 3  
 Picture exchange communication system  
   (PECS), 245  
 Pivotal response treatment (PRT), 70, 86–87  
 Plateau, 79, 319  
 Play evaluation, 29  
 Play flow chart, 91  
 Playfulness, 90–92  
 Playground time, 124  
 Positive statements, 57, 58  
 Predictions, 233–234

Preschool Language Scales, 5th edition  
   (PLS-5), 28, 34

Preverbal, 245  
 Primary caregivers, 25  
 Professional burnout, 36  
 Professional-parent partnership, 185  
 Project SEARCH + ASD Supports  
   (PS+ASD), 183–184  
 Proloquo2Go, 245  
 PRT. *See* Pivotal response treatment (PRT)  
 PSGs. *See* Parent support groups (PSGs)  
 Puberty, 153  
 Pull-out services, 273, 319  
 Purkinje cells, 7  
 Push-in services, 273–274, 319

**R**

Rapport, 60–61  
 Recess, 124–126  
 Regression, 79, 319  
 Relationships, 154, 158–159  
 Relevant goals, 38  
 Remote delivery. *See* Telepractice  
 Repetitive motor movements, 10  
 Report writing, 62–64  
 Restricted and repetitive behaviors (RRBs), 2, 3,  
   5, 20, 219  
 Rett syndrome, 23  
 Review of records, 29  
 RIASec test, 187–188  
 Rossetti Infant-Toddler Language Scale, 28

**S**

Sally-Ann task, 55  
 Schedules, 113–114  
 School-age children with autism—early  
   years, 103–104  
   autism core classrooms, 107  
   behavioral supports in classroom, 107–108  
     environmental arrangement, 109–110  
     positive environment, 113  
     timers, 117–118  
     token economy system, 114, 116–117  
     visual behavior reminders, 111  
     visual cue card, 110–112  
     visual schedules, 113–114  
   common school day challenges  
     group work, 130  
     independent tasks, 132–133  
     literacy tasks, 129  
     recess, 124–126  
     transitions, 126–128

- School-age children with autism—later years (*cont'd*)
  - determining appropriate education setting, 106–107
  - general education, 107
  - goal setting, 108
  - least restrictive environment, 106, 115
  - lesson plans, 19–124
  - special education, 106
  - transition to school
    - IEP, 105–106
    - IFSP, 105
    - obtaining formal evaluation and diagnosis, 104–106
    - pre diagnosis, 104
- School-age children with autism—later years, 139–140
  - active learning strategies, 144–145
  - adolescent girls and menstruation, 159–160
  - adolescent skills concerns, 152–154
  - community engagement, 160–161
  - developing social targets, 154–159
  - environmental arrangement, 143
  - parental concerns, 141, 142
  - parents and adolescent revolution, 141
  - pragmatic considerations, 149–152
  - relationships, gender, and sex, 158–159
  - successful adolescent therapy session implementation, 142
  - therapeutic mediums, 146
  - video modeling, 145, 147–148
- School psychologists, 104
- Scope of practice, 8
- Script, 148, 319
- Segregated job setting, 169, 319
- Self-advocacy, 176
- Self-analysis, 148
- Self-determination, 141, 144, 154, 319
- Self-efficacy, 294
- Self-reports, 61, 319
- Self-stimulatory behaviors, 319
- Service delivery models, 268–274
- Sex education, 158–159
- Sexual victimization, 191
- Sheltered employment, 169
- Sibling-mediated intervention, 270
- Sigler, Justin, 194
- Sign language, 247
- Skill deficits, 68
- SLPs. *See* Speech–language pathologists (SLPs)
- SMART goal, 37–38
- Smothering, 141
- Social anxiety, 181
- Social blindness, 188
- Social challenges, 178, 179
- Social communication challenges, 2, 3, 20, 45–47
  - community integration tasks, 69
  - fluency-based challenges, 69
  - inclusive preschool programs, 62
  - nonverbal, 50–55
    - body language, 54–55
    - eye contact, 48, 51–52
    - facial expressions, 54–55
    - gestures, 52–53
    - joint attention, 50
  - performance deficits, 68
  - reporting deficits, 62–64
  - reporting strengths first, 62, 64–65
  - skill deficits, 68
  - verbal, 55–59
    - conversation and topic maintenance, 56–58
    - tone and suprasegmental speech, 56
- Social communication disorder, 24
- Social communication strengths, 62, 64–65
- Social competence, 249
- Social disadvantages, 290, 291. *See also* Disparity
- Social interaction deficits. *See* Social communication challenges
- Social interactions, 153
- Social justice, 231–235
- Social media, 180–181
- Social Model Animation, 9
- Social pragmatic disorder, 24
- Social reciprocity, 60–61
- Social skills groups, 235
- Social skill steps, 125, 148, 319
- Social targets, 154–159, 319
- Soft skills, 34, 319
- Solitary play, 91, 319
- Sorenson self-esteem test, 186
- Specific goals, 37
- Spectrum Shield program, 191
- Speech-generating application, 245, 246
- Speech-generating devices (SGDs), 245, 251, 255
- Speech–language pathologists (SLPs), 19, 25, 104, 143
- Stimming, 12
- Strategic competence, 250
- Stress, 293

Suprasegmental speech, 56, 319

Symbolic play, 319

## T

Tailor day workers, 169, 319

Talkability™, 308

TAP (temperament, aptitude and  
patience), 271

Telepractice, 277–281

Theory of mind, 54, 55, 319

Time bound goals, 38

Timers, 117–118

Toddlers with autism, 269

Token economy system, 114, 116–117,  
129, 319

Touch Chat, 245

Training programs, 268

Transitions, 126–128

Transition to school. *See also* School-age  
children with autism—early years

IEP, 105–106

IFSP, 105

obtaining formal evaluation and diagnosis,

104–106

pre diagnosis, 104

Typical developmental norms, 319

## V

Vento-Wilson, Margaret, 261

Verbal reprimands, 206, 319

Vibe check, 267

Video modeling, 126, 145, 147–148, 319

Visual behavior reminders, 111

Visual cue cards, 110–111

Visual representations, 247

Visual schedules, 113–114

Vocal stereotypy, 216, 319

Vocational readiness, 187

## W

Wiley, Pamela, 168

journey with autism, 169, 175–177

Workforce diversity, 296

Working from least to most prompts, 253, 254











