

Index

Note: Page numbers in *italic* refer to figures.

Page numbers in **bold** refer to tables.

Abbreviations used are:

“MBS” for metabolic and bariatric surgery.

“RYGB” for Roux-en-Y gastric bypass.

a

- abdomen, pre-operative
 - assessment 114
- abdominal apron 108
- abdominal obesity 3, *see also*
 - central obesity
 - surgical risk 107
- acarbose **216**, 219, 223
- access ports *see* ports
- accreditation programmes 176
- acid-type reflux 245
- acromegaly, screening 72
- acute kidney injury 213
- acute phase response
 - proteins 93
- adhesions 140
- adipokines, cancer risk 13
- adipose tissue
 - cytokines from 5
 - on sex hormones 190
- adjunctive procedures 247
- adjustable gastric banding
 - 132–139
 - conversional surgery 246
 - corrective surgery 246
 - gastro-oesophageal reflux 137, 245
 - history 54–55, 132–133
 - long-term surgical complications 225–226
 - numbers carried out 162
 - nutritional monitoring **208**, **211**
 - points in selection vs other procedures **116**
 - revisional surgery 244–246, **247**
 - weight reduction from 136–137, 196–197
- agoraphobia 104
- airways 108
- Akkermansia muciniphila* **128**
- albumin, as acute phase response
 - protein 93
- alcohol 81, 252
 - post-operative instructions **143**
 - use disorder 101, 239
- alimentary limb length
 - biliopancreatic diversion 161
 - duodenal switch 163
- alpha-blockers 68
- amylin **125**
- anaemia
 - after MBS 209
 - pregnancy 210, 212–213
- anaesthesia 49
 - pre-operative management 107–112
- anastomoses
 - gastrojejunostomy 151–152
 - jejunojejunostomy 153
 - stenosis 229
- androgens, cancer risk 13
- angioplasty, coronary 66
- antecolic approach, gastrojejunostomy 153, 155
- antecolic bypass, RYGB 151
- anti-platelet therapy, dual 66
- anticoagulants
 - atrial fibrillation 66
 - venous thromboembolism 72, 173–174
- antifactor Xa 173–174
- antrectomy, biliopancreatic diversion
 - with 54
- anxiety 97, 237, 255
- aortic stenosis 69
- AP sizes, LAP-BAND 132
- apnoea–hypopnoea index (AHI) 11–12, 69, 198
- appetite
 - medications increasing 30
 - sleep deprivation on 35
 - weight regain 41
- arcuate nuclei 129
- area postrema 129

- arthritis *see* bio-mechanical stress; osteoarthritis
- arthroplasty, effect of MBS 200
- Arts' dumping questionnaire 216, **218**
- ascites 208
- Asian criteria 4
- aspirin 66
- asthma 69
 - MBS improving 63
- at-risk for overweight, defined 27
- atherosclerosis 8, 9
- atrial fibrillation 14, 66, 67
- attention deficit hyperactivity disorder 35
- b**
- Bacteroides thetaiotamicron* 189
- Bacteroides uniformis* **128**
- Bacteroidetes* **128**
- balance of meals 79–81, **82**
- bariatric beriberi 209
- bariatric wards 117
- barium swallow, band migration 225
- Barrett's oesophagus 146
- batch cooking 251
- behavioural change 95–97
 - wheel (model) 96
- behavioural modification, eating 47–48
- behavioural treatment 236
 - cognitive behavioural therapy 97, 237, 238
- benign intracranial hypertension 203
- beriberi, bariatric 209
- beta-blockers 66, 67, 68, 75
- beta carotene 212
- beta-cells (pancreatic), obesity on 7
- bidirectional anastomoses, jejunojejunostomy 153
- Bifidobacterium* (spp.) **127**
- bile, cholesterol 10
- bile acids 148
 - effect of MBS 124, 126–127, 188
- bile reflux 245
 - one anastomosis gastric bypass 167–168, 245
- biliary peritonitis 173
- biliopancreatic diversion (BPD) 161–164
 - history 54, 55, 161, 163
 - nutritional monitoring **208, 211**
 - revisional surgery after **247**
 - on type 2 diabetes mellitus 187
 - vitamin deficiencies 210
 - weight reduction from 196
- biliopancreatic limb 122, 150, 231, 246
- binge eating 235, 236
- binge eating disorder 101
- bio-mechanical stress 13–14, *see also* osteoarthritis
- bisphosphonates 209, 220–221
- blood pressure
 - effect of MBS 192
 - metabolic syndrome 17
 - pre-operative management 67–69
- body fat, measurement 17–18
- body image 99
- body mass index (BMI) 3, 16
 - atrial fibrillation vs 66
 - children 6
 - classification of obesity 27
 - grading of obesity 18
 - heart failure vs 66
 - historical aspects 20
 - indications for MBS 62, **65**
 - measurement 114
 - mortality vs 8, 31
 - normal values 27
 - osteoarthritis vs 14
 - pregnancy 50
 - surgical risk optimisation 107
- body volume index 17
- bone metabolism 73, 220
- bougies
 - one anastomosis gastric bypass 167
 - sleeve gastrectomy 141
 - orogastric 141
 - size vs leaks 173
- bowel movements, biliopancreatic diversion 161–163
- brain natriuretic peptide test (NT-BNP) 67, 109
- Braun enteroenterostomy 231
- breastfeeding 212–213
- breathing effort, obesity on 36
- breathlessness 109
- buffets 36
- bupropion SR, with naltrexone SR 39–40
- Butyrivimonas* (spp.) **128**
- By-Band-Sleeve study 137
- c**
- C-peptide 71
 - fibroblast growth factor 19 and 126
- calcium
 - deficiency
 - from MBS **208, 209**
 - prevention **86, 87**
 - stone prevention 222
 - supplements on iron absorption 209
- calcium citrate 209
- calorie restriction
 - gut hormones and 120–121
 - by RYGB 147
 - for type 2 diabetes mellitus 7
- camera trocar, RYGB 149
- cancer risk 12–13, 201, 202
- cancer surgery, MBS allowing 63
- candy cane Roux syndrome 230, 245
- Caprini score 173, 174
- carbohydrates, amount in diet 251, 252
- cardiomyopathy 50, 109
- cardiovascular disease 64–69, 74–75
 - effect of MBS 197–198, 199
 - pre-operative assessment 109
 - valvulopathy 40, 69
- cardioversion 66
- case histories 257–260
 - co-morbidities 14
 - dumping syndrome 222–223

- effect of MBS 203
 - metabolic outcome of MBS 193
 - nutritional complications 213–214
 - pre-operative management 74–75, 258–259
 - nutritional 88–93
 - psychological 104–105
 - super obesity 51
 - weight regain 253–255
 - catabolism, diet-induced 84
 - Centers for Disease Control 22–23
 - central obesity 3, 5, 16, 21, *see also*
 - abdominal obesity
 - cancer risk 12
 - chemoprophylaxis, venous thromboembolism 173–174
 - children
 - complex obesity care 50
 - overweight and obesity 3, 4–5, 6
 - overweight defined 27
 - sleep deprivation 35
 - cholecystokinin (CCK) **125**
 - cholesterol 11
 - effect of MBS 192
 - metabolic syndrome 17
 - chronic inflammatory state, obesity as 127
 - chronic kidney disease 213
 - circle of discontent 99
 - circular stapler anastomosis, gastrojejunostomy 152
 - cirrhosis 10, 49–50, 70, 71
 - contraindicating MBS 63
 - citrates
 - of calcium 209
 - stone prevention 222
 - classification of obesity 18
 - clopidogrel 66
 - Clostridium* (spp.) **128**
 - co-morbidities 5, 30–31
 - case history 14
 - MBS improving 62–63
 - pre-operative management 64–76
 - psychiatric 237–238
 - psychological, effect of MBS 200–201
 - screening 48–49
 - sexual 10
 - cognition 99–100
 - cognitive behavioural therapy 97, 237, 238
 - cognitive restructuring 97
 - colorectal cancer 201
 - COM-B system (behaviour system) 96
 - comfort eating 99, 255
 - commercial weight-loss programmes 85
 - common channel
 - biliopancreatic diversion 161
 - SADI-S procedure 164
 - communication with patient 114–115, 249
 - community-based services 34
 - complex obesity care 46–52
 - compression devices, intermittent pneumatic 177–178
 - compulsive eating 250–251
 - computed tomography
 - cardiac angiography 65
 - internal hernias 155
 - continuous glucose monitoring 216
 - continuous positive airways pressure (CPAP) 70, 109–110
 - case history 14
 - contraindications (to MBS) 63–73
 - psychological 102–104
 - sleeve gastrectomy 140
 - contrast studies
 - candy cane Roux syndrome 230
 - gastric banding, 135, *see also* barium swallow
 - gastro-oesophageal reflux 231
 - strictures 227
 - conversional surgery **244**, 246
 - copper deficiency **212**
 - prevention **87**
 - testing 78
 - copper supplementation 210, **212**
 - Coprococcus comes* **128**
 - coronary angiography 65–66
 - coronary heart disease 64–66, 198, 199
 - corrective surgery 246
 - cortisol 221
 - effect of MBS **188**, 192
 - costal margin, ultrasound 117
 - costs of obesity 31
 - complex obesity care 46–47
 - Cushing's syndrome, screening 72
 - cytokines (inflammatory) 5, 8
- d**
- daytime sleepiness 198
 - definitions 3, 16, 20–21, 27
 - complex obesity care 48
 - deflation, gastric bands 135, 225
 - dehydration, post-operative 206, 213
 - denosumab **221**
 - depression 97, 100, 101, 201, 237, 255, 257
 - deteriorating patient 179–182
 - diabetes mellitus 70–72, *see also* type 2 diabetes mellitus
 - effect of MBS 119–120, 124
 - foregut hypothesis 148
 - Diabetes Prevention Program 41
 - Diabetes UK, on low-carbohydrate diets 83
 - diagnostic criteria 16–18
 - dialectical behaviour therapy 238
 - Dialister* (spp.) **128**
 - dialysis, renal 50
 - diazoxide **216**, 219
 - diet(s) 37–38, 207
 - chronic kidney disease 213
 - for dumping syndrome 217–219
 - prevention 213
 - education 79–82
 - after gastric banding 134
 - guidelines 249–250, 253
 - liver-reducing diets 84, 84, 104, 115, **117**, 141, 206
 - low-calorie diets 38, 74, 83, 206, *see also* very low calorie diets
 - MBS with 61
 - oxalate in 222

- diet(s) (*cont'd*)
- possibilities for 42
 - post-operative 178, 251–252
 - pre-operative 82–87, 206–207
 - after sleeve gastrectomy **143**
 - weight regain 41
- dietitians, case history 257–258
- dilatation
- pouches, gastric banding 138
 - stoma stenosis 229
 - strictures 227
- direct oral anticoagulants 66
- discharge from hospital 179
- distalisation surgery, RYGB 246
- distractions, vs mindfulness 36
- DJB (duodeno-jejunal bypass)
- 165–166
- double staple technique,
- jejunojejunostomy 153
- driving
- post-operative 179
 - after sleeve gastrectomy **143**
- dual-energy X-ray absorptiometry (DXA) 73, 220
- dumping syndrome 80, 213, 215–219
- carbohydrates 252
 - case history 222–223
- duodenal switch 163–164
- BPD with (BPD-DS) 163–164
 - history 55
 - nutritional monitoring **211**
 - vitamin deficiencies 210
 - weight reduction from **196**
- duodeno-jejunal bypass 165–166
- dyslipidaemia, effect of MBS 192
- dysphagia
- band migration 225
 - leaks 172
 - after sleeve gastrectomy 144–145
- dyspnoea 109
- e**
- early dumping syndrome 80, 213, 215, 216, 217, 223
- East Asian populations 21
- eating
- behavioural modification 47–48
 - case history 257
 - comfort eating 99, 255
 - compulsive 250–251
 - effect of MBS 119
 - emotional 97, 236, 255
 - with gastric bands 133, 135
 - mindful 79
 - after sleeve gastrectomy 145
 - social 36, 251
 - speed 250
- eating disorders 50, 63, 101, 235, 237
- eating out 251
- echocardiography 67
- economic development, obesity
- on 31
- education 79–82
- on meals 79–81, **82**
- electrocardiography, indications 64–65
- emergency departments, leak management 172
- emotional eating 97, 236, 255
- emotions 97–99
- employment, return to 179
- end stage organ disease, *see also* cirrhosis
- complex obesity care 49–50
- endocrine disorders 72, *see also* diabetes mellitus; type 2 diabetes mellitus
- endoscopy
- band erosion 226
 - duodeno-jejunal bypass
 - allowing 165
 - for leaks 151, 154, 170–171, 228
 - revisional 246
 - sleeve gastrectomy allowing 140
 - stoma stenosis 229
 - strictures 227
- endotoxemia 127
- energy balance 30, 31, 251
- English-speaking nations, prevalence of obesity 23
- enhanced recovery after surgery (ERAS) pathways 110, 111, 141, **143**, 176–178
- Enoxaparin 178
- enteral nutrition
- for dumping syndrome 219
 - leak management 172
- enteric nervous system 130
- Enterobacter cancerogenus* **128**
- Enterobacteriaceae* **128**
- Enterococcus* (spp.) **128**
- environmental agents causing obesity 95
- epidemic, obesity as 3
- epidemiology 3, 20–32
- epigenetics 130
- Epworth score 198
- erosion, gastric banding 138, 225–226
- escalation protocols 182
- Escherichia* (spp.) **127**
- essential trace elements *see* micronutrients; trace elements
- ethnicity 21, 24, 62
- examination (physical) 114
- executive function 99–100
- exendin 219
- exercise 37, *see also* physical activity
- case history 259
- exercise stress tests 65
- expectations 79, 115–116, 249
- expiratory reserve volume (ERV) 109, 110
- f**
- Faecalibacterium prausnitzii* **128**
- faeces
- biliopancreatic diversion 161–163
 - transplantation 42, 190
- failure to rescue, leaks 172
- family support 236
- farnesoid X receptor 124
- fast-track protocols (ERAS pathways) 110, 111, 141, **143**, 176–178
- fasting, pre-operative **143**
- fat (body), measurement 17–18

fat content, liver and pancreas 188
 fat (dietary) 251, 252
 femoral neck, osteopenia 220
 fertility 201–203, *see also* infertility
 FGF receptor 4 126
 fibrinogen 9
 fibroblast growth factor 19 126, **126**
 FibroScan, liver 71
 Firmicutes **127**
 fistula, sleeve gastrectomy 228
 5-hydroxytryptamine receptors 40
 flora *see* microbiota
 fluid intake 81, **82**, 178, 206, 252
 stone prevention 222
 fluid management, end stage organ
 disease 50
 fluid shift, dumping syndrome 215
 fluoroscopy, *see also* contrast studies
 gastric banding 135
 folate 212
 follow-up by telephone 179, 237
 follow-up protocols 144, 179
 food intake vs energy expenditure
 30, 31
 forced expiratory volume in 1 second
 11, 69, 109
 forced vital capacity 11, 69, 109
 foregut hypothesis 148
 formula diets 38
 fracture risk 209, 220
 functional hypercortisolism 221
 functional limitation, pre-operative
 assessment 109–111
 functional reduced capacity,
 respiratory 109, 110
 funding, complex obesity care 46
 Fusobacteria **127**
Fusobacterium nucleatum **128**

g

gallbladder disease 10
 gallstones 10, 229
Gammaproteobacteria **128**
 gas pains 176–177
 gastric banding 132–139
 complications 225–226
 history 54–55, 132
 late problems **182**
 revisional surgery 137, 138,
 244–245
 weight reduction from 136, 195
 gastric bypass, *see also* Roux-en-Y
 gastric bypass
 case history 88–93
 nutritional monitoring **208, 211**
 renal stones 221–222
 reversal 245–246
 gastric cancer diagnosis 165
 gastric dumping *see* dumping
 syndrome
 gastric emptying study 216–217
 gastric inhibitory polypeptide (GIP)
 124, **125**, 148
 effect of MBS 187
 Roux-en-Y gastric bypass 120,
 121, 148
 gastric reservoir, *see also* pouches
 biliopancreatic diversion 161
 gastro-oesophageal junction, *see also*
 LINX device
 leaks 173
 gastro-oesophageal reflux 70
 after gastric banding 137, 226
 MBS improving 63
 one anastomosis gastric bypass
 230–231
 revisional surgery for 245
 after sleeve gastrectomy 144, 227
 gastrojejunostomy
 approaches 155
 gastro-oesophageal reflux
 230, 231
 one anastomosis gastric
 bypass 167
 RYGB 151–153
 gastrotomy, for band erosion 226
 gender, prevalence of obesity 28
 gene regulation 130
 genetics 28–30
 ghrelin 21, **125**
 effect of MBS 120–122, 187–188
 Roux-en-Y gastric bypass
 147–148
 glicentin 121, 122, **125**

glucagon **125**
 effect of MBS 188
 gastric inhibitory polypeptide
 (GIP) on 187
 glucagon-like peptide 1 (GLP-1)
 120–122, **125**
 effect of MBS 187, 188
 late dumping syndrome 215
 Roux-en-Y gastric bypass 148
 glucagon-like peptide analogues 39
 glucomannan, for dumping
 syndrome **216**, 219
 glucose levels, effect of MBS 123,
 124, 124
 glucose tolerance test, modified
 216, 223
 gonadal dysfunction
 male obesity-associated secondary
 hypogonadism (MOSH) **188**,
 190–191, 221
 polycystic ovary syndrome 11,
 188, 190–191, 202, 221, 222
 gonadotropins, secretion 11
 governments, complex obesity
 care 46–47
 grading of obesity 18
 grazing 235, 236, 250, 251
 green zone, gastric band
 adjustment 135
 gross domestic product (GDP) 22
 growth hormone, effect of MBS
 188, 191–192
 guar gum, for dumping syndrome
 216, 219
 guidelines, diets 249–250, 253
 gut–brain axis 129–130, 129
 gyms, in case history 259

h

haemoglobin A1c 72
 haemorrhage 180–181, 226
 hand-sewn anastomosis,
 gastrojejunostomy 151, 152
 health-related quality of life
 101–102
 healthcare costs 31, 46–47
 heart failure 66–67, 199

- helical twist
 - sleeve gastrectomy 145
 - stricture from 227
 - Helicobacter pylori* 70
 - Heliogast (band) 132
 - Henrikson, Victor, early surgery 54
 - hiatus hernia 70, 133
 - after sleeve gastrectomy 145
 - high-density-lipoprotein cholesterol
 - effect of MBS 192
 - metabolic syndrome 17
 - high-protein diets 38
 - hindgut hypothesis 148
 - hip, osteopenia 220
 - Hippocrates (460–370 BCE) 53
 - historical aspects 53–57
 - body mass index 20
 - metabolic surgery 120
 - history-taking 77
 - home visits 257
 - homeostatic model assessment
 - of insulin resistance (HOMA-ir) 121
 - hormones, *see also* sex hormones
 - of gut 119–124, 129
 - hospitals
 - discharge from 179
 - provision for super obesity 51
 - hourly mobilisation 176–177
 - humoral effects of surgery 119–124
 - 5-hydroxytryptamine receptors 40
 - hyperandrogenism, idiopathic 221
 - hypercapnia 70
 - hyperemesis gravidarum 212
 - hyperglycaemia 7, 10
 - effect of MBS 120
 - hyperinsulinaemia 7, 10
 - cancer risk 12–13
 - hyperinsulinaemic hypoglycaemia (late dumping syndrome)
 - 80, 213, 215, 216, 217, 219, 223
 - hyperparathyroidism 73, 209
 - hypertension 67–69, 75
 - effect of MBS 188, 192
 - after RYGB 156
 - after sleeve gastrectomy 145
 - hypocaloric diets 37–38
 - hypoglycaemia
 - late dumping syndrome 80, 213, 215, 216, 217, 219, 223
 - neuro-hypoglycaemia 213, 215, 219
 - reactive 80
 - hypogonadism
 - male obesity-associated secondary hypogonadism (MOSH) 188, 190–191, 221
 - polycystic ovary syndrome 11, 188, 190–191, 202, 221, 222
 - hypotension, post-operative 180–181
 - hypothalamic–pituitary–adrenal axis 221
 - hypothyroidism 72
- i**
- ibandronate 221
 - idiopathic hyperandrogenism 221
 - immobility, on vitamin D 206
 - immunosuppression, prescription
 - history 73
 - in vitro* fertilisation 11, 202
 - incentive spirometry 143, 177, 178
 - incisura, stapling at 173
 - incretins 120, 148, 188
 - indications
 - electrocardiography 64–65
 - gastric banding 133
 - MBS 61–63
 - criteria 62, 64, 65
 - sleeve gastrectomy 140
 - infection, ports 226
 - inferior vena cava filters 72
 - infertility, 11, *see also* fertility
 - inflammatory cytokines 5, 8
 - inflammatory state
 - atherosclerosis 9
 - chronic, obesity as 127
 - effect of MBS 188–189
 - information to patient *see* communication with patient
 - insulin 125
 - insulin-like growth factor-1, effect of MBS 192
 - insulin-like growth factor binding proteins 13
 - insulin resistance 5, 8, 9, 10
 - cancer risk 12–13
 - effect of MBS 120–121, 123, 124, 124
 - intermittent pneumatic compression devices 177–178
 - internal hernias
 - revisional surgery for 245
 - RYGB 155, 229–230
 - strangulation 212, 214
 - internalisation, weight bias 98, 99, 101, 237
 - intracranial pressure, benign
 - intracranial hypertension 203
 - intussusception (retrograde), jejunojejunostomy 153
 - iron, post-operative
 - supplementation 86
 - iron deficiency
 - pregnancy 212
 - prevention 85, 87
 - risk from MBS 208, 209
 - ischaemia, sleeve gastrectomy 228
 - ischaemic heart disease 64–66, 198, 199
 - IWQOL-Lite (quality of life measure) 101, 102
- j**
- jejunoileal bypass
 - effect of MBS 119
 - history 54
 - jejunojejunostomy, RYGB 150, 153
 - jejunostomy 93
 - joint pains, effect of MBS 199–200
- k**
- ketogenic diets 37, 84
 - kidney, *see also* renal disease
 - chronic disease 213
 - transplantation 50
 - Klebsiella pneumoniae* 128

knee, osteoarthritis 13, 14

Korsakoff syndrome 210

L

laboratory tests, leak

management 172

Lactobacillus (spp.) 128

laparoscopic adjustable gastric

banding (LAGB) 55, 132–139

laparoscopic Roux-en-Y gastric

bypass 55

laparoscopy, *see also* ports

for band erosion 226

torque 115

large volume low pressure band

(LAP-BAND) 132, 133

late dumping syndrome 80, 213,

215, 216, 217, 219, 223

lawsuits, malpractice 171–172

laxatives, after sleeve

gastrectomy 143

leaks 170–174

RYGB 155

sleeve gastrectomy 173, 174,

227–228

algorithm 172

tests 151, 154, 170–171

lean body mass, loss 85

leptin 11, 21, 120, 126

Leuconostoc (spp.) 128

lifestyle management 34–38

MBS with 61

weight regain 42

limb length, *see also* alimentary limb

length; biliopancreatic limb

duodenal switch 163

linear stapler anastomosis,

gastrojejunostomy 151–152

LINX device 245

lipase, orlistat on 38

lipid profile, effect of MBS 188, 192

lipopolysaccharide 127

lipotoxicity 7

liquid diet, post-operative 178

liraglutide 38, 39, 247

lithotomy position 149

litigation, malpractice 171–172

liver 7, 10, *see also* non-alcoholic

fatty liver disease

end stage disease 49–50, *see also*

cirrhosis

large left lobe 116

pre-operative assessment 70, 71

role in type 2 diabetes mellitus 8

surgery on fat content 188

transplantation 49–50

liver-reducing diets 84, 84, 104,

115, 117, 141, 206

liver retractor, RYGB 149

local anaesthesia, transversus

abdominis block 151

local government, complex obesity

care 46

locomotor limitation 109

long gastric pouch 167–168

long-term surgical complications

225–242

Longitudinal Assessment of Bariatric

Surgery (LABS) 101, 102

longitudinal gastrectomy,

biliopancreatic diversion

with 163

Look AHEAD study 41, 195

loop gastric bypass, history 54

lorcaserin 40

loss of control of eating 235, 236

low back pain, effect of MBS 200

low-calorie diets 38, 74, 83, 206

low-carbohydrate diets 37, 83–84

low-density-lipoprotein cholesterol,

effect of MBS 192

low-fat diets 37

low molecular weight heparin

173–174, 178

lower oesophageal sphincter, LINX

device mimicking 245

LPS binding protein 127

lumbar spine, osteopenia 220

lung disease 11–12, 69–70, *see also*

incentive spirometry

case history 14

pre-operative assessment 109–110

lymphoedema 108, 115

case history 51

m

Macht model 97

magnesium deficiency 78

major adverse cardiovascular events

(MACE), MBS on

incidence 198

malabsorption

one anastomosis gastric

bypass 231

orlistat causing 39

risk from MBS 207

malabsorptive surgery 119

osteopenia 220

revision to restrictive surgery 246

maladaptive eating, after gastric

banding 135

male obesity-associated secondary

hypogonadism (MOSH) 188,

190–191, 221

malnutrition

after biliopancreatic

diversion 161

from one anastomosis gastric

bypass 168

malpractice lawsuits 171–172

marginal ulcers

one anastomosis gastric

bypass 231

revisional surgery for 245

RYGB 154–155, 228–229

Marks model 99

Mason procedure 54

mass, absolute 108

meal replacement products 83

meals

education on 79–81, 82

frequency 36, 250

planning 250, 251

measurement of body fat 17–18

mechanical stress *see* bio-mechanical

stress

mechanism of action of surgery

119–130

medications

adjuvant 247

for dumping syndrome 216

after gastric banding 135

- medications (*cont'd*)
 - leaving hospital 179
 - for marginal ulcers 229
 - for obesity 38–41
 - predisposing to obesity 30
- prescription history 73
- melanocyte-stimulating
 - hormone 39
- menstruation 11
- mental health (psychological
 - co-morbidities) 63, 200–201, 237–238
- mesenteric defects
 - internal hernias 155
 - RYGB 153–154
- metabolic adaptation, persistent 41
- metabolic effects of MBS 187–194
- metabolic surgery 55
 - historical aspects 120
- metabolic syndrome 9, 17, 21
- metabolically healthy obese
 - phenotype 18
- metabolically obese normal weight
 - phenotype 18
- metabolically unhealthy obese
 - phenotype 18
- microbiota
 - band erosion 226
 - effect of MBS 124, **125**, 189
 - possibilities for 42
- micronutrients, *see also* trace
 - elements
 - assessment 77
 - after sleeve gastrectomy 142–143
- Midband (gastric band) 132
- migration, gastric bands 225
- mindful eating 79
- mindfulness 36
- mini-gastric bypass 147, *see also* one
 - anastomosis gastric bypass
- minimiser ring 247
- miscarriage, MBS on risk 203
- mitral stenosis 69
- mobilisation
 - early post-operative 176–177
 - before sleeve gastrectomy 141
 - after sleeve gastrectomy **143**
- modernity 21–22
- modified glucose tolerance test
 - 216, 223
- monitoring
 - glucose 216
 - nutritional 208, **211**
 - post-operative eating 236
- mood, *see also* depression
 - weight reduction and 34
- morbid obesity, BMI 18
- morphine 239
- mortality 3, 27
 - aortic stenosis 69
 - body mass index vs 8, 31
 - cardiovascular disease, effect of
 - MBS 197–198
 - duodenal switch **164**
 - hypertension 67
 - leaks 172
 - Portsmouth predictor equation
 - for 112
 - RYGB 154
 - super obesity 51
- motivational interviewing 97
- movement limitation 109
- multi-stage operations 243
- multidisciplinary teams 34
 - leak management 172–173
 - MBS and 61
 - pre-operative assessment 113
 - pre-operative weight
 - management 73–74
 - super obesity 51
 - Tier 3 services 48–49
- multiple-parallel hit model 10
- multivitamin supplementation
 - pregnancy 212
 - after sleeve gastrectomy 142–143
- Mycobacteria* (spp.) **128**
- myocardial infarction, MBS on
 - incidence 197–198
- n**
- naltrexone SR, bupropion SR with
 - 39–40
- nasogastric tubes, leak
 - management 173
- National Confidential Enquiry
 - Patient Outcomes and Death (NCEPOD) Surgical Outcome Risk Tool (SORT) v2 112
- National Institute for Health and Care Excellence (NICE), on
 - management 33
- natriuretic peptide *see* brain
 - natriuretic peptide test
- nausea 178
- neck, surgical risk and 108
- nesidioblastosis 219
- neuro-hypoglycaemia 213, 215, 219
- neurotensin (NT) 124, **126**
- nicotine 69
- nifedipine **216**, 219
- noise pollution 35
- non-alcoholic fatty liver disease
 - (NAFLD) 10, 70
 - case history 14
 - effect of MBS 126, **188**, 190
- non-alcoholic steatohepatitis
 - (NASH) 126
- non-scale victories 146
- non-steroidal anti-inflammatory
 - drugs
 - after gastric banding 135
 - after sleeve gastrectomy **143**
- non-surgical management 33–45
- normal weight obese phenotype 18
- NT-BNP (brain natriuretic peptide
 - test) 67, 109
- nuclear medicine (thallium-201
 - scintigraphy), cardiac 65
- nutrient supplementation, post-
 - operative period **86–87**, 208
- nutritional assessment 249
- nutritional deficiencies
 - assessment 77
 - prevention 85–87
- nutritional management
 - leaks 172
 - monitoring frequency **211**
 - post-operative 206–214
 - pre-operative 77–94, 206–207

O

- obesity hypoventilation syndrome (OHS) 70, 109, 110
 - obstetrics 50
 - obstructive sleep apnoea (OSA)
 - 11–12, 69–70, 109, 110
 - case history 14, 203
 - effect of MBS 198–199
 - errors of detection 170, 174
 - type 2 diabetes mellitus and 12
 - octreotide **216**, 219, 223
 - odynophagia, after sleeve gastrectomy 144–145
 - oesophagitis 226
 - oestradiol, effect of MBS 191
 - oestrogens, cancer risk 13
 - omental patches 229
 - one anastomosis gastric bypass (OAGB) 167–168
 - bile reflux 167–168, 245
 - complications 230–231
 - history 55
 - leaks 173, 174
 - numbers carried out 162
 - as revisional surgery 246
 - revisional surgery after **247**
 - weight reduction from **196**
 - operating tables 108, 117
 - opiate abuse 239–240
 - optimal therapeutic index 73
 - optimisation of risks 107
 - oral intake regimens, post-operative 178–179
 - orlistat 38–39, **40**
 - orogastric bougie, sleeve gastrectomy 141
 - orthopaedic diseases *see*
 - bio-mechanical stress;
 - osteoarthritis
 - orthopnoea 66
 - OrVil™ device,
 - gastrojejunostomy 152
 - osteoarthritis, *see also*
 - bio-mechanical stress
 - body mass index *vs* 14
 - effect of MBS 199–200
 - knee 13, 14
 - osteoporosis 73, 209, 219–221
 - Oswestry LBP Disability Questionnaire, VAS (low back pain score) *vs* 200
 - overeating 250–251
 - overweight
 - children 4–5
 - defined 3, 27
 - epidemiology 3
 - prevalence 4, 28
 - oxalate 222
 - oximetry, pre-operative 113
 - oxygen consumption, basal 109
 - oxygen desaturation index (ODI)
 - 11, 69, 198
 - oxyntomodulin (OXM) 121, 122, **125**, 188
- P**
- pain
 - internal hernias 155, 229
 - joints, effect of MBS 199–200
 - low back pain 200
 - post-operative 111, 180
 - algorithm 171
 - management 151
 - pancreas
 - beta-cells, obesity on 7
 - resection 219
 - surgery on fat content 188
 - pancreatic enzyme insufficiency 93
 - pancreatic polypeptide (PP) 120, **125**
 - papilloedema 203
 - paroxysmal nocturnal dyspnoea 66
 - pasireotide **216**, 219
 - pathogenesis of obesity 28–30
 - pathophysiology 21–22
 - patient, *see also* positioning of
 - patient
 - pre-operative information 114–115, 249
 - patient perspective, case history
 - from 257–259
 - patient-reported outcome
 - measures 101
 - PCORnet Bariatric Study 196–197
 - PDK4 gene 130
 - pectin, for dumping syndrome **216**, 219
 - Pedococcus* (spp.) **128**
 - peptide YY 120–122, 124, **125**, 148, 188
 - percent excess weight loss, effect of MBS 195
 - percent total weight loss, after RYGB 156
 - percutaneous coronary
 - intervention 66
 - perigastric dissection, for band erosion 226
 - peritonitis 173
 - peroxisome proliferator-activated receptor α 126
 - persistent metabolic adaptation 41
 - personality disorder 238
 - Peterson's defect 151, 153
 - internal hernias 155
 - PGC-1 α gene 130
 - pH impedance study,
 - gastro-oesophageal reflux 231
 - pharmacological stress testing,
 - cardiac 65
 - pharmacotherapy *see* medications
 - phenotypes 18
 - phentermine, topiramate with 39
 - phi angle 135
 - phospholipase A₂, orlistat on 38
 - physical activity 31, 35
 - preclusions to 33–34
 - provision for 42
 - Physiological and Operative Severity Score for the Enumeration of Mortality and Morbidity (POSSUM score) 112
 - plasminogen activator inhibitor-1 9
 - pleural effusions 172
 - pneumatic compression devices 177–178
 - pneumoperitoneum, sleeve gastrectomy 141
 - polycystic ovary syndrome 11, **188**, 190–191, 202, 221, 222

- polyps, colorectal, MBS on
 - incidence 201
 - portal hypertension, contraindicating
 - MBS 63
 - portion size 79, **82**, 250, 251
 - ports (laparoscopic) 141
 - gastric bands 133–134, **138**
 - infection 226
 - leak management 172
 - RYGB 149
 - Portsmouth predictor equation for
 - mortality 112
 - positioning of patient
 - pre-operative assessment for 108
 - RYGB 148–149
 - sleeve gastrectomy 141
 - POSSUM score (Physiological and Operative Severity Score for the Enumeration of Mortality and Morbidity) 112
 - post-operative period 49, *see also specific procedures*
 - early complications 170–182
 - gastric banding 134–135
 - late problems 182
 - management 176–183
 - nutritional 206–214, 250–252
 - psychological 235–242
 - nutrient supplementation **86–87**, 208
 - pain 111, 151
 - sleeve gastrectomy 142–143
 - tachycardia 144
 - potassium levels, hypertension
 - treatment 68
 - pouches, *see also* gastric reservoir
 - gastric banding 137
 - dilatation 138
 - gastro-oesophageal reflux 231
 - long gastric 167–168
 - RYGB 150–151
 - revision 244
 - poverty 22, 24
 - pre-habilitation 110
 - pre-operative assessment 61
 - abdomen 114
 - anaesthesia 107–112
 - liver 70, 71
 - multidisciplinary teams 113
 - nutritional 77–78
 - pre-operative management
 - anaesthesia 107–112
 - case histories 74–75, 258–259
 - nutritional 88–93
 - psychological 104–105
 - information to patient 249
 - medical 64–76
 - nutritional 77–94, 206–207
 - psychological 95–106, 110–111
 - sleeve gastrectomy 141
 - surgical considerations 113–118
 - pregnancy 50, 202–203, 210, 212–213
 - prescription history, medications 73
 - pressure areas, case history 51
 - preterm birth, risk of 202
 - prevalence of obesity 3, 22–24, 27
 - preventive health care
 - provision 46–47
 - reactionary health care vs 42
 - pro-opiomelanocortin neurons 39
 - protein losing enteropathy 208–209
 - proteins
 - deficiency 85, 208–209, 214
 - in diets 38, 178, 250–252
 - meal balance 79
 - supplements 93
 - proteinuria 14
 - Proteobacteria **128**, 189
 - proton pump inhibitors 66
 - psychological assessment 79, 102–104
 - psychological co-morbidities 63, 200–201, 237–238
 - psychological management
 - post-operative 235–242
 - pre-operative 95–106, 110–111
 - psychological support 34
 - pulmonary function tests 109, *110*
- q**
- quality of life
 - health-related 101–102
 - mental health 201
 - weight regain and 253
 - questionnaires
 - dumping syndrome 216, **218**
 - screening 49
 - STOP BANG questionnaire 174
 - Quetelet, Adolphe 20
- r**
- radiography
 - leak management 172, 173
 - swirl sign 229
 - radionuclide imaging (thallium-201),
 - cardiac 65
 - re-operation, *see also* revisional surgery
 - after band erosion 226
 - gastric banding 138
 - leaks 173
 - for marginal ulcers 229
 - after port infection 226
 - revisional surgery vs 243
 - re-sedation phenomenon 49
 - re-sleeve, sleeve gastrectomy 246
 - reactionary health care, preventive
 - health care vs 42
 - REALIZE/SAGB band 132
 - receptionists 257
 - rectus sheath, gastric band
 - ports 134
 - red zone, gastric band
 - adjustment 135
 - regurgitation, after gastric
 - banding 135
 - relapse rates 3
 - removal rates, gastric bands 137
 - renal disease 50
 - stones 221–222
 - reproductive disorders 11
 - respiratory function 11–12, 69–70
 - pre-operative assessment 109, *110*
 - respiratory rate, raised 180
 - restaurants 251
 - restrictive surgery 119
 - revision to malabsorptive surgery 246
 - retinoic acid 210, 212
 - retinopathy, diabetic 72

- retrocolic approach,
 - gastrojejunostomy 153, 155
- retrograde intussusception,
 - jejunojejunostomy 153
- reversal surgery **244**, 245–246
- revisional surgery 243–248, *see also*
 - re-operation
 - for dumping syndrome 219
 - gastric banding 137, 138, 244–245
- rhabdomyolysis 259
- risks, *see also* cancer risk
 - assessment, calculators 111–112
 - optimisation 107
- robotic RYGB 154
- Roseburia* (spp.) **128**
- Roux-en-Y gastric bypass (RYGB)
 - 147–160
 - dumping syndrome 222–223
 - on gut hormones 119–122
 - history 54, 55, 147
 - late problems **182**
 - leaks 170–171, 174
 - long-term surgical complications 228–230
 - on non-alcoholic fatty liver
 - disease 190
 - numbers carried out 162
 - points in selection vs other
 - procedures **116**
 - revision to 244
 - revisional surgery after 245–247
 - weight reduction from 195–197
- Roux-en-Y reconstruction,
 - duodeno-jejunal bypass 166
- rule of 20s 79, **82**, 145, 250
- safety measures, super obesity 51
- S**
- Salmonella* (spp.) **128**
- Sancho, D. (King of Leon) 53
- satiety, gastric bands on 133
- scintigraphy (thallium-201),
 - cardiac 65
- Scopinaro, Nicola 54, 161
- screening
 - cardiovascular disease 109
 - co-morbidities 48–49
 - endocrine disorders 72
 - obstructive sleep apnoea 69
 - psychological 102–104
- sedentariness 36–37
- selenium deficiency **212**
 - prevention **87**
 - testing 78
- self-efficacy 97
- self-esteem 36, 41, 237
- self-harm, after MBS 201, 238
- self-monitoring 236
- septic shock 182, 214
- set-point energy theory 130
- severe obesity
 - BMI 18
 - burden of 100–102
 - prevalence in UK 28
- sex hormone-binding globulin, effect
 - of MBS 191
- sex hormones
 - adipose tissue on 190
 - effect of MBS 190
- sexual co-morbidities 11
- Shigella* (spp.) **128**
- shock 182
- short bowel syndrome 214
- showering, post-operative 179
- Sigstad score 216, **218**
- silicon, gastric bands 132
- single anastomosis DJB 166
- single anastomosis duodeno-ileal
 - bypass, with sleeve gastrectomy (SADI-S) 164–165, 246–247
- single anastomosis
 - duodeno-ileostomy 55
- single nucleotide
 - polymorphism 130
- skin
 - excess 237
 - pre-operative assessment 108
- skin fold thickness 17
- skin removal 104, 253
 - case history 259
- sleep sufficiency 35–36, 198
- sleeve gastrectomy 140–146
 - case history 258–259
 - gastro-oesophageal reflux
 - disease 245
 - on gut hormones 121–122
 - history 54
 - laparoscopic 55
 - late problems **182**
 - leaks 173, 174, 227–228
 - algorithm 172
 - long-term surgical complications 226–228
 - nausea 178
 - on non-alcoholic fatty liver
 - disease 190
 - numbers carried out 162
 - nutritional monitoring **208**, **211**
 - points in selection vs other
 - procedures **116**
 - re-sleeve 246
 - revisional surgery 245, **247**
 - single anastomosis duodeno-ileal
 - bypass with (SADI-S) 164–165, 246–247
 - weight reduction from **145**, 195–197
- slider foods 250
- slippage, gastric bands 138
- small bowel 54, 182, *see also*
 - internal hernias
 - Roux-en-Y gastric bypass (RYGB) 153
 - sleeve gastrectomy 163, 166, 167
- small gestational age babies 202
- smoking 69, 114
 - marginal ulcers 154–155
- snacking 81, **82**, 251
- social eating 36
- socio-economic status 30
- somatostatin analogues **216**, 219
- somatotropic dysfunction, effect of
 - MBS 191–192
- SORT (Surgical Outcome Risk Tool v2), National Confidential Enquiry Patient Outcomes and Death (NCEPOD) 112

- specialist consultations,
 - pre-operative **114**
 - speed of eating 250
 - spinous processes, surgical risk
 - and 107
 - Spiro-Ball® Incentive Exerciser 178
 - spirometry (incentive
 - spirometry) **143**, 177, 178
 - spironolactone 68
 - stapling
 - jejunojejunostomy 153
 - leaks 228
 - line reinforcement 173
 - one anastomosis gastric
 - bypass 167
 - RYGB 151–152
 - sleeve gastrectomy 141, 142
 - stricture from 227
 - stents
 - coronary 66
 - strictures 227
 - steroids, prescription history 73
 - stigma 36, 41, 42, 97–101
 - stockings, thromboprophylaxis 178
 - stoma stenosis
 - one anastomosis gastric
 - bypass 231
 - RYGB 229
 - stomach intestinal pylorus-sparing
 - surgery (SIPS) 165
 - stool *see* faeces
 - STOP BANG questionnaire 174
 - stress, on eating 97
 - stress testing, cardiac 65
 - strictures, after sleeve
 - gastrectomy 227
 - stroke, MBS on incidence 197–198
 - substance use disorders 101, 237,
 - 239–240
 - suicide, after MBS 201, 238
 - suitability for bariatric surgery 103
 - super obesity
 - BMI 18
 - complex care 50–51
 - super-super obesity
 - BMI 18
 - complex care 50–51
 - support groups 236
 - surgical clinics 113–115
 - Surgical Outcome Risk Tool v2
 - (SORT), National Confidential
 - Enquiry Patient Outcomes
 - and Death (NCEPOD) 112
 - swallowing, carbohydrates 252
 - Swedish Obese Subjects study 12,
 - 197–198
 - swirl sign 229
 - sympathetic activation, dumping
 - syndrome 215
- t**
- T-score, osteoporosis 220
 - tachycardia
 - leaks 172
 - post-operative 144, 180–181
 - Takeda G-protein receptor S 124
 - telephone follow-up 179, 237
 - teripatide **221**
 - testosterone
 - adipose tissue on 190
 - effect of MBS 191
 - thallium-201 scintigraphy,
 - cardiac 65
 - thiamine deficiency 78, 209–210
 - pregnancy 212
 - prevention **87**
 - thromboprophylaxis 177–178
 - thyroid disorders 72
 - tidal ventilation 109
 - tiered services, complex obesity
 - care 48–49
 - topiramate 247
 - phentermine with 39
 - torque, laparoscopy 115
 - total body fat 17
 - total length of small bowel (TSBL),
 - BPD-DS 163
 - total lung capacity 109, 110
 - total protein 93
 - trace elements 210, **212**, *see also*
 - micronutrients
 - traffic light illustration, suitability
 - levels for bariatric
 - surgery 103
 - transfers, physical 108, 117
 - transplantation
 - faecal 42, 190
 - kidney 50
 - liver 49–50
 - transversus abdominis block 151
 - trauma 14
 - Treponema* (spp.) **128**
 - triage, psychological 103
 - triceps skinfold 17
 - triglycerides, metabolic
 - syndrome 17
 - trocars *see* ports
 - tube feeding 93
 - 20:20:20 strategy 79, **82**, 250
 - after sleeve gastrectomy 145
 - twin-cycle hypothesis 7, 8
 - twist *see* helical twist
 - two-surgeon operations 117
 - type 2 diabetes mellitus 5–8
 - case history 14
 - foregut hypothesis 148
 - healthcare costs 31
 - hypertension with 68
 - indications for MBS 62, **65**
 - liraglutide for 39
 - medications 40
 - metabolic surgery 55
 - obstructive sleep apnoea
 - and 12
 - outcomes 187–190, 193
 - after RYGB 156
 - revisional surgery 244
 - after sleeve gastrectomy **145**
- u**
- ulcers *see* marginal ulcers
 - ultrasound
 - costal margin 117
 - venous thromboembolism 72
 - unidirectional anastomoses,
 - jejunojejunostomy 153
 - United Kingdom
 - complex obesity care 48
 - healthcare costs 31
 - prevalence of obesity 27–28, 29
 - urinary incontinence 63, 200

V

vagus nerve, gastric bands on 133
 valvulopathy 40, 69
Veillonella (spp.) **128**
 venous thromboembolism 72, 170
 errors of omission 173–174
 prophylaxis 177–178
 ventricular natriuretic peptide
 (NT-BNP) test 67, 109
 vertebrae, surgical risk and 107
 vertical banded gastroplasty
 54, **247**
 very low calorie diets 38, 83
 gut hormones and 120–121
 as liver-reducing diets 83
 very low-density-lipoprotein
 cholesterol, effect of
 MBS 192
 victories, non-scale 146
 vital capacity 69, 109, 110
 vitamin(s), post-operative
 period **86–87**, 163
 vitamin A accumulation, chronic
 kidney disease 213
 vitamin A deficiency 78, 210
 prevention **86**
 pregnancy 212
 vitamin B12
 deficiency from MBS **208**, 209
 pregnancy 210, 212
 post-operative
 supplementation **86**
 vitamin C, on iron absorption 209

vitamin D
 immobility on 206
 post-operative supplementation **86**
 vitamin D deficiency 73, 78, 220
 chronic kidney disease 213
 after MBS **208**, 209, 220
 pregnancy 212
 vitamin E deficiency **86**, 210
 vitamin K deficiency **87**, 210
 volume reflux 245
 vomiting
 pregnancy 50
 after sleeve gastrectomy 145, 178

W

waist circumference 7, 16–17
 cancer risk 12
 waist-to-height ratio 17
 waist-to-hip ratio 16, 17
 ward escalation protocols 182
 wards, bariatric 117
 warfarin, atrial fibrillation 66
 wealth 21–22
 weight bias 99–101
 internalisation 98, 99, 101, 237
 weight-for-height 4–5, 16, *see also*
 body mass index
 weight loss 156, 195
 dumping syndrome 215, 223
 weight maintenance 41–42
 weight reduction
 blood pressure reduction vs 192
 commercial programmes 85

effect of MBS 195–197
 gastric banding 136, 195
 RYGB 156
 sleeve gastrectomy **145**,
 195–197
 goal-setting 38
 pre-operative 73–74, 113
 renal disease patients 50
 support services 34
 weight regain 249–255
 from lifestyle change 41–42
 revisional surgery for 244
 after sleeve gastrectomy
 145–146
 after surgery 235–237
 well-being, weight reduction
 and 34
 Wernicke's encephalopathy 209–210
 wheeze 109
 World Health Organization, on
 obesity 3, 4, 22

Y

yellow zone, gastric band
 adjustment 135

Z

Z-score, osteoporosis 220
 zinc deficiency **212**
 prevention **87**
 testing 78
 zinc supplementation 210
 zoledronic acid **221**

