

# INDEX

Note: Page numbers in *italics* indicate figures, those in **bold** indicate tables.

- AA phenomenon, 561–562, 579–580  
*a* axis, 194  
Abel's equation, 130–131  
absorption  
  of EM wave, 296  
  of microwave signal in snow, 337  
  of radiation by atmospheric gases, 325, 325–326  
accumulated thawing degree-days (ATDDs), 78  
active microwave  
  sensors, 286–287, 287  
  surface melt observations, 434, 434–437, 437–438  
advanced horizontal range algorithm (AHRA), 432  
Advanced Microwave Scanning Radiometer (AMSR), 339, 340, 353, 354, 398, 427  
  ice surface temperature, 521, 521  
  sea ice concentration, 483–486, 484–486  
  sea ice extent (SIE), 580  
  sea ice thickness (SIT), 506–508, **508**, 508, 509, 513  
  snow depth, 445, 445–446  
Advanced SAR (ASAR), 314, 355, 384–385  
  identification of sea ice ridges using, 417  
  sea ice classification, 464  
Advanced Scatterometer (ASCAT), 323, 323, **358**, 358–359, 435, 436  
Advanced Topographic Laser Altimeter System (ATLAS), 360, 423, 513  
Advanced Very High-Resolution Radiometer (AVHRR), 269–271, 275, 279, 327  
  albedo observations, 365, 370  
  ice surface temperature, 518–521, 521  
  leads, 422, 422, 424  
  SAR image compared, 455, 455  
  sea ice concentration, 473, 474  
  sea ice thickness, 505, 505–508, 507  
  sensors, 352, **352**  
  surface melt, 429–430, 430  
advection, 62, 87–88, 90  
aerial photography  
  ridge identification by, 416  
  surface melt, 437, 438  
age-based sea ice classification, 321–322  
age of sea ice. *see* sea ice age (SIA)  
agglomerate ice (R type ice), **201**, 203, 211–212, 212, 220  
aging of sea ice, 29, 259–260  
airborne SAR (AIRSAR), 314–315, 318, 467  
air bubbles, 47–50, 48–49, 54, 56, 56, 58, 58, 63, 66, 81, 81–82, 194  
  geometric characteristics, 242–244, **243**, 244  
  in hummock ice, 223–226, 227  
  in melt pond ice, 227–228  
  in MYI, 81–82  
  in seasonal ice, 220–221, 223  
aircraft, landing on sea ice, 20–21, 20–21  
air dissolved in seawater, 33  
air temperature, near-surface (nSAT), 560–561, 560–562  
air volume fraction, 124–125  
albedo, 13, 23, 301–303, 364–370  
  atmospheric spherical, 302  
  black-sky, 301  
  broadband, 301–302, 364–367, **365**, **366**, 366–367, 370, 428  
  ice decay, 77  
  ice surface melt, 428–430, 431, 437  
  open leads, 76  
  scattering, 299  
  seawater, 302, 335  
  sediment-laden sea ice, 368, 369  
  snow, 192, 302, 335–336, 336, 444  
  spectral, 301, 364–368, 367–368, 370, 428–429  
  Surface Heat Budget of Arctic Ocean (SHEBA) field experiment, 271–272, 272  
  white-sky (diffuse), 301  
algae, 17, 76, 87, 230–232, 231–232  
ALOS-2 SAR, 468, 468–469  
ALOS-PALSAR, 314–315, 318, 414, 464  
altimeters, 24, 323–325, 324  
  laser, 323–325, 324  
  radar, 308, 323–324, 324  
  sea ice thickness (SIT) observations, 502, 510–514, 511–512, 514  
  sensors, 359–360, **360**  
amorphous, 194  
anatomy, ice, 10  
anchor ice, 200  
anisotropic reflectance factors (ARFs), 302  
anisotropy, 319, 319–320  
annual ice. *see* seasonal ice  
Antarctic Circumpolar Current (ACC), 586, 586  
Antarctic Oscillation, 585–586  
Antarctic region  
  climate change impact, 558–559  
  geography, 564, 565  
  growth rate of ice, 41  
  icebergs, 98, 99, 576–577, 577  
  ice of glacier origin, 95–96, 99  
  ice sheet, 558, 561  
  ice shelves, 96  
  latitude, 1  
  marginal ice zone, 94  
  platelet ice, 203  
  sea ice characteristics, 564–565, **566**  
  sea ice extent, 565–569, 567–568  
  sea ice growth, 39  
  sea ice motion, 533, 533  
  sea ice salinity, 115, 115  
  sea ice thickness (SIT), 2, 571–572  
  snow cover, 45  
  superimposed ice, 40  
  surface air temperatures, 561, 561–562  
Antarctic sea ice interaction with environment, 585–590  
  atmospheric factors, 585–586  
  oceanic forcing, 586–587  
  between sea ice, ice shelves, and icebergs, 589–590  
Arctic amplification (AA), 561–562, 579–580  
Arctic Ice Dynamic Joint Experiment (AIDJEX), 250, 250–252  
Arctic Ice Mapping (AIM) program, 422, 422  
Arctic Oscillation (AO), 579, 583–584, 586  
Arctic Radiation and Turbulence Interaction Study (ARTIST), 478  
Arctic region  
  climate change impact, 558–559  
  geography, 562–564, 563

- Arctic region (*cont'd*)  
 historical and community synopsis, 4–8  
 ice shelves, 96, 96  
 latitude, 1  
 marginal ice zone, 93–94  
 sea ice age, 572–575, **573**, 573–574  
 sea ice characteristics, 564–565, **566**  
 sea ice dynamics, 575  
 sea ice extent, 565–569, 567–568  
 sea ice growth, 39  
 sea ice motion, 532, 532–533  
 sea ice salinity, 115, 115  
 sea ice temperature profiles, 109  
 sea ice thickness, 2, 14, 569–571, 570  
 snow cover, 45  
 surface air temperatures, 13, 560–561, 560–561  
 wind patterns driving ocean circulation, 524
- Arctic sea ice interaction with environment, 578, 578–585  
 atmospheric factors, 578  
 sea ice cover and oceanic forcing, 584–585  
 warming due to sea ice advection, 580–582, 580–583  
 warming due to sea ice cover changes, 578–580, 579  
 wind, 582–584
- area of sea ice, 498–501, 499, 501  
 ASI algorithm, 478–479  
 Atlantic meridional overturning circulation (AMOC), 584–585  
 Atmosphere Environment Services (AES), 252–253, 253–254, 256, 260  
 atmospheric correction, 302, 325–327  
 commercial software packages for, 327  
 for passive microwave observations, 328–330  
 atmospheric factors  
 changes in Antarctic sea ice, 585–86  
 changes in Arctic sea ice, 578  
 atmospheric oscillation (AO), 14  
 atmospheric transmission windows, 285, 286, 325, 325–326
- backscatter, 376–395  
 co-polarization data, 378, 379, 384–387, **385**, 386, 389, 391, 394  
 databases from single-channel SAR, 378–384  
 dual polarization data, 384–387  
 example of the implementation of an altimeter model to study the  
 impact of saline snow on backscatter, **547**, 547–548, 548  
 frost flowers, 441–442, 442  
 fully polarimeter data, 387–394, 393–394  
 models for level ice, 544–545  
 models for ridged ice, 545  
 snow influence, 334–341, 336, 338  
 backscatter coefficient, 310, 312, 316, 322, 324, 335, 336, 338, 338  
 basal plane, 194  
 Bayesian Likelihood Ratio Test (BLRT), 467  
 Beaufort Sea Gyre (BSG), 68, 80, 564, 575, 584  
 Beer-Lambert law, 299  
 Bernal-Flower rules, 198  
 bidirectional reflectance distribution function (BRDF), 300–302  
 biomass accumulation at ice bottom, 230–232, 231–232  
 birefringence, 153–155, 154, 164  
 blackbody radiation, 285, 298, 298, 543  
 blue ice, 365, **365**  
 borehole indentation, 22, 79, 80  
 borehole strength, 82  
 Born approximation, 543, 546  
 Bottom Ice, 202  
 Bragg scattering, 317, 318, 321, 331–332, 332, 382, 387  
 brash ice, 413–414, 414–415, 416  
 breathing hole, seal, 16, 16, 77, 564  
 Brewster angle, 152, 152, 168, 295, 295  
 brightness, 156–157  
 brightness temperature, 297–299  
 dry snow depth and, 337  
 microwave data, 370–373, 370–376, 375–376  
 PM remote sensing, 305, 306, 308, 329–330  
 sea ice classification and, 458, 458  
 from snow, 337, 339, 341  
 snow grain size and, 339  
 snow wetness and, 339, 341  
 surface melt, 432–434  
 thermal infrared sensing, 304
- brine  
 dielectric constant of, 136  
 inclusions, geometric characteristics of, 232–234  
 mobility through subgrain boundaries, 66–67  
 permittivity, 142  
 thermal conductivity of, 126–128, 128  
 brine channel, 47, 48, 54, 56, 56–57, 60, 65–67, 67, 77  
 brine drainage, 9, 47, 48, 59, 65, 67, 67  
 brine expulsion, 62–65  
 brine flushing, 66  
 brine-layer spacing, 234, 236–239, 238–240  
 brine pockets, 31, 41, 47, 48, 50, 52, 54–58, 54–58, 61–64, 66, 79,  
 81–82, 194  
 EPS in, 232  
 formation, contents and distribution in sea ice, 54–58  
 in frazil ice, 218  
 geometric characteristics of brine pockets in first-year ice, 236–242,  
 238–242  
 migration, 61–62  
 in seasonal ice, 220, 223  
 brine (platelet) spacing, 194  
 BSG, 524  
 bubbles. *see* air bubbles  
 bubbly ice, 171, 200, 223–224, 224  
 bulk salinity, 115, 115–116  
 buoyancy, 324, 501–502
- calcite, 154, 154  
 calibration, of sensor data, 289  
 cameras, for photographing thin sections, 167–168  
 Canada  
 historical and community synopsis, 4–8  
 map of the Canadian Arctic Archipelago, 5  
 Canadian Ice Service-Automated Sea Ice Tracking System  
 (CIS-ASITS), 527–528, 529–530  
 capillary waves, 331  
 carbon dioxide, dissolved in seawater, 33  
*c* axis, 152, 152, 155, 156, 194  
 CERTSAT, 380  
 characteristic radiometric values (CRVs), 479–480, 483, 483  
 chemical etching, 183–188, 185–187  
 circularly polarized light, 172–173  
 CIS Community Ice-Ocean Model (CIOM), 128  
 classification of ice, 84–85, **85–87**, 200–216  
 freshwater ice, 200, **201**, 202  
 R, **201**, 203, 211–212, 212  
 S1, **201**, 202, 205–207, 206–207  
 S2, **201**, 202, 207–210, 208–210  
 S3, **201**, 202, 211, 211–212  
 S4, **201**, 202, 204–205, 205  
 S5, **201**, 203, 204–205, 205–206  
 T1, **201**, 203–204, 204  
 classification of sea ice, 454–471  
 age-based *versus* SAR-based and scattering-based, 321–322  
 from optical and TIR systems, 456, 456–457  
 from PM data, 457–458, 458–459  
 from SAR, 458–471, 462–468, 470  
 clear ice, 200  
 climate change, 1. *see also* global warming  
 icebergs, 4, 11  
 impacts on polar ice, 557–590  
 terminology, 558  
 climate forcing, 557  
 climatology and sea ice, 13–14  
 Cloude-Pottier eigen decomposition, 318  
 cloud liquid water (CLW), 328–330  
 cloud masking, 327–328  
 cloud radiation, 271  
 coherency matrix, 316–320  
 Cold Regions Research and Engineering Laboratory (CRREL), 4, 275,  
 277–278, 377, 379, 401

- Collaborative-Interdisciplinary Cryospheric Experiments (C-ICE), 335, 429, 430
- columnar crystal, 195
- columnar-grained ice (S3 type)
- crystallographic classification, **201**, 202, 211, 211–212
  - crystallographic structure, 218–219, 220–221
  - fabric diagram, 214–215, 215
- columnar-grained with *c* axis horizontal and random (S2 ice)
- crystallographic classification, 207–210, 208–210
  - double-microtoming technique (DMT), 209, 209, 210
  - fabric diagram, 215, 215
- columnar-grained with *c* axis vertical (S1 ice)
- crystallographic classification, **201**, 202, 205–207, 206–207
  - fabric diagram, 214–215, 215
- complex permittivity. *see* dielectric constant
- compositional supercooling, 50, 50–51
- composition of sea ice, 9
- compression, 68, 68–70, 73, 76
- conductivity, 134–135
- Confederation Bridge, Canada, 19, 19
- congelation ice, 38–39
- conical scanners, 288, 288–289
- conservation of energy, 296
- Constellation of Small Satellites for Mediterranean Basin Observation (COSMO-SkyMed), 357
- convection current, 34, 34
- conventional neural network (CNN)
- for sea ice classification, 464–465, 465
  - for sea ice concentration, 498
- convergence, 414, 417–418, 419
- Coordinated Eastern Arctic Experiment (CLEAREX), 275–276
- Copernicus Imaging Microwave Radiometry (CIMR), 354
- co-polarization, 462–464, 469, 497, 515
- Cordilleran ice sheet, 558, 558
- Coriolis force, 67, 99
- corneal birefringence, 155
- Coulomb's law, 134–135
- covariance matrix, 316, 318, 320
- CP SAR (compact polarimetric SAR), 315–316, **316**
- CP (compact polarization) SAR, 468, 470–472, 517
- cracks, 74–75, 74–76, 421–422, 430
- cross-polarization, 469, 498
- cross-polarization backscatter, 378, 384–388, 386
- cross-polarized light, 168–172, 169
- cross-polarized/scattered light viewing of thin sections, 169–172
- cross-polarizers, 157, 164, 165, 173
- cross-track scanners, 288, 288
- CRREL Experiment (CRRELEX), 377, 379
- CryoSat-2, 360, 427, 512–514, 514, 570–572
- crystal
- definition, 194
  - optic axis of, 152
- crystal defects
- definition, 194
  - dislocations, 194–195
  - point defects, 194
  - stacking faults, 195
- crystalline texture, 195
- crystallographic structure of perennial sea ice, 221–230
- hummock ice, 223–226, 224–227
  - melt pond ice, 226–240, 228–230
- crystallographic structure of seasonal sea ice, 217–221
- agglomerate ice (R type), 220
  - air entrapment, 220–221, 223
  - columnar-grained ice (S3 type), 218–219, 220–221
  - frazil ice (S5 type), 217–218, 218–219
- cubic ice (Ic), 198
- damaged zones, 197
- DB. *see* double-bounce (DB) scattering mechanism
- deep learning (DL)
- sea ice classification, 464
  - sea ice concentration, 498
- deformation, 63
- dislocations, 79
  - ice classification, 84–85
  - wind effect on, 583–584
- dendritic ice-water interface, 51–52, 52
- density
- ice, 10, 121–122, 121–123, 199–200
  - seawater, 32, 32–33
- depolarization correlation coefficient, 318
- depolarization of the radar signal, 290, 292, 312–314, 330, 338
- desalinization during sea ice growth, 58–67
- deuterium, 30, 153
- diatoms, 17
- dielectric constant, 134–136
- of brine, 136
  - complex, 135
  - field measurements of, 142–145, 142–146
- dielectric mixing models, 136
- dielectric properties, 134–146
- dielectric constant of brine, 136
  - dielectric mixing models, 136–142
  - field measurements of dielectric constant, 142–145, 142–146
  - overview, 134–136
- Digital Mapping System (DMS), 426, 427
- directional solidification (DS), 216
- dislocation etch pit, 174–177, 175–176, 181, 181, 185
- dislocation lines, 177
- dislocations
- definition, 194–195
  - glide, 177, 185
  - pile up, 63–64
  - slipping basal, 64
- divergence, 417–418, 419, 421
- dog teams, 21, 22
- Doppler shift, 311, 332
- double-bounce (DB) scattering mechanism, 312–313, 313, 317–318, 320–321, 321, 332, 332
- from rafted ice, 412–413, 413
  - sea ice classification, 469–470
- double-microtoming technique (DMT), 233
- overview, 158–159
  - precautions for thin sectioning by, 163
  - S2 ice, 209, 209, 210
  - section examples, 162–164
  - for thin sectioning of ice, 158
  - for thin sectioning of snow, 161–163
- double refraction, 153–155
- dual-channel SAR, ice classification from, 461–466
- Earth Resources Technology Satellite (ERTS) programs, 349
- ECICE algorithm, 466, 466, 479–486, 581
- edge detection, 414, 416
- Eigen decomposition, 319
- eigenvector decomposition, 387
- elasto-delayed-elastic-viscous (EDEV) model, 22, 63, 192
- Electrically Scanning Microwave Radiometer (ESMR), 23, 350, 370, 370, 372
- electromagnetic (EM) wave, 151, 152
- absorption, 296
  - brightness temperature and, 297–299
  - circular, 290–291, 290–291
  - elliptical, 290–291, 291, **292**
  - emission, 296–297, 297
  - linear, 290–291, 290–291
  - orientation, 291, 291, **292**
  - penetration depth, 299–300
  - polarization, 290–292, 312
  - processes and properties, 289–300
  - propagation, 135
  - reflection, 293–295, 294–295
  - scattering, 296, 326, 326
  - transmission, 295
- ellipticity of EM wave, 291, 291, **292**
- El Niño-Southern Oscillation (ENSO), 585, 589, 589–590

- emission models
  - inversion modeling, 552–553
  - sea ice, 543–544, 548–552
- emissivity, 293, 296–299, 297, 329–330, 333, 339
  - brightness temperature and, 297–299
  - data in the microwave bands, 395–403
  - PM sensing, 305, 307–308
  - thermal infrared sensing, 303–305
- emitted radiation, 296–297, 306
- EM spectral regions, 284–286, 285–286
- energy balance
  - ice thickness estimation and, 501–503
  - at the ice-water interface, 42
- ENSO (El Niño-Southern Oscillation), 585, 589, 589–590
- entropy, 319, 319
- environmental interactions, 577–590
  - Antarctic sea ice, 585–590
  - Arctic sea ice, 578, 578–585
- ENVISAT, 359, 515, 516
- EO satellites
  - geostationary, 287
  - polar orbiting, 286–287, 287
  - sun-synchronous, 287, 287
- equiaxed crystal, 195
- ERS. *see* European Remote Sensing (ERS) satellites
- etching
  - chemical, 183–188, 185–187
  - process, 176–188
- etch pit, 173–178, 175–176, 181, 181–187
- EUMETSAT, 287
- European Centre for Medium-Range Weather Forecasts (ECMWF), 542
- European Remote Sensing (ERS) satellites, 351, 355, **358**, 359
  - backscatter data, 378–380, 380–382
  - scatterometer, 323, 323
  - sea ice thickness, 511
  - surface feature images, 414, 415
- extent of sea ice, 498–501, 499–501
- extinction position, 195
- extracellular polymeric substances (EPS), 232
- extraordinary ray, 152
- fabric diagram, 195, 214–216, 215
- far infrared region (FIR), 285, 285
- Fast Fourier Transform (FFT) shift theory, 527
- fast ice, 84
- field expeditions, 3–4, 249–280
  - Arctic Ice Dynamic Joint Experiment (AIDJEX), 250, 250–252
  - high arctic experience with ice of land origin, 262–266
  - Ice Exercise (ICEX), 277, 277–278
  - Labrador Ice Margin Experiment (LIMEX), 266–267, 266–268
  - marginal ice zone (MIZ) experiments, 274–276
  - Mould Bay experiments (1981–1984), 252–262
  - Multidisciplinary Drifting Observatory for the Study of Arctic Climate (MOSAiC), 278–280, 279
  - multi-year rubble field around Hobson's Choice ice island, 265–266, 265–266
  - Norwegian Young Sea Ice Experiment (N-ICE), 272–274, 273
  - Sea Ice Monitoring and Modeling Site (SIMMS) program, 268–270
  - Surface Heat Budget of Arctic Ocean (SHEBA), 270, 270–272, 272
  - Ward Hunt Ice Shelf (WHIS), 262–264, 263–265
- First Nations, 8
- first-year ice (FYI), 11
  - aging to MYI, 259–260
  - air bubbles in, 58, 58, 242–243
  - albedo, 364–367, 368
  - brine drainage, 61
  - cracks in, 74, 74–75
  - density, 122, 122–123
  - dielectric properties, 138, 139–140, 140, 142–143, 143, 144
  - emissivity, 395, **397**, 397–398, 398, 402
  - geometric characteristics of brine pockets in, 236–242, 238–242
  - ice aging, 80–83
  - ice decay, 76–79, 80
  - inclusions, 47, 48
  - microwave brightness temperature, 370, 370–373, 371, **373**
  - microwave penetration depth, **403**, 403–405, 404–405
  - Mould Bay field experiments, 254–262, 255, 261–262
  - permittivity, 139–140, 140, 143–144
  - physical and electrical properties, **109**
  - radar backscatter, 378, 379, 380–381, 382, **385**, 385, 385–389, 388–389, **390**, **391**, 391–392, 394
  - ridging, 72, **72**, 72–73
  - salinity, 113, 115, 115–116
  - snow depth, 445–446, 447, 448
  - thermal conductivity of, 126–127, 129, 129
- floating ice, 8–12, 84
- Formvar, 174, 177–179, 182, 184
- forward model inversion, 541, 552–553
- forward models
  - gross features of, 542
  - input to, 545–547
  - optima estimation and, 552–553, 553
  - overview, 541–542
  - primary input parameters, 545–546
  - secondary input parameters, 546
  - tertiary input parameters, 546–547
- foxes, Arctic, 16
- FP SAR (fully polarimetric SAR), 315–316, **316**, 467–471
- fractures in ice cover, 74–75, 74–76
- frazil ice, 200
  - accumulation of, 36, 36
  - algal growth, 230
  - crystallographic classification, **201**, 204–205, 205–206
  - crystallographic structure, 217–218, 218–219
  - initial formation, 36
  - lateral growth, 37
  - microwave penetration depth, 403, **403**, 405, 405
  - platelet ice, 203, 203, 213–214, 214
  - randomly oriented (S4), **201**, 204–205, 205
  - salinity, 115, 120, 128
  - vertically oriented (S5), **201**, 204–205, 205–206
- freeboard, 501–502, 510–514, 511, 520
- Freeman-Durden decomposition, 320
- freezer burn, 174
- freezing degree days (FDD), 42–44, 43
- freezing point, 32, 32–34
- freezing process, 33–35
- freshwater
  - density, 32, 32
  - freezing processes, 33–34
  - salinities, 31
  - specific heat capacity, 131
  - thermal conductivity, 126
- freshwater ice
  - classification, 200, **201**, 202
  - latent heat of fusion, 133–134
- Fresnel equations, 293–294, 295, 297
- Fresnel reflection model, 333
- frost flowers, 438–440, 438–442, 442
- fully convolutional network (FCN) model, 498
- FYI. *see* first-year ice (FYI)
- Gaofen-3 (GF-3) satellite, 357, 466, 467
- gases, dissolved in seawater, 33
- gas inclusions, 47. *see also* air bubbles
- GEM weather model, 339, 340
- general circulation model (GCM), 126, 270–271
- geometric characteristics
  - of air bubbles, 242–244, **243**, 244
  - of brine pockets in first-year ice, 236–242, 238–242
  - of crystalline structure, 232–236, 234–237
- geophysical parameters of sea ice, 453–533
  - classification of sea ice, 454–471
  - concentration, sea ice (SIC), 471–498
  - extent and area of sea ice, 498–501, 499–501
  - ice surface temperature (IST), 517–521, 519, 521
  - motion and kinematics, 524–533
  - retrieval of, 453–533
  - sea ice age (SIA), 522–524, 523
  - thickness of sea ice (SIT), 501–517



- Geoscience Laser Altimeter System (GLAS), 360  
 Geostationary Operational Environmental Satellite (GOES), 287  
 geostationary orbit, 287  
 geostrophic wind, 421–422, 422  
 glacier ice  
   air bubbles in, 48  
   cracks, 48–49  
   microstructure, 212–213, 213, 262  
 glaciers  
   effect of sea ice on, 587  
   ice of glacier origin, 95–99, 96  
 glaze, 333  
 Global Environmental Multi-scale (GEM), 328, 382, 504  
 Global Navigation Satellite System Reflectometer (GNSS-R), 280  
 global warming, 557–590  
   manifested in polar regions, 560–562  
   terminology, 558  
 global warming influence on polar sea ice, 565–577  
   Antarctic icebergs, 576–577, 577  
   Arctic sea ice age, 572–575, 573–574  
   Arctic sea ice dynamics, 575, 575–576  
   sea ice extent (SIE), 565–569, 567–568  
   sea ice thickness (SIT), 569–572, 570–571  
   sea ice volume, 571–572, 572  
 goniometer, 165, 166, 166  
 Gore, Al, 560  
 grain boundaries  
   definition, 195  
   in frazil ice, 218, 219  
   geometric characteristics, 233, 239, 242  
   large-angle, 196  
   low-angle, 196  
   thermally etched, 176–182, 178, 180–182  
   thin section viewing issues, 163  
 grains  
   geometric characteristics, 233–236, 235, 237  
   in sea ice, 53–54, 53–55, 193–194  
 grain size, in snow, 324, 334, 335–339, 338  
 granular ice, crystallographic classification of, 203–204, 204  
 gravity drainage of brine, 65  
 gravity waves, 331–332, 332, 331–332  
 gray ice, 220, 222  
   albedo, 366, 366–367  
   backscatter, 386  
 Gray Level Co-occurrence Matrix (GLCM), 460, 461, 462  
 grease ice, 36  
   albedo, 364–365, 366, 367  
   backscatter, 379  
   emissivity, 399, 399  
   salinity, 121  
 Great Lakes, ice coverage of, 2  
 great salinity anomaly, 16  
 greenhouse gases, 557, 560, 569, 583, 586  
 Greenland ice sheet, 558, 558  
 growth, of sea ice, 2, 37–47  
   lateral, 37–38  
   salinity loss, 58–67  
   simplified models of, 41–45  
   superimposed ice, 39–40  
   thermodynamic, 40–47  
   vertical, 38–39  
 growth direction of ice crystals, 199  
 heat of fusion, 13  
 heat transfer, 42–43  
 hexagonal crystals, 196, 196  
 hexagonal ice (Ih)  
   density, 199  
   growth direction of crystals, 199  
   Miller indices for, 198, 198–199  
 High Arctic region, 4–7, 262–266  
 Himalayan cryosphere, 1, 2  
 Hobson's Choice ice island, 253, 263–266, 263–266  
 hot-plate technique, 158, 159  
 hummock ice  
   air bubbles, 243, 398  
   crystallographic structure, 223–226, 224–227  
   density of, 122, 122–123  
   emissivity, 396, 398, 400–401, 400–401  
   Hobson's Choice ice island, 264, 264–265  
   microwave penetration depth, 403, 403  
   permittivity of, 145, 145–146  
   radar backscatter, 381, 387–388, 388  
   radar scattering mechanisms and, 321, 321  
 hummocks, 47, 48, 77, 81, 81–83, 85  
 hydrogen isotopes, 30  
 ice-albedo feedback loop, 364–365  
 ice arch, 88–90, 90–91  
 icebergs, 95–99  
   Antarctic, 4, 576–577, 577  
   bulbous bows, 12, 12  
   calving, 4, 11, 96, 99, 589, 589–590  
   charting of, 11–12  
   classification, 97  
   interaction with sea ice and ice shelves, 587–590, 589  
   response to global warming, 576–577  
   shapes, 97  
   size, 96–97  
 icebreakers, 3, 18, 19, 19–20, 84, 88, 98  
 ice charts, 456, 460–461, 464–466, 465–466, 468, 468–469, 486, 493–494, 496, 498, 512  
 ice classes, 84–85, 85–87  
 ice class ship, 84  
 Ice Cloud and Elevation Satellite (ICESat), 360, 512, 512, 514  
   sea ice extent (SIE), 580  
   sea ice thickness, 570–572  
 ice congelation, 29  
 ice crystals  
   dendritic or stellar growth, 35, 35–36  
   forms of, 197–198  
   frazil ice, 36  
   growth direction, 199  
   initial formation of, 35–36  
   types, 196  
 ice decay, 76–79, 77–80  
 ice deformation, 67–76, 74–75, 74–76  
   compression and shear forces, 68, 68  
   leads, 75–76, 75–76  
   rafting, 68, 69, 69–70, 70, 72–73  
   ridging, 68, 70–73, 70–73, 72  
   rubble field, 68, 73–74, 73–74  
   spatial scales, 68  
 ice density, 10, 121–122, 121–123, 199–200  
 ice drift, 251, 259, 262–263, 263, 265, 268, 271, 273–274, 276–278  
 ice dynamics  
   Arctic Ice Dynamic Joint Experiment (AIDJEX), 250, 250–252  
   Norwegian Young Sea Ice Experiment (N-ICE), 273  
 ice edge, 94–95, 95  
 Ice Exercise (ICEX), 277, 277–278  
 ice flux out of the Arctic Basin, 580–582, 581, 583  
 ice formation, initial, 33–36  
 ice hinges, 9  
 ice island, 11, 49, 49, 95, 98, 98–99  
   air bubbles, 49, 49  
   hazards, 262  
   Hobson's Choice, 253, 263–266, 263–266  
   man-made, 262  
 ice layering, 337, 341  
 ice lenses, 333, 337–338, 341

- ice motion
  - Arctic Ice Dynamic Joint Experiment (AIDJEX), 251
  - in Arctic region, 575, 575–576
  - wind effect on, 582
- ice numeral, 86
- ice of glacier origin, 95–99, 96
- ice of land origin, field study experience with, 262–266
- ice point, 196
- ice polygon, 494–495, 494–496, 497, 530
- ICESat. *see* Ice Cloud and Elevation Satellite (ICESat)
- ice shelf, 95–96, 96
  - interaction with sea ice and icebergs, 587–590
  - Ward Hunt Ice Shelf (WHIS), 262–264, 263–265
- ice strength, 77, 79, 80
- ice surface temperature (IST), 303–304, 517–521
  - from PM observations, 520–521, 521
  - from TIR observations, 517–520, 519
- ice tongue, 95
- ice-water interface
  - compositional supercooling, 50, 50–51
  - dendritic, 51–52, 52
  - heat exchange, 126
  - salinity across, 120–121
  - salt rejection at, 59–61
  - temperature at, 110–111
- imaging radar sensing, 308–322
  - multichannel SAR, 313–315
  - principles of imaging radar, 308–313
  - SAR polarimetry, 315–322
- impurities, 9, 34
- impurity entrapment, 13
- inclusions in ice, 31, 41, 47–67, 48–49, 52, 54–58, 54–58, 66, 66, 79, 81, 81–82. *see also* air bubbles; brine pockets
  - compositional (constitutional) supercooling at the ice-water interface, 50–51
  - dendritic ice-water interface, 51–52, 52
  - dielectric properties of ice, influence on, 136–140, 137, 139–140, 142, 145
  - grains and subgrains, 53–54, 53–55
  - in seasonal ice, 220–221, 223
- incoming solar radiation (ISR), ice decay and, 77–78
- An Inconvenient Truth* (film), 560
- indentation tests, 22, 264, 265–266, 266
- Indian National Satellite System (INSAT), 287
- inference of colors, 156
- infrared observations, influences of atmosphere on, 325–328, 326
- Integral Equation Model (IEM), 544, 547
- integrated field of view (IFOV), 289
- integrated water vapor (IWV), 328–330
- interference colors, 157, 157–158, 164
- Intergovernmental Panel on Climate Change (IPCC), 14, 559, 563
- internal stress, ice motion and, 524–525
- International Arctic Buoy Program (IABP), 271, 532–533, 575
- Inuit, 4–8, 7
  - dog teams, 21, 22
  - knowledge about sea ice, 11
  - names for sea ice, 10–11
- inverse modeling, 552–553
- irradiance, 286, 300, 302, 303
- isotopic composition of water, 30–31
- ivuniit*, 11
- Japanese Earth Resources Satellite (JERS-1), 351, 414, 415
- Joint Altimetry Satellite Oceanography Network (JASON) series, 359
- Joint Polar Satellite System (JPSS), 353
- katabatic wind, 421
- Kerr electro-optic effect for water, 153
- kinematics
  - processes, 417–421, 418–420
  - sea ice motion and, 524–533
- Kirchhoff's law, 296, 297
- laboratory techniques, 149–188
  - etching processes, 176–188
  - ice thin sectioning, 158–164
  - overview, 149–151
  - sublimation of ice, 173–176
  - viewing and photographing thin sections, 164–173
- Labrador Ice Margin Experiment (LIMEX), 266–267, 266–268
- Lagrange function, 481–482
- Lagrangian particle, 260
- Lagrangian representation, 417, 418
- lake ice, air bubbles in, 48–49, 49
- Lambertian surface, 300–301
- land-based ice, microstructure of, 212–213, 213
- landfast, 9
- Landsat, 250–251, 269, 275, 423
- La Niña, 585
- laser altimeter, 323–325, 324
- laser image detection and ranging (LIDAR), 323
- laser ranging, 251
- latent heat of sea ice, 133–134, 134
- latent heat polynya, 87
- lateral ice growth, 37–38
- lattice, 196
- lattice straining, 196
- Laurentide ice sheet, 557, 558
- leads, 75–76, 75–76, 421–428, 422–425, 427
  - effect on local air temperature, 579
  - width, 422, 422–423, 426
- light
  - circularly polarized, 172–173
  - cross-polarized, 168–172, 169
  - parallel-polarized, 168–169, 169
  - polarized, 151–153, 163
  - scattered, 169–172, 169–172
  - speed of, 151, 154
- linear kinematic feature (LKF), 417, 420–421
- liquid zone migration, 61
- Little Ice Age, 558
- loss factor, 135
- Low Arctic region, 4–5
- LOW-resolution atmospheric TRANsmision (LOWTRAN), 305
- machine learning, 416–417, 464–465
- Making Earth System Data Records for Use in Research Environments (MEaSUREs), 417
- MAp-Guided Ice Classification (MAGIC), 461
- marginal ice zone (MIZ), 39, 92–94
  - field expeditions, 274–276
  - radar backscatter data, 385
  - ridges, 413
- marginal ice zone Department Research Initiative (MIZ-DRI), 276
- marginal ice zone observations and processes experiment (MIZOPEX), 275–276
- marine biology, sea ice in, 16–17
- marine navigation, sea ice in, 17–19, 18
- Markov Random Field (MRF) labeling model, 461, 462
- maximum cross-correlation (MCC), 526, 526–527
- MB. *see* multiple-bounce (MB) scattering mechanism
- Medium Resolution Imaging Spectrometer (MERIS), 370
- melting
  - ice aging, 81, 81–83
  - ice decay, 76–79, 77
- melting point, 196
- melt pond ice, 223
  - air bubbles, 243
  - crystallographic structure, 226–230, 228–230
  - emissivity, 396–397, 400–401
  - microwave penetration depth, 403, 403
  - radar scattering mechanism and, 321
- melt ponds, aerial photography of, 437, 438
- meteorologically driven surface features, 442–448
  - polynya, 442–444, 444
  - snow depth, 444–448, 445, 447
- meteorology, sea ice in, 14–15

- microorganisms, in sea ice, 17
- microscope, polarizing, 165–166
- microstructure, 10, 11, 12, 193–194
- microwave brightness temperature, 370–373, 370–376, 375–376
- microwave data. *see also* active microwave; passive microwave (PM)
  - observations
    - seawater influences, 331–333
    - snow influences, 336–341
- microwave emission, 285, 285, 286
  - emissivity in microwave bands, 395–403
  - modeling, 541–553
- Microwave Emission Model for Layered Snowpacks (MEMLS), 274, 444, 446, 542–544
- Microwave Imaging Radiometer with Aperture Synthesis (MIRAS), 508, 510
- Microwave Model (MWMOD), 329–330, 397, 543
- microwave penetration depth, 403–407
- microwave sensors, 23, 285
  - active, 23
  - passive, 23
- Mie scattering, 326, 326, 543
- migration, of brine pocket, 61–62
- Miller indices for hexagonal ice, 198, 198–199
- models/modeling
  - altimeter model to study the impact of saline snow on backscatter, **547**, 547–548, 548
  - forward models, 541–542, 545–547
  - inverse, 552–553
  - large-scale sea ice modeling, 542
  - microwave emission and scattering from snow-covered sea ice, 541–533
  - sea ice backscatter models for level ice, 544–545
  - sea ice backscatter models for ridged ice, 545
  - sea ice emission, 543–544, 548–552
  - of sea ice growth, 41–45
  - for sea ice thermal microwave emission, 543–545
  - to simulate the noise in sea ice concentration estimates, 548–552
- Moderate Resolution Imaging Spectroradiometer (MODIS), 352–353
  - ice surface temperature, 517–518, 519
  - leads, 422–423, 423, 425–426
  - sea ice concentration, 489
  - sea ice thickness (SIT), 504, 506, 508
  - snow depth, 446
  - spectral albedo and, 367–368
  - surface melt, 430–431, 431
- MODIS Cloud Mask, 328
- molecular composition of water, 30
- monocrystalline materials, 193
- morphology of ice, 197–200
- Mould Bay experiments (1981–1984), 252–262
  - aging of sea ice (from FYI to MYI), 259–260
  - sea ice conditions, 254–259, 255–259
  - second-year ice profile, interface between old and new ice in, 260–261, 260–262
  - site, resources, and logistics, 252–254, 253–254
- Multi-angle Image SpectroRadiometer (MISR), 457
- Multidisciplinary Drifting Observatory for the Study of Arctic Climate (MOSAIC), 278–280, 279
- Multi-functional Transport Satellite (MTSAT), 287
- multiple axis photometer (MAP), 173
- multiple-bounce (MB) scattering mechanism, 312–313, 313, 317, 320–321, 321, 469–470
- multi-year ice (MYI), 2
  - air bubbles in, 58, 242–244, **243**, 244
  - albedo, 364–367, 368
  - Arctic ice flux, 581–582, 582–583
  - Arctic sea ice age, 572–575, 573–574
  - bubble formation in, 81–82
  - crystallographic structure, 221–230
  - density, 122, 122–123
  - dielectric properties, 138, 140, 141, 142, 145, 145–146
  - emissivity, **397**, 397–398, 398, 400, 400
  - first-year ice (FYI) aging to MYI, 259–260
  - ice aging, 80–83
  - inclusions, 47, 48
  - microwave brightness temperature, 370, 370–373, 371, **373**
  - microwave penetration depth, **403**, 403–405, 404–405
  - Mould Bay field experiments, 254, 259–260
  - permittivity, 140, 141, 145, 145–146
  - physical and electrical properties, **109**
  - radar backscatter, 378–381, 379, 382, **385**, 385, 385–388, 388–389, **391**, 391–392, 394, 395
  - radar scattering mechanisms and, 321, 321
  - ridging, 72, **72**
  - rubble field around Hobson's Choice ice island, 265–266, 265–266
  - salinity, 113, 115
  - snow depth, 445–446, 447, 448
  - surface during melt season, 81
  - SYI distinguished from, 83
  - thermal conductivity, 127–128
  - top and bottom surface profiles of MYI in the Nares Strait, 82, 83
  - mush ice, salinity of, 120–121
- National Research Council (NRC) field experiments, 252–253, 256, 260, 264
- National Snow and Ice Data Center (NSIDC), 276
  - ice type maps, 456
  - sea ice age, 489, 490, 522–523, 523, 573, 575
  - sea ice concentration, 454, **472**
  - sea ice extent, 454, 498, 500, 566–568, 567–568
  - Sea Ice Index, 566
  - sea ice motion, 525, 528, 530, 532–533, 532–533
  - sea ice thickness, 513, 514, 570
- near-infrared region (NIR), 285, 285
- near-surface air temperature (nSAT), 560–561, 560–562, 568
- new ice (NI)
  - emissivity, **397**, 397–398, 399
  - physical and electrical properties, **109**
  - radar backscatter, 379, 381, 386
- nilas, 37, 37–38, 220, 222
  - albedo, 364, **366**, 366–367
  - backscatter, 378–379, 385, 385
  - emissivity, 397, 399, 399
  - microwave penetration depth, 404, **404**
- Nimbus program, 349–350
- non-selective scattering, 326, 326
- normalized difference snow index (NDSI), 500–501
- Northeast Passage (NEP), 18, 18–19
- North Water polynya (NOW), 87, 88, 90, 455, 507, 519
- Northwest Passage (NWP), 2, 5, 10, 18, 18–19, 82
- Norwegian Young Sea Ice Experiment (N-ICE), 272–274, 273, 446
- NSCAT, 380
- NT2 algorithm, 476–478, 478
- NT algorithm, 475–476
- nuclei, 35
- ocean currents, 584, 586, 586
  - ice deformation and, 68
  - ice motion and, 524
- ocean foam, 331–332
- oceanic forcing
  - Antarctic, 586–587
  - Arctic, 584–585
- oceanography, sea ice in, 15, 15–16
- Ocean Scatterometer (OSCAT), 323, **358**, 358–359
- ocean–sea ice–atmosphere (OSA) system, 269
- Odden sea ice, 15, 15, 92
- offshore structures, sea ice and, 19, 19–20
- open water
  - albedo, **366**, 367, 369
  - backscatter data, 378–379, 381–382, 381–386, **382**, 384, **385**, 389, **390**, 391, 393–394
  - brightness temperature, 370–373, 371–373, **373**
  - emissivity, 396–399, **397**, 398, 400
- Operational Linescan System (OLS), 423, 424
- optical data/observations
  - ice classification from, 456, 456–457
  - influences of atmosphere on, 325–328, 326
  - SAR compared, 455, 455
  - sea ice concentration from, 472–473
  - seawater in, 330–331

- optical data/observations (*cont'd*)
  - snow influence, 335–336
- optical properties, 151–158
- optical reflectance, 364–370
- optical retardation, 155–157, 156–157, 163
- optical sensing, 300–303, 303
- optical sensors, 23
- optic axis, 152, 152, 155, 196
- optimal estimation, 552–553, 553
- ordinary ice (Ih), 196. *see also* hexagonal ice (Ih)
  - birefringence of, 153–155, 154
- oxygen isotopes, 30–31
  
- pack ice, 39, 84
  - ice edge, 92, 94–95, 95
  - leads in, 75
  - marginal ice zone (MIZ), 93
  - ridge zones, 71, 71
  - strength of, 68
- palm-technique for thin sections, 158, 168
- Pan-Arctic Ice Ocean Modeling and Assimilation System (PIOMAS), 570–571, 571–572
- pancake ice, 37–38, 38, 90–92, 91–92
- parallel-polarized light, 168–169, 169
- passive microwave (PM) observations
  - atmospheric correction for, 328–330
  - ice surface temperature (IST), 520–521, 521
  - ocean surface roughness, influence of, 332–333
  - remote sensing, **305**, 305–308, 306–308
  - sea ice classification, 457–458, 458–459
  - sea ice concentration (SIC), 473–496
  - sea ice thickness (SIT), 506–510, 507–510
  - surface melt, 432–434, 433
- passive microwave (PM) sensors, 287, 287
  - historical perspective, 350–351
  - modern, 353–354, **354**
- Pauli target vector, 316–317
- penguins, 16, 564
- perennial ice, 2, 84, 108, 221–230
- permafrost, melting of, 579–580
- permittivity, 134–135, 139–141, 139–145, 143–145
- phase-correlation matching technique, 527–528
- Phased Array type L-band Synthetic Aperture Radar (PALSAR), 355–356, 516
  - ALOS-PALSAR, 314–315, 318, 414, 464
- phase diagram of ice, 33, 33, 197, 197–198
- phase shift, 156, 291, **292**
- photographing ice thin sections, 164–173
- Photosynthetically Active Radiation (PAR), 17, 270, 303
- phthalate, 161–162
- physical properties. *see* properties of sea ice
- physics, sea ice in, 12–13
- Planck's equation, 285, 298, 298
- platelet ice
  - formation, 203, 203
  - interface, 196
  - microstructure, 213–214, 214
  - structure, 196
- plate tectonics, 21–22
- PM. *see* passive microwave (PM) observations
- PM Algorithm (PMA), 433
- PM SIC algorithms, 476–493
  - ASI algorithm, 478–479
  - assessment of ice concentration results against ice charts, 493–496
  - comparison of algorithms, 486–490
  - ECICE algorithm, 479–486
  - error sources, 490–492
  - NT2 algorithm, 476–478, 478
  - NT algorithm, 475–476
  - sensitivity of, 492–493, 493
- point defects, 194
- polar bears, 16, 564
- Polar Continental Shelf Program (PCSP), 6, 250, 263–264, 264, 269, 269–270
- polarimetric decomposition parameters, 387, 389, **390**, **391**, 391–394
- Polarimetric Scanning Radiometer (PSR), 444
- polariscope, 153, 153, 165–169, 166–167, 169, 196
- polarization
  - degree of, 291, 293, 312
  - of EM wave, 290, 290–292
  - of radar signals, 311–312
  - vertical and horizontal polarization signals, 312, 312
- polarization signature, 317–318, 318
- polarized light, 151–153, 163
- polarizer, 150, 152–153, 153, 156–157, 162, 164–168, 169, 171–172, 172
- polarizing filter, 152, 165–168, 197
- polarizing microscope, 165–166
- polar molecule, water as, 121, 121, 153
- Polar-Orbiting Environmental Satellites (POES) series, 352, **352**
- polar orbiting satellites, 286–287, 287
- polar regions. *see also* Antarctic region; Arctic region
  - geographic differences, 562–564, 563, 565
  - manifestation of global warming in, 560–562
  - sea ice characteristics, differences in, 564–565, **566**
  - sea ice regimes, 562–565
- polycrystalline ice structure, 191–244
  - biomass accumulation at bottom of ice, 230–232, 231–232
  - classification of natural ice, 200–216
  - definition, 197
  - examples, 216–230
  - geometric characteristics of air bubbles, 242–244, **243**, 244
  - geometric characteristics of brine pockets in FYI, 236–242, 238–242
  - geometric characteristics of crystalline structure, 232–236, 234–237
  - information contents in, 234–244
  - laboratory techniques for revealing, 149–188
  - morphology of ice, 197–200
  - perennial sea ice, 221–230
  - seasonal sea ice, 217–221
  - stereographical projection (fabric diagram), 214–216, 215
  - terms and definitions, 191–197
- polycrystalline solids, 193
- polygonization, 63, 64, 197
- polynya, 16, 86–90, 88–91
  - coastal, 88, 89
  - identification and properties, 442–444, 444
  - latent heat, 87–88
  - open-ocean, 87
  - optical and SAR images compared, 455, 455
  - sensible heat, 87–88
- polyvinyl alcohol (PVA), 165–166
- polyvinyl formal (Formvar), 174, 177
- Pond Inlet, 253
- Practical Salinity Unit (PSU), 31
- precipitation of salts, 31–32, **32**, 57–58
- pressure ridges, 68, 70–72, 71, 413, 418
- pressure (compression) ridges, 70
- primary ice, freshwater, 200, **201**, 202
- primary production, 17, 230, 232
- properties of sea ice, 107–146
  - air volume fraction, 124
  - brine volume fraction, 123–124
  - bulk salinity, 115, 115–116
  - density, 121–122, 121–123
  - dielectric, 134–136, 137–145
  - equations to determine parameters, **109**
  - pure ice volume fraction, 124
  - salinity, 113–121
  - salinity profile, 116–121, 117–120
  - solid salt volume fraction, 124
  - temperature profiles, 108–113, 110–114
  - thermal, 126–134, 128–134
  - typical values of key physical parameters, 107–108, **108–109**
  - volume fraction of constituents, **123**, 123–126
- pure ice volume fraction, 124
- PVD (Polder and Van Santen) model, 136–137, 142, 144–145
- pycnocline zone, 34, 34
  
- qavvaq*, 11
- qinu*, 10–11



- QuikSCAT, 339, 340, 341, **358**, 358–359  
 scatterometer, 323, 323  
 sea ice concentration, 484, 484–486, 486, 489
- radar altimeter, 308, 323–324, 324  
 radar backscatter. *see* backscatter  
 radar cross section (RCS), 293, 309–310  
 radar equations, 309, 309–311  
 Radar Imaging Satellite (RISAT), 357  
 radar pulse, 308–309  
   coherency, 311  
   illustration of, 309  
   polarization, 311–312  
   scattering mechanisms, 312–313, 313
- RADARSAT, 252, 267, 269, 277, 308, 314–315, 318  
   ice classification, 461, 462  
   optical image compared, 455, 455  
   radar backscatter data, 377, 380, 382, 382–383, 384, 385–387, 389, 390, 391, 393–394, 394  
   rafted ice images, 412, 412  
   ridged, rubble, and brash ice, 414–416, 416  
   sea ice classification, 467–471, 468  
   sea ice concentration, 487, 489, 490, 495, 495–498, 497  
   sea ice motion tracking, 528, 529  
   sea ice thickness, 505, 505, 512, 516, 517, 519  
   sensors, 355–358, 356  
   single look concept, 311  
   surface deformation, 417, 418, 420, 420–421  
   surface melt, 434, 435–436
- RADARSAT Constellation Mission (RCM), **355**, 357–358, 471  
 RADARSAT Geophysical Processing System (RGPS), 417, 419–420, 420
- radar scattering coefficient, 293  
 radar scattering mechanisms. *see* scattering mechanisms  
 radar sensors, 23  
 radar system, monostatic, 309  
 radiance, 286, 298, 298, 300, 302, 303  
 radiation power, 543  
 radiative processes  
   in atmosphere, 325–330  
   in seawater, 330–333  
   in snow over ice, 333–341  
 radiative transfer, 543  
 radiative transfer equation (RTE), 307, 517  
 rafted ice, identification and characterization, 412–413, 412–413  
 rafting, 37, 68, 69–70, 69–70, 72–73  
 randomly oriented (S4) frazil ice  
   crystallographic classification, **201**, 204–205, 205  
   three-dimensional schematic diagram, 205
- Rayleigh scattering, 155, 326, 326, 406, 543  
 real aperture radar (RAR), 287, 308–309  
 recrystallization, 197  
 reflectance, 293, 300–302, 303, 327, 364–370  
   leads, 437  
   surface melt, 429–431, 430–431  
   top-of-atmosphere (TOA), 429  
 reflection, 152, 152, 293–295, 294–295  
   scattered (diffuse), 293  
   spectral (mirror), 293  
 reflectivity, 293–294, 295, 296–297  
 refraction, 152  
   double, 153–155  
 refractive index, 152, 154, 293–294, 330, 364, 395  
 rejection of solutes/salts, 31, 36–37, 40, 47, 50, 54, 58–61  
 remote sensing  
   altimeter systems, 323–325, 324  
   atmospheric influences on, 325–330  
   fundamentals, 283–341  
   general principles, 284–289  
   imaging radar sensing, 308–322, 309, 311–313, **316**, 318–319, 321  
   optical sensing, 300–303, 303  
   overview, 22–24, 283–284  
   passive microwave (PM) sensing, **305**, 305–308, 306–307  
   scatterometer systems, 322–323, 323  
   seawater influences on, 330–333  
   snow on ice, influences of, 333–341  
   thermal infrared sensing, 303–305, 304  
 replicating ice surfaces, 183–187  
 re-radiation, 296–297
- ridges  
   backscatter models/mechanisms for ridged ice, 321, 321, 545  
   identification and characterization, 413–418, 414, 416, 420–421  
   pressure, 413, 418  
   shear, 413–414, 415
- ridge zones, 71  
 ridging, 68, 70–73, 70–73, **72**  
   pressure ridges, 68, 70–72, 71  
   shear ridges, 68, 70
- Rigsby stage, 165–166, 166, 214–215  
 Ross Ice Shelf, 4  
 rotten ice, 77, 411, 428, 429, 430  
 R type ice, **201**, 203, 211–212, 212, 220  
 rubble ice, 68, 68, 73–74, 73–74  
   Hobson's Choice ice island, 264–266, 264–266  
   identification and characterization, 413–414, 414, 416
- S1 ice  
   crystallographic classification, **201**, 202, 205–207, 206–207  
   fabric diagram, 214–215, 215
- S2 ice  
   crystallographic classification, 207–210, 208–210  
   double-microtoming technique (DMT), 209, 209, 210  
   fabric diagram, 215, 215
- S3 ice  
   crystallographic classification, **201**, 202, 211, 211–212  
   crystallographic structure, 218–219, 220–221  
   fabric diagram, 214–215, 215
- S4 ice  
   crystallographic classification, **201**, 202, 204–205, 205  
   three-dimensional schematic diagram, 205
- S5 ice  
   crystallographic classification, **201**, 203, 204–205, 205–206  
   crystallographic structure, 217–218, 218–219  
   three-dimensional schematic diagram, 205
- salinity, 113–121  
   algal growth and, 230  
   brine volume fraction, 123–124  
   bulk, 115, 115–116  
   latent heat of fusion, influence on, 133–134, 134  
   loss during sea ice growth, 58–67  
   microwave penetration depth and, 403–405, 405  
   of near shore water, 202  
   seawater, 31–32, **32**  
   specific heat, influence on, 131–133, 133  
   surface, 114  
   temperature dependence of brine salinity, 125, 125–126  
   temporal evolution of, 120, 120  
 salinity profiles, 116–121, 117–120  
 salt precipitation, 57–58  
 salt rejection, 15, 40, 47, 50, 54, 58–61  
   from bulk ice, 61–67  
   initial rapid at ice-water interface, 59–61  
 salts in sea ice, 31, **32**
- SAR  
   sea ice classification, 458–471, 462–468, 470  
   sea ice concentration (SIC), 496–498, 497  
   sea ice thickness (SIT), 514–517, 515–517
- SAR (synthetic aperture radar)  
   backscatter databases from single-channel, 378–384  
   concept, 310–311, 311  
   detecting ridges, rubble, and brash ice, 413  
   dual polarization, 384–387  
   field experiments, 252, 256, 267–271, 273–276, 279  
   frost flowers, 441  
   full polarization, 387–394, 393–394  
   historical perspective, 351  
   lead detection, 422–424, 426  
   modern systems, **355**, 355–358  
   multichannel, 313–315

- SAR (synthetic aperture radar) (*cont'd*)
- multi-frequency, 314
  - multi-polarization, 314
  - optical images compared, 455, 455
  - radar backscatter data, 376–394, 382, 392
  - rafted ice images, 412, 412–413
  - ridged, rubble, and brash ice, 413–417
  - sea ice classification, 321–322, 458–471
  - single channel, 313
  - SLC (single look complex), 315, 332
  - surface melt, 428, 434, 434–436, 436
- SAR, ice classification from, 321–322, 458–471
- dual-channel SAR, 461–466, 463–467
  - overview, 458–460
  - polarimetric SAR, 467–471, 468, 470
  - single-channel SAR, 460–461, 462
- SAR interferometry, 311
- SAR polarimetry, 315–322
- formulation of polarimetric measurements, 316–317
  - linking radar scattering mechanisms to ice features, 320–321, 321
  - polarimetric parameters derived from the FP SAR data, 317–320
  - polarization modes, 316, 316–316
- sastrugi, 85
- satellite sensors, 349–360
- altimeter sensors, 359–360, 360
  - historical perspective, 349–351
  - modern imaging radar, 355–358
  - optical, 352–353
  - scatterometer systems, 358, 358–359
  - thermal infrared (TIR), 352–353
- Satellite with ARGOS and ALtiKa (SARAL), 359
- SB. *see* single-bounce (SB) scattering mechanism
- Scanning Multichannel Microwave Radiometer (SMMR), 308, 350–351, 354, 432, 434
- surface melt, 432, 434
- scanning radiometers
- conical, 288, 288–289
  - cross-track, 288, 288
- ScanSAR, 311, 315, 378, 414, 435, 471, 497–498
- Scat-SeaIce composite color scheme, 394, 394
- scattering
- in the atmosphere, 326, 326
  - dense media volume scattering, 543
  - of EM wave, 296
  - Lambertian, 300
  - of microwave signal in snowpack, 336
  - Mie, 326, 326, 543
  - non-selective, 326, 326
  - Rayleigh, 155, 326, 326, 406, 543
- scattering-based ice classification, 321–327
- scattering matrix, 316–318
- scattering mechanisms, 312–313, 313
- double-bounce (DB), 312–313, 313, 317–318, 320–321, 321, 332, 332, 412–413, 413, 469–470
  - linking to ice features, 320–321, 321
  - multiple-bounce (MB), 312–313, 313, 317, 320–321, 321, 469–470
  - from ocean wave, 331–332, 332
  - from rafted ice, 412–413, 413
  - sea ice classification, 469–470
  - single-bounce (SB), 308, 312–313, 313, 318, 320, 321, 321, 469–470
- scattering power, 313, 317, 320–321
- scattering vector, 316
- scatterometer systems, 322–323, 323, 358, 358–359
- fixed fan-beam configuration, 322–323, 323
  - rotating fan-beam (pencil beam) configuration, 323, 323
- Schmidt net, 214
- Scientific Ice Expeditions (SCIEX), 422, 422
- sea ice age (SIA), 522–524, 523
- Arctic, 572–575, 573, 573–574
  - response to global warming, 572–575, 573–574
- Sea Ice and Terrain Assessment (STAR), 312
- sea ice characteristics, 8–12
- sea ice concentration (SIC), 471–498
- from coarse-resolution microwave observations, 473–496
  - from fine-resolution SAR, 496–498, 497
  - map vendors, 472
  - modeling, 548–552
  - from optical and TIR images, 472–472, 474
  - overview, 471–472
- sea ice cover, enhanced Arctic warming due to changes of, 578–580, 579
- sea ice extent (SIE), 498–501, 499–501
- Antarctic, 585–586
  - Arctic, 580, 580–582
  - response to global warming, 565–569, 567–568, 580, 580–582
- Sea Ice Monitoring and Modeling Site (SIMMS), 268–270, 327, 335, 338
- sea ice motion, 524–533
- Antarctic region, 533, 533
  - Arctic region, 532, 532–533
  - operational ice motion products, 532–533
  - overview, 524–525
  - tracking using image features, 526, 526–528, 529–530
  - tracking using individual sea ice floes, 528–531, 531
- sea ice regimes, 85–99
- ice edge, 94–95, 95
  - ice of glacier origin, 95–99, 96
  - marginal ice zone, 92–94
  - overview, 85–86
  - pancake, 90–92, 91–92
  - polynyas, 86–90, 88–91
- sea ice thickness (SIT), 501–517
- from altimeter observations, 502, 510–514, 511–512, 514
  - Antarctic, 2, 571–572
  - Arctic, 2, 14, 569–571, 570
  - drownings, 11
  - FYI, 82
  - growth (*see* growth, of sea ice)
  - ice classification by, 84
  - ice decay, 76–79, 79
  - interannual evolution, 82
  - for landing aircraft, 20, 20–21
  - model of sea ice growth, 41–45, 43–44
  - MYI, 82–83, 83
  - overview, 501–503
  - from PM observations, 506–510, 507–510, 508
  - pressure ridges, 70–72
  - response to global warming, 569–572, 570–571
  - sampling, 3, 3
  - from SAR observations, 514–517, 515–517
  - from TIR observations, 503–506, 505
- sea ice types
- based on ice concentration, 84–85, 86
  - based on ice form, 84, 86
  - based on surface feature, 85, 87
  - classification overview, 454–456
- sea ice volume, 571–572, 572
- seals, 16, 16–17, 564
- Search and Rescue aircraft, 20, 21
- sea salt aerosol, 441
- seasonal ice, 2, 84
- air entrapment in, 220–221, 223
  - crystallographic structure of, 217–221
  - properties of, 108
- Seasonal Ice Zone Experiment (SIZEX), 378, 381
- sea surface temperature (SST), 303–304
- seawater
- albedo, 335
  - density, 32, 32–33
  - freezing processes, 33–35
  - in the microwave data, 331–333
  - in the optical and thermal infrared data, 330–331
  - radiative processes, 330–333
  - salinity, 31–32, 32
- SeaWinds scatterometer, 323, 323
- secondary cryospheric regions, 1
- secondary ice, freshwater, 200, 201, 202
- second-year ice (SYI), 2
- air bubbles, 244, 244
  - ice aging, 80, 82–83
  - interface between old and new ice, 260–262, 260–262
  - Mould Bay field experiments, 256–262, 256–262
  - SYI-FYI interface, 260–262, 260–262

- second-year ice profile, interface between old and new ice in, 260–261, 260–262
- sensible heat polynya, 87–88
- sensors
- illumination source for, 287, 288
  - overview, 23
  - passive *versus* active, 287
  - scanning *versus* non-scanning, 287
- Sentinel satellites, 354, **355**, 356–357, 360, 426, 428, 434–435
- icebergs, 588, 589
  - ice motion, 531
  - sea ice classification, 464–466, 465–467
  - sea ice concentration, 498
- shear, 417–419, 419
- shear ridges, 54, 63, 68, 68, 70, 74, 76, 413–414, 415
- shift function, 192
- shortwave IR (SWIR), 285, 285
- side-looking airborne radar (SLAR), 253, 254, 267, 275
- siku*, 11
- sikuaq*, 11
- sinaaq*, 11
- single-bounce (SB) scattering mechanism, 308, 312–313, 313, 318, 320, 321, 321, 469–470
- single-channel SAR, ice classification from, 460–461
- single look complex, 315, 332
- Sinha's rule, 110, 111
- skeletal layer, 52, 52, 197
- Snell's law, 155
- snow
- albedo, 335–336, 336, **365**, 367, 367–368, 369
  - density, 334, **334**, 337
  - DMT for thin sectioning, 161–163
  - in emission models, 549
  - grain size, 324, 334, 335–339, 338
  - hoar layer, 333–334, **335**, 338
  - metamorphism, 300, 303, 305, 314, 322, 333–335, 491, 502
  - in microwave data, 336–341
  - microwave penetration depth, **403–404**, 403–407, 404, 406
  - in optical and thermal infrared data, 335–336, 336
  - oxygen isotopic composition, 31
  - stratigraphy of snow on Arctic sea ice, 130
  - temperature profiles, 108–113, 111–114
  - thermal conductivity, 45, 129–131, 131–132
  - thick sections, 161
  - typical values of key physical properties, 107–108, **108**
- snow cover, 4
- effect on sea ice, **45**, 45–46
  - ice decay, 77, 79, 79
  - oxygen isotope content, 40
  - superimposed ice, 40
  - weather effect on, 491
  - wind slab, 491
- snow-covered sea ice
- emissivity, 395–396, 399
  - microwave penetration depth, 403, 406
- snow depth
- effect on microwave data, 337
  - mapping, 4–46
  - observations, 444–448, 445, 447
- snowflakes, 35
- snow ice
- crystallographic classification, **201**, 203–204, 204
  - three-dimensional (3D) schematic diagram, 204
- Snow Model Radiative Transfer (SMRT) project, 544
- snow on sea ice
- microwave data, influence on, 336–341
  - physical and radiative processes, 333–341, 334, 336, 338
- snow water equivalent (SWE), 269
- snow wetness
- effect on microwave data, 339–341
  - emissivity and, 401–402
- Soil Moisture and Ocean Salinity (SMOS), 349, 354, **354**
- sea ice thickness, 509–510, 510, 514
- solid earth sciences, sea ice in relation to, 21–22
- solid salt volume fraction, 124
- Southern Annular Mode (SAM), 585–586
- South Temperate Zone (STZ), 39–40
- SPAN* (total power), 387–388, 389, **390–391**, 391–392, 394, 395–396, 412, 412–413, 416, 470, 470
- Special Sensor Microwave Imager (SSM/I), 306, 306, 337, 350–351, 354, **354**, 372–373, 372–373
- backscatter data, 383, 384
  - ice surface temperature, 518, 520
  - sea ice concentration, 487, 489, 496
  - sea ice thickness (SIT), 504, 506–508, **508**, 509
  - snow depth, 445
  - surface ice concentration, 473, 477, 477–478
- Special Sensor Microwave Imager Sounder (SSMIS), 351, 353, **354**, 570
- specific heat of sea ice, 131–133, 133
- split window technique, 304
- stacking faults, 195
- stamps, 8, 9
- Stamukhi, 70
- standard mean ocean water (SMOW), 31
- stereographical projection, 214–216, 215
- stoichiometric composition of water, 30
- Stokes vector, 291–292, 312
- stress
- around brine pockets, 62, 63
  - ice deformation, 67–76
- structural aspects of ice, general terms for, 193–194
- subgrain boundaries, 30, 53–56, 53–55, 58, 61, 63–64, 64, 66, 66–67, 79
- algal growth along, 231–232, 232
  - definition, 195–196
  - geometric characteristics, 233–234, 236, 239, 242–243
  - thermally etched, 176, 178–184, 181–183
- subgrains
- geometric characteristics, 233–236, 235, 237
  - in sea ice, 53–54, 53–55, 194
- sublimation, 46
- definition, 197
  - ice, 173–176
  - snow, 333–334, **335**, 438
- sublimation pits, 174–176, 175–176, 180
- sun glint, 331, 331
- sun-synchronous orbit, 287, 287
- supercooling, 32, 34, 36, 50–51
- superimposed ice, 39–40, 220, 262, 264, 274
- freshwater, 200, **201**, 202
- surface ablation, 46–47
- surface air temperature, global warming and, 560–561, 560–562
- surface-based radiometers (SBR), emissivity estimates from, 396
- surface deformation, 412–428
- cracks and leads, 421–428, 422–425, 427
  - kinematic processes, 417–421, 418–420
  - rafted ice, 412–413, 412–413
  - ridged, rubble, and brash ice, 413–417, 414–416
- surface energy, 177–178
- surface features
- mechanically generated deformation, 412–428
  - meteorologically driven, 442–448
  - thermally induced, 428–442
- Surface Heat Budget of Arctic Ocean (SHEBA), 270, 270–272, 272, 426, 518
- surface melt, 46–47
- active microwave data, 434, 434–437, 437–438
  - airborne photography, 437, 438
  - albedo, 428–430, 431, 437
  - brightness temperature, 432–434
  - optical observations, 428–432, 430–431
  - passive microwave data, 432–434, 433
  - phases, 428–429, 429
  - reflectance, 429–431, 430–431
- surface roughness
- emissivity and, 395, 401, 402
  - ocean, 330–333
  - radar backscatter and, 378, 387, 391, **391**
- surface topography, AIDJEX and, 251
- swell, 332, 332
- SYI. *see* second-year ice (SYI)
- Synthetic Aperture Interferometric Radar Altimeter (SIRAL), 427

- T1 ice  
 crystallographic classification, **201**, 203–204, 204  
 fabric diagram, 215, 215  
 three-dimensional (3D) schematic diagram, 204
- Television and Infrared Observations Satellite (TIROS), 349, 350
- temperature profiles in ice and snow, 108–113
- TerraSAR-X, 356–357
- thaw hole, 77, 77
- thermal conductivity, 4  
 in model of sea ice growth, 42–43  
 of sea ice, 13, 126–129, 128–129  
 of snow, 45, 129–131, 131–132
- thermal diffusivity, 126
- thermal etching, 54, 54, 63, 63–64, 161–162, 173, 176–183, 178, 180–183
- thermal infrared (TIR) observations, 335–336  
 ice surface temperature (IST), 517–520, 519  
 lead detection, 423, 424  
 sea ice classification, 456, 456–457  
 sea ice concentration (SIC), 472–473, 474  
 sea ice thickness (SIT), 503–506, 505  
 seawater in, 330–331  
 surface temperature data, 303–305, 304
- thermal infrared region (TIR), 285, 285
- thermal infrared (TIR) sensors, 23, 286, 352–353
- thermally induced surface features  
 frost flowers, 438–442  
 surface melt, 428–437
- thermal properties of sea ice, 126–134, 128–134  
 latent heat, 133–134, 134  
 specific heat, 131–133, 133  
 thermal conductivity, 126–129, 128–129
- thermal state of ice, 9–10, 12, 192–193
- thermodynamic ice growth, 40–47  
 growth rate, 41  
 models, 41–45  
 oceanic heat flux, effect of, 46  
 snow on ice, effect of, 45–46, 46  
 surface ablating, effect of, 46–47
- thermohaline circulation (THC), 15, 15, 584–585
- thick ice  
 albedo, 366, 366  
 emissivity, 402  
 microwave brightness temperature, 375
- thickness and enthalpy distribution (TED) sea ice model, 503
- thickness of ice. *see also* sea ice thickness (SIT)  
 albedo and, 503, 503  
 altimeter data, 323–325, 324  
 Arctic Ice Dynamic Joint Experiment (AIDJEX), 251  
 bulk salinity and, 115  
 emissivity and, 398–399, 399  
 microwave penetration depth, 405, 405
- thick sections, 158, 158, 160, 161
- thin ice  
 albedo, 366, 367  
 backscatter, 372–374, 375–376, 377–379, 385, 385, 391–394  
 emissivity, 398–400  
 microwave brightness temperature, 372–374, 375–376
- thin sectioning techniques, 158–164  
 double-microtoming technique (DMT), 158–163  
 hot-plate, 158, 159  
 optimum thickness for sections, 163–164  
 overview, 158–159  
 palm-technique, 158, 168
- thin sections, viewing and photographing, 164–173  
 circularly polarized light, 172–173  
 cross-polarized light, 168–169, 169  
 overview, 164–165  
 parallel-polarized light, 168–169, 169  
 polariscope, 165–169, 166–167, 169  
 scattered light, 169–172, 169–172
- tie points, 372–374, 373, 375
- TIE region emission, 296–299
- tilt boundaries, 63, 63–64, 197
- Titanic, 97
- total backscatter power. *see* SPAN (total power)
- transmission of EM wave, 295
- transmittance, and ice thickness, 503, 503
- transpolar drift (TPD), 575
- Transpolar Drift Stream (TDS), 68, 524, 564
- Transportable Microwave Active Spectrometer (TRAMAS), 378
- transportation platform, sea ice as a, 20–21, 20–21
- tritium, 30
- tsunamis, 331–332
- tuvaq*, 11
- unmanned airborne systems (UASs), 276
- upward-looking sonar sensors (ULS), 505
- Variation Arctic/Antarctic Sea Ice Algorithm 2 (VASIA2), 489
- vertical ice growth, 38–39
- vertically oriented (S5) frazil ice  
 crystallographic classification, **201**, 204–205, 205–206  
 crystallographic structure, 217–218, 218–219  
 three-dimensional schematic diagram, 205
- Visible Infrared Imaging Radiometer Suite (VIIRS), 353
- visible spectrum (VIS), 285
- volume fraction of sea ice constituents, 123–126  
 air, 124–125  
 brine, 123–124  
 pure ice, 124  
 solid salt, 124  
 temperature dependence of, 125, 125–126
- vorticity, 417, 419
- walrus, 16
- Ward Hunt Ice Shelf (WHIS), 49, 262–264, 263–265
- water  
 atomic and the molecular structure of, 121, 121, 153  
 molecular composition, 30
- wave action  
 marginal ice zone (MIZ), 93–94  
 pancake ice formation and, 92
- wave equation, 135
- wavelength, 151
- wave propagation, 135
- waves  
 classes based on their wavelengths, 331–332  
 internal, 332  
 scattering from, 331–332, 332
- weather forecasting, 6, 14–15
- weather models, 14–15
- weather stations, 6–7, 7
- Weddell Gyre, 80
- wind  
 geostrophic, 421–422, 424  
 ice deformation and, 68  
 interaction of the Arctic sea ice with, 582–584  
 lead formation, 421–423, 424, 426  
 patterns driving Arctic circulation, 524  
 polynya, 87–88  
 sea ice motion, 524–525
- wind scatterometer, 287
- wind slab, 491
- wind speed over open ocean, correction for, 328–330
- Wulff net, 214
- Yamaguchi decomposition, 316, 318, 320, 387, 469
- young ice (YI)  
 emissivity, 395, 399–400  
 microwave brightness temperature, 374  
 Mould Bay field experiments, 255, 255  
 Norwegian Young Sea Ice Experiment (N-ICE), 272–274, 273  
 physical and electrical properties, 109  
 salinity, 113  
 thermal conductivity, 127