

Index

Note: Page numbers followed by “*f*” refer to figures and “*t*” refer to tables.

a

abdominal ultrasound:

- C-3 proximal portion 153, 153*f*
- duodenum 153, 154*f*
- equipment 152
- flank and intercostal muscles 152, 153*f*
- glandular and nonglandular regions 153
- hyperechoic lesions 155, 155*f*
- hypoechoic intraluminal ingesta 154
- intercostal imaging 153
- intraluminal obstructions 154
- liver/kidney disease 152
- lumbar vertebrae 154, 154*f*
- probe positioning 155, 155*f*
- procedure 152–155
- pyloric antrum 153, 153*f*
- restraint/position 152
- smooth capsular appearance 154, 155*f*
- splenic vasculature 155, 155*f*
- tenth intercostal space 153, 153*f*
- xyphoid 154*f*

abdominocentesis:

- complications 160
- equipment 157
- fluid accumulation 159
- 18-gauge hypodermic needle 159, 159*f*
- linea alba 159, 159*f*
- paracostal aspiration 157, 157*f*
- patient monitoring 160
- peritoneal fluid 158, 158*f*, 159, 159*f*
- procedure 157–159

- restraint/position 157
- #15 scalpel blade 158, 158*f*
- teat cannula 158, 158*f*
- umbilicus, linea alba 157–158, 158*f*

accessory sex glands:

- bilobed prostate 263, 263*f*
- bulbourethral and prostate 256, 261–263, 262*f*, 262*t*
- complications 263
- equipment 261
- patient monitoring 263
- procedure 261–263
- restraint/position 261
- subfertile males 261

acepromazine 33, 35

adjunctive therapy 80

aggressive movements 5

ambulation 197–198, 202

aminoglycosides 201

analgesics 80

anaphylaxis 28, 29, 313–316

anesthetics 33, 37, 39, 80

antibiotic therapy 105, 300

anti-inflammatory therapy 300

antimicrobial therapy 164, 201, 242, 245, 272

artificial breeding technologies 267

artificial vaginas (AV) 269, 269*f*

arytenoids 44

atipamezole 36, 40

atropine sulfate 39

auricular artery/vein:

- butterfly taping 67, 68f
- complications 68
- equipment 67
- location, rubber band tourniquet 67, 68f
- patient monitoring 68
- procedure 67–68
- restraint/position 67

b

behavior techniques 3–4

beta-lactam antimicrobials 201

blood-borne pathogens 26

blood transfusion:

- acid citrate dextrose 312, 312f
- complications 313
- donor and recipient PCV 311
- equipment 311
- filtered administration set 312, 312f
- formula, administration volume 312
- mucous membranes 312, 313f
- patient monitoring 313–314
- peripheral blood smear 312, 313f
- procedure 311–313
- restraint/position 311
- steam autoclave 313

body condition score (BCS) 4, 33, 37, 237

body weight 28, 37, 79, 202, 244, 311, 315

bone sequestra 103, 105, 108

brainstem 279, 281, 283

bulbourethral glands 256, 261–262, 262f, 262t

butorphanol 33, 35, 38, 39

butorphanol/xylazine/ketamine (BXK) 39

c

C1/pseudorumen intubation:

- complications 172
- equipment 169
- esophagus 170f
- infusing air 171f
- oral speculum 171f
- patient monitoring 172
- procedure 169–172
- restraint/position 169

camelid abdomen:

- C-3 and duodenum orientation 150, 150f
- cranial and caudal sacs 149, 149f
- diagnostic procedures 149
- forestomachs 149
- glandular sacculles 149
- ileocecal/ceco-colic junction 150
- liver margin 150, 151f
- nonlobulated kidneys 150
- right and left kidneys 151, 151f
- stomach compartments 149
- viscera orientation 150, 150f

capture techniques:

- animal's movement 6, 6f
- arms around neck 6, 6f
- bony bridge of nose 6, 7f
- cartilaginous bridge of nose 6–7, 7f
- flight zones 4, 5
- halter below jawline 6, 6f
- herd group 4
- lead rope 5–7, 6f, 7f
- mobile barrier 5, 5f
- movable barrier 5, 5f
- rope barriers 5
- stress-induced problems 4
- uncooperative patients 5, 6f
- vaccination and deworming 4
- wandering off 4

cardiac contractility 230

cardiopulmonary instability 40

carotid artery 27, 35, 40, 55, 60, 91

castration 37

- absorbable suture material 273, 274f
- anesthetic options 272–273
- cautionary statements 275
- complications 275
- equipment 272
- injectable field anesthesia 273, 273f
- intradermal pattern, absorbable suture 273, 274f
- isolated spermatic cord 273, 274f
- patient monitoring 275
- preoperative preparation 272
- prescrotal approach 273, 273f, 275f

- procedure 272–275
- restraint/position 272
- scrotal approach 273–275
- scrotal vs. prescrotal techniques 275
- single prescrotal incision 273, 274*f*
- testicle pressure 273, 273*f*
- testicle, tunic and scrotal fat
 - 273, 274*f*
- cattle 4, 139, 162, 165, 171, 202, 267
- caudal (sacro-coccygeal) epidural
 - anesthesia:
 - anatomical angles and narrow 79
 - coccygeal vertebrae 78, 79*f*
 - complications 79
 - dorsal and ventral motion 78, 78*f*
 - equipment 78
 - patient monitoring 79
 - procedure 78–79
 - restraint/position 78
- ceftiofur sodium 202, 243
- central vestibular system 279, 281
- cephalic vein 200
 - complications 61
 - equipment 61
 - extension set attached 61, 62*f*
 - forelimb preparation 61, 62*f*
 - over-the-needle catheter 61, 62*f*
 - patient monitoring 62
 - procedure 61
 - restraint/position 61
- cerebellum 279
- cerebrospinal fluid (CSF):
 - AO joint 283, 284*f*
 - complications 286
 - equipment 283
 - intracranial and spinal disease 284
 - LS junction 283
 - lumbosacral tap 284, 284*f*
 - meningitis 285, 285*f*
 - neutrophilic pleocytosis 286, 286*t*
 - patient monitoring 286
 - procedure 283–286
 - reference ranges 285, 285*t*
 - restraint/position 283
 - spinal needle 284, 284*f*
 - sterile syringe 284, 285*f*
 - subarachnoid space 283, 284, 285*f*
- cerebrum 279
- cervical epaxial musculature 27*f*
- cervical injuries 13, 91, 92*f*
- cervical rings 223
- cervico-thoracic spine 21
- cesarean section:
 - complications 245
 - costochondral junction 244
 - equipment 243
 - non-adhesive bandaging tape/roll
 - gauze 245
 - patient monitoring 245
 - procedure 243–245
 - restraint/position 243
 - uterus 244
 - ventral midline celiotomy 244
 - ventral midline laparotomy 244
- CHARGE syndrome 139
- choanal atresia 135
 - atretic tissue 139, 139*f*, 141, 141*f*
 - breathing patterns, nasopharynx
 - results 140, 140*f*
 - clinical tests 140–142
 - congenital and heritable defects 139
 - equipment 140
 - nasopharynx and pharynx 139
 - patient monitoring 142
 - procedure 139–142
 - respiratory rate 140
 - restraint/position 140
 - temporary tracheostomy 141, 142*f*
 - unilateral, endoscopic image 141, 141*f*
 - ventral midline incision 141, 142*f*
- Chorioptes* sp. mites 121
- chronic malnutrition 4
- chute restraint:
 - alpaca chute 21, 22*f*
 - alpaca chute with straps 21, 22*f*
 - complications 23
 - equipment 21
 - llama chute 21, 22*f*
 - patient monitoring 23
 - procedure 21

- quick-release hardware/knots 21, 22f
- quick release snaps 21, 22f
- restraint/position 21
- clospirostenol 245
- clostridial vaccines 164
- Clostridium perfringens* 3
- Cochet-Bonnet anesthesiometer 290
- congenital defects 139
- conjunctival pedicle graft:
 - complications 307
 - corneal epithelium 305
 - corneal lesion and conjunctival flap
 - harvest 305, 306f
 - corneal stroma 306, 306f
 - equipment 305
 - patient monitoring 307
 - procedure 305–307
 - restraint/position 305
 - stromal abscess 305, 306f, 307, 307f
 - Tenon's capsule 305
 - topical/systemic antibiotics 307
- conjunctivorhinostomy:
 - complications 296
 - equipment 295
 - nasolacrimal duct 295
 - nested trochar assembly 296
 - patient monitoring 296
 - pigmented and nonpigmented
 - epithelium 296
 - procedure 295–296
 - pulsate operator 296
 - restraint/position 295
- corpus cavernosus penis (CCP) 255
- corpus luteum (CL) 223
- corpus spongiosus penis (CSP) 255, 258
- creatine kinase (CK) 286
- cryptorchidism 225, 264
- cushed posture 17
- cystocentesis:
 - caudal abdomen 217, 218f
 - complications 218
 - equipment 217
 - 18-gauge spinal needle 217, 218f
 - patient monitoring 218
 - procedure 217–218

- restraint/position 217
- urinary bladder 217, 218f

d

- Demodex* 121
- dental disease 100
- dental examination/trimming:
 - alpaca mandibles 96, 96f, 97f
 - alpaca skull 96, 96f
 - complications 99
 - dental formula 95
 - electric rotary tool 97, 97f
 - equipment 95
 - incisor conformation 96, 97f
 - mandibular incisors 96, 96f
 - oral evaluation 95, 96f
 - overgrown incisors 97–98, 98f
 - patient monitoring 99
 - procedure 95–98
 - restraint/position 95
 - rotary tool, fighting teeth 98, 98f
 - swine oral speculum 97, 98f
 - 60-mL syringe barrel 97, 97f
 - teeth trimming 97–98
- dermatologic diseases 117
- diazepam 35, 38
- dietary deficiencies 118
- domperidone 238
- dorsal common digital vein 200
- dysphagia/malocclusion 103, 108
- dystocia 243–245
- dysuria/hematuria 210

e

- ear examination:
 - acute external otitis 112, 112f
 - alpaca skull 112, 112f
 - equipment 110–111
 - external, middle and inner right
 - ear 110, 111f
 - newborn cria, prematurity 111, 111f
 - otitis media/interna 110, 111f
 - otoscopic exam, external canal 111–112, 112f
 - procedure 110–112

restraint/position 111
 right-sided otitis interna 112, 112f
 ear squeeze/twitch:
 applied ear base 24, 25f
 aural cartilage fracture/hematoma 24, 25f
 complications 25
 crook of assistant's arm 24, 24f
 equipment 24
 procedure 24
 restraint/position 24
 ectoparasites 118
 ejaculating thrusts 223, 257
 electroejaculation (EEJ) 269, 270, 270f
 endotracheal intubation 48
 enterotomy 177–178
 enucleation 298, 299
 epidural catheterization:
 adhesive flexible bandage material 83, 83f
 complications 83
 equipment 80–83
 length cut off and injection port setup 82, 82f
 lumbar-sacral space approach 80, 81f
 materials, sterile field 80, 81f
 patient monitoring 83
 procedure 80–83
 restraint/position 80
 saline solution 81, 82f
 second strip of bandage material 83, 83f
 stapling the bandage 83, 83f
 subcutaneous tissues 80, 81f
 testing methods 81
 tissue stapler 82, 82f
 Tuohy needle 80, 81f, 82, 82f
 equine chestnuts 117, 119f
 esophageal obstruction 28, 35, 40
 esophageal puncture 91
 esophagus 35, 40, 46, 55, 60, 136, 140, 143, 170–172
 ethylenediaminetetraacetic acid (EDTA) 144, 157
 exuberant granulation 138

eye exam:
 anterior segment anatomical structures 290
 atropine 289
 binocular ophthalmoscopy 289
 complications 291
 cortical lenticular sclerosis 291, 291f
 direct/indirect ophthalmoscopy 289
 equipment 289
 nasolacrimal duct patency and corneal integrity 290
 patient monitoring 291
 posterior segment anatomical structures 291
 procedure 289–291
 pupillary light reflexes 289
 restraint/position 289
 topical anesthesia 289–290
 transilluminator 289

f

facial artery 106
 facial nerve 106
 feeding space 4
 female genital anatomy:
 congenital defects 224, 225
 embryotaxis 224
 external and internal genitalia 223
 follicle development 223, 224f
 heritable defects 224
 muscular papilla 223
 neurohormonal stimuli 224
 orgling 223
 oviductal papilla 223
 progesterone concentration 223
 femoral artery:
 arterial blood gas determination 69, 69f
 arterial blood sample 69, 69f
 complications 70
 equipment 69
 patient monitoring 70
 procedure 69
 restraint/position 69
 systemic blood pressure monitoring 69, 69f

fetal development in *utero* 224
 fetal heart rate (FHR) 230
 fighting teeth 91, 95, 98, 99
 fine needle aspiration 164, 265
 first-compartment fluid:
 chloride concentration 167
 complications 168
 equipment 165
 Gram staining 166, 167f
 iodine-stained protozoa 166, 167f
 last rib and stifle 165, 166f
 methylene blue reduction time
 166, 167f
 patient monitoring 168
 pH determination 165, 166
 procedure 165–167
 protozoa, lactic acidosis 166
 restraint/position 165
 sedimentation time 166
 values in llamas 166, 166t
 fluid therapy 71
 flunixin meglumine 77
 foot anatomy 197
 forward interlocking pattern. *See*
 interlocking pattern
 fundic pigmentation 291

g

gastrocnemius muscle 63, 64f
 gastrointestinal disease 167
 Gellat's veterinary ophthalmology 305
 general anesthesia:
 after induction 41f
 complications 40, 179
 equipment 37
 intubation 179, 184
 patient monitoring 40, 179
 procedure 37–39
 protocols 38t
 restraint/position 37–38
 goats 4, 174, 192, 217, 256, 259, 267
 granulation tissue 103, 108

h

Haemonchus contortus 289
 haltering:
 cattle rope 12f

 complications 13
 equipment 11
 individual handling, rope/conduit 12f
 muzzle portion 12f
 procedure 11
 restraint/position 11
 soft nasal cartilage 12f
 spitting/regurgitation behavior 12f
 head/neck, anatomical features:
 cervical injuries 91, 92f
 complications 93–94
 dental pad 93, 93f
 long, dense hair/fiber 91, 91f
 mouth gags 92–93
 muscle mass 91, 92f
 oral speculum 92, 93f
 PCV pipe with rubber tube 93, 93f
 premolars and molars (cheek teeth)
 93, 94f
 procedure 91–93
 restraint/position 92
 sensitive gumline 93, 93f
 split upper lips (muzzle) 91, 92f
 ventral aspect 91, 92f
 hematology 37
 hematoma 25, 28, 35, 40, 60, 67, 135, 202,
 206, 313
 hemodynamic stability 180
 hepatobiliary diseases 161
 herd stress 3
 hyperprogesteronemia 227
 hypoalbuminemia 312
 hypoglobulinemia 312
 hypoproteinemia 312
 hypotension 71
 hypothermia 71
 hysterotomy. *See* cesarean section

i

IM anesthesia 39
 inadequate nutrition 4
 inadvertent carotid puncture 28, 135
 inadvertent intravascular injection 28
 infectious diseases 128, 283
 injections:
 complications 28–29
 equipment 26

intracarotid 28
 intradermal (ID) 27, 27f
 intramuscular (IM) 27, 27f, 28, 33, 37
 intravenous (IV) 27, 28f, 33, 37
 patient monitoring 29
 perivascular 29
 procedure 26–28
 restraint/position 26
 subcutaneous (SC) 26, 26f, 33
 interlocking pattern 177, 184
 intermammary groove 236
 interrupted sutures 241
 intestinal obstruction 160, 177–179, 184
 intestinal resection 178–179
 intracarotid injections 28
 intradermal (ID) injections 27, 27f
 intradermal tuberculin skin testing 117
 intraluminal obstruction 184
 intramedullary cannulation:
 bone biopsy and aspiration needle
 72, 72f
 cap and trocar removed 73, 73f
 complications 73–74
 diaphysis of femur 72, 73f
 equipment 71
 patient monitoring 74
 procedure 71–73
 restraint/position 71
 trochanteric fossae 72, 72f
 trochanter of femur 71, 72f
 intramuscular (IM) injections 27, 27f, 28,
 33, 37
 intraperitoneal (IP) cannula:
 anecdotal evidence 75
 complications 77
 equipment 75
 fluid/plasma infusion 76, 77f
 left lateral abdominal wall 76, 76f
 lengths of teat cannulas 76, 76f
 patient monitoring 77
 peritoneal cavity 76, 77f
 procedure 75–77
 restraint/position 75
 sedation 75
 skin tenting technique 76, 76f
 using No. 15 scalpel blade 76, 76f

intravenous (IV) injections 27, 28f,
 33, 37
 inverted clover leaf method 239
 involuntary grouping 3
 IV anesthesia 39

j

jugular groove 27, 28f, 35, 55
 jugular vein:
 actual catheter into vein 57, 58f
 blood flash, stylette removal 57, 58f
 built-in extension port 57, 60f
 catheterization, 2% lidocaine 55, 56f
 catheter/stylette unit 56, 56f
 complications 60
 ease of bandaging and fluid
 administration 56, 57f
 equipment 55
 external catheter port 57, 59f
 insertion and actual catheters 57, 58f
 insertion catheter grasped and
 peeled 57, 58f
 insertion needle is placed 57, 59f
 J-wire catheters 55, 57, 58f–60f
 location, cervical vertebrae and
 trachea 55, 56f
 neck wrap 57, 57f
 patient monitoring 60
 peel away catheters 55, 57, 57f
 procedure 55–60
 restraint/position 55
 stab incision, scalpel blade 55, 56f
 stylette and tabbed insertion
 catheter 57, 58f
 stylette removed 56, 57f
 tissue spreader 57, 59f
 withdrawn, insertion needle 57, 59f
 jugular venipuncture 38

k

ketamine 38, 39
 ketamine-diazepam anesthesia 39
 Ketamine-Stun protocol 35
 kidney disease 152

l

laceration repair 37

lactated Ringer's solution (LRS) 29, 173, 180, 191, 243

laparoscopy:

adjustable ports 189*f*, 190*f*
 complications 190
 equipment 186
 inflatable cuff and sliding lock washer 189*f*
 patient monitoring 190
 procedure 186–190
 restraint/position 186–187

laparotomy:

lateral approach
 abdomen is exposed 174, 176*f*
 approach 174–175
 duodenum 175, 177*f*
 equipment 173
 intestinal obstruction 177–179
 jejunum and ileum 175, 176*f*
 lateral abdominal wall 174, 174*f*
 muscle layers 174, 175*f*
 preparation 174
 procedure 173–179
 proximal loop, spiral colon 175, 176*f*
 pyloric fundus 175, 176*f*
 restraint/position 173–174
 right kidney 175, 177*f*
 right lobe of pancreas 175, 177*f*
 skin incision 174, 175*f*
 sternolateral recumbency 173–174, 174*f*
 suture selection and patterns 178*t*
 visceral access 174, 175*t*
 wound closure 176–177
 ventral midline 180–184

laryngospasm management 44, 47

lateral abdominal approach 186–188

lateral recumbency:

camelid restraint chute 19, 19*f*
 firm pressure, head and neck 18, 19*f*
 hyperextended posture 18

lateral saphenous vein 200

lateral thoracic vein:

complications 66
 equipment 65
 location 65, 66*f*

over-the-needle catheter 65, 66*f*

patient monitoring 66

procedure 65–66

restraint/position 65

leg conformation 198

libido 257

lidocaine 44, 47, 55, 76, 79, 80, 83, 87, 101, 124, 126, 143, 158, 162, 170, 202, 244, 245, 248, 263, 273, 284, 301

life-threatening dehydration 71

liver biopsy:

animal restraint and ultrasound placement 161–162, 162*f*
 automatic biopsy instrument 162, 163*f*
 bandage tape 163, 163*f*
 blind technique 162, 162*f*
 blood vessels 162, 162*f*
 chamber instrument 162, 163*f*
 coagulation abnormalities 163
 complications 164
 equipment 161
 necropsy specimen 161, 161*f*
 patient monitoring 164
 procedure 161–164
 restraint/position 161
 vasculature and intercostal nerve 162

liver disease 152, 155

liver tissue analysis 164

lower motor neuron (LMN) 281

lumbosacral epidural anesthesia 210

complications 86–87

equipment 85

patient monitoring 87

pelvis and dorsal spinous processes 85, 86*f*

procedure 85–86

restraint/position 85

saline solution 85, 86*f*

spinal fluid 85, 86*f*

spinal needle 85, 86*f*

subcutaneous tissues 85, 86*f*

lumbosacral epidural catheterization 78

lymph nodes 97, 237

m

male genitalia anatomy/breeding

soundness:

- accessory sex glands 256
 - breeding behavior and
 - aggressiveness 257
 - cartilaginous process 256, 256f
 - complications 257
 - equipment 255
 - patient monitoring 257
 - penis and prepuce 255, 256, 256f
 - procedure 255–257
 - restraint/position 255
 - sigmoid flexure 255, 256f
 - mandibular/maxillary bone infections 105
 - mandibular osteomyelitis 105
 - manual restraint:
 - complications 19
 - equipment 14
 - patient monitoring 20
 - procedure 14–19
 - restraint/position 14
 - mastectomy:
 - blood vessels, mammary gland 239, 240f
 - complications 242
 - dorsal skin 239, 240f
 - elliptical incision 239, 240f
 - equipment 239
 - lateral incisions 241, 241f
 - ligate and transect 241, 241f
 - median suspensory ligament 241, 241f
 - patient monitoring 242
 - postoperative seroma formation 242
 - procedure 239–242
 - pudental artery and vein 240, 240f
 - restraint/position 239
 - right craniolateral photograph 239, 240f
 - subcutaneous abdominal veins 241
 - mastitis 236, 237, 239
 - maternal heart rate (MHR) 231
 - meticulous techniques 83
 - micro/macromineral disparities 117
 - milkability 237–238
 - milk production 236–238
 - monogastric species 174, 181
 - musculoskeletal structures:
 - abnormalities 275
 - camelids walk with pacing gait 198, 198f
 - complications 199
 - equipment 198
 - foot pad/slipper 197, 198f
 - heel region, foot pads of digit 197, 198f
 - non-weight-bearing toenail 197, 198f
 - patient monitoring 199
 - procedure 199
 - proximal phalanx 197, 197f
 - restraint/position 198
 - splayed digits 197, 197f
 - Mycoplasma haemolamae* 26, 312
- n**
- nasal mucosa 172
 - nasogastric intubation 169–170, 170f
 - nasolacrimal duct cannulation:
 - complications 294
 - equipment 293
 - 5-French polypropylene catheter 293, 294f
 - nasal punch 293, 294f
 - patient monitoring 294
 - procedure 293–294
 - restraint/position 293
 - #15 scalpel blade/14-gauge needle 294
 - nasolacrimal duct obstruction 295–296
 - nasotracheal intubation:
 - assessment, air movement 46, 47f
 - complications 47
 - cuff of tube inflated 46, 47f
 - equipment 45
 - head and neck, hyperextended 45, 45f
 - mechanical/manual ventilation 46–47, 47f
 - patient monitoring 47
 - procedure 45–47
 - restraint/position 45
 - retracted and placement reassessed 46, 46f
 - ventral nasal meatus 45–46, 46f
 - ventral placement of tube 46, 46f
 - neurological system:
 - brainstem and central vestibular system 279, 281
 - C5–C6 subluxation 281, 281f
 - cerebellum 279

cerebrum 279
 differential diagnoses 279, 280*t*
 facial paralysis 279, 280*f*
 peripheral nerves 281
 peripheral vestibular system 281
 reflexes 281
 sign-time graph 279, 280*f*
 spinal cord 281
 newborn crias/snake-bite victims 45
 nonsteroidal anti-inflammatory
 drugs 109, 145, 173, 180, 186, 243,
 245, 300
 nuchal ligament 91

O

ocular extirpation:
 appositional suture patterns 299
 complications 299–300
 en bloc removal 298–299
 enucleation 298
 equipment 298
 optic nerve 299
 patient monitoring 300
 procedure 298–299
 restraint/position 298
 skin sutures 299
 surgical site preparation 298
 transpalpebral ablation technique 298
 olecranon 33, 38, 133
 operative laparoscopy 188–189
 oral approach:
 angled molar/cheek tooth 102, 103*f*
 complications 103
 dental anatomy and eruption times 100,
 101*t*
 dental elevator 101, 102*f*
 equipment 100
 mental nerve, anesthetic blockade 101,
 101*f*
 mouth speculum/gag 101, 102*f*
 orotracheal/nasotracheal intubation 101
 patient monitoring 103–104
 procedure 100–103
 restraint/position 100
 retained deciduous third mandibular
 incisor 102, 103*f*

 rostral mandible 101, 101*f*
 organogenesis 224
 orgling 223, 257
 orocutaneous fistulas 103, 107
 orogastric intubation 170–171, 171*f*
 oronasopharynx 135
 oropharyngeal procedures 48
 orotracheal intubation:
 complications 44
 endotracheal intubation 43*f*
 endotracheal tube 42, 42*f*, 43*f*
 equipment 41
 laryngoscope light source 42*f*
 larynx, laryngoscope blade 41, 42*f*
 mechanical/manual ventilation 43*f*
 patient monitoring 44
 procedure 41–42
 restraint/position 41
 tongue, laryngoscope blade 41, 42*f*
 volume-regulated ventilation 43*f*
 orotracheal/nasotracheal tube 40
 otitis media/interna 110, 111*f*
 ovulation 223–224, 257
 oxytocin 245

P

packed cell volume (PCV) 311
 panhypoproteinemia 312
 paracostal aspiration 157
 parotid salivary duct 106
 pelvic thrusts 223
 penis/prepuce examination:
 cartilaginous process 258, 259*f*
 complications 260
 equipment 258
 fibrovascular penis 258, 259*f*
 patient monitoring 260
 preputial orifice 258, 259*f*
 procedure 258–260
 restraint/position 258
 percutaneous tracheal intubation:
 cannula sleeve 49, 49*f*
 cartilaginous rings 49, 49*f*
 complications 51
 endotracheal tube, guide wire is
 removed 50, 51*f*

- equipment 48
 - laryngoscope with long blade 50, 50f
 - nasal passage and pharynx 50, 50f
 - oral speculum 49, 49f
 - patient monitoring 51
 - procedure 48–50
 - restraint/position 48
 - right naris 50, 50f
 - stab skin incision 49, 49f
 - stiff guide wire/catheter 50, 50f
 - peripheral nerve system 281
 - peripheral vestibular system 281
 - perivascular injection 29
 - petrolatum-based ointment 138
 - plasma transfusion:
 - complications 315–316
 - equipment 315
 - filtered administration set 315, 316f
 - frozen llama plasma 315, 316f
 - jugular intravenous catheter 315
 - patient monitoring 316
 - procedure 315
 - restraint/position 315
 - polymethylmethacrylate 107, 108f
 - pregnancy diagnosis:
 - behavior 226–230
 - complications 231
 - 25-day pregnancy 229, 229f
 - 292-day pregnancy 229, 229f, 230f
 - 37 days of pregnancy 229, 229f
 - 60 days of pregnancy 229, 229f
 - 120 days of pregnancy 229, 229f
 - equipment 226
 - heartbeat 229, 230f
 - mature follicle 228, 228f
 - nonpregnant uterus 228, 228f
 - patient monitoring 231
 - procedure 226–230
 - progesterone 227
 - rectal examination 227
 - restraint/position 226
 - rigid extender 228, 228f
 - rigid plastic/polymer tubing 228, 228f
 - thorax 229, 230f
 - ultrasonography 228–230
 - premolars/molars, lateral approach:
 - after tooth extraction 107, 108f
 - complications 107–108
 - computed tomography image 105, 106f
 - dental anatomy and eruption times 105, 106t
 - dental elevators (Wolf tooth) extractors 107, 108f
 - dental punches and mallet 107
 - equipment 105
 - myoperiosteal elevation flap 106, 107f
 - oblique radiographic image 105, 106f
 - patient monitoring 108–109
 - periodontal elevator 107
 - pneumatic osteotome 107, 107f
 - procedure 105–107
 - restraint/position 105
 - ventral approach, mandibular arcade 105–106, 106f
 - prescrotal castration 273, 273f, 275f
 - progesterone 223, 226, 227
 - prolactin 238
 - prostate glands 256, 261–263, 262f, 262t
 - pseudohermaphroditism 225
 - Psoroptes* 121
 - psychological space 3
- r**
- rectal examination 227, 248
 - reflexes 281
 - regional intravenous (RIV) drug perfusion:
 - butterfly catheter 200, 201f
 - complications 202
 - dorsal forelimb preparation 200, 201f
 - equipment 200
 - lateral saphenous vein 200, 201f
 - over-the-needle catheter 200, 201f
 - patient monitoring 202
 - procedure 200–202
 - restraint/position 200
 - respiratory distress 35, 40, 146
 - retrograde/normograde nasotracheal intubation 48
 - retrograde tracheal intubation. *See* percutaneous tracheal intubation

reversal agents:

- injectable anesthesia 40
- sedation and tranquilization 36

routine (normograde) orotracheal
intubation 48

rumenostomy:

- Brown-Adson forceps 192
- C1 vertical incision 193, 193f
- complications 194
- elliptical skin incision 192, 192f
- equipment 191
- left lateral abdominal wall 191, 192f
- patient monitoring 194
- preparation 191
- procedure 191–194
- restraint/position 191
- seromuscular layers 192, 193f
- simple continuous suture 192, 193f
- stay sutures 192, 193f
- using Metzenbaum scissors 192, 192f

rumen tympany 169

S

salivary fistulas 107

saphenous vein:

- complications 64
- equipment 63
- gastrocnemius muscle, proximal
tibia 63, 64f
- patient monitoring 64
- procedure 63–64
- restraint/position 63

Sarcocystis spp. 155

Sarcoptes 121

Schirmer tear test values 290

scrotal castration 273–275

scrotal vs. prescrotal techniques 275

scrotum/testicles examination:

- complications 265
- cryptorchidism 264
- epididymides 264, 265
- equipment 264
- germinal epithelium 265
- hyperechoic/hypoechoic lesions 265
- mean testicular size and testosterone
264, 265t

patient monitoring 265

procedure 264–265

restraint/position 264

ultrasonography 265

sedation/tranquilization:

- complications 35–36
- equipment 33
- patient monitoring 36
- procedure 33–35
- restraint/position 33
- reversal protocols 34t

segmental aplasia 225

semen collection/evaluation:

- adjacent warm water system 269, 269f
- artificial insemination 267
- artificial vagina 269, 269f
- aspiration, seminal fluids 268, 268f
- breeding maturity 267
- characteristics 270
- complications 271
- cranial vaginal vault and cervix 268,
268f
- EEJ 269, 270, 270f
- equipment 267
- genetics 267
- mannequins 269
- motility 270
- patient monitoring 271
- procedure 267–270
- restraint/position 267
- sperm cells 270
- in vitro* fertilization 267
- warm water blanket/heating
system 269, 269f

semimembranosus/semitendinosus

muscles 28, 33, 37

septic peritonitis 77

serum biochemistry 37

sheep 4, 11, 102, 174, 209, 217, 256,
259, 267

skin anatomy:

- caudal abdomen and groin regions
117, 119f
- dorsal interdigital space 117, 120f
- intact males, thick cervical skin 117,
119f

- metatarsal glands 117, 119f
- perineum and medial thigh, thin hair
 - distribution 117, 118f
- procedure 117–120
- restraint/position 117
- tuberculin skin testing, thin fiber
 - coat 117, 118f
- ventral abdomen, thin fiber
 - distribution 117, 118f
- skin biopsy:
 - complications 126
 - cutting edge 124, 125f
 - equipment 124
 - instrument 124, 125f
 - palmar aspect, zinc responsive
 - dermatosis 124, 125f
 - patient monitoring 126
 - procedure 124–126
 - restraint/position 124
 - Sarcoptes* 124, 125f
 - scissors/scalpel 126, 126f
 - slight skin stretching 124, 125f
 - thumb forceps 124, 126f
- skin scraping 119
 - complications 122–123
 - dorsal interdigital space 121, 122f
 - equipment 121
 - exfoliated skin cells and debris 121, 122f
 - mineral oil immersion 121, 122f
 - patient monitoring 123
 - procedure 121–122
 - restraint/position 121
 - sarcoptic mange 121, 122f
 - superficial scrapings 121, 122f
- skin tenting technique 76, 76f
- social outcast 4
- social stress 3
- sodium citrate 312
- spinal cord 281
- standing restraint:
 - cursory oral examination 14, 15f
 - ear squeeze 14, 15f
 - front feet and bracing knee, sternum
 - 16, 16f
 - front pastern 16, 16f
 - grasping head and neck 14, 15f
 - head and neck brace 15, 16f
 - inner thigh and stifle 16–17, 17f
 - insert needle, jugular vein 15, 16f
 - jawbones (mandibles) 14, 15f
 - pastern, grasped firmly and leg lifted
 - 17, 17f
 - relaxation, circular motion 19f
 - stationary post 16, 16f
 - submission posture, jugular bleeding
 - method 15, 15f
 - tail grasped at base 19f
 - toenails inspected and trimmed 16,
 - 17, 17f
- Staphylococcus aureus* 237
- sterile lubricant 45
- sternal recumbency:
 - back ropes flitted 19, 20f
 - cannon bones 19, 20f
 - cushed posture, head and neck 17, 18f
 - front limb is lifted 17, 18f
 - halter and lead rope 17, 18f
 - head is pulled tightly 17, 18f
 - maintained, head and front limb
 - 17, 18f
 - ropes/cattle hobbles 19, 20f
 - self-protection mechanism 17
- stranguria 212, 214
- Streptococcus zooepidemicus* 154
- stripping 237
- subcutaneous emphysema 51
- subcutaneous (SC) injections 26, 26f, 33
- subpalpebral lavage system:
 - blue cap retainer ring 303, 304f
 - clip hair and prep, eyelashes 301, 302f
 - complications 304
 - cornea with gloved finger 301, 303f
 - equipment 301
 - local anesthesia, 2% lidocaine 301, 302f
 - materials needed 301, 302f
 - patient monitoring 304
 - procedure 301–304
 - proparacaine, topical anesthesia
 - 301, 302f
 - restraint/position 301
 - tubing and protect cornea 301, 303f
 - white tape wings 302, 303f

t

teat/udder examination:

- anatomy 236–237
- complications 238
- equipment 236
- milk and mastitis 237
- nonpregnant, nonlactating adult female
 - alpaca 236, 237f
- poor milkability 237–238
- procedure 236–238

teeth trimming 97–98

testicular biopsy 265

tetanus toxoid 272

thorax anatomy/auscultation:

- diaphragmatic reflection 133, 134f
- equipment 133
- pleural reflection 133, 133f
- procedure 133–134
- restraint/position 133
- thoracic organs 133, 134f

threatening gestures 5

thrombophlebitis 60

toenail trimming 16

- animal's back and abducts 128, 129f
- carpus and fetlock 128, 129f
- complications 130
- equipment 128
- instruments 128, 128f
- overgrown 128, 130f
- patient monitoring 130
- procedure 128–130
- pruning shears 128, 129f
- restraint/position 128
- v-shaped nail 128, 129f

tolazoline 36, 40, 244

TonoPen.5® 290

TonoVet.5® 290

tooth extraction:

- lateral approach, premolars and molars 105–109
- oral approach 100–104

tooth root abscesses 100, 105

total-nucleated cell counts (TNCC) 285

total protein (TP) 285, 286, 311

trace minerals 3

tracheotomy/tracheostomy:

- cervical musculature 136, 136f
- complications 138
- direct tracheal intubation 137, 137f
- equipment 135
- esophagus and cervical vasculature 136, 136f
- nonabsorbable suture material 137, 137f
- patient monitoring 138
- procedure 48, 135–138
- restraint/position 135
- routine cleaning vs. suturing 137, 137f
- sternohyoideous and sternothyroideus muscles 136, 136f
- tracheal incision 136, 137f

transtracheal wash (TTW):

- complications 145
- equipment 143
- infused fluid 144, 145f
- nested trocar set 144, 144f
- patient monitoring 146
- polyethylene tubing 144, 145f
- procedure 143–145
- resistance, lower airway 144, 145f
- restraint/position 143
- stab incision 144, 144f
- transverse vertebral processes 143, 144f

traumatic jugular puncture 28

tube placement 171–172, 171f

tuberculosis testing 26

uudder amputation. *See* mastectomy

ultrasonography 228–230

upper motor neuron (UMN) 281

urethral catheterization:

- complications 210
- corkscrew cartilaginous process 209, 209f
- equipment 208
- 3.5Fr polypropylene catheter 210, 210f
- 8Fr polypropylene catheter 208, 209f
- full exteriorization, penis 209, 209f
- intravenous catheter guide wire 210, 210f

patient monitoring 210
 penis and prepuce manipulation 209, 209f
 procedure 208–210
 restraint/position 208
 sampling, aspiration 208, 209f
 urethral diverticulum 205, 209f, 210, 256, 261
 urethral obstruction 160
 urinalysis 206, 207t, 211t, 218, 219t
 urinary bladder 187, 188, 205, 208, 210, 217
 urinary system:
 clippers 212
 complications 215
 equipment 212
 idiopathic polypoid cystitis 214, 215f
 large mucosal polyp 214–215, 215f
 left kidney, ultrasound image 213, 213f
 lumbar vertebrae 213, 213f
 patient monitoring 215
 probe positioning 213, 213f
 procedure 212–215
 prostate gland 214, 214f
 pubic eminence 214, 214f
 restraint/position 212
 right kidney, smooth capsular appearance 213, 213f
 transabdominal ultrasound image 214, 214f
 ultrasound probes 212
 urinary tract:
 anatomy 205
 evaluation 205–207
 exteriorized penis 205, 206f
 external urethral orifice 205, 206f
 normal prepuce conformation 205, 206f
 uroperitoneum 218
 uterine torsion 160
 clockwise and counter-clockwise torsions 247, 248
 complications 251
 corrective rolling procedure 249, 250f
 diagnosis 248, 249

dorsal oblique 249, 250f
 dorsal recumbency 249, 250f
 equipment 248
 gestation 247
 halter and leg ropes 249, 249f
 left lateral oblique position 249, 250f
 ligaments 248, 249
 nongravid uterus 247
 nonsurgical correction 247, 249–250
 patient monitoring 251
 procedure 247–250
 rectal palpation 248, 248f
 restraint/position 248
 right lateral oblique position 249, 250f
 right lateral recumbency 249, 249f
 sigmoidoscope, vaginoscopic examinations 248
 terminology 247
 vaginal speculum/transvaginal palpation 248

V

vaginotomy/uterine culture:
 complications 235
 equipment 232
 guarded uterine culture 234, 234f
 hydraulic lift 234, 235f
 light source adaptor 233, 234f
 magnifying lens 232, 233f
 patient monitoring 235
 procedure 232–235
 restraint chute 234, 234f
 restraint/position 232
 rigid sigmoidoscope 232, 233f
 sigmoidoscope light adaptor 232, 233f
 swab position 234, 234f
 vascular catheterization:
 auricular artery and vein 67–68
 cephalic vein 61–62
 femoral artery 69–70
 jugular vein 55–60
 lateral thoracic vein 65–66
 saphenous vein 63–64
 vasovagal response 299
 ventral abdominal laparoscopy 187, 188

ventral midline laparotomy:

- abdomen and abdominal wall 181, 182*f*
- approach 181
- bladder palpated 181, 183*f*
- complications 184
- equipment 180
- fundus of C 3, 181, 182*f*
- ileocecal ligament 181, 182*f*
- operative findings 181, 181*f*
- patient monitoring 184
- preparation 181
- procedure 180–184
- proximal loop, spiral colon 181, 182*f*
- restraint/position 180
- #10 scalpel blade 181, 181*f*
- suture selection and patterns 183*t*

- ventral sacs of C 1, 181, 182*f*

- wound closure 183–184

vertebral spondylitis/arthritis 257

W

walking sutures 241

warm-blooded mammal 33

wolf tooth extractor 101, 102*f***X**

xylazine 33, 35, 38–40, 218, 290

Y

yohimbine 36, 40, 244

Zzinc responsive dermatosis 124, 125*f*

