
# CISCO.



# **CCNA** 200-301

Portable Command Guide

All the CCNA 200-301 commands in one compact, portable resource

Fifth Edition

# **CCNA 200-301 Portable Command Guide**

Fifth Edition

Scott Empson

**Cisco Press** 

# CCNA 200-301 Portable Command Guide

# **Table of Contents**

Cover

Title Page

Copyright Page

Contents

About the author

About the technical reviewer

**Dedications** 

Acknowledgements

Reader services

Command syntax conventions

Introduction

Part I: Network Fundamentals

CHAPTER 1 IPv4 AddressingHow It Works

What Are IPv4 Addresses Used For?

What Does an IPv4 Address Look Like?

Network and Subnetwork Masks

Ways to Write a Network or Subnet Mask

Network, Node, and Broadcast Addresses

Classes of IPv4 Addresses

Network vs. Node (Host) Bits

RFC (Private) 1918 Addresses



Local vs. Remote Addresses

Classless Addressing

Lessons Learned

#### CHAPTER 2 How to Subnet IPv4 Addresses

Subnetting a Class C Network Using Binary

Subnetting a Class B Network Using Binary

Binary ANDing

So Why AND?

Shortcuts in Binary ANDing

#### CHAPTER 3 Variable Length Subnet Masking (VLSM)

IP Subnet Zero

VLSM Example

Step 1: Determine How Many H Bits Will Be Needed to Satisfy the Largest Network

Step 2: Pick a Subnet for the Largest Network to Use

Step 3: Pick the Next Largest Network to Work With

Step 4: Pick the Third Largest Network to Work With

Step 5: Determine Network Numbers for Serial Links

#### **CHAPTER 4 Route Summarization**

#### Example for Understanding Route Summarization

Step 1: Summarize Winnipegs Routes

Step 2: Summarize Calgarys Routes

Step 3: Summarize Edmontons Routes

Step 4: Summarize Vancouvers Routes

Route Summarization and Route Flapping

Requirements for Route Summarization

### CHAPTER 5 IPv6 AddressingHow It Works

IPv6: A Very Brief Introduction

What Does an IPv6 Address Look Like?

Reducing the Notation of an IPv6 Address



Rule 1: Omit Leading 0s

Rule 2: Omit All-0s Hextet

Combining Rule 1 and Rule 2

Prefix Length Notation

IPv6 Address Types

Unicast Addresses

Multicast Addresses

Anycast Addresses

#### **CHAPTER 6 Cables and Connections**

Connecting a Rollover Cable to Your Router or Switch

Using a USB Cable to Connect to Your Router or Switch

**Terminal Settings** 

**LAN Connections** 

Serial Cable Types

Which Cable to Use?

ANSI/TIA Cabling Standards

T568A Versus T568B Cables

#### CHAPTER 7 The Command-Line Interface

Shortcuts for Entering Commands

Using the tab Key to Complete Commands

Console Error Messages

Using the Question Mark for Help

enable Command

exit Command

end Command

disable Command

logout Command

Setup Mode

Keyboard Help

**History Commands** 



terminal Commands

show Commands

Using the Pipe Parameter ( | ) with the show or more Commands

Using the no and default Forms of Commands

# Part II: LAN Switching Technologies

# CHAPTER 8 Configuring a Switch

Help Commands

**Command Modes** 

Verifying Commands

Resetting Switch Configuration

Setting Host Names

Setting Passwords

Setting IP Addresses and Default Gateways

Setting Interface Descriptions

The mdix auto Command

**Setting Duplex Operation** 

Setting Operation Speed

Managing the MAC Address Table

Configuration Example

#### **CHAPTER 9 VLANs**

Creating Static VLANs

Creating Static VLANs Using VLAN Configuration Mode

Assigning Ports to VLANs

Using the range Command

Configuring a Voice VLAN

Configuring Voice and Data with Trust

Configuring Voice and Data Without Trust

Verifying VLAN Information

Saving VLAN Configurations



**Erasing VLAN Configurations** 

Configuration Example: VLANs

2960 Switch

# CHAPTER 10 VLAN Trunking Protocol and Inter-VLAN Communication

Dynamic Trunking Protocol (DTP)

Setting the VLAN Encapsulation Type

VLAN Trunking Protocol (VTP)

Verifying VTP

Inter-VLAN Communication Using an External Router:

Router-on-a-Stick

# Inter-VLAN Communication on a Multilayer Switch Through a Switch Virtual Interface

Removing L2 Switchport Capability of an Interface on an L3 Switch

Configuring Inter-VLAN Communication on an L3 Switch

Inter-VLAN Communication Tips

Configuration Example: Inter-VLAN Communication

ISP Router

**CORP Router** 

L2Switch2 (Catalyst 2960)

L3Switch1 (Catalyst 3560/3650/3750)

L2Switch1 (Catalyst 2960)

#### CHAPTER 11 Spanning Tree Protocol

Spanning Tree Protocol Definition

**Enabling Spanning Tree Protocol** 

Changing the Spanning-Tree Mode

BPDU Guard (3650/9xxx Series)

Configuring the Root Switch

Configuring a Secondary Root Switch

Configuring Port Priority



Configuring the Path Cost

Configuring the Switch Priority of a VLAN

Configuring STP Timers

Configuring Optional Spanning-Tree Features

**PortFast** 

BPDU Guard (2xxx/Older 3xxx Series)

Enabling the Extended System ID

Verifying STP

Troubleshooting Spanning Tree Protocol

Configuration Example: PVST+

Core Switch (3650)

Distribution 1 Switch (3650)

Distribution 2 Switch (3650)

Access 1 Switch (2960)

Access 2 Switch (2960)

Spanning-Tree Migration Example: PVST+ to Rapid-PVST+

Access 1 Switch (2960)

Access 2 Switch (2960)

Distribution 1 Switch (3650)

Distribution 2 Switch (3650)

Core Switch (3650)

#### CHAPTER 12 EtherChannel

#### EtherChannel

Interface Modes in EtherChannel

Default EtherChannel Configuration

Guidelines for Configuring EtherChannel

Configuring Layer 2 EtherChannel

Configuring Layer 3 EtherChannel

Configuring EtherChannel Load Balancing

Configuring LACP Hot-Standby Ports

Monitoring and Verifying EtherChannel



Configuration Example: EtherChannel

DLSwitch (3560 or 9300)

ALSwitch1 (2960 or 9200)

ALSwitch2 (2960 or 9200)

# CHAPTER 13 Cisco Discovery Protocol (CDP) and Link Layer Discovery Protocol (LLDP)

Cisco Discovery Protocol

Configuring CDP

Verifying and Troubleshooting CDP

**CDP Design Tips** 

Link Layer Discovery Protocol (802.1AB)

Configuring LLDP (802.1AB)

Verifying and Troubleshooting LLDP

# Part III: Routing Technologies

#### CHAPTER 14 Configuring a Cisco Router

Router Modes

Entering Global Configuration Mode

Configuring a Router Name

Configuring Passwords

Password Encryption

Interface Names

Moving Between Interfaces

Configuring a Serial Interface

Assigning an IPv4 Address to a Fast Ethernet Interface

Assigning an IPv4 Address to a Gigabit Ethernet Interface

Assigning IPv6 Addresses to Interfaces

Creating a Message-of-the-Day Banner

Creating a Login Banner

Mapping a Local Host Name to a Remote IP Address



The no ip domain-lookup Command

Working with DNS on a Router

The logging synchronous Command

The exec-timeout Command

Saving Configurations

**Erasing Configurations** 

The write Command

Verifying Your Configurations Using show Commands

EXEC Commands in Configuration Mode: The do Command

Configuration Example: Basic Router Configuration

**Boston Router** 

#### **CHAPTER 15 Static Routing**

Configuring an IPv4 Static Route

Static Routes and Recursive Lookups

The permanent Keyword

Floating Static Routes in IPv4 and Administrative Distance

Configuring an IPv4 Default Route

Verifying IPv4 Static Routes

Configuration Example: IPv4 Static Routes

Ketchikan Router

Juneau Router

Sitka Router

Configuring an IPv6 Static Route

Floating Static Routes in IPv6

Configuring an IPv6 Default Route

Verifying IPv6 Static Routes

## CHAPTER 16 Open Shortest Path First (OSPF)

OSPFv2 Versus OSPFv3

Configuring OSPF



Using Wildcard Masks with OSPF Areas

Loopback Interfaces

Router ID

DR/BDR Elections

**Timers** 

Verifying OSPFv2 Configurations

Troubleshooting OSPFv2

Configuration Example: Single-Area OSPF

**Austin Router** 

Houston Router

Galveston Router

### Part IV: IP Services

#### **CHAPTER 17 DHCP**

Configuring a DHCP Server on an IOS Router

Using Cisco IP Phones with a DHCP Server

Verifying and Troubleshooting DHCP Configuration

Configuring a DHCP Helper Address

Configuring a DHCP Client on a Cisco IOS Software Ethernet Interface

Configuration Example: DHCP

Edmonton Router Gibbons Router

### CHAPTER 18 Network Address Translation (NAT)

Private IP Addresses: RFC 1918

Configuring Dynamic NAT: One Private to One Public Address

Translation

Configuring PAT: Many Private to One Public Address

Translation

Configuring Static NAT: One Private to One Permanent Public



Address Translation

Verifying NAT and PAT Configurations

Troubleshooting NAT and PAT Configurations

Configuration Example: PAT

ISP Router

Company Router

### CHAPTER 19 Configuring Network Time Protocol (NTP)

NTP Configuration

NTP Design

Securing NTP

**Enabling NTP Authentication** 

Limiting NTP Access with Access Lists

Verifying and Troubleshooting NTP

Setting the Clock on a Router

Using Time Stamps

Configuration Example: NTP

Core1 Router

Core2 Router

DLSwitch1

DLSwitch2

ALSwitch1

ALSwitch2

# Part V: Security Fundamentals

## CHAPTER 20 Layer Two Security Features

Setting Passwords on a Switch

Configuring Static MAC Addresses

Configuring Switch Port Security

Configuring Sticky MAC Addresses

Verifying Switch Port Security

Recovering Automatically from Error-Disabled Ports



Verifying Autorecovery of Error-Disabled Ports

Configuring DHCP Snooping

Verifying DHCP Snooping

Configuring Dynamic ARP Inspection (DAI)

Verifying Dynamic ARP Inspection

Configuration Example: Switch Security

# CHAPTER 21 Managing Traffic Using Access Control Lists (ACLs)

Access List Numbers

Using Wildcard Masks

**ACL Keywords** 

Creating Standard ACLs

Applying Standard ACLs to an Interface

Verifying ACLs

Removing ACLs

Creating Extended ACLs

Applying Extended ACLs to an Interface

The established Keyword

The log Keyword

Creating Named ACLs

Using Sequence Numbers in Named ACLs

Removing Specific Lines in Named ACLs Using Sequence Numbers

Sequence Number Tips

Including Comments About Entries in ACLs

Restricting Virtual Terminal Access

Tips for Configuring ACLs

IPv6 ACLs

Verifying IPv6 ACLs

Configuration Examples: IPv4 ACLs



Configuration Examples: IPv6 ACLs

# CHAPTER 22 Device Monitoring and Hardening

**Device Monitoring** 

Configuration Backups

Implementing Logging

Configuring Syslog

Syslog Message Format

Syslog Severity Levels

Syslog Message Example

#### **Device Hardening**

Configuring Passwords

Password Encryption

Password Encryption Algorithm Types

Configuring SSH

Verifying SSH

Restricting Virtual Terminal Access

Disabling Unneeded Services

# Part VI: Wireless Technologies

## CHAPTER 23 Configuring and Securing a WLAN AP

Initial Setup of a Wireless LAN Controller (WLC)

Monitoring the WLC

Configuring a VLAN (Dynamic) Interface

Configuring a DHCP Scope

Configuring a WLAN

Defining a RADIUS Server

**Exploring Management Options** 

Configuring a WLAN Using WPA2 PSK

Part VII: Appendices

APPENDIX A: How to Count in Decimal, Binary, and



#### Hexadecimal

How to Count in Decimal

How to Count in Binary

How to Count in Hexadecimal

Representing Decimal, Binary, and Hexadecimal Numbers

#### APPENDIX B: How to Convert Between Number Systems

How to Convert from Decimal to Binary

How to Convert from Binary to Decimal

How to Convert from Decimal IP Addresses to Binary and from Binary IP Addresses to Decimal

A Bit of Perspective

How to Convert from Hexadecimal to Binary

How to Convert from Binary to Hexadecimal

How to Convert from Decimal to Hexadecimal

How to Convert from Hexadecimal to Decimal

APPENDIX C: Binary/Hex/Decimal Conversion Chart

APPENDIX D: Create Your Own Journal Here

Index

