

Index

a

- Abdominal aortic aneurysm
 - (AAA) 30, 50. *See also*
 - Endovascular abdominal aortic aneurysm repair (EVAR)
- Access site bleeding 176–179. *See also*
 - Retroperitoneal hematoma (RPH)
- Access site complications 175–191
- Acute deep venous thrombosis (DVT) 196–203
- Acute limb ischemia (ALI) 151–160
 - defined 151
 - endovascular techniques 151
 - Angiojet® thrombectomy device 159
 - aspiration thrombectomy 155, 159
 - diagnostic angiography 151–152
 - EKOS™ catheter 153, 155, 159–160
 - embolic protection devices 153, 158
 - excimer laser thrombectomy 160
 - lesion crossing
 - technique 152–153
 - mechanical adjunct therapies 153, 157
 - Penumbra Indigo® 159
 - thrombolytic agents 153, 154
 - tPA contraindications 153, 157
 - treating underlying lesion 160
- Acute mesenteric ischemia (AMI) 85–91
 - arterial thrombosis 85
 - diagnosis
 - contrast-enhanced CT 86–87
 - history and physical exam 86
 - laboratory studies 86
 - etiologies 85
 - NOMI 85, 86
 - surgical intervention
 - angiogram 89, 90
 - aspiration embolectomy 88–89
 - endovascular therapy 91
 - follow-up 91
 - infusion 91
 - SMA selection 87–88
 - thrombolysis 89–91
 - vascular access and sheath selection 87
- AFX™ graft 60
- ALI. *See* Acute limb ischemia (ALI)
- Alteplase 153, 154
- Alto™ system 52
- AMI. *See* Acute mesenteric ischemia (AMI)
- Angiojet® thrombectomy device 159
- Angiosomes 140, 141

- AngioVac system 227
 - central venous access 227–229
 - circuit setup 229–231
 - for clot-in-transit 232, 233
 - configuration 227, 228
 - patient selection 227–229
 - for pulmonary embolus 231–232
 - for right heart vegetation 232–234
 - thrombus aspiration 229–231
 - Ankle anatomy 163
 - Ankle-brachial index (ABI) 104, 109
 - Antegrade femoral arterial access 115, 116
 - Antegrade tibial artery
 - intervention 141–143
 - Anterior foot circulation 163, 164
 - Anterior tibial (AT) artery 163
 - Aortic arch angiography 21, 22
 - Aortogram 43, 44
 - Aorto-iliac interventions 95–107
 - access-related complications 103
 - angiography 97
 - balloon angioplasty 100
 - bare-metal stents 101
 - cases 104–107
 - closure 102
 - covered stents 101, 102
 - CTA 96
 - embolization 103
 - kissing iliac stents 102
 - lesion crossing technique 99–100
 - MRA 97
 - patient factors 97
 - planning for 97
 - preprocedural workup 95
 - rupture 103
 - SE vs. BE stents 101–102
 - sheath selection 99
 - Shockwave angioplasty 102
 - TASC II classification of lesion 97, 98
 - treatment plan 100
 - ultrasound 96
 - vascular access 98–99
 - Arm ischemia 47–48
 - Arterial access complications 175–176
 - Arterial duplex 104
 - Arterial thrombosis 85
 - Arteriovenous fistulas (AVF) 177, 185–186
 - Aspiration embolectomy 88–89
 - Aspiration thrombectomy 155, 159
 - Aspirin 21, 28, 85
 - Atherectomy 118–119, 121, 122
 - directional 124–126, 142
 - excimer laser 122–123
 - JetStream 123
 - laser 121–123
 - orbital 126–127, 142
 - Phoenix 123
 - rotational 123–124
 - Atherosclerosis 15
 - Atherosclerotic renal artery stenosis (ARAS) 68, 69. *See also* Renal artery stenosis (RAS)
 - AVF. *See* Arteriovenous fistulas (AVF)
- b**
- BAI. *See* Blunt aortic injury (BAI)
 - Balloon-expandable stents 18, 28, 82–83, 101–102
 - Balloon tamponade 179
 - Bare-metal stents (BMSs) 101, 117, 131
 - Bivalirudin 21
 - Bleeding
 - access site 176–179
 - balloon tamponade 179
 - completion angiogram 180
 - covered stent-graft placement 180
 - endovascular coiling 180, 181
 - retroperitoneal hematoma 177
 - risk factors for 178
 - Blood pressure 47
 - Blunt aortic injury (BAI) 33

C

- Cancer-associated VTE 202
- Cannulation, contralateral gate 60–62
- Carbon dioxide angiography 51
- Cardiac destabilizing syndromes 70
- Carotid artery intervention 5–13
- Carotid artery stenting (CAS) 6, 7
- Carotid endarterectomy (CEA) 6
- Carotid stenosis
 - catheter-based therapy for 6–13
 - endovascular treatment of 5–6
- CAT8 device 225
- Catheter-based therapy
 - for carotid stenosis 6–13
 - for innominate stenosis 2–5
- Catheter-directed thrombolysis
 - 216–220
- Chocolate balloon 121
- Chronic mesenteric ischemia (CMI)
 - 78–85
 - intervention
 - complications 84–85
 - flush aortogram 80
 - follow-up and outcomes 85
 - morbidity rates 84
 - percutaneous 79
 - posttreatment angiogram 83, 84
 - revision 83
 - selective angiography 81
 - sheath selection 80
 - stent placement 82–83
 - vascular access 79, 80
 - vessel selection 81, 82
 - wire placement 82
 - in older adults 78
- Chronic total occlusion (CTO) 79, 103, 142
- Circle of Willis anatomy 23
- Claudication 108
- Clopidogrel 21, 85
- Clot-in-transit, AngioVac for 232, 233
- CMI. *See* Chronic mesenteric ischemia (CMI)
- CO₂ angiography 110, 111
- Coil placement 180, 181
- Common femoral arterial
 - complications 176, 177
 - arteriovenous fistulas 185–186
 - femoral pseudoaneurysms 180–185
 - local bleeding 176–180
 - retroperitoneal hematoma 177
- Common femoral artery (CFA) 99, 104, 139–140
- Common iliac artery (CIA) 208
- Common iliac vein (CIV) 208
- Compression stockings 202
- Computed tomography angiography (CTA) 2, 48, 51, 71, 79, 96
- Computer tomography (CT) 86–87
- Contralateral gate cannulation 60–62
- Controlled Antegrade and Retrograde Tracking (CART) 144
- Cook TX2 Dissection graft 35–36
- Cook TX2 Dissection stent 36
- Cook Zenith Alpha graft 34–35
- Covered stents 132, 180, 184
- Critical limb ischemia (CLI) 162
- Critical limb-threatening ischemia (CLTI) 138
 - access site 139–140
 - angiosomes 140, 141
 - antegrade tibial artery
 - intervention 141–143
- CART technique 144
- classification, staging and clinical symptoms of 138, 139
- DVA 146–147
- goals of intervention 139
- indications 138, 139
- lesion crossing technique 144
- reentry 146
- retrograde approach 142–143
- reverse CART technique 144
- SAFARI technique 144
- single vs. multitibial artery 140
- STAR technique 143

Critical limb-threatening ischemia (CLTI) (*cont'd*)
 TAMI retrograde revascularization 144–145
 tibial access 140
 tibial CTO lesions 142
 wire externalization 146
 CTA. *See* Computed tomography angiography (CTA)
 Cutting balloon 121
 Cyanoacrylate glue (CAG)
 ablation 240

d

DCBs. *See* Drug-coated balloons (DCBs)
 Debranching 54
 Deep venous arterialization (DVA) 146–147
 Deep venous thrombosis (DVT) 196–203
 isolated distal 202
 lower-extremity 196
 proximal 207
 VTE and 196–203
 DES. *See* Drug-eluting stent (DES)
 “Desert Foot” 169
 Diamondback360 orbital atherectomy 119, 122, 126
 Digital subtraction angiography (DSA) 16, 21, 72, 80, 109–110
 Directional atherectomy 124–126, 142
 Direct oral anticoagulants (DOACs) 200, 201, 203
 Distal embolic protection 6, 9
 DOACs. *See* Direct oral anticoagulants (DOACs)
 Dorado high-pressure noncompliant Kevlar balloon 121
 Drug-coated balloons (DCBs) 120, 121
 Drug-eluting stent (DES) 131
 DSA. *See* Digital subtraction angiography (DSA)
 Dual antiplatelet therapy 28, 85
 DVA. *See* Deep venous arterialization (DVA)

e

EKOS™ catheter 153, 155, 159–160
 EKOS™ catheter-directed thrombolysis 216–220
 Embolic protection devices (EPDs) 3, 127–130, 153, 158
 distal 6
 Emboshield NAV6 128–130
 positioned in internal carotid artery 7, 8
 retrieval of 9
 SpiderFX™ 127–128
 troubleshooting 130–131
 in United States 127
 Emboshield NAV6 embolic protection device 128–130
 Endoleak types 48–49, 63–65
 Endovascular abdominal aortic aneurysm repair (EVAR) 50–65
 for AAA 50
 anesthesia 50–51
 completion angiogram 62–63
 CTA 51
 delivery and deployment 59–63
 contralateral gate cannulation 60–62
 graft orientation 59
 limb deployment 62
 proximal landing zone 59–60
 endoleaks 63–65
 graft selection 52
 graft sizing
 aortic length measurements 54–55
 branch vessels 54
 neck diameter 53
 neck length 53
 iliac artery considerations 65
 imaging equipment 57–58

- neck angulation 58
- renal arteries 58
- patient selection 50–51
- preoperative imaging 51–52
- troubleshooting 63–65
- vascular access 55–57
 - iliac disease and conduits 56–57
 - open 56
 - percutaneous 55–56
- wires 58
- Endovascular coiling 180
- Endovenous laser ablation (EVLA) 239–240
- Endurant graft 53
- EPDs. *See* Embolic protection device (EPDs)
- EVAR. *See* Endovascular abdominal aortic aneurysm repair (EVAR)
- EVLA. *See* Endovenous laser ablation (EVLA)
- Excimer laser atherectomy 118, 122–123
- Excimer laser thrombectomy 160
- Excluder 59
- External carotid artery (ECA) 7, 8
- Extravascular ultrasound (EVUS) 110

f

- Femoral artery access 6
- Femoral artery occlusion 177
- Femoral artery pseudoaneurysm (FAP) 177, 180–185
 - algorithm for management of 185
 - clinical presentation 182
 - complications 182
 - covered stent placement 184
 - formation of 180
 - incidence of 181
 - other techniques 184–185
 - ultrasound-guided compression repair 182
 - ultrasound-guided thrombin injection 183–184
- in women 181
- Femoral vein access 209
- Femoropopliteal arterial interventions
 - in the claudicant 108–133
 - antegrade femoral arterial access 115, 116
 - atherectomy 118–119, 121, 122
 - directional 124–126
 - JetStream 123
 - laser 121–123
 - orbital 126–127
 - rotational 123–124
 - CO₂ angiography 110, 111
 - contrast angiography 109–110
 - crossover “up and over” technique 113–114
 - drug-coated balloons 120, 121
 - embolic protection devices 127–130
 - Emboshield NAV6 128–130
 - SpiderFX™ 127–128
 - troubleshooting 130–131
 - in United States 127
 - extravascular ultrasound 110
 - final efficacy assessment 132
 - focal force balloons 120
 - indications for treatment 109
 - intravascular ultrasound 110–113, 132
 - lesion crossing technique 113–114
 - patient evaluation 108–109
 - plain old balloon angioplasty 117, 120, 131, 132
 - radial approach 114–115
 - stenting 131–132
 - tibio-pedal approach 115, 116
 - vascular access 113–114
 - wire sizes 116–117
- Fibromuscular dysplasia (FMD) 68
- FlowTrier™ 220–225
- Flush aortogram 80
- Foam sclerotherapy 240
- Focal force balloons 120
- Foot. *See also* Pedal arch
 - anterior circulation 163, 164
 - posterior circulation 163, 164

g

Gore cTAG endoprosthesis 36–38
Gutterleaks 53

h

HawkOne directional atherectomy
119, 122, 124–126
Hematomas 190
Heparin 7
High-risk features 1, 2
High-risk patients
carotid artery intervention in 5–13
innominate interventions in 2–5
Hypertension 70

i

Iliac occlusive disease 56–57
Infusion catheters 153, 156
Innominate intervention 2–5
Internal mammary artery (IMA) 18
Intracardiac echocardiography (ICE) 229
Intramural hemorrhage (IMH) 34
Intravascular ultrasound (IVUS) 43,
51, 110–113, 132, 210, 212–213
Ischemic nephropathy 70
Isolated distal DVT 202

j

JetStream atherectomy 118, 122, 123

k

Kissing iliac stents 102

l

Large catheter aspiration 220–232
Laser atherectomy 121–123
Lithotripsy balloon 120, 121
Lower-extremity venous stenting
202–213

m

Magnetic resonance angiography
(MRA) 71–72, 97
May-Thurnes syndrome 207

Mechanical adjunct therapies, to
thrombolysis 153, 157

Mechanico-chemical ablation
(MOCA) 241–242

Medtronic valiant thoracic
endograft 39–40

Mesenteric ischemia 78–91

acute 85–91
angiogram 89, 90
arterial thrombosis 85
aspiration embolectomy 88–89
contrast-enhanced CT 86–87
endovascular therapy 91
etiologies 85
follow-up 91
history and physical exam 86
infusion 91
laboratory studies 86
NOMI 85, 86
SMA selection 87–88
thrombolysis 89–91
vascular access and sheath
selection 87

chronic 78–85
complications 84–85
flush aortogram 80
follow-up and outcomes 85
morbidity rates 84
in older adults 78
posttreatment angiogram 83, 84
selective angiography 81
sheath selection 80
stent placement 82–83
vascular access 79, 80
vessel selection 81, 82
working wire placement 82

Mesenteric venous occlusive disease 86

Mesenteric venous thrombosis 91

n

Neck angulation 58

Nonocclusive mesenteric ischemia
(NOMI) 85, 86

O

- Older adults
 - chronic mesenteric ischemia in 78
 - TAA in 30
- Orbital atherectomy 142
 - Diamondback360 126
 - steps 126–127
- Outback Re-entry Catheter 100, 146

P

- Pantheris directional atherectomy 118, 122, 125
- Patent hemostasis 189
- PAU. *See* Penetrating aortic ulcer (PAU)
- Pedal arch
 - anatomical considerations 163–166
 - intervention 162–172
 - access 166–167
 - anticoagulation strategy 168
 - balloon sizing 168
 - calcification 168–169
 - cases 170–172
 - diffuse small vessel disease 169
 - inability to deliver a catheter/
 - balloon 169
 - indications for 166
 - ipsilateral antegrade
 - approach 166
 - lesion crossing 167
 - lumen crossing 168
 - perforation 169
 - procedural failure 166
 - selective angiography 167
 - special considerations 167–169
 - technical considerations 166
 - troubleshooting 169
 - uncrossable lesion 169
 - vasospasm 168
 - vessel tortuosity 168
 - subtypes 164
- Penetrating aortic ulcer (PAU) 34
- Penumbra's Indigo system 159, 225–227

- Percutaneous access 55–56
- Percutaneous balloon angioplasty 16
- Percutaneous transluminal
 - angioplasty (PTA) 1
 - subclavian artery 17
 - vertebral artery 24–25
- Peritonitis 91
- Phoenix atherectomy 118, 122, 123
- Pioneer Plus 100, 146
- Plain old balloon angioplasty (POBA) 117, 120, 131, 132
- Plavix 28
- Posterior foot circulation 163, 164
- Posterior tibial (PT) artery 163
- Post-thrombotic syndrome (PTS) 207
- Primary stenting 79
- Pseudoaneurysms (PSA). *See* Femoral artery pseudoaneurysm (FAP)
- PTA/PTAS. *See* Percutaneous transluminal angioplasty (PTA)
- Pulmonary angiography 215
- Pulmonary embolism (PE) 196, 215
 - AngioVac (*See* AngioVac system)
 - catheter-directed thrombolysis 216–220
 - FlowTrieve™ 220–225
 - injection and X-ray detector
 - positioning 216
 - large catheter aspiration 220–232
 - mechanical disruption 220
 - Penumbra's Indigo system 225–227
 - pulmonary angiography 215
 - vascular access 215

R

- Radial artery occlusion (RAO) 189
- Radial artery related
 - complications 187–191
- Radial artery spasm (RAS) 188–189
- Radiofrequency (RF) ablation 237–239
- RAO. *See* Radial artery occlusion (RAO)
- RAS. *See* Radial artery spasm (RAS); Renal artery stenosis (RAS)

Renal arteries 58
 inadvertent coverage of 65
 interventions 74–76
 Renal artery stenosis (RAS) 68–76
 clinical manifestations of 69–70
 defined 69
 etiologies of 69
 hypertension 70
 intervention 74–76
 invasive assessment 72
 noninvasive assessment 70–72
 CTA 71
 MRA 71–72
 renal DUS 70, 71
 patient selection 70, 71
 revascularization of 72–73
 screening 68
 Renal doppler ultrasound (DUS) 70, 71
 Renal failure 40
 Renin-angiotensin-aldosterone system (RAAS) 70
 Reteplase 154
 Retroperitoneal hematoma (RPH) 177
 Reverse Controlled Antegrade and Retrograde Tracking (Reverse CART) 144
 RF ablation. *See* Radiofrequency (RF) ablation
 Right heart vegetation, AngioVac for 232–234
 Rotarex atherectomy 118, 122, 123–124
 Rotational atherectomy 118, 122, 123–124
 RPH. *See* Retroperitoneal hematoma (RPH)

S

Seldinger technique 16, 21, 209
 Self-expanding stents 18, 28, 83, 101–102
 SFA. *See* Superficial femoral artery (SFA)

Shockwave angioplasty 102
 Shockwave Lithoplasty System (Medical Inc.) 3
 ShockWave lithotripsy balloon 120, 121
 Society for Vascular Surgery (SVS) 47
 Spectranetics Turbo-Tandem™ catheter 160
 SpiderFX™ embolic protection device 127–128
 Spinal cord ischemia 32–33
 Spinal drain 46–47
 STAR technique. *See* Subintimal Tracking And Reentry (STAR) technique
 Stenosis
 carotid 5–13
 innominate 2–5
 subclavian artery 15–18
 Stenting 1, 10
 carotid artery 6
 for femoropopliteal disease 131–132
 iliac 100–102
 lower-extremity venous 207–213
 vertebral artery 25–27
 Stents
 balloon-expandable 18, 28, 82–83, 101–102
 bare-metal 101, 117, 131
 covered 101, 102, 132, 180, 184
 self-expanding 18, 28, 83, 101–102
 Tack 132
 Subclavian artery (SA) stenosis 15–18
 endovascular revascularization 16–18
 open surgical revascularization 16
 percutaneous balloon angioplasty 16
 PTAS 17
 Subintimal Arterial Flossing with Antegrade-Retrograde Intervention (SAFARI) 144
 Subintimal Tracking And Reentry (STAR) technique 143

Superficial femoral artery (SFA) 109, 140, 167

Superior mesenteric artery (SMA) 79, 87–88

t

TAA. *See* Thoracic aortic aneurysm (TAA)

TAAA. *See* Thoracoabdominal aortic aneurysms (TAAA)

Tack® endovascular stent 132

TAMI retrograde revascularization 144–145

TBAD. *See* Type B aortic dissection (TBAD)

TCAR. *See* Transcarotid artery revascularization (TCAR)

Tenecteplase 154

Terumo relay aortic graft 38–39

TEVAR. *See* Thoracic endovascular aortic repair (TEVAR)

Thoracic aortic aneurysm (TAA)
aortic anatomy 31–33
asymptomatic 33
cardiac evaluation 40
classification 31
endovascular repair of 30–49
history and physical examination 40–41
landing zones 31–32
in older people 30
pulmonary evaluation 40
renal evaluation 40

Thoracic endovascular aortic repair (TEVAR) 30–31
blunt aortic injury 33
contraindications 34
endografts 34–40
indications 33–34
intraoperative monitoring needs 41–42
patient positioning 41

postoperative course/surveillance 46–49

arm ischemia symptoms 47–48

blood pressure control 47

CTA 48

endoleak types 48–49

monitored setting 46

spinal drain 46–47

preoperative planning for 32

procedural steps 42–46

renal failure 40

spinal cord ischemia 32

TBAD 33–34

Thoracoabdominal aortic aneurysms (TAAA) 30

asymptomatic 33

classification 31

Thrombolysis 89–91, 200, 201

catheter-directed 216–220

Thrombolytic agents 153, 154

Thrombus management 153

Tibial CTO lesions 142

Tibial interventions 138–147

Tissue plasminogen activator (TPA) 91

Tortuosity 168

TRA. *See* Transradial access (TRA)

TransAtlantic InterSociety Consensus II Classification (TASC II) 97, 98

Transcarotid artery revascularization (TCAR) 6

Trans-jugular intrahepatic portosystemic shunt (TIPS) 91

Transradial access (TRA)
bleeding complications 190–191
PCI 187

radial artery occlusion 189

radial artery spasm 188–189

Type B aortic dissection (TBAD) 33–34

Type IA endoleaks 63–64

Type IB endoleaks 63, 65

Type II endoleaks 65

Type III endoleaks 65

U

Ultrasound (US) 28, 42, 96, 209. *See also* Extravascular ultrasound (EVUS); Intravascular ultrasound (IVUS)

V

Varicose veins, catheter-based therapy
for 236–243
endovenous laser ablation 239–240
limitations 242
mechanico-chemical
ablation 241–242
nonthermal techniques 240–241
RF ablation 237–239
thermal techniques 236–237

Vascular access 209
acute mesenteric ischemia 87
aortoiliac interventions 98–99
complications 175–191
chronic mesenteric ischemia 79, 80
EVAR 55–56
femoropopliteal arterial
interventions 113–114
pulmonary embolism 215
Vascular closure device (VCD) 188
active 186
complications associated
with 186–187
mechanism of action 187
passive 186

Vasospasm 168

Vena cava filters 201–202
Venogram 210
Venous thromboembolism (VTE) 196
cancer-associated 202
treatment strategy 197–199
anticoagulant therapy 197,
198, 203
compression stockings 202
DOACs 200, 201, 203
extended 197, 199
initial 197, 198, 200
long-term 197, 199, 200
thrombolysis 200, 201
vena cava filters 201–202
unprovoked 202–203

Verapamil 168

Vertebral artery anatomy 21, 22
Vertebral artery angioplasty 20, 27
Vertebral artery intervention 20–28
complications 27–28
percutaneous transluminal
angioplasty 24–25
postprocedural care 28
stenting 25–27

Vessel perforation 169

Vessel tortuosity 168

Villalta PTS Scale 207, 208

W

Wallstent 211–212

WIFI classification (Wound, Ischemia,
Foot Infection) 139