

Index

Note: Page numbers in *italics* indicate figures, those in **bold** indicate tables.

a

Abl gene 73
 acentric fragment 24, 25
 acetylcholine transporter gene 152
 achiasmate 97
 achiasmate segregation 194, 203–207, 204
 in *Drosophila* females 204–205, 206
 in *Drosophila* males 203–204
 in *Saccharomyces cerevisiae* 205–206
 in *Schizosaccharomyces pombe* 207
 in silkworm females 207
 achondroplasia 6
 actin
 conformational suppression 148–149
 genes in yeasts 62–63, 62–63, 148–149, 157
 nuclear 41
 additive genes 163
 affected haplotype 106–107, 107
ald gene 58–59
 algebraic tetrad analysis 101, 257–261, 258
 alignment, of homologous chromosomes 85
 alkylating agents 33–35, 34
 amorph 2
 analogs 126
 anaphase I 88, 88, 191, 194, 204
 anaphase II 88, 89
 aneuploidy 192
 annotation 39
Antennapedia (*Antp*) gene 8–9, 9
 antimorph 6–8, 7
 intragenic suppression 141

 neomorphs distinct from 9–10

 synthetic 60

Arabidopsis thaliana

 model organism 217–218

 unordered tetrad analysis 254

ascus 250–253, 251

asymmetric heteroduplex 114

Auerbach, Charlotte 33

auxotroph 53

auxotrophy 150

b

balanced stock 22

balancer chromosome 21–26

Bardet–Biedl syndrome (BBS) 73

base pair 230–234

base-pair insertions or deletions 12

base-pair-substitution mutant 11, 12

B chromosome 210

BET3 gene 157

b-globin gene 7

binomial distribution 257

binomial expansion theorem 257

biosynthetic pathways 164–165

bithorax complex (BX-C) 58, 244–246

bivalent 83, 83–84, 88, 92, 92–94, 97–101, 109,
 194, 201–205, 207

BLAST (basic local alignment search tool)
 128–134, **129**

blastn (nucleotide–nucleotide BLAST)
 129–130, **129–130**

blastp (protein-protein BLAST) **129**, 132, **133**
 blastx (translated nucleotide-protein BLAST) **129**, **131**, 131–132
 buffering, genetic 65
 bypass suppression 154, 154–157
 multicopy 156–157
 “push me, pull you” 155–156
 telomere defect in yeast 155

C

cabeza gene 183–184
Caenorhabditis elegans
 cell death cascade 172
 as model organism 218–219
 second-site noncomplementation (SSNC) 71
ced genes 172
 cell autonomy 176
 cell-cycle mutants in yeast 21, 26
 cell death cascade in *C. elegans* 172
 centimorgans (cM) 98
 central dogma of molecular biology 2, 10
 centric heterochromatin 9
 centromere 88, 195–202
 Drosophila 198–200
 epigenetic 200–201
 mapping in fungi with unordered tetrads 255
 Saccharomyces cerevisiae 195–198, 196
 as state of chromatin 200–201
 centromere-binding proteins in
 yeast 197–198, 198
 centromere effect 110, 191
 chemical mutagenesis 32–35, 34
 chiasma frequency 97
 chiasmata 88, 92–93
 chiasmate chromosome
 segregation 202–203, 203
 chiasma-type hypothesis 92, 92
 chromosomal aberrations 12
 chromosomal bouquet 86
 chromosome walk 195, 196
cinnabar mutant 176–177, 177
cis-trans test 52, 233, 234
 classical hypothesis 92, 92
c-myc gene 8
 codominance 13
 cold sensitivity 60–61, 147, 150–151, 170, 171
 collochores 204
 colorblindness 17
 combined haploinsufficiency 52, 72
 Comparative Annotation Toolkit 39
 complementation 51–76
 intragenic 57, 57–58, 235–246
 negative 56
 pairing-dependent 57, 57–58
 second-site noncomplementation (SSNC)
 59–74
 complementation groups 235–236, 237–238, 239
 complementation test
 cis-trans test 52, 233, 234
 erroneous results from 57–59
 essences of 51–55, 52
 example in yeast 53–54
 rules for using 55–56
 transformation rescue 53–54, 58–59
 complementation units 235–236, 237–238,
 238–240, 240
 compound heterozygote 51, 56
 compound-X chromosome 90–91, 90–91, 206
 conditional loss-of-function mutations 10
Confluens mutation 6
 conformational suppression 147–153, 153
 actin and fimbrin mutants in yeast 148–149
 flagellar motor mutant in *E. coli* 152, 153
 lock-and-key 152
 mediator proteins and RNA polymerase II in
 yeast 150–152
 mutant transporter gene in *C. elegans* 152
 screens for suppressors 148
 telomerase mutant in humans 153
 conservative mutation 11
 constitutive mutation 167
 convergent evolution 126
 copy number variant (CNV) 2
 Cre-Lox system 183–184
 CRISPR/Cas9 system 41–42, 42
 off-target effects 42, 187
 screen for suppression of inhibitor resistance
 in melanoma 142
 tissue-specific gene editing using
 185–187
 crossing over 81, 93 *see also* exchange; tetrad
 analysis
 chiasmata 92–93
 in compound-X chromosomes 90–91, 90–91

double crossovers 93–94, 94, 97, 97–99,
208n4, 209, 255, 257, 258, 259
ten commandments of crossing over 93–94, 96
crosslinking agents 33, 35
crossover-associated gene conversion 111
crossover interference 84, 96, 191
cut gene 240–241, 241

d

deficiency 2–3, 4, 5, 12, 15
degenerate 132, 140
de novo assembly 3
de novo mutation 14–15
diakinesis 82, 91
dicentric bridge 24, 25
dicentric inversions 24, 25, 26
digenic inheritance 73–74
diplo-cell 192, 193
diplotene 82, 91
directed segregation 208–210, 209
discordant reads 39
dmc1 mutations 156
DNA repair-defective mutants 47
dominance, cellular meaning of 13, 15
dominant 1, 13
dominant enhancers 69, 74–76
dominant mutation 10
 antimorphic 6–7
 balancer chromosomes 24, 26
 genetic utility of 17
 pseudorevertants 55
 reversion in 55–56
 sex-linked 16–17
 suppression of 157
dominant negative mutants 10
dosage compensation 16–17
double crossovers 93–94, 94, 97, 97–99, 208n4,
209, 255, 257, 258, 259
double heterozygote 51–52, 59, 61–62, 64,
66–67, 69–73, 229, 245
double Holliday junction (DHJ) 115
double-strand break (DSB)
 hotspots and coldspots for 96
 in meiotic recombination 84–85
 using CRISPR/Cas9 system
 41–42, 42
 using TALENs 42–43, 43

double-strand break repair (DSBR) model
114–116, 116

double-stranded RNA (dsRNA) 40–41
Dp(1,f)1187 chromosome 198–200, 199
dpp gene 245–246, 246

Drosophila

 achiasmate segregation in
 females 204–205, 206
 achiasmate segregation in males 203–204
 centromeres 198–200
 meiotic drive 208
 as model organism 219–221
 tissue transplantation 176–177, 177
dsx gene 169–170
duplication 2, 6, 12, 126–127, 127
DUX4 transcription factor 74
dystrophin gene 186

e

embryonic lethal mutations in *Drosophila*,
 screen for 21–22
enhancer 16
 CRISPER/Cas9 use in screening 41
 dominant 69, 74–76
 transvection 57, 57–58
enhancer trapping technique 36
entanglement model 194
Epi1 gene 167–168
epigenetic centromere 200–201
epistasis 163
epistasis analysis 163–173
 dissection of regulatory hierarchies
 167–172
 misleading results from 172–173
 ordering gene function in
 pathways 163–166, 164
 using mutants with opposite effects on the
 phenotype 167–170
 using mutants with same/similar effects on
 the phenotype 170–172
epistatic gene 163
ethics of targeted gene editing in humans 186
ethylmethane sulfonate (EMS) 22–24, 34,
34–35, 43–44
euchromatic pairing sites in *Drosophila*
87, 87
E-value (Expect value) 128

exchange 81, 93 *see also* crossing over; tetrad analysis
 centromere effect 84
 distribution/location of events 84,
 109–110, 191
 double crossovers 93–94, 94, 97, 97–99, 209,
 255, 257, 258, 259
 pericentromeric 194
 per unit length 84, 84
 sister chromatid 94–95, 95
 exchange distribution 250
 extragenic suppression 141
 eye color 176–177, 177

f

facioscapulohumeral muscular dystrophy
 (FSHD) 74
fascilin gene 73
 fate mapping 179
 fibroblast growth factor (FGF) 184
 fimbrin 148–149
 fine-structure analysis 228–247
 of eukaryotic gene encoding multifunctional
 protein 237–240
 of genes with complex regulatory elements in
 eukaryotes 240–242
 intragenic complementation 235–236, 237
 intragenic mapping 229–234
 flagellar motor mutant in *E. coli* 152, 153
 FLP/FRT system 182–183, 182–184
 FokI endonuclease 42
 four-strand double crossover 94
 frameshift mutation 2, 138–140
 frameshift suppression,
 tRNA-mediated 146–147
 fruit flies, as model organisms 219–221

g

gain-of-function mutant 10, 11, 36
 GAL4 transcriptional activator 36, 184–185
 gametogenesis 14
 gene conversion 111–112, 112
 gene duplication 126–127, 127
 gene editing
 ethics of targeted in humans 186
 tissue-specific 185–187
 gene expression
 detection by RNA-seq 3–4

 suppression at level of 142
 tissue specific 184–187
 gene knockdown, using RNAi 184–185
 gene knockout
 for mosaic analysis 182–184
 tools for 32
 using CRISPR/Cas9 system 41
 using FLP/FRT or Cre-Lox systems
 182–184
 using TALENs 42–43
 gene, Mendel's concept of, xiii–xiv
 genetic buffering 65
 genetic inclusion interval 108
 genome annotation 39
 genome assembly 38–39
 genome conflict 210
 guide RNA (gRNA) 41–42, 42, 185–187
 gynandromorph 178
 gynogenetic females 256
 gypsy element 142, 142, 241–242

h

half-tetrad analysis 256–257, 257
 haplotype, affected 106–107, 107
 haplotype analysis 106–107, 107
haywire gene 68
 heat-sensitive mutants 170, 171, 172
 heat-shock promoter 182, 182
 hemizygote 2
 hemophilia 17
 Hermes transposon 36
 heterochromatic pairing 86–87
 heterochronic mutant 11
 heteroduplex 112
 heteromorphic 92
 high-copy (multicopy) bypass
 suppression 156–157
HIS4 gene 237, 237–238
 Holliday intermediate 113
 Holliday junction 113
 Holliday model 112–114, 113–114
 holocentric chromosomes 202–202
 homologous chromosomes 81–89
 homologous genes, identifying 126–134
 homolog recognition region (HRR) 87
 homologs 126–128, 127
 homology 126–128
 identifying sequence 128–133

homology-directed repair (HDR) 41, 42
 horizontal gene transfer 128
Hoxb genes 72
Hsp90 gene 65–66
 hypermorph 5–6
 hypomorph 4–5, 5
 hypostatic gene 163

i

imprecise excision events 36, 37
 inactivating nulls 3
 indel (insertion or deletion) 2, 14
 independent assortment 81–82, 83, 207, xiii
 informative meiosis 103, 104
 in situ hybridization 3
 interchromosomal effect 110
 intergenic suppression 141
 interstrand crosslinks 35
 intragenic complementation 57, 57–58, 235–246
 of eukaryotic gene encoding multifunctional protein 237–240
 formal analysis 235–236
 of genes with complex regulatory elements in eukaryotes 240–242
 pairing-dependent 242–246
 intragenic mapping 229–234
 intragenic recombination 228
 intragenic suppression 137–141, 138
 antimorphic mutations 141
 frameshift mutation 138–140
 loss-of-function mutations 137–138, 138
 missense mutations 140–141
 intrastrand crosslinks 35
 inversions
 Antennapedia (*Antp*) gene 8–9, 9
 balancer chromosomes 24, 25, 26
 chromosomal aberrations 12
 definition 2
 paracentric 24, 25, 26, 208
 pericentric 25, 26
 inverted meiosis 202
 ionizing radiation 33
 isochromosome 90
 isogenic starting stock 45

j

joint molecules 95

k

karyosome 205
 kinetochore 197, 206
Ku gene 54

l

lateral gene transfer 128
 leptotene 82, 89
 leucine synthesis gene (*LEU*) 53–54
 Li-Fraumeni syndrome 140
 linkage 82, 255
 linkage analysis
 LOD score 102–105, 106
 multipoint 105, 106
 parametric and nonparametric 101
 statistically significant evidence for
 linkage 104–105
 two-point 101–104
 LOD score 102–105, 106
 long-read sequencing 38–39, 40
 loss-of-function mutant 10
 conditional 10
 hypomorphs 4–5, 5
 intragenic suppression 137–138, 138
 nullmorphs 2–4
 partial 10, 228
 transposon-based mutagenesis 35
 loss of heterozygosity 140
 low-complexity regions of genome 39
lozenge (*lz*) gene 229

m

MAKER 39
 map length 97–100, 98, 255
 mapping *see also* fine-structure analysis
 cis-trans test 233, 234
 intragenic 229–234
 practicalities 110–111
 mapping function 99–100, 100
 map units 98
matrimony (*mtrm*) gene 210
 matroclinous females 256
 mediator complex 63
mei genes 166
 meiosis
 chromosome missegregation 57–59
 chromosome segregation 191–210
 cytological description of 88, 88–89

- meiosis (*cont'd*)
 - introduction to 81–91, 82
 - inverted 202
 - mutants defective in 21
 - as physical basis of Mendelian inheritance 81–82
- meiosis II 81, 88–90, 193, 205
- meiotic chromosome segregation 191–210
 - achiasmate 203–207, 204
 - backup systems 191, 192, 194, 203
 - chiasmate 202–203, 203
 - critical issues 191–192
 - mechanisms 202–207
 - types and consequences of failed 192, 193
- meiotic drive 9, 207–210
 - in *Drosophila* 208
 - via directed segregation 208–210, 209
 - via spore killing 207–208
- meiotic recombination 81–118
 - distribution of events 109–110
 - ensuring homolog segregation 191
 - interchromosomal effect 110
 - mechanism 111–117
 - mutations reducing 166
- melanoma 142
- Mendelian inheritance, meiosis as physical basis of 81–82, 207
- Meselson–Radding model 114, 115
- messenger stabilization 143
- metaphase-anaphase transition 88
- metaphase I 88, 88
- metaphase II 88, 89
- metaphase plate 88
- mice as model organisms 223–225
- microarray 39–40
- microsatellite array 74
- microtubules 7, 7, 72
- MII (meiosis II) nondisjunction 192, 193, 194–195
- miniature* mutant 16
- minichromosome 86, 195–197, 197, 205
- MI (meiosis I) nondisjunction 192, 193, 194
- Minute* mutations 4, 69, 74
- missense mutant 11
 - definition 2
 - intragenic suppression 140–141
- mit* mutant 179
- mitotic chromosome loss 178, 178–180
- mitotic recombination 181, 181–184
- model organisms 215–226
 - budding yeasts (*Saccharomyces cerevisiae*) 215–217
 - fruit flies (*Drosophila melanogaster*) 219–221
 - mice (*Mus musculus*) 223–225
 - phage lambda 225–226
 - plants (*Arabidopsis thaliana*) 217–218
 - second-site noncomplementation (SSNC) in 72–73
 - worms (*Caenorhabditis elegans*) 218–219
 - zebrafish (*Danio rerio*) 222–223
- monosome transmission test 199
- mosaic 14, 14, 17, 175
- mosaic analysis 175–187
 - mitotic chromosome loss 178, 178–180
 - mitotic recombination 181, 181–184
 - tissue specific gene expression 184–187
 - tissue transplantation 176–177, 177
- motor protein genes 72
- mRNA surveillance 143
- multicopy suppression 54
- multipoint linkage analysis 105, 106
- mutagenesis 32–44
- mutagens 32–40
 - chemical 32–35, 34
 - ionizing radiation 33
 - selection of 43–44
 - transposons 32, 35–40
- mutant hunts 20–48
 - balancer chromosomes 21–26
 - choosing phenotype to screen/select for 44–45
 - estimating number of genes not represented by mutants in a new collection 4, 46–48
 - getting started 45–48
 - how many mutants is enough 46–48
 - to identify genes required for specific biological process 21–26
 - to isolate more mutants in specific gene of interest 31–32
 - to isolate mutations in a gene identified only by computational approaches 32
- mutagenesis and mutational mechanisms 32–33
- to obtain mutants for structure-function analysis 32
- pilot screen 45

reasons to look for mutants 20–32
 resources for schemes and techniques in
 various organisms 27–31
 saturation of mutant screens 46, 46–48
 to screen for embryonic lethal mutations in
 Drosophila 21–22
 to screen for sex-linked lethal mutations in
 Drosophila 22–24
 starting material for 45
 what to keep 45
 mutation
 base pair as unit of 230–234
 as core of genetics, xiv
 de novo 14–15
 types 1–12
 mutator elements 32

n

nanos gene 34–35
ncd gene 72, 179
NDJ1 gene 86
 negative complementation 56
 neomorph 8–10, 9
Neu1 gene 167–168
Neurospora 250–253, 251–252
nod gene 8, 10, 55, 72, 179, 201
 nonallelic noncomplementation 59 *see also*
 second-site noncomplementation (SSNC)
 nonbiosynthetic pathways 164, 165–166
 nonconservative mutation 11
 noncrossover gene conversion 111
 nondisjunction 84, 192–195, 193
 nonhomologous end-joining (NHEJ) 41, 42, 186
 nonparametric linkage analysis 101
 nonparental ditypes 253, 254, 255
 nonsense codons
 translational read-through 143–144
 tRNA-mediated nonsense suppression
 144–146, 145
 nonsense-mediated decay 143
 nonsense mutant 11, 143
 northern blotting 3
Notch 6, 179
 null allele 2–3
 null mutant 10
 null-cell 192, 193
 nullomorph 2–4

o

off-target effects 42, 187
 ommatidia 75
 ordering gene function in
 pathways 163–166, 164
 orthologs 127, 127

p

p53 gene 140–141
 pachytene 82, 91, 205
 pairing 81, 86–87
 pairing-dependent intragenic
 complementation 242–246
 paracentric inversions 24, 25, 26, 208
 paralogs 127, 127
 parametric linkage analysis 101
 parental ditypes 253, 254, 255, 261
 partial loss-of-function mutations 10
 pathways, ordering gene function in 164–166
 P element 36–37, 70–71
 perdurance of gene products 181
 pericentric inversions 25, 26
 peripherin/RDS protein 73
 Perkins equation 255
 petite mutants 151
 phage lambda 225–226
 phage T4 230–233, 234
 phenotype, choosing which to select/screen
 for 44–45
 Piwi-interacting RNAs (piRNAs) 59
 plants as model organisms 217–218
 plaque 230
 plasmid rescue 37, 37
 pleiotropic 20
 point mutant 11, 12, 14, 230–233, 231, 237
 poisonous interactions 60, 60, 141
 Poisson distribution 46–48, 99–100
 poly-A selection 3
 post-translational modification 147
pot1 mutant 155
 prometaphase 88
 prophase I 88, 88–89
 prophase II 89
 protein null 3
 protein–protein interaction, suppression as
 result of 147–153
 pseudoautosomal region (PAR) 203

pseudoreversion 137 *see also* intragenic suppression
 pseudorevertant 8, 55, 138, 138
 “push me, pull you” suppression 155–156

r

RAD54 genes 156
RanGAP gene 9
Ras gene 76, 157
 Ras signaling pathway 76
 recessive mutation
 complementation test 55–56
 genetic utility of 17
 hypomorphic 5
 nullomorphic 4
 sex-linked 16–17
 recessive/recessivity 1, 13, 15–16
 reciprocal shift experiments 170, 171
 recombination *see also* meiotic recombination
 base pair as unit of 230–234
 classical analysis 93–96
 ensurance of segregation 82–83, 96
 intragenic 228
 mitotic 181, 181–184
 recombination frequency
 chiasma frequency 97
 control of 96
 map lengths 97–100, **98**
 measurement of 96–111
 statistical estimation of 101–109
 recombination mechanism 111–117
 class II events 117
 double-strand break repair model
 114–116, 116
 Holliday model 112–114, 113–114
 Meselson–Radding model 114, 115
 recombination nodules 89, 91
 regional tetrad analysis 260
 regulators
 CRISPER/Cas9 use in screening 41
 identification using RNAi 41
 mutations in 59
 regulatory hierarchies
 epistasis analysis of 167–172
 sex determination in *Drosophila* 169
 repetitive regions of genome 39
Responder (Rsp) 9
 restriction fragment length polymorphisms (RFLPs) 12

retinitis pigmentosa 73
Retinoblastoma1 (RB1) gene 13
 revertants 230
 RhoA 70–71
 ribosomal RNA depletion 3
rII mutants 230–233, 234
 ring-X chromosome 179
 RNA interference (RNAi) 40–41, 184–185
 RNA polymerase II 150–152
 RNA-seq
 data for genome annotation 39
 gene expression detection by 3–4
 identifying new transposon insertion sites 39–40
 ROM1 73
RPB1 gene 150–151
 RT-PCR 3
rudimentary (r) gene 57, 238, 238–240, 240

s

SAC6 gene 148–149, 157
Saccharomyces cerevisiae
 achiasmate segregation 205–206
 centromeres 195–198, 196
 complementation test example in 53–54
 as model organism 215–217
Schizosaccharomyces pombe
 achiasmate segregation 207
 centromere of 198, 201
 meiotic drive via spore killing 207–208
 saturation transposon-based mutagenesis 36–37
 second-site noncomplementation (SSNC) 59–74
 in humans 73–74
 in model organisms 72–73
 type 1 60–63, 60–63
 type 2 66–71, 67–68
 type 3 72
 second-site revertant 138
 secretory pathway in yeast 64, 64
 segregation, xiii
 achiasmate 194, 203–207, 204
 backup systems 191, 192, 194, 203
 directed 208–210, 209
 ensurance of 82–83, 96, 191
 errors 14
 heterologous 206
 in meiosis 81–83, 83
 meiotic drive 207–210
 of minichromosomes 197

- sex chromosome in mammals 203
 - types and consequences of failed 192, 193
 - Segregation Distorter (SD)* chromosome 9, 208
 - semidominant 1, 13
 - separation-of-function mutation 11
 - sequestration 66–71, 67
 - sevenless* gene 75–76, 179
 - sex chromosome segregation in mammals 203
 - sex determination 74, 169, 180, 193
 - sex-linked mutation
 - applying terms of dominant and recessive to 16–17
 - lethal in *Drosophila*, screen for 22–24
 - shelterin 153
 - sickle cell anemia 7, 16
 - silent substitutions/silent mutations 11–12
 - silkworm females, achiasmate segregation in 207
 - single-nucleotide variant (SNV) 2, 14
 - sister chromatid exchange 94–95, 95
 - sister chromatids 81, 83, 85, 88, 88–92
 - cohesion 85, 88–89, 110, 192, 194–196
 - precocious separation 194–195
 - slow border cells (slbo)* gene 6
 - small interfering RNAs (siRNA) 41
 - smg* mutation 143
 - SMY1* gene 157
 - sperm killing 208
 - split reads 39
 - spore killing 207–208
 - sporulation 53–54, 215
 - strand breakage 33
 - structural variant (SV) 2
 - structure-function analysis 32
 - su(Hw)* gene 142, 142
 - suppressor mutant 136–137
 - suppression 136–158
 - bypass 154, 154–157
 - conformational 147–153, 153
 - designing screens for mutations 157–158
 - of dominant mutations 157
 - extragenic 141
 - intragenic 137–141, 138
 - by post-translational modification 147
 - transcriptional 141–143, 142
 - translational 144–147, 145
 - suppression screen 6, 41
 - suppressor of sable [su(s)]* gene 143
 - Sxl* gene 169
 - symmetric heteroduplexes 113
 - synapsis 84–85
 - synaptonemal complex 84–85, 89, 134, 206
 - synthesis-dependent strand annealing (SDSA) 115, 117
 - synthetic antimorph 60
 - synthetic lethality 64–66, 65
- t**
- TAL effector 42
 - TALENs (transcription activator-like effector nucleases) 42–43, 43
 - tandem duplication 6
 - targeted gene disruption 32, 40–43
 - CRISPR/Cas9 41–42, 42
 - RNA interference 40–41
 - TALENs 42–43, 43
 - tblastn* (translated BLASTn) 129, 133
 - tblastx* (translated BLASTx) 129, 133
 - telomerase mutant, conformational
 - suppression of 153
 - telomere bouquet 86
 - telomere defect, bypass suppression of 155
 - telophase I 89
 - telophase II 89
 - temperature-sensitive mutant 10, 26
 - terminology
 - DNA-level 2, 11–12
 - modern mutant 10–11
 - tetrad analysis 100–101, 250–261
 - algebraic 257–261, 258
 - to determine linkage 255
 - half-tetrad analysis 256–257, 257
 - in linear ascus (*Neurospora*) 250–253, 251–252
 - regional 260
 - unordered 253–255, 254
 - tetratypes 253, 254, 255, 261
 - third-site noncomplementation 74
 - three-strand double 94
 - tissue specific gene expression 184–187
 - tissue transplantation 176–177, 177
 - in *Drosophila* 176–177, 177
 - in zebrafish 177
 - tra* gene 74
 - transcriptional readthrough 197, 198
 - transcriptional suppression 141–143, 142
 - of inhibitor resistance in melanoma 142
 - at level of gene expression 142
 - of nonsense mutants by messenger stabilization 143

- transcription null 3
 - transcriptome 38–39
 - transcriptome assembly 38–39
 - transformation rescue 37, 37, 53–54, 58–59
 - transition 11, 34–35
 - translational read-through 143–144
 - translational suppression 144–147, 145
 - tRNA-mediated frameshift suppression 146–147
 - tRNA-mediated nonsense suppression 144–146, 145
 - translocation 2, 12
 - transposable element (TE) *see* transposon
 - transposase 36
 - transposon
 - definition 2
 - hypermorph creation using 6
 - as mutators 32, 35–40
 - paralog formation by movement of 127
 - silencing by piRNAs 58–59
 - suppression of 142, 142–143
 - transposon-based mutagenesis 35–40, 36
 - difficulties with 40
 - identifying new insertion sites 39–40
 - identifying where transposon landed 37–38
 - imprecise excision events 36, 37
 - saturation 36–37
 - transvection 57, 57–58, 235, 242, 243, 245–246, 246
 - transversions 11, 34–35
 - tRNA gene
 - mutation in anticodon 144–147, 145
 - redundancy of 146
 - true revertant 138, 138
 - tryptophan synthetase gene 232–233
 - tubulin genes 7
 - bypass suppression 155–156
 - type 1 second-site noncomplementation (SSNC) 60–62, 61
 - type 2 second-site noncomplementation (SSNC) 66–69, 68
 - Turner Syndrome 180
 - two-point linkage analysis 101–104
 - two-strand double 94
 - type 1 second-site noncomplementation (SSNC) 60–63, 60–63, 147
 - example involving actin genes in yeast 62–63, 62–63
 - example involving tubulin genes in yeast 60–62, 61
 - type 2 second-site noncomplementation (SSNC) 66–71, 67–68
 - example in *Caenorhabditis elegans* 71
 - example involving tubulin genes in *Drosophila* 66–69, 68
 - example involving zipper gene in *Drosophila* 69–71
 - type 3 second-site noncomplementation (SSNC) 72
 - Tyrannosaurus rex 31
- u**
- UAS enhancer element 36
 - Ultrabithorax (Ubx)* gene 66, 244–245
 - urod* gene 187
- v**
- vermillion* mutant 176–177, 177
- w**
- weak allele 4
 - whirligig* gene 69
 - white-apricot* mutation 5, 5
 - white (w)* gene 243, 243–244, 246
 - worms, as model organisms 218–219
- x**
- X chromosome
 - Dp(1,f)1187* chromosome 198–200, 199
 - mitotic loss 178, 178–180
 - ring-X 179
 - xenologs 128
 - X-inactivation 17
 - X-linked mutation 17
- y**
- yeasts, as model organisms 215–217
 - yellow (y)* gene 242, 243
- z**
- zebrafish
 - half-tetrad analysis 256–257, 257
 - as model organisms 222–223
 - tissue transplantation 177
 - zeste (z)* gene 243, 243–244, 246
 - Zip1 206
 - zipper* gene 69–71
 - zygotene 82, 89

