

Index

Note: Page numbers in *italics* refer to figures; page numbers in **bold** refer to tables.

a

- Aarogya Setu 101–102
- AC19 102
- acute respiratory distress syndrome (ARDS) 4
- aerosolized wastewater 116–117
- aerosols 60
- aerosol optical depth (AOD) levels 189
- agent-based model 61
- agriculture 128–129, 148
- air filtration 117–118
- air pollution 184, 253–257
- air quality 139, 195, 253–261
- Air Quality Index 184
- air samples 68
- air transmission 39–40
- air travel 134–135, 152, 183
- airports 183
- Alipay 102
- ambient temperature 196–198
- analysis and tracing, digital 95–106
 - Aarogya Setu 101–102
 - AC19 102
 - advantages 102–103
 - Alipay 102
 - application programming interfaces (APIs) 96
 - artificial intelligence (AI) 96, 103–105, *104*
 - Bluedot 104
 - Bluetooth 96
 - China **101**, 102
 - computerized tomography (CT) 105
 - contacts 100–101
 - contact tracing *100*, **101**, 100–103
 - contact-tracing tools 97, 99–100
 - digital methods 96–103
 - digital tools 97
 - flow modeling tools 97, 98
 - Flu Phone 96
 - genomics 105
 - GPS technology 96
 - Hamagen 102
 - HealthMap 104
 - India 101, **101**
 - infection monitoring 96
 - Internet of Healthcare Things (IoHT) 103
 - Iran **101**, 102
 - Israel **101**, 102
 - pre-diagnostics 105
 - predictive models 104
 - protein structure mapping 105
 - proximity tracing tools 97, 99
 - quarantine 97, 103
 - quarantine compliance tools 97, 98–99
 - Safe Paths 102
 - screening methods 97
 - screening, AI 104–105

analysis and tracing, digital (*cont'd*)
 self-isolation 97, 103
 South Korea 101, **101**
 symptom tracking tools 97, 99
 USA **101**, 102
 vaccines 105
 Vaxign reverse vaccinology-machine
 learning 105
 WeChat 102
 animals, virus host 1–3
 anti-adhesive surfaces 119
 antimicrobial surfaces 118–119, 119
 antiviral therapy 10
 ants 40–41
 application programming interfaces
 (APIs) 96
 arable land 167, 167
 artificial intelligence (AI) 96, 103–105, 104
 aptamer-based assay 84–88, 87
 Asia-Pacific region, sustainability 266–267
 ASSURED diagnostics **85**
 atmospheric environment 191–193
 aviation 134–135

b

banking 133–134, 134
 Barcelona, air quality study 254–257
 bats 1–3, 41, 145, 179–180, **180**, 203
 beetles 41
 behavioral health 132, 132
 beverage-manufacturing industry 131
 Bhiwadi, Rajasthan, India 260–261
 bind and detect formats 86
 bioaerosolization 111–122
 aerosolized wastewater 116–117
 air filtration 117–118
 anti-adhesive surfaces 119
 antimicrobial surfaces 118–119, 119
 chemical disinfection 117–118
 detection technology 121
 fomites 113–114
 HEPA filters 117–118
 inexpensive prevention 120–121
 irrigation 116–117
 no-contact use 120
 places, vulnerable 114–116

preventative approaches 120–121, 121
 public toilets 114–116, 115
 research, future 122
 sanitation 117–118
 sensor technology 120
 toilet flushing 116
 UV disinfection 117
 wastewater, aerosolized 116–117
 wastewater management 122
 wastewater treatment 116
 biodiversity 269–270
 biomedical waste 163, 163, 169, 169–170,
 207–208, 221, 227–231
 biosensors 88–89
 Bluedot 104
 Bluetooth 96
 box office 137–138
 Brazil, case study 194–195
 business process outsourcing (BPO) 136

c

Canada, case study 196–198
 carrier tests 47, **50**
 case definitions 7
 case studies 189–198
 aerosol optical depth (AOD) levels 189
 air quality 195
 ambient temperature 196–198
 atmospheric environment 191–193
 Brazil 194–195
 Canada 196–198
 China 190
 environmental impact 190–191
 India 193–194
 Italy 191
 lockdown impact 193–194
 NO₂ concentrations 193, 195
 particulate matter 189, 191
 PM₁₀ concentrations 193
 Salé City, Morocco 193
 SO₂ concentrations 193
 Southeast Asia 191–193
 Spain 195
 stone quarrying 193–194
 temperature 189, 194–198
 transmission, weather 196

- Turkey 196
 - weather, transmission 196
 - cell-based potentiometric biosensor 89, 89
 - Centers for Disease Control and Prevention (CDC) 70, 111
 - chemical disinfection 117–118
 - chemical industry 131
 - chemical mitigation, waste management 231
 - chemical waste 229
 - China; *see also* Wuhan, China
 - air quality study 254
 - case study 190
 - tracing **101**, 102
 - China, waste management 233
 - classification, virus 177–178
 - classification, waste 205–208, 206
 - clean energy 268, 274
 - climate 253–261
 - air pollution 253–257
 - air quality 253–261
 - Barcelona, case study 254–257
 - Bhiwadi, Rajasthan, India 260–261
 - China, case study 254
 - India, lockdown impact 254–257
 - lockdown 253–254
 - megacities, air quality 256–257
 - Rajasthan, India, lockdown impact 257–261
 - Rio de Janeiro, case study 254–257
 - climate change 164, 272–273
 - clinical management, risks 185
 - clinical manifestations 2
 - CO₂ emissions 266–267
 - coagulation dysfunction 4
 - collection, samples 68–72
 - computed tomography (CT) 73–75
 - computerized tomography (CT) 105
 - congestion 4
 - construction industry 136
 - consumer goods 135–136
 - contact tracing 100, **101**, 100–103
 - contact tracing 62
 - contacts 100–101
 - contact-tracing tools 97, 99–100
 - controlling transmission 59–64
 - convalescent plasma (CP) 10–11
 - coronavirus-2 respiratory syndrome 1
 - coronaviruses 145, 178–179, **179**
 - corticosteroids 62
 - cough 4, 39
 - COVID-19 environmental
 - policies **242–243**, 241–249
 - COVID-19 wastes 222, 222–223
 - COVID Sample Collection Kiosk (COVSACK) 72
 - crisis management, environment 248–249
 - CRISPR-based assay 81–82
 - cruise ship 62
 - cycle threshold (CT) 69
- d**
- deaths 168–169
 - deforestation 165, 270
 - detection, virus 79–90
 - aptamer-based assay 84–88, 87
 - ASSURED diagnostics **85**
 - bind and detect formats 86
 - biosensors 88–89
 - cell-based potentiometric biosensor 89, 89
 - CRISPR-based assay 81–82
 - diagnosis, current 79
 - diagnostic methods, emerging 80
 - enzyme-linked aptamer-based detection assay (ELAA) 87
 - EUROIMMUN anti-SARS-CoV-2 ELISA test 83
 - field-effect transistor (FET) 88–89, 89
 - immune-chromatographic assays (ICAs) 85
 - isothermal amplification 80
 - lateral flow assays (LFAs) 85
 - localized surface plasmon resonance (LSPR) 88, 89
 - loop-mediated isothermal amplification (LAMP) 80–82
 - masks 86–87
 - metal-organic frameworks (MOFs) 87
 - nucleic acid-based tests 79–80
 - Point Of Care (POC) 79, 83–84
 - PPE 86–87

detection, virus (*cont'd*)
 protein-based tests 79–80, 82–83
 rapid testing 85
 recombinase polymerase amplification (RPA) 80
 RT-LAMP assay 82
 RT-PCR 79
 serologic tests 79–80, 82–83
 SHERLOCK (Specific High-sensitivity Enzymatic Reporter Unlocking) assay 80–82
 technologies 79–89, 121
 diagnosis, current 72–73, 79
 diagnostic methods, emerging 80
 diarrhea 4
 digital tracing 96–103
 digital tools 97
 direct route, transmission 60
 dirty fuels 268–269
 disinfection 26–27, 39–41
 chemical 117–118
 surfaces 46–50
 UV 117
 WHO guidelines 46
 distance 39
 domestic waste 205–206
 drug therapies 62
 drug treatments 11
 dry cough 4
 dyspnea 4

e
 early warning systems, environmental policies 247–248
 Economic Commission for Asia and the Pacific (ESCAP) 266
 economic impacts, *see* socioeconomic impacts
 economic inequality 266
 economic stimulus sustainability 266
 ecosystem health 240
 education 132–133, 133, 149–150
 e-learning 132–133
 electronics industry 130
 emergency use authorization (EUA) 11
 energy security 273–274
 energy sources 265

entertainment industry, socioeconomic impacts 137, 137
 entry mechanism 4
 environment, impact 138–140, 146–147, 161–171, 162, 271
 arable land 167, 167
 biomedical waste 163, 163, 169, 169–170
 case study 190–191
 climate change 164
 deaths 168–169
 deforestation 165
 future implications 171
 global warming 164
 hospital wastes 163, 163
 human-nature interaction 165–166
 loss of life 168–169
 masks 169–170
 poaching 167–168
 pollution 164–165, 169–170
 population 168–169
 PPE 169–170
 risks 183–184
 sewage 170–171
 soil contamination 166
 soil fertility 167
 temperatures, global 164
 toxic gases 165
 waste 208–210, 210
 waste management 164–165
 waste pickers 169–170
 wastewater contamination 170–171
 environmental factors, transmission 21–23, 36, 35–51
 air transmission 39–40
 carrier tests 47, **50**
 disinfection, surfaces 46–50
 food industry 38–39
 humidity 37
 hygiene, personal 41–42
 insects 40–41
 precipitation 37–38
 prevalence, surfaces 42–46, **43–46**
 sewage 39
 suspension tests 46–47, **48–49**
 temperature 37

- ultraviolet (UV-C) radiation-mediated disinfection 47–49, 51
 - wastewater 39
 - water 39
 - environmental indifference 245–246
 - environmental policies 239–249
 - COVID-19 242–243, 241–249
 - crisis management, environment 248–249
 - early warning systems 247–248
 - ecosystem health 240
 - environmental indifference 245–246
 - evolution of 240–244, 241
 - global policy 241
 - horizontal policies 240
 - media role 245–246
 - mercury poisoning 241
 - Montreal Protocol 240–241
 - ozone-depleting substances (ODSs) 241
 - policy formulation 240, 245
 - PPE 241
 - proactive policy formulation 245
 - reactive policies 244–245
 - Rio Declaration of 1992 240
 - risk analyses 247
 - vertical policies 240
 - waste separation 249
 - WHO 239
 - environmental surface sample collection 70–71
 - enzyme-linked aptamer-based detection assay (ELAA) 87
 - EUROIMMUN anti-SARS-CoV-2 ELISA test 83
 - eye infections 42
- f**
- fatigue 4
 - fecal-oral transmission 60–61
 - fever 4
 - field-effect transistor (FET) 88–89, 89
 - film industry 137–138, 137
 - finance industry 133–134, 134
 - financial costs, pandemic 270–271
 - financial stability 266
 - flow modeling tools 97, 98
 - Flu Phone 96
 - flushing toilets 116
 - fomites 113–114
 - food industry 38–39, 131, 154–155
 - food systems, sustainability 269–270
 - food wastes 223–224
 - foreign direct investment (FDI) 129–130
- g**
- gas services 130
 - genomics 105
 - genotoxic waste 229
 - global policy, environment 241
 - global response, WHO 9–10
 - global warming 164
 - global waste management 232–233
 - GPS technology 96
 - green building programs 267–268
 - green energy 147–148
 - greenhouse gas emission 139, 183
- h**
- Hamagen 102
 - hand sanitation 38
 - handwashing 38
 - hazardous biomedical wastes 227–229
 - headache 4
 - health care, socioeconomic impacts 132, 150
 - health care, waste 205
 - HealthMap 104
 - high-efficiency particulate absorbing (HEPA) filters 112, 117–118
 - horizontal policies 240
 - hospitals, risks 182–183
 - hospital surfaces 24–25
 - hospital wastes 163, 163
 - hospitality services 135, 151
 - host cell entry 4
 - household surfaces 24–25
 - housing 152–153
 - human-nature interaction 165–166
 - humidity 21, 37
 - hygiene, personal 41–42
 - hypoxia 4

i

- identification, virus 79–90
 - aptamer-based assay 84–88, 87
 - ASSURED diagnostics **85**
 - bind and detect formats 86
 - biosensors 88–89
 - cell-based potentiometric biosensor 89, 89
 - CRISPR-based assay 81–82
 - diagnosis, current 79
 - diagnostic methods, emerging 80
 - enzyme-linked aptamer-based detection assay (ELAA) 87
 - EUROIMMUN anti-SARS-CoV-2 ELISA test 83
 - field-effect transistor (FET) 88–89, 89
 - immune-chromatographic assays (ICAs) 85
 - isothermal amplification 80
 - lateral flow assays (LFAs) 85
 - localized surface plasmon resonance (LSPR) 88, 89
 - loop-mediated isothermal amplification (LAMP) 80–82
 - masks 86–87
 - metal-organic frameworks (MOFs) 87
 - nucleic acid-based tests 79–80
 - Point Of Care (POC) 79, 83–84
 - PPE 86–87
 - protein-based tests 79–80, 82–83
 - rapid testing 85
 - recombinase polymerase amplification (RPA) 80
 - RT-LAMP assay 82
 - RT-PCR 79
 - serologic tests 79–80, 82–83
 - SHERLOCK (Specific High-sensitivity Enzymatic Reporter Unlocking) assay 80–82
 - technologies, new 79–89
- immune reaction 4–5
- immune-chromatographic assays (ICAs) 85
- immune-evasion 4–5
- impact 5–6
- incineration, waste management 229–230
- incubation period 3, 6
- India 253
 - case study 193–194
 - lockdown impact 254–257
 - tracing 101, **101**
 - waste management 232
- industries 145–155, 147
 - agriculture 148
 - air travel 152
 - education 149–150
 - environment 146–147
 - food 154–155
 - green energy 147–148
 - health care 150
 - hospitality 151
 - housing 152–153
 - information technology 153–154
 - manufacturing 149
 - media 153–154
 - oil 148–149
 - petroleum 148–149
 - pharmaceutical 150–151
 - real estate 152–153
 - renewable energy 147–148
 - research and development 153–154
 - sports 153
 - tourism 151–152
- infection monitoring 96
- infectious waste 227
- information gathering, risks 184
- information sources 184
- information technology 153–154
- insects 40–41
- International Energy Agency (IEA) report 267
- Internet of Healthcare Things (IoHT) 103
- Iran, tracing **101**, 102
- irrigation 116–117
- isothermal amplification 80
- Israel, tracing **101**, 102
- Italy, case study 191

l

- land rights 270
- lateral flow assays (LFAs) 85
- liquid media 25–26
- localized surface plasmon resonance (LSPR) 88, 89
- lockdown 193–194, 203, 253–254
- loop-mediated isothermal amplification (LAMP) 80–82
- loss of life 168–169, 263

m

M protein 181
 management, risks 184–186
 management, waste 164–165, 210–213
 manufacturing industry 129–130, 149
 masks 40, 63, 86–87, 169–170, 185–186, 204;
 see also personal protective
 equipment (PPE)
 Matrix protein (M) 3
 media industry 137, 137, 153–154
 media role, environmental policies
 245–246
 megacities, air quality 256–257
 mercury poisoning 241
 metabolic acidosis 4
 metal-organic frameworks (MOFs) 87
 Middle East respiratory syndrome
 (MERS)-CoV 6
 mining 270
 mitigation, risks 184–186
 models, transmission 61–62
 Montreal Protocol 240–241
 mosquitoes 41
 municipal solid waste 226–227, 228
 myalgia 4

n

NO₂ concentrations 193, 195
 N95 mask 40
 nasal congestion 4
 nasal specimens 69
 National List of Essential Medicines
 (NLEM) 136
 newborns 61
 no-contact use, toilets 120
 noise pollution 139–140
 nucleic acid testing 73–74, 79–80
 Nucleocapsid protein (N) 3

o

oil industry 129, 129, 148–149
 Oil and Natural Gas Corporation
 (ONGC) 130
 origins 179–180
 Oseltamivir 62
 ozone-depleting substances
 (ODSs) 241

p

pandemic 5–6, 35, 59, 95, 111, 127, 145, 161,
 203, 253, 263; *see also*
 socioeconomic impacts
 pandemic prevention 271–273, 273
 pangolin CoV genomes 1–3
 pangolins 41
 particulate matter 189, 191
 pathological waste 227
 pathology 7
 personal protective equipment (PPE)
 7, 36, 40, 86–87, 169–170,
 204–205, 241
 Personal Protective Kit 71, 185–186
 petroleum industry 129, 148–149
 pharmaceuticals 136–137, 150–151
 pharmaceutical waste 229
 pharma-manufacturing
 industry 130–131, 131
 pickers, waste 169–170
 plastic surfaces 60
 plastics, waste 222, 225–226, 226
 PM₁₀ concentrations 193
 poaching 167–168
 Point Of Care (POC) 79, 83–84
 point-of-care centers, risks 182–183
 pollution 164–165, 169–170, 210
 population 168–169
 PPE, *see* personal protective
 equipment (PPE)
 precipitation 37–38
 pre-diagnostics 105
 predictive models 104
 pregnancy 61
 prevalence on surfaces 42–45, **43–45**
 prevention 7–9, 120–121, 121
 primary sector 128–129
 proactive policy formulation 245
 production, waste 204–205, 221
 protein-based tests 79–80, 82–83
 protein structure mapping 105
 proximity tracing tools 97, 99
 public toilets 114–116, 115; *see also* toilets

q

quarantine 8–9, 35, 61, 63, 97, 103, 185
 quarantine compliance tools 97, 98–99

r

R nought (R0) 6
 Rajasthan, India, lockdown impact 257–261
 rapid testing 85
 reactive policies 244–245
 real estate 152–153
 real-time RT-PCR (rRT-PCR) 73–74
 recombinase polymerase amplification (RPA) 80
 recycling 208
 relative humidity (RH) 21, 37
 Remdesivir 62
 renewable energy 147–148, 268
 reproduction number (R0) 6
 research and development 153–154
 research, future 122
 resilience 265–266
 respiratory hygiene 39
 reverse transcription Polymerase Chain Reaction (RT-PCR) kits 73
 Rio Declaration of 1992 240
 Rio de Janeiro, air quality study 254–257
 risk analyses, environmental 247
 risks 181–186
 airports 183
 air pollution 184
 Air Quality Index 184
 air travel 183
 clinical management 185
 environmental 183–184
 greenhouse gas emissions 183
 hospitals 182–183
 information gathering 184
 information sources 184
 management 184–186
 masks 185–186
 mitigation 184–186
 point-of-care centers 182–183
 PPE kits 185–186
 quarantine 185
 self-isolation 185
 transportation hubs 183
 traveling 184
 vaccination 185
 vaccines 185
 RNA polymerase (RdRP) gene 1

routes, transmission 2, 2–3, 60, 60–61
 RT-LAMP assay 82
 RT-PCR 79
 runny nose 4

s

S protein 181
 Safe Paths 102
 Salé City, Morocco, case study 193
 saliva samples 69–70
 sampling 67–75
 air samples 68
 collection 68–72
 computed tomography (CT) 73–75
 COVID Sample Collection Kiosk (COVSACK) 72
 cycle threshold (CT) 69
 diagnosis, current, 72–73
 environmental surface sample collection 70–71
 nasal specimens 69
 nucleic acid testing 73–74
 Personal Protective Kit 71
 real-time RT-PCR (rRT-PCR) 73–74
 reverse transcription Polymerase Chain Reaction (RT-PCR) kits 73
 saliva samples 69–70
 Sartorius MD8 airscan 68
 stool samples 70
 storage 71–72
 timing 71
 transport 71–72
 viral transport medium (VTM) 68–69, 71
 WHO guidelines 70
 sanitation 117–118
 SARS-CoV-2
 basic reproduction number (R0) 6
 defined 1
 prevalence on surfaces 42–45, **43–45**
 structure 3, 180–181, 180–181
 virus classification 177–178
 Sartorius MD8 airscan 68
 screening methods 97
 screening, AI 104–105
 secondary sector, socioeconomic impacts 129–131

- secretions, transmission 60
- self-isolation 97, 103, 185
- sensor technology 120
- serologic tests 79–80, 82–83
- service sectors, socioeconomic
 - impacts 133–134
- sewage 39, 170–171
- sharps waste 229
- SHERLOCK (Specific High-sensitivity Enzymatic Reporter Unlocking) assay 80–82
- Small envelope protein (E) 3
- SO₂ concentrations 193
- social distancing 61–63
- social impacts, pandemic 128
- socioeconomic impacts 127–140, 145–146
 - agriculture 128–129
 - air quality 139
 - air travel 134–135
 - aviation 134–135
 - banking 133–134, 134
 - behavioral health 132, 132
 - beverage-manufacturing industry 131
 - box office 137–138
 - business process outsourcing (BPO) 136
 - chemical industry 131
 - construction industry 136
 - consumer goods 135–136
 - education 132–133, 133
 - e-learning 132–133
 - electronics industry 130
 - entertainment industry 137, 137
 - environment 138–140
 - film industry 137–138, 137
 - finance industry 133–134, 134
 - food-manufacturing industry 131
 - foreign direct investment (FDI) 129–130
 - gas services 130
 - greenhouse gas emission 139
 - health care 132
 - hospitality 135
 - manufacturing industry 129–130
 - media industry 137, 137
 - National List of Essential Medicines (NLEM) 136
 - noise pollution 139–140
 - oil industry 129, 129
 - Oil and Natural Gas Corporation (ONGC) 130
 - petroleum industry 129
 - pharmaceuticals 136–137
 - pharma-manufacturing industry 130–131, 131
 - primary sector 128–129
 - secondary sector 129–131
 - service sectors 133–134
 - social impacts 128
 - supply chain 136–137, 137
 - tertiary sector 132–138
 - tourism 134–135, 135
 - traffic 139
 - United Nations Conference on Trade and Development (UNCTAD) 129
 - Vande Bharat mission 135
 - water sectors 131
 - water table 139
 - water temperature 139
 - WHO global strategic objectives 138
- soil contamination 166
- soil fertility 167
- solid waste 221, 223–227
- sore throat 4
- Sources 1–3
- South Korea, tracing 101, 101
- Southeast Asia, case study 191–193
- Spain
 - case study 195
 - waste management 232–233
- Spike surface glycoprotein (S) 3
- sports 153
- stainless steel surfaces 60
- steam sterilization, waste management 231
- stone quarrying 193–194
- stool samples, collecting 70
- storage, samples 71–72
- superspreaders 3, 62
- supply chain 136–137, 137, 269
- surfaces
 - anti-adhesive 119
 - antimicrobial 118–119, 119
 - carrier tests 47, 50

surfaces (*cont'd*)

- disinfection 26–27, 39, 46–50
- hospital 24–25
- household 24–25
- materials 21, 60
- prevalence on 42–45, **43–45**
- sample collection 70–71
- survival of COVID-19 22–26, **23**, 25
- suspension tests 46–47, **48–49**
- ultraviolet (UV-C) radiation-mediated disinfection 47–49, **51**
- survival of COVID-19 22–26, **23**, 25
 - hospital surfaces 24–25
 - household surfaces 24–25
 - liquid media 25–26
 - temperature 60
- Susceptible-Exposed-Infectious-Recovered (SEIR) model 63
- Susceptible-Infectious-Removed (SIR) model 63
- Susceptible-Stay-at-Home- Exposed-Infected-Quarantine-Recovery-Death (SHEIQRD) model 62–63
- suspension tests 46–47, **48–49**
- sustainable development 263–275
 - Asia-Pacific region 266–267
 - biodiversity 269–270
 - clean energy 268, 274
 - climate change 272–273
 - CO₂ emissions 266–267
 - deforestation 270
 - dirty fuels 268–269
 - Economic Commission for Asia and the Pacific (ESCAP) 266
 - economic inequality 266
 - economic stimulus sustainability 266
 - energy security 273–274
 - energy sources 265
 - environmental impact 271
 - financial costs, pandemic 270–271
 - financial stability 266
 - food systems 269–270
 - green building programs 267–268
 - International Energy Agency (IEA) report 267
 - land rights 270

- mining 270
- pandemic prevention 271–273, 273
- renewable energy 268
- resilience 265–266
- supply chain 269
- sustainable development goals (SDGs) 263–264
- themes 265
- transmission 270
- unemployment 270
- water 267
- wildlife 272
- sustainable development goals (SDGs) 263–264
- symptoms 4
- symptom tracking tools 97, 99

t

- T-cells 4
- technologies, diagnostic 79–89
- temperature 21, 189, 194–198
- temperatures, global 164
- tertiary sector, socioeconomic impact 132–138
- testing 62
- thermal mitigation, waste management 230–231
- throat, sore 4
- toilets 111–122
 - aerosolized wastewater 116–117
 - air filtration 117–118
 - anti-adhesive surfaces 119
 - antimicrobial surfaces 118–119, 119
 - chemical disinfection 117–118
 - detection technology 121
 - fomites 113–114
 - HEPA filters 117–118
 - inexpensive prevention 120–121
 - irrigation 116–117
 - no-contact use 120
 - places, vulnerable 114–116
 - preventative approaches 120–121, 121
 - public toilets 114–116, 115
 - research, future 122
 - sanitation 117–118
 - sensor technology 120

- toilet flushing 116
- UV disinfection 117
- wastewater, aerosolized 116–117
- wastewater management 122
- wastewater treatment 116
- toilet flushing 116
- tourism, socioeconomic impacts 134–135, 135, 151–152
- toxic gases 165
- tracing, digital 95–106
 - Aarogya Setu 101–102
 - AC19 102
 - advantages 102–103
 - Alipay 102
 - application programming interfaces (APIs) 96
 - artificial intelligence (AI) 96, 103–105, 104
 - Bluedot 104
 - Bluetooth 96
 - China **101**, 102
 - computerized tomography (CT) 105
 - contacts 100–101
 - contact tracing 100, **101**, 100–103
 - contact-tracing tools 97, 99–100
 - digital methods 96–103
 - digital tools 97
 - flow modeling tools 97, 98
 - Flu Phone 96
 - genomics 105
 - GPS technology 96
 - Hamagen 102
 - HealthMap 104
 - India 101, **101**
 - infection monitoring 96
 - Internet of Healthcare Things (IoHT) 103
 - Iran **101**, 102
 - Israel **101**, 102
 - pre-diagnostics 105
 - predictive models 104
 - protein structure mapping 105
 - proximity tracing tools 97, 99
 - quarantine 97, 103
 - quarantine compliance tools 97, 98–99
 - Safe Paths 102
 - screening methods 97
 - screening, AI 104–105
 - self-isolation 97, 103
 - South Korea 101, **101**
 - symptom tracking tools 97, 99
 - USA **101**, 102
 - vaccines 105
 - Vaxign reverse vaccinology-machine learning 105
 - WeChat 102
- traffic 139
- transmission 20–23, 59–64, 67–68, 111–122, 270
 - aerosols 60
 - agent-based model 61
 - bioaerosolization 111–113
 - contact tracing 62
 - controlling 59–64
 - corticosteroids 62
 - cruise ship 62
 - direct route 60
 - drug therapies 62
 - environmental factors 21–23
 - fecal-oral 60–61
 - fomites 113–114
 - masks 63
 - models 61–62
 - modes 111–122
 - Oseltamivir 62
 - prevention 7–9
 - quarantine 61, 63
 - Remdesivir 62
 - routes 2, 2–3, 60, 60–61
 - secretions 60
 - social distancing 61–63
 - superspreaders 3, 62
 - Susceptible-Exposed-Infectious-Recovered (SEIR) model 63
 - Susceptible-Infectious-Removed (SIR) model 63
 - Susceptible-Stay-at-Home- Exposed- Infected-Quarantine-Recovery-Death (SHEIQRD) model 62–63
 - testing 62
 - toilets 111–122
 - vaccines 63
 - weather 196

transport, samples 71–72

transportation hubs 183

traveling, risks 184

treatments 2, 10–12

Turkey 196

u

ultraviolet (UV-C) radiation-mediated

disinfection 47–49, 51, 117

unemployment 270

United Nations Conference on Trade and
Development (UNCTAD) 129

United States

tracing 101, 102

waste management 233

v

vaccination 185

vaccines 11–12, 63, 105, 185

Vande Bharat mission 135

Vaxign reverse vaccinology-machine
learning 105

vertical policies 240

viral transport medium (VTM) 68–69, 71

virus classification 177–178

vomiting 4

w

waste 164–165, 169–170, 203–213

biomedical 207–208

classification 205–208, 206

domestic 205–206

effects 203–213

environmental impacts 208–210, 210

health care 205

management 164–165, 210–213

management solutions 211–213

PPE 204–205

pickers 169–170

pollution 210

production 204–205

recycling 208

separation 249

waste management 164–165, 210–213,
221–234

biomedical waste 221, 227–231

chemical mitigation 231

chemical waste 229

China 233

COVID-19 wastes 222, 222–223

food wastes 223–224

genotoxic waste 229

global 232–233

hazardous biomedical wastes 227–229

incineration 229–230

India 232

infectious waste 227

municipal solid waste 226–227, 228

pathological waste 227

pharmaceutical waste 229

plastics 222, 225–226, 226

production 221

sharps waste 229

solid waste 221, 223–227

solutions 211–213, 224–227, 225, 228,
229–231

Spain 232–233

steam sterilization 231

thermal mitigation 230–231

United States 233

waste management solutions 211–213,
224–227, 225, 228, 229–231

chemical mitigation 231

incineration 229–230

steam sterilization 231

thermal mitigation 230–231

wastewater 39

aerosolized 116–117

contamination 170–171

management 122

treatment 116

water 39, 267

water sectors, socioeconomic impact 131

water table 139

water temperature 139

weather, transmission 196

WeChat 102

World Health Organization (WHO) 9–10,
35, 59, 95, 161, 239, 253

WHO global strategic objectives 138

WHO guidelines, sampling 70

wildlife 272

Wuhan, China 1, 111, 130, 145, 161, 177,
203, 253

