

Index

a

- A-Airway 436–437
- Abel, John Jacob 4
- absolute contraindications 149
- accessory branch, for wisdom teeth 35, 352
- accessory foramina 41
- accessory mandibular foramen 349
- action potentials 56–58
- Adams, H. J. 6
- adapter, for needles 174
- adrenaline, vasoconstrictive effect and 4–5
- adrenergic amines 87
- adrenergic receptors 88–90
- adverse effects, of felypressin (Octapressin®) 100
- aerosols, observations of 223
- Akinosi, J. O. 7–8
- Aldrich, Thomas Bell 4
- alkalinization system (pH Onset System®) 186–188
- allergic reactions
 - about 453–455
 - as an absolute contraindication for vasoconstrictors 157–158
 - clinical manifestations 458–459
 - to components of local anesthetic solution 455–457
 - confusion with other reactions 457–458
 - dentist management 459–460
 - diagnosis 459
 - to novocaine 6
 - prevention 460
 - as a relevant contraindication 148
- allergic-like reactions 444
- amide anesthetics and malignant hyperthermia, as a minor contraindication 151
- amides 455–456
- amino terminus 67
- amphetamines, as a relative contraindication for vasoconstrictors 161
- anatomic boundaries, of pterygomandibular space 42–43
- anesthesia. *See* local anesthesia/anesthetics
- anesthetic parameter 72
- anesthetic/anesthesia. *See* local anesthesia/anesthetics
- anesthetized area
 - for buccal nerve block 315
 - for greater palatine nerve block 274–275
 - for intraosseous technique 331–332
 - for intraseptal technique 328
 - for lingual nerve block 312
 - for nasopalatine nerve block 271
 - for P-AMSA 371
 - for P-ASA 373
 - for periodontal ligament technique 324
 - for QuickSleeper 377
- angioedema, as a clinical manifestation of allergy 458–459
- angioneurotic edema, as a clinical manifestation of allergy 458–459
- Anrep, Vassily von 2, 3
- anterior cap, of needles 175
- anterior division, mandibular nerve and 31
- anterior loop 35, 38
- anterior part
 - of cartridges 178
 - of cartridge-type syringes 181–182
- anterior superior alveolar nerve 19, 23
- anterior/ventral boundaries, of pterygomandibular space 42–43
- anti-adrenergic drugs 162
- anticoagulants 141
- antioxidants (sulfites) 107–108, 456–457
- antiplatelet agents 140–141
- antipsychotic drugs, as a contraindication for vasoconstrictors 163–164
- anxiety, lack of patient cooperation and 135–136
- aromatic ring 67
- articaine
 - about 6, 74–75, 113–115, 452, 456
 - for children 390
 - indications 116–117
 - metabolism 115
 - remarks 115–116
- ASA III patients with cardiovascular conditions, as a relative contraindication for vasoconstrictors 160
- ASA IV physical status 137–140
- aspiration
 - during injections 226–228
 - needle gauge and 176
- assessment, of local anesthetics 70–72

asthma controlled with corticosteroids,
 as an absolute contraindication
 for vasoconstrictors 156

aural complications
 about 423
 clinical manifestations 423–424
 dentist management 424
 techniques 423

auriculotemporal nerve 33, 352

axonotmesis 402

axons 50–51

b

barbed needles 177

basic injection technique
 about 219
 causes of pain during 232–253
 phases of
 application of topical
 anesthetic 222–223
 aspiration 226–228
 evaluation of anesthesia 230–231
 final phase 229–230
 initial preparation 219–220
 injection 228–229
 insertion of needle 225–226
 post-treatment phase 231–232
 preparation phase 220–222
 transfer of syringe 223–225
 retraction 219
 terminology 234–255

basic management
 about 435
 administration of drugs 438
 calling emergency services 439
 initial measures 435–436
 unconscious patient 436–438

basic membrane proteins, for
 peripheral nerve
 about 54
 potassium channels 55–56
 sodium channels 54–55
 sodium-potassium pump 54

B-Breathing 437–438

behavioral problems, approach
 to 136–137

benzocaine
 about 5, 451, 456
 as a relevant contraindication
 148–149
 as a topical anesthetic 197–199

Berling, Cläes 7

bevel, of needles 176

bilateral mandibular blocks 284

bitartrate salts 87

Björn, Hilding 6

Bochdalek's ganglion 23

body of the mandible
 about 36
 cortical bone thickness 36–37
 mandibular canal 37–38
 mental foramen 38–39
 retromolar zone (trigone and
 fossa) 37

Bohr effect 442–443

Braun, Heinrich 4–5

breakage, of needles 177

Brettauer, Josef 3

buccal anesthesia, of upper molars
 241–242

buccal approach, to double
 infiltration in anterior
 teeth 305

buccal infiltration
 about 242
 in children 392
 complications of 245
 efficacy of 245
 modified cotton roll approach 245
 success factors of 245
 technique 242–245
 zones anesthetized 242

buccal nerve 31–33, 351–352

buccal nerve block
 about 314–315
 anesthetized area 315
 complications of 316
 technique 315–316

bupivacaine
 about 123, 452, 456
 indications and contraindications
 125–126
 metabolism 123
 as a minor contraindication
 150–151
 remarks 123–125

c

canalis sinuosus 23

cardiotoxicity, as a minor
 contraindication 150–151

cardiovascular abnormalities
 98–99, 328

cardiovascular disease
 patients with amphetamines/
 psychostimulants, as an
 absolute contraindication for
 vasoconstrictors 157
 toxic methemoglobinemia and 149

Carrea, Juan Ubaldo 8

cartridge breakage in mouth 423

cartridge heaters 190

cartridge system, for needles 7

cartridges
 about 177–178
 components 178–179
 degradation of drugs in 180–181
 for periodontal ligament
 technique 324
 problems affecting 180
 storage of 179–180

cartridge-type syringes, variants
 of 184–185

Cassamani, C. 8

catecholamines
 about 87–88
 adrenergic receptors 88–90
 cartridges containing 179–180
 epinephrine 92–93
 isomers and 88
 levonordefrin 94–95
 metabolism of 92
 norepinephrine 93–94
 systemic effects 90–91
 vasoconstrictive effect 91

caudal/inferior boundaries, of
 pterygomandibular space 43

causes
 of facial blanching 399
 of local anesthetic-induced
 toxicity 446–447
 of localized late-onset skin
 lesion 400–401
 of needle breakage 420
 of nerve lesions 402–403
 of post-injection mucosal
 ulceration 419
 of psychogenic reactions 439
 of trismus 408

C-Circulation 438

cellulitis, as a clinical manifestation of
 needle-induced infection 418

central nervous system (CNS), local
 anesthetics and 150–151

central processing unit (CPU), in The
 Wand® 369

- central/middle region, of
 - pterygomandibular space 44
- Charles V, Emperor 1–2
- chemical structure, of local
 - anesthetics 67
- chemical tourniquet 4–5
- Chenau, G. 8
- children
 - about 389
 - maximum doses of local anesthetics for 75–76
 - primary mandibular molars 391–392
 - problem with 389
 - solutions for 389–390
 - technique in 390–391
 - transpapillary technique in 276–277
- cholinesterase deficiency, as a relevant contraindication 149
- chorda tympani nerve 33, 34, 44
- circulatory system, effect of
 - catecholamines on 91
- cleaning syringes 183
- clinical manifestations
 - of allergies 458–459
 - of aural complications 423–424
 - of facial blanching 399
 - of facial hematomas 401
 - of facial palsy 410
 - of hyperventilation syndrome 443
 - of localized late-onset skin lesion 400
 - of needle breakage 421
 - of needle-induced infection 418
 - of ocular complications 412–413
 - of post-injection mucosal ulceration 419
 - of psychogenic reactions 440–441
 - of systemic toxicity induced by local anesthetics 447–449
 - of toxic methemoglobinemia 452–453
- clinical variations, for systemic toxicity induced by local anesthetics 449
- closed-mouth mandibular block
 - technique 7–8
- clotting abnormalities
 - about 140
 - alternatives and recommendations 142
 - high-risk anesthetic techniques 140
 - systemic causes of risk of hemorrhage 140–142
- Cobo, Bernabé 2
- coca leaf 1–2
- cocaine
 - as an absolute contraindication for vasoconstrictors 157
 - dangers of 4
 - development of 2–3
 - as a topical anesthetic 203
 - vasodilation and 70
- cold aerosols 206–207
- collateral branches 18–19
- comfort control syringe from Midwest 376–377
- complementary anesthesia
 - about 312
 - buccal nerve block
 - about 314–315
 - anesthetized area 315
 - complications of 316
 - technique 315–316
 - indications 312
 - lingual nerve block
 - about 312
 - anesthetized area 312
 - complications of 314
 - partial variant as 314
 - technique 312–314
- complementary anesthesia of the palate
 - about 267
 - anesthesia of palate
 - without 267–268
 - greater palatine nerve block
 - area anesthetized 274–275
 - complications of 276
 - partial variant of the palate 276
 - technique 275–276
 - indications 268–269
- methods for reducing pain
 - about 269
 - minimal intervention
 - technique 271
 - periodontal ligament
 - technique 270–271
 - pressure techniques 270
 - topical anesthesia 269
 - topical cooling 270
- nasopalatine nerve 267
- nasopalatine nerve block
 - about 271
 - anesthetized area 271
 - complications of 273–274
 - intranasal variant 274
 - technique 271–273, 274
 - potency of anesthetic 267
 - transpapillary technique in children
 - about 276–277
 - technique 277
- complementary devices 185–186
- complications
 - about 397, 433, 434
 - allergy
 - about 453–455
 - clinical manifestations 458–459
 - to components of local anesthetic solution 455–457
 - confusion with other reactions 457–458
 - dentist management 459–460
 - diagnosis 459
 - prevention 460
 - aural
 - about 423
 - clinical manifestations 423–424
 - dentist management 424
 - techniques 423
 - basic management of
 - about 435
 - administration of drugs 438
 - calling emergency services 439
 - initial measures 435–436
 - unconscious patient 436–438
 - of buccal infiltration 245
 - of buccal nerve block 316
 - cartridge breakage in mouth 423
 - of double infiltration in anterior teeth 306
 - of electronic dental anesthesia (EDA) 368
 - facial blanching
 - about 398–399
 - causes and 399
 - clinical manifestations 399
 - pathophysiology and 400
 - techniques for 399
 - facial hematomas
 - about 401
 - clinical manifestations 401
 - dentist management 402
 - factors contributing to 401
 - facial palsy
 - about 410

- complications (*cont'd*)
 - about 409
 - associated with mandibular block 410–412
 - associated with maxillary infiltration 412
 - clinical manifestations 410
 - of greater palatine nerve block 276
 - of high tuberosity approach 256
 - of infraorbital nerve block 249–250
 - of intranasal maxillary local anesthesia
 - (Kovanaze®) 381–383
 - of intraosseous technique 336–338
 - of intraseptal technique 329
 - of jet injection 363–364
 - of lingual nerve block 314
 - localized late-onset skin lesion
 - about 400
 - causes and pathophysiology 400–401
 - clinical manifestations 400
 - of mandibular block
 - conventional/direct technique 291–292
 - Gow-Gates technique 299–300
 - Laguardia-Akinosi technique 303–304
 - of nasopalatine nerve block 273–274
 - needle breakage
 - about 419–420
 - causes of 420
 - clinical manifestations 421
 - decision to retrieve 421
 - dentist management 421–422
 - factors of interest 420
 - preventive measures 422–423
 - techniques 420
 - needle-induced infection
 - about 418
 - clinical manifestations 418
 - dentist management 419
 - nerve lesions
 - about 402
 - anatomical 402
 - electric shock sensation 403–404
 - general causes 402–403
 - hoarseness 407
 - long-term paresthesia 404–407
 - sense of taste alterations 407
- ocular
 - about 412
 - clinical manifestations 412–413
 - dentist management 414
 - onset and duration 413
 - pathophysiology of 414–418
 - predictors of sequelae 414
 - techniques for 412
- of P-AMSA 373
- of P-ASA 375
- of periodontal ligament technique 326–328, 376
- persistent post-injection pain 397
- of posterior superior alveolar nerve block 253
- post-injection mucosal ulceration
 - about 419
 - clinical manifestations 419
 - dentist management 419
 - proposed causes 419
- preventive measures 435
- psychogenic reactions
 - about 439
 - allergic-like reactions 444
 - general causes 439
 - hyperventilation syndrome 442–444
 - vasovagal syncope 439–442
- self-inflicted injury 397–398
- systemic toxicity induced by local anesthetics
 - about 445
 - causes of local anesthetic-induced toxicity 446–447
 - clinical manifestations 447–449
 - clinical variations 449
 - dentist management 449–450
 - pathophysiology 445–446
 - prevention 450
 - recovery and discharge 450
- toxic methemoglobinemia
 - about 450–451
 - aggravating factors 452
 - clinical manifestations 452–453
 - dentist management 453
 - local anesthetics involved 451–452
- toxicity induced by sympathomimetic vasoconstrictors
 - about 444
 - dentist management 445
 - pathophysiology 444
 - symptoms of reaction to epinephrine 444–445
 - symptoms of reaction to norepinephrine 445
- of transpalatal technique 261–262
- trismus
 - about 407
 - causes of 408
 - clinical types of 408
 - techniques implicated in development of 407–408
 - treatment of 408–409
- compounds, as a topical anesthetic 203–205
- computer-controlled injection systems (The Wand®)
 - about 368–369
 - conventional techniques and 375–376
 - device description 369–371
 - P-AMSA 371–373
 - P-ASA 373–375
- computer-controlled injection techniques 185
- COMT inhibitor-type antiparkinson drugs, as a relative contraindication for vasoconstrictors 160
- concentration
 - of local anesthetic
 - about 60
 - anesthetic potency and 73
 - safety and 73
 - tissue irritation and 73–74
 - volume and 72
 - of vasoconstrictors 87
- congenital methemoglobinemia, toxic methemoglobinemia and 149
- contents
 - of pterygomandibular space 44–45
 - pterygopalatine fossa and 27
- contraindications
 - absolute 149
 - of bupivacaine 125–126
 - of electronic dental anesthesia (EDA) 366–367
 - of felypressin (Octapressin®) 100
 - of intranasal maxillary local anesthesia (Kovanaze®) 380
 - of intraosseous technique 330
 - of intraseptal technique 328

- of periodontal ligament
 - technique 320
- of prilocaine
 - (propitocaine) 122–123
- contraindications, for local anesthetic techniques
 - about 135
- ASA IV physical status 137–140
- clotting abnormalities
 - about 140
 - alternatives and recommendations 142
 - high-risk anesthetic techniques 140
 - systemic causes of risk of hemorrhage 140–142
- impossible physical access 143
- injection site infection 142–143
- lack of cooperation from patient
 - about 135
 - approach to behavioral problems 136–137
 - evaluation or risk 136
 - predisposing factors 135–136
- contraindications, for local anesthetics
 - about 148
- minor
 - amide anesthetics and malignant hyperthermia 151
 - bupivacaine and cardiotoxicity 150–151
 - lidocaine and cimetidine 150
 - lidocaine and propranolol 150
 - lidocaine and succinylcholine 150
 - procaine and sulfonoamides 149
- relevant
 - allergy to local anesthetics 148
 - benzocaine 148–149
 - cholinesterase deficiency 149
 - ester anesthetics 149
 - long-acting anesthetics 148
 - methemoglobinemia 148–149
 - myasthenia gravis and esters 149
 - prilocaine 148–149
- contraindications, for vasoconstrictors
 - about 155
- absolute
 - allergy to 157–158
 - asthma controlled with corticosteroids 156
- cardiovascular disease patients
 - with amphetamines/psychostimulants 157
- intolerance to sulfites 156
- pheochromocytoma-induced arterial hypertension 156–157
- recent consumption of cocaine 157
- uncontrolled insulin-dependent Diabetes Mellitus 155–156
- felypressin (Octapressin®) 164
- little relevance
 - about 163
 - phenothiazines and antipsychotic drugs 163–164
 - uncontrolled hyperthyroidism 163
 - vasoconstrictors and osteoradionecrosis 164
- relative
 - about 158
 - amphetamines and psychostimulants 161
- ASA III patients with cardiovascular conditions 160
- COMT inhibitor-type antiparkinson drugs 160
- digitalis glycosides (digoxin) 160–161
- interaction involving drugs no longer in use 162
- nonselective beta-blockers 158–160
- tricyclic antidepressants 161–162
- conventional techniques for anesthesia 7
- computer-controlled injection systems (The Wand®) and 375–376
- as a pressure technique 270
- conventional techniques, alternatives to
 - about 360
- comfort control syringe from Midwest 376–377
- computer-controlled injection systems (The Wand®)
 - about 368–369
 - conventional techniques and 375–376
 - device description 369–371
 - P-AMSA 371–373
 - P-ASA 373–375
- electronic dental anesthesia (EDA)
 - about 364
 - advantages 366
 - complications of 368
 - contraindications 366–367
 - disadvantages 366
 - equipment 367
 - indications 364–365
 - mechanism of action 364
 - technique 367–368
- intranasal maxillary local anesthesia (Kovanaze®)
 - about 379
 - advantages of 383–384
 - complications of 381–383
 - contraindications 380
 - disadvantages of 384
 - efficacy of 381
 - equipment 380
 - indications 379
 - solution composition 379
 - technique 380–381
 - zone anesthetized 379
- jet injection
 - about 360
 - advantages 361
 - complications of 363–364
 - disadvantages 361
 - distribution of solution 360–361
 - equipment 361–362
 - indications 361
 - technique 362–363
- QuickSleeper 377–379
- conventional/direct technique (mandibular block)
 - about 285
 - complications of 291–292
 - distribution of anesthetic solution 285–286
 - efficacy of 291
 - technique 286–291
 - zone anesthetized 286
- convulsions 448
- Cook, Harvey S. 7
- Corning, Leonard 4
- coronoid notch 41
- cortical bone, thickness of 25, 36–37
- cranial/high region, of pterygomandibular space 44
- cranial/superior boundaries, of pterygomandibular space 43
- critical length 59–60

cutaneous reactions, as a clinical
 manifestation of allergy 458
Cybulski, Napoleon 4
cylindrical body, of cartridges 178–179

d

Davis, Parke 5
deep tendon of the temporal
 muscle 42
deflection, of needles 176–177
degradation of drugs, in
 cartridges 180–181
dendrites 50
Dental Electronic Anesthesia System,
 8670 3M Dental 8
DentalVibe® 188, 189–190
dentist management
 of allergies 459–460
 of aural complications 424
 of facial hematomas 402
 of hyperventilation
 syndrome 443–444
 of needle breakage 421–422
 of needle-induced infection 419
 of ocular complications 414
 of post-injection mucosal
 ulceration 419
 of psychogenic reactions 441–442
 of systemic toxicity induced by local
 anesthetics 449–450
 of toxic methemoglobinemia 453
 of toxicity induced by
 sympathomimetic
 vasoconstrictors 445
depolarization 57
dermojet 8
diagnosis
 for allergy 459
 of hyperventilation syndrome 443
differential nerve block 58–59
diffusion of the solution, for
 periodontal ligament
 technique 320–321
digitalis glycosides (digoxin), as a
 relative contraindication for
 vasoconstrictors 160–161
dilutions, of vasoconstrictors 87
direct approach, from buccal area 273
direct oral anticoagulants 141–142
direct technique, for anesthesia 7
disposable antineedle stick
 syringes 184–185

dissociation constant (pKa) 68–69
distribution of anesthetic solution
 in mandibular block: conventional/
 direct technique 285–286
 for mandibular block: Laguardia-
 Akinosi technique 301
divergent angle, of the ramus of the
 mandible 39
dorsal/posterior boundaries, of
 pterygomandibular space 43
double infiltration in anterior teeth
 about 304
 complications of 306
 efficacy of 306
 success factors for 304
 technique 304–306
 zone anesthetized 304
double (Bifid) mandibular canal and/or
 foramen 350
drug addiction and alcoholism, as a
 cause of local anesthesia
 failure 346
drugs, administration of 438
Du Vigneaud, V. 7
dysesthesia, as a clinical manifestation
 of long-term paresthesia
 404, 406

e

EDA (electronic dental anesthesia). *See*
 electronic dental
 anesthesia (EDA)
efficacy
 of buccal infiltration 245
 of double infiltration in anterior
 teeth 306
 of high tuberosity approach 256
 of infraorbital nerve block 249
 of intranasal maxillary local
 anesthesia (Kovanaze®) 381
 of intraosseous technique 336
 of mandibular block
 conventional/direct
 technique 291
 Gow-Gates technique 299
 Laguardia-Akinosi
 technique 303
 of P-AMSA 373
 of P-ASA 375
 of periodontal ligament
 technique 321–322, 326
 of phentalomine (OraVerse®) 97

 of posterior superior alveolar nerve
 block 252–253
 of prilocaine (propitocaine) 122
 of QuickSleeper 378–379
 of transpalatal technique 260–261
Einhorn, Alfred 5
Eisleb, Otto 6
Ekenstam, Bo af 6
electric pulp tester (EPT) 70–71
electric shock sensation 403–404
electronic dental anesthesia (EDA)
 about 8, 142, 364
 advantages 366
 complications of 368
 contraindications 366–367
 disadvantages 366
 equipment 367
 indications 364–365
 mechanism of action 364
 technique 367–368
emergency services, calling 439
endocrine system and metabolism,
 effect of catecholamines
 on 91
endoneurium 52
epinephrine
 about 4, 6–7, 76
 catecholamines and 92–93
 symptoms of reaction to 444–445
epineurium 53
EPT (electric pulp tester) 70–71
equipment. *See also* instrument set and
 equipment
 for electronic dental anesthesia
 (EDA) 367
 for intranasal maxillary local
 anesthesia (Kovanaze®) 380
 for jet injection 361–362
 for QuickSleeper 377
esters 455, 456
esther anesthetics, as a relevant
 contraindication 149
ethyl aminobenzoate. *See* benzocaine
etidocaine 452
Euler, Ulf Svante von 7
Eutectic Mixture of Local Anesthetic
 (EMLA) cream 200–201
Everett, Frank 6
excitation threshold 57
excited membrane 56–58
external/lateral boundaries, of
 pterygomandibular space 42

extraocular manifestations, as a clinical
 manifestation of ocular
 complications 413
 extraoral technique, for infraorbital
 nerve block 248–249
 extreme age groups, toxic
 methemoglobinemia and 149
 eye disorders, as a clinical
 manifestation of ocular
 complications 413

f

facial blanching
 about 398–399
 causes and 399
 clinical manifestations 399
 pathophysiology and 400
 techniques for 399
 facial branches 19
 facial hematomas
 about 401
 clinical manifestations 401
 dentist management 402
 factors contributing to 401
 facial palsy
 about 409
 associated with mandibular
 block 410–412
 associated with maxillary
 infiltration 412
 clinical manifestations 410
 failure, of local anesthesia. *See also*
 supplementary techniques
 about 344
 after mandibular blocks 349–354
 after maxillary infiltration 348–349
 consequences of 344–345
 frequency 344
 general causes
 drug addiction and
 alcoholism 346
 highly anxious patients 345–346
 irreversible acute pulpitis 346–348
 resistance to local anesthetics 348
 failure rate 283
 Falcon, Francisco 2
 Falker, Mic 9
 false positives/negatives 226–227
 fascicle 52
 felypressin (Octapressin®)
 about 7, 98
 advantages and disadvantages 100

adverse effects 100
 cardiovascular effects 98–99
 contraindications of 100, 164
 maximum doses 100–101
 vasoconstrictive effect 99–100
 Ferguson, James 8
 fibrous band formation, chronic
 late-onset trismus due to 408
 Figge, Frank 8
 Fischer, Guido 5, 6, 7, 8
 flexible stainless steel needles 173
 floor of the mouth, lingual nerve
 and 33–34
 foot control, in The Wand® 370
 foramen ovale 31, 34
 forced opening, under general
 anesthesia 409
 Francis, Jerome B. 8
 Franck, François 3
 Freud, Sigmund 2, 3, 4
 Fürth, Otto Ritter von 4

g

gag reflex 209
 Gasca, Pedro de la 1–2
 gastrointestinal reactions, as a clinical
 manifestation of allergy 458
 gate control theory 8, 189
 general anesthesia 162, 409
 Gow-Gates, George Albert Edward 8
 Gow-Gates technique
 (mandibular block)
 about 292
 advantages, disadvantages and
 non-advantages 294–296
 complications of 299–300
 efficacy of 299
 mechanism 292–294
 remarks on 300
 technique 296–299
 zone anesthetized 296
 greater palatine canal and foramen 24
 greater palatine foramen technique, for
 anesthesia 8
 greater palatine nerve 19, 20
 greater palatine nerve block
 area anesthetized 274–275
 complications of 276
 partial variant of the palate 276
 technique 275–276
 guanethidine 162
 Guptill, Arthur 6

h

Hall, Richard John 3
 halothane 162
 Halsted, William Stewart 3, 4, 7
 handpiece, in The Wand® 370
 heart, effect of catecholamines on 90
 heart attack patients, as a
 contraindication of
 felypressin 164
 hemophilia 142
 high tuberosity approach, for palpal
 anesthesia
 about 253
 complications of 256
 efficacy of 256
 remarks 256
 technique 254–255
 uses 253–254
 zone anesthetized 254
 high/cranial region, of
 pterygomandibular space 44
 highly anxious patients, as a cause of
 local anesthesia failure 345–346
 high-pressure jet injection 8
 high-pressure jet injectors 185
 high-pressure syringes 185
 high-risk anesthetic techniques,
 clotting abnormalities and 140
 hoarseness 407
 Hochman, Mark 8
 hub, of needles 174
 Huldtt, Sven 6
 Hunter, Charles 4
 hyperpolarization 57–58
 hyperventilation syndrome 442–444
 hypospray 8

i

indications
 for articaine 116–117
 for bupivacaine 125–126
 for complementary anesthesia 312
 for complementary anesthesia of
 palate 268–269
 for electronic dental anesthesia
 (EDA) 364–365
 for intranasal maxillary local
 anesthesia (Kovanaze®) 379
 for intraosseous technique 330
 for jet injection 361
 for lidocaine (lignocaine) 111–113
 for mepivacaine 119–120

- indications (*cont'd*)
 - for periodontal ligament technique 320
 - for phentalomine (OraVerse®) 96
 - for prilocaine (propitocaine) 122–123
 - for topical anesthesia 208–209
- indirect approach, from buccal area 272–273
- induction stage, of peripheral nerve block 60
- infection, chronic late-onset trismus due to 408
- inferior alveolar nerve 34–36
- inferior/caudal boundaries, of pterygomandibular space 43
- infiltrative techniques, variants of 254–255
- infraorbital foramen 25–26
- infraorbital nerve block
 - about 245–246
 - complications of 249–250
 - efficacy of 249
 - extraoral technique 248–249
 - intraoral technique 246–248
 - remarks 250–251
 - uses 246
 - zones anesthetized 246
- infraorbital zone, as a collateral branch 19
- injectable anesthetic solutions
 - articaine
 - about 113–115
 - indications 116–117
 - metabolism 115
 - remarks 115–116
 - bupivacaine
 - about 123
 - indications and contraindications 125–126
 - metabolism 123
 - remarks 123–125
 - lidocaine (lignocaine)
 - about 109–111
 - indications 111–113
 - metabolism 111
 - remarks 111
 - mepivacaine
 - about 117
 - indications 119–120
 - metabolism 117–119
 - remarks 119
 - prilocaine (propitocaine)
 - about 120
 - indications and contraindications 122–123
 - metabolism 120
 - remarks 120–122
 - procaine (novocaine) 109
 - solution composition
 - antioxidants (sulfites) 107–108
 - local anesthetic 107
 - other compounds 109
 - pH adjustment 108–109
 - preservatives (methylparaben) 108
 - vasoconstrictor 107
- injection site infection 142–143
- injections 228–229
- Injex®, for jet injection 362
- INR index 141
- instrument set and equipment
 - about 7
 - alkalinization system (pH Onset System®) 186–188
 - cartridge heaters 190
 - cartridges
 - about 177–178
 - components 178–179
 - degradation of drugs in 180–181
 - problems affecting 180
 - storage of 179–180
 - complementary devices 185–186
 - for intraosseous technique 330–331
 - needles
 - about 173
 - components 173–175
 - criteria for selecting 177
 - critical aspects 175–177
 - lengths and gauges 175
 - for periodontal ligament technique 322–324
 - syringes
 - about 181
 - components of cartridge-type 181–183
 - self-aspirating 183–184
 - variants of cartridge-type 184–185
 - vibrating devices 188–190
- interaction involving drugs no longer in use, as a relative contraindication for vasoconstrictors 162
- intermediate aliphatic chain 67
- internal branch 21
- internal/medial boundaries, of pterygomandibular space 42
- intolerance to sulfites, as an absolute contraindication for vasoconstrictors 156
- intracranial zone, as a collateral branch 18
- intragamentary injection, for anesthesia 8
- intramuscular route, for drugs 438
- intranasal maxillary local anesthesia (Kovanaze®)
 - about 9, 379
 - advantages of 383–384
 - complications of 381–383
 - contraindications 380
 - disadvantages of 384
 - efficacy of 381
 - equipment 380
 - indications 379
 - solution composition 379
 - technique 380–381
 - zone anesthetized 379
- intranasal variant, nasopalatine nerve block 274
- intraoral technique, for infraorbital nerve block 246–248
- intraosseous technique
 - about 329–330, 332–336
 - anesthetic solutions 331
 - anesthetized area 331–332
 - complications of 336–338
 - efficacy 336
 - indications, contraindications, and disadvantages 330
 - instrument set 330–331
- intra-pulp technique, for anesthesia 8
- intrapulpal anesthesia
 - about 318
 - topical anesthetic technique 319
 - traditional technique 318–319
- intrasseptal technique
 - about 328
 - anesthetized area 328
 - complications of 329
 - contraindications 328
 - success factors for 328
 - technique 328–329
- intravascular injection, inadvertent 446–447

intravenous route, for drugs 438
 irreversible acute pulpitis, as a cause of
 local anesthesia failure 346–348
 ischemia, as a cause of post-injection
 mucosal ulceration 419
 ischemic necrosis, due to
 vasospasm 400–401
 isomers
 about 78–79
 catecholamines and 88

j

jaw-thrust technique 436–437
 jet injection
 about 360
 advantages 361
 complications of 363–364
 disadvantages 361
 distribution of solution 360–361
 equipment 361–362
 indications 361
 technique 362–363
 Jorgensen, Niels Bjorn 7

k

Kneucker of Vienna, Alfred 5
 Koller, Carl 3

l

labial plexus 35, 353
 lack of cooperation from patient
 about 135
 approach to behavioral
 problems 136–137
 evaluation or risk 136
 predisposing factors 135–136
 lactation, local anesthetics and 77
 Lafarge, Robert 8
 Laguardia, H. J. 7–8
 Laguardia-Akinosi technique
 (mandibular block)
 about 300
 advantages and
 disadvantages 300–301
 complications of 303–304
 distribution of anesthetic
 solution 301
 efficacy of 303
 technique 301–303
 zone anesthetized 301
 Largus, Scribonius 8
 lateral nasal branches 19

lateral/external boundaries, of
 pterygomandibular space 42
 lengths and gauges, of needles 175
 León, Pedro Cieza de 2
 lesions
 caused by barbed needles 177
 on mucosa 209
 lesser palatine nerves 19
 Levitt, Boris 7
 levonordefrin 7, 94–95
 lidocaine (lignocaine)
 about 6, 74–75, 109–111, 452, 456
 for children 389–390
 cimetidine and, as a minor
 contraindication 150
 indications 111–113
 metabolism 111
 propranolol and, as a minor
 contraindication 150
 remarks 111
 succinylcholine and, as a minor
 contraindication 150
 for topical anesthesia 199
 lidocaine adhesive patches, for topical
 anesthesia (DentiPatch®)
 199–200
 lingual approach, to double infiltration
 in anterior teeth 305
 lingual nerve 33–34
 lingual nerve block
 about 312
 anesthetized area 312
 complications of 314
 high-risk anesthetic
 techniques and 140
 partial variant as 314
 technique 312–314
 lingula 39, 350
 lipid solubility 69–70
 local anesthesia/anesthetics
 about 67
 anesthetic parameter 72
 assessment of 70–72
 chemical structure 67
 in children (*See* children)
 complications of (*See* complications)
 composition of 107
 concentration
 anesthetic potency and 73
 safety and 73
 tissue irritation and 73–74
 volume and 72

contraindications for (*See*
 contraindications)
 degradation of in cartridges 181
 development of 5–6
 development of in dentistry 5–9
 effect of articaine 116
 evaluation of 230–231
 frequency of use of 9
 history of 1–9
 for intraosseous technique 331
 isomers 78–79
 lactation 77
 local anesthetic potency
 articaine 115–116
 of local anesthetics 73
 lower lip 283
 maximum doses 74–75
 maximum doses for children 75–76
 mechanisms of
 about 58
 critical length 59–60
 differential nerve block 58–59
 tonic and phase block 59
 transient receptor potential
 channel 60
 mixing 77–78
 of palate, without complementary
 anesthesia of palate 267–268
 peripheral nerve and (*See*
 peripheral nerve)
 physical-chemical characteristics of
 about 67–68
 dissociation constant (pKa) 68–69
 lipid solubility 69–70
 partition coefficient 69–70
 protein binding 70
 vasodilation 70
 potency of 267
 pregnancy 76–77
 topical (*See* topical anesthesia)
 local anesthesia/anesthetics, failure of
 about 344
 after mandibular blocks 349–354
 after maxillary infiltration 348–349
 consequences of 344–345
 frequency 344
 general causes
 drug addiction and
 alcoholism 346
 highly anxious patients 345–346
 irreversible acute pulpitis 346–348
 resistance to local anesthetics 348

localized late-onset skin lesion
 about 400
 causes and pathophysiology
 400–401
 clinical manifestations 400
 Löfgren, Nils Isak 6
 long-acting anesthetics, as a relevant
 contraindication 148
 long-term paresthesia, nerve lesions
 and 404–407
 Lossen, Wilhelm 2
 low platelet counts 142
 lower lip anesthesia 283
 lower region, of pterygomandibular
 space 44
 lumen, of needles 174
 Lundqvist, Bengt 6

m

Maiz, Thomas Moreno y 2
 mandibular anesthesia. *See*
 complementary anesthesia;
 pulpal anesthesia
 mandibular arch
 about 31
 body of the mandible
 about 36
 cortical bone thickness 36–37
 mandibular canal 37–38
 mental foramen 38–39
 retromolar zone (trigone and
 fossa) 37
 mandibular nerve (V_3)
 about 31
 auriculotemporal nerve 33
 buccal nerve 31–33
 inferior alveolar nerve 34–36
 lingual nerve 33–34
 mylohyoid nerve 36
 pterygomandibular space
 about 41–42
 anatomic boundaries of
 the 42–43
 contents of 44–45
 open/closed mouth and 44
 positive aspirations and
 hematomas 45
 ramus of the mandible
 accessory foramina 41
 coronoid notch 41
 divergent angle 39
 lingula 39

mandibular foramen 39–40
 ramus width 39
 sulcus colli 40–41
 mandibular block
 about 7
 in children 392
 conventional/direct technique
 about 285
 complications of 291–292
 distribution of anesthetic
 solution 285–286
 efficacy of 291
 technique 286–291
 zone anesthetized 286
 facial palsy associated with
 410–412
 failure of local anesthesia after
 349–354
 in general
 about 281
 factors to consider for 282–285
 zone anesthetized 282
 Gow-Gates technique
 about 292
 advantages, disadvantages and
 non-advantages 294–296
 complications of 299–300
 efficacy of 299
 mechanism 292–294
 remarks on 300
 technique 296–299
 zone anesthetized 296
 high-risk anesthetic
 techniques and 140
 Laguardia-Akinosi technique
 about 300
 advantages and
 disadvantages 300–301
 complications of 303–304
 distribution of anesthetic
 solution 301
 efficacy of 303
 technique 301–303
 zone anesthetized 301
 The Wand® and 376
 mandibular canal 37–38
 mandibular foramen 39–40
 mandibular incisive nerve 35
 mandibular nerve (V_3)
 about 31
 auriculotemporal nerve 33
 buccal nerve 31–33

inferior alveolar nerve 34–36
 lingual nerve 33–34
 mylohyoid nerve 36
 Margetis, P. M. 8
 margins, pterygopalatine
 fossa and 26
 maxilla, pulpal anesthesia
 and 241
 maxillary anesthesia. *See*
 complementary anesthesia of
 the palate; pulpal anesthesia
 maxillary arch
 about 17
 cortical bone thickness 25
 greater palatine canal and
 foramen 24
 infraorbital foramen 25–26
 maxillary nerve (V_2)
 about 17–18
 collateral branches 18–19
 palatine nerves 19–21
 superior alveolar nerves 22–23
 superior dental plexus 23
 nasopalatine canal and
 foramen 24–25
 pterygoid venous plexus 25
 pterygopalatine fossa 26–27
 trigeminal ganglion 17
 trigeminal nerve 17
 maxillary block, high-risk anesthetic
 techniques and 140
 maxillary infiltration
 facial palsy associated with 412
 failure of local anesthesia
 after 348–349
 maxillary nerve (V_2)
 about 17–18
 collateral branches 18–19
 palatine nerves 19–21
 pulpal anesthesia and 241
 superior alveolar nerves 22–23
 superior dental plexus 23
 maximum doses
 about 74–75
 of articaine 115
 for children 75–76
 of felypressin
 (Octapressin®) 100–101
 of mepivacaine 119
 Mayer, E. 6
 mechanical therapy, for
 trismus 408–409

- mechanisms
 - for electronic dental anesthesia (EDA) 364
 - of local anesthesia
 - about 58
 - critical length 59–60
 - differential nerve block 58–59
 - tonic and phase block 59
 - transient receptor potential channel 60
 - for mandibular block: Gow-Gates technique 292–294
 - medial/internal boundaries, of pterygomandibular space 42
 - membrane at rest (polarized) 56
 - membrane potentials 56
 - membranes 51
 - mental conditions, lack of patient cooperation and 135
 - mental foramen 38–39
 - mental nerve 35
 - mepivacaine
 - about 6, 117, 456
 - indications 119–120
 - metabolism 117–119
 - remarks 119
 - vasodilation and 70
 - metabolism
 - articaine 115
 - bupivacaine 123
 - of catecholamines 92
 - lidocaine (lignocaine) 111
 - mepivacaine 117–119
 - prilocaine (propitocaine) 120
 - methemoglobinemia, as a relevant contraindication 148–149
 - methylparaben (preservative) 457
 - microanatomy, of peripheral nerve
 - axons 50–51
 - membranes 51
 - nerve fibers and myelin 51–52
 - neurons 50
 - peripheral nerve structure 52–54
 - sensory neurons 50
 - middle nasal branches 19
 - middle superior alveolar nerve (MSAN) 19, 22–23
 - middle/central region, of pterygomandibular space 44
 - minimal intervention technique, for complementary anesthesia of palate 271
 - mixing local anesthetics 77–78
 - mixing pen 187–188
 - modified adatia technique, for posterior superior alveolar nerve block 253
 - modified cotton roll approach, for buccal infiltration 245
 - Mortn, William Thomas Green (dentist) 1
 - MSAN (middle superior alveolar nerve) 19, 22–23
 - mucosa, lesions and ulcers on 209
 - Muschaweck, Roman 6
 - myasthenia gravis and esters, as a relevant contraindication 149
 - myelinated fibers 51–52
 - mylohyoid nerve 34, 36, 350–351
- n**
- nasopalatine canal and foramen 24–25
 - nasopalatine nerve 19, 20–21, 267
 - nasopalatine nerve block
 - about 271
 - anesthetized area 271
 - complications of 273–274
 - intranasal variant 274
 - technique 271–273, 274
 - Nathalang, B. 6
 - neck, of cartridges 178
 - needle adapter
 - for cartridges 178
 - for cartridge-type syringes 181–182
 - needle-induced infection
 - about 418
 - clinical manifestations 418
 - dentist management 419
 - needles
 - about 7, 173
 - breakage of
 - about 419–420
 - causes of 420
 - clinical manifestations 421
 - decision to retrieve 421
 - dentist management 421–422
 - factors of interest 420
 - preventive measures 422–423
 - techniques 420
 - for children 392
 - components 173–175
 - criteria for selecting 177
 - critical aspects 175–177
 - gauge of 175
 - insertion of 225–226
 - length of 175, 284–285
 - for periodontal ligament technique 324
 - retraction of 219
 - in The Wand® 370
 - nerve block kinetics, peripheral nerve
 - about 60
 - induction stage 60
 - recovery stage 60–61
 - re-injection 61
 - resistance to local anesthetics 61
 - tachyphylaxis 61
 - nerve blocks 254
 - nerve fibers, classification of 52
 - nerve fibers and myelin 51–52
 - nerve lesions
 - about 402
 - anatomical 402
 - electric shock sensation 403–404
 - general causes 402–403
 - hoarseness 407
 - long-term paresthesia 404–407
 - sense of taste alterations 407
 - nerve trunk thickness 60
 - Neuner, Von 3
 - neurons 50
 - neurophysiology, peripheral nerve
 - about 56
 - action potentials 56–58
 - fundamentals 56
 - membrane potentials 56
 - propagation of action potential 58
 - neuropraxia 402
 - neurotmesis 402
 - Nevin, Mendel 8
 - Niemann, Albert 2
 - nodes of Ranvier 52, 59
 - nonselective beta-blockers, as a relative contraindication for vasoconstrictors 158–160
 - noradrenaline 7
 - nordefrin hydrochloride 7
 - norepinephrine
 - about 7
 - catecholamines and 93–94
 - symptoms of reaction to 445
 - novocaine (procaine) 5, 6, 452, 456
 - Noyes, Henry D. 3

O

Oberst of Hale, Maximilian 4
 ocular complications
 about 412
 clinical manifestations 412–413
 dentist management 414
 onset and duration 413
 pathophysiology of 414–418
 predictors of sequelae 414
 techniques for 412
 1-2-3 technique, for anesthesia 7
 open/closed mouth, pterygomandibular
 space and 44
 oral vitamin K antagonists 141
 Oraqix® gel 8–9
 OraVerse® 9
 orbital branches 19
 osteomyelitis, as a clinical manifestation
 of needle-induced infection 418
 overdose 447

P

pain
 during injections 232–253
 needle gauge and 176
 from tooth decay 209
 pain reduction methods, for
 complementary anesthesia
 of palate
 about 269
 minimal intervention
 technique 271
 periodontal ligament
 technique 270–271
 pressure techniques 270
 topical anesthesia 269
 topical cooling 270
 palatine nerves 19–21
 P-AMSA 371–373
 Pantocaine 6
 paresthesia
 as a clinical manifestation of
 long-term paresthesia
 404, 406
 as a clinical manifestation of
 needle-induced infection 418
 partial variant
 as lingual nerve block 314
 of the palate 276
 partition coefficient 69–70
 P-ASA 373–375
 passive diffusion to the orbit 417
 pathophysiology
 of facial blanching 400
 of hyperventilation syndrome
 442–443
 of localized late-onset skin
 lesion 400–401
 of ocular complications 414–418
 of systemic toxicity induced by local
 anesthetics 445–446
 of toxicity induced by
 sympathomimetic
 vasoconstrictors 444
 periapical infiltration 142
 perilemma 53
 perineurium 52–53
 periodontal abnormalities 326–327
 periodontal ligament technique
 about 142, 320
 anesthetized area 324
 for complementary anesthesia of
 palate 270–271
 complications of 326–328
 diffusion of the solution 320–321
 efficacy factors 321–322
 efficacy of 326
 indications and
 contraindications 320
 instrument set 322–324
 technique 324–326
 The Wand® and 375–376
 periodontal Oraqix® gel, for topical
 anesthesia
 (DentiPatch®) 209–211
 periosteum, classification of anesthesia
 with respect to 254
 peripheral nerve
 basic membrane proteins
 about 54
 potassium channels 55–56
 sodium channels 54–55
 sodium-potassium pump 54
 mechanisms of local anesthesia
 about 58
 critical length 59–60
 differential nerve block 58–59
 tonic and phase block 59
 transient receptor potential
 channel 60
 microanatomy
 axons 50–51
 membranes 51
 nerve fibers and myelin 51–52

neurons 50
 peripheral nerve structure 52–54
 sensory neurons 50
 nerve block kinetics
 about 60
 induction stage 60
 recovery stage 60–61
 re-injection 61
 resistance to local anesthetics 61
 tachyphylaxis 61
 peripheral nerve neurophysiology
 about 56
 action potentials 56–58
 fundamentals 56
 membrane potentials 56
 propagation of action
 potential 58
 peripheral nerve structure 52–54
 Pernice, Ludwig 4
 persistent post-injection pain 397
 Pfender, Charles 3–4
 pH 188
 pH adjustment 108–109
 pH Onset System 9
 pharyngeal nerve 19
 phenothiazines, as a contraindication
 for vasoconstrictors 163–164
 phentalomine (OraVerse®)
 about 95–96
 advantages and indications 96
 clinical efficacy 97
 technique and dose 96–97
 tolerance, toxicity, and adverse side
 effects 97–98
 phentolamine mesylate 9
 phenylephrine 7
 pheochromocytoma-induced arterial
 hypertension, as an absolute
 contraindication for
 vasoconstrictors 156–157
 physical access, impossible 143
 physical-chemical characteristics, of
 local anesthetics
 about 67–68
 dissociation constant (pKa) 68–69
 lipid solubility 69–70
 partition coefficient 69–70
 protein binding 70
 vasodilation 70
 piston, for cartridge-type syringes 182
 Pizarro, Francisco 1–2
 plastic syringes 184

- plunger, for cartridges 179
- Pöppig, Eduard Friedrich 2
- positive aspirations and hematomas,
 - pterygomandibular space and 45
- posterior cap, of needles 175
- posterior division, mandibular
 - nerve and 31
- posterior part
 - of cartridges 179
 - of cartridge-type syringes 182
- posterior superior alveolar nerve 22
- posterior superior alveolar nerve
 - block (PSA)
 - about 251
 - complications of 253
 - efficacy of 252–253
 - modified adatia technique 253
 - technique 251–252
 - zones anesthetized 251
- posterior/dorsal boundaries, of
 - pterygomandibular space 43
- post-injection mucosal ulceration
 - about 419
 - clinical manifestations 419
 - dentist management 419
 - proposed causes 419
- potassium channels (K^+ channels)
 - 55–56
- power-driven injection systems, for
 - anesthesia 8
- power-operated injection systems, for
 - anesthesia 8
- power-operated syringes 185
- P-Posture 436–437
- Pravaz, Charles Gabriel 4
- predisposing factors 135–136
- pre-division, mandibular
 - nerve and 31
- pregnancy
 - as a contraindication of
 - felypressin 164–165
 - local anesthetics and 76–77
- pregnancy and lactation labeling rule (PLLR) 76
- preschool children, lack of patient
 - cooperation and 135
- preservatives (methylparaben)
 - 108, 457
- press and roll technique 270
- pressure techniques, for complementary
 - anesthesia of palate 270
- prevention
 - for allergies 460
 - for systemic toxicity induced by local
 - anesthetics 450
- preventive measures 435
- prilocaine (propitocaine)
 - about 120, 451, 456
 - indications and contraindications
 - 122–123
 - metabolism 120
 - as a relevant contraindication
 - 148–149
 - remarks 120–122
- primary mandibular molars, anesthesia
 - of in children 391–392
- Prinz, Hermann 5
- procaine (novocaine)
 - about 5, 6, 109, 452, 456
 - sulfonoamides and, as a minor
 - contraindication 149
- propagation of action potential 58
- protective disk 185
- protein binding 70
- pseudo-unipolar neurons 50
- psychiatric disorders, lack of patient
 - cooperation and 135
- psychogenic reactions
 - about 439
 - allergic-like reactions 444
 - general causes 439
 - hyperventilation syndrome 442–444
 - vasovagal syncope 439–442
- psychostimulants, as a relative
 - contraindication for
 - vasoconstrictors 161
- pterygoid venous plexus 25
- pterygomandibular depression 42
- pterygomandibular
 - raphe/ligament 42
- pterygomandibular space
 - about 41–42
 - anatomic boundaries of the 42–43
 - contents of 44–45
 - lingual nerve and 33
 - open/closed mouth and 44
 - positive aspirations and
 - hematomas 45
- pterygomaxillary space. *See*
 - pterygomandibular space
- pterygopalatine fossa 26–27
- pterygopalatine fossa zone, as a
 - collateral branch 18–19
- pulpal abnormalities 327, 338
- pulpal anesthesia
 - about 241, 263, 281
 - buccal anesthesia of upper
 - molars 241–242
- buccal infiltration
 - about 242
 - complications of 245
 - efficacy of 245
 - modified cotton roll approach 245
 - success factors of 245
 - technique 242–245
 - zones anesthetized 242
- double infiltration in anterior teeth
 - about 304
 - complications of 306
 - efficacy of 306
 - success factors for 304
 - technique 304–306
 - zone anesthetized 304
- high tuberosity approach
 - about 253
 - complications of 256
 - efficacy of 256
 - remarks 256
 - technique 254–255
 - uses 253–254
 - zone anesthetized 254
- infraorbital nerve block
 - about 245–246
 - complications of 249–250
 - efficacy of 249
 - extraoral technique 248–249
 - intraoral technique 246–248
 - remarks 250–251
 - uses 246
 - zones anesthetized 246
- mandibular block: conventional/
 - direct technique
 - about 285
 - complications of 291–292
 - distribution of anesthetic
 - solution 285–286
 - efficacy of 291
 - technique 286–291
 - zone anesthetized 286
- mandibular block: Gow-Gates
 - technique
 - about 292
 - advantages, disadvantages and
 - non-advantages 294–296
 - complications of 299–300

- pulpal anesthesia (*cont'd*)
 - efficacy of 299
 - mechanism 292–294
 - remarks on 300
 - technique 296–299
 - zone anesthetized 296
 - mandibular block: in general
 - about 281
 - factors to consider for 282–285
 - zone anesthetized 282
 - mandibular block: Laguardia-Akinosi technique
 - about 300
 - advantages and
 - disadvantages 300–301
 - complications of 303–304
 - distribution of anesthetic solution 301
 - efficacy of 303
 - technique 301–303
 - zone anesthetized 301
 - maxilla 241
 - maxillary nerve (V_2) 241
 - posterior superior alveolar nerve block
 - about 251
 - complications of 253
 - efficacy of 252–253
 - modified adatia technique 253
 - technique 251–252
 - zones anesthetized 251
 - transpalatal technique
 - about 256–257
 - complications of 261–262
 - efficacy of 260–261
 - success factors of 263
 - technique 257–260
 - uses 257
 - zone anesthetized 257
 - pupillary disorders, as a clinical
 - manifestation of ocular complications 413
 - Puterbaugh, Pliny Guy 8
- q**
- QuickSleeper 377–379
 - Quincke edema, as a clinical
 - manifestation of allergy 458–459
- r**
- ramus of the mandible
 - accessory foramina 41
 - coronoid notch 41
 - divergent angle 39
 - lingula 39
 - mandibular foramen 39–40
 - ramus width 39
 - sulcus colli 40–41
 - ramus width 39
 - rapid absorption 447
 - rebound vasodilation 91
 - Reclus, Paul 4
 - recovery and discharge, for systemic
 - toxicity induced by local anesthetics 450
 - recovery stage, of peripheral nerve
 - block 60–61
 - refrigerants 207
 - Regitine® 9
 - re-injection, for peripheral nerve
 - block 61
 - relative anesthetic potency 69
 - relative refractory period 57
 - relative toxicity 69
 - remarks
 - for articaine 115–116
 - for bupivacaine 123–125
 - for high tuberosity approach 256
 - for infraorbital nerve
 - block 250–251
 - for lidocaine (lignocaine) 111
 - for mepivacaine 119
 - for prilocaine (propitocaine) 120–122
 - repolarization 57
 - reserprine 162
 - resistance to local anesthetics 61, 348
 - respiratory diseases, toxic
 - methemoglobinemia and 149
 - respiratory tract, effect of
 - catecholamines on 91
 - retraction, of needle 219
 - retrograde arterial flow 414
 - retrograde venous flow 414–417
 - retromolar zone (trigone and fossa) 37
 - Riethmüller, Richard 5
 - rigid recipient 186
 - risk of hemorrhage, clotting abnormalities
 - and systemic causes of 140–142
 - Ritser, Eduard 5
 - Rynd, Francis 3–4
- s**
- safety
 - of local anesthetics 73
 - prilocaine (propitocaine) 120–122
 - saltatory conduction 52
 - Sauvez, Emilie 8
 - scale 186
 - Scarpa's nerve 20–21
 - Schleich, Carl Ludwig 4
 - Schley, W. S. 5
 - Schwann cells 50, 51–52
 - selective serotonin reuptake inhibitors (SSRIs) 162
 - self-aspirating syringes 183–184
 - self-inflicted injury 397–398
 - sense of taste alterations, nerve
 - lesions and 407
 - sensory neurons 50
 - sequelae, predictors of 414
 - sequential nature 283
 - shaft, of needles 173
 - shank, of needles 173
 - sheath, of needles 175
 - silicone lubricant, in cartridges 179
 - skin discoloration, as a clinical
 - manifestation of facial hematomas 401
 - Smith, Arthur Ervin 8
 - socket, of needles 174
 - sodium channels (Na^+ channels) 54–55
 - sodium-potassium pump (Na^+/K^+ pump) 54
 - solution composition
 - antioxidants (sulfites) 107–108
 - local anesthetic 107
 - other compounds 109
 - pH adjustment 108–109
 - preservatives (methylparaben) 108
 - vasoconstrictor 107
 - somatotopic 60
 - sphenomandibular
 - ligament 44–45, 350
 - Stabident® 330–335
 - sterilization, of syringes 183
 - Stolz, Friedrich 4
 - storage, of cartridges 179–180
 - structure, of peripheral nerve
 - 52–54
 - subcutaneous route, for drugs 438
 - sublingual route, for drugs 438
 - submandibular zone, lingual nerve
 - and 33–34
 - success factors
 - of buccal infiltration 245
 - of transpalatal technique 263
 - sulcus colli 40–41

- sulfites (antioxidants)
 - about 87, 456–457
 - degradation of in cartridges 181
 - superior alveolar nerves 22–23
 - superior dental plexus 23
 - superior/cranial boundaries, of
 - pterygomandibular space 43
 - supplementary techniques
 - about 318, 338
 - intraosseous technique
 - about 329–330, 332–336
 - anesthetic solutions 331
 - anesthetized area 331–332
 - complications of 336–338
 - efficacy 336
 - indications, contraindications, and disadvantages 330
 - instrument set 330–331
 - intrapulpal anesthesia
 - about 318
 - topical anesthetic technique 319
 - traditional technique 318–319
 - intrasseptal technique
 - about 328
 - anesthetized area 328
 - complications of 329
 - contraindications 328
 - success factors for 328
 - technique 328–329
 - periodontal ligament technique
 - about 320
 - anesthetized area 324
 - complications of 326–328
 - diffusion of the solution 320–321
 - efficacy factors 321–322
 - efficacy of 326
 - indications and contraindications 320
 - instrument set 322–324
 - technique 324–326
 - suprarenin 4
 - surgical drainage, for trismus 409
 - swelling, as a clinical manifestation of
 - facial hematomas 401
 - sympathetic system, irritation of the 417–418
 - sympathetic system block (Horner-like Syndrome) 418
 - sympathomimetic vasoconstrictors
 - (epinephrine), degradation of in cartridges 181
 - sympathomimetics. *See* catecholamines
 - Syrjet® 8, 361–362
 - syringe barrel, of cartridge-type
 - syringes 182
 - syringe body, of cartridge-type
 - syringes 182
 - syringes
 - about 181
 - components of cartridge-type 181–183
 - development of 3–4
 - for periodontal ligament technique 322–324
 - self-aspirating 183–184
 - transfer of 223–225
 - variants of cartridge-type 184–185
 - systemic effects, of
 - catecholamines 90–91
 - systemic toxicity induced by local anesthetics
 - about 445
 - causes of local anesthetic-induced toxicity 446–447
 - clinical manifestations 447–449
 - clinical variations 449
 - dentist management 449–450
 - pathophysiology 445–446
 - prevention 450
 - recovery and discharge 450
- t**
- tachyphylaxis, for peripheral nerve
 - block 61
 - Tainter, M. L. 6
 - Takamine, Jokichi 4, 5
 - techniques
 - for anesthesia 7–8
 - for aural complications 423
 - for buccal infiltration 242–245
 - for buccal nerve block 315–316
 - for double infiltration in anterior teeth 304–306
 - for electronic dental anesthesia (EDA) 367–368
 - for facial blanching 399
 - for greater palatine nerve block 275–276
 - for high tuberosity approach 254–255
 - for intranasal maxillary local anesthesia (Kovanaze®) 380–381
 - for intraseptal technique 328–329
 - for jet injection 362–363
 - for lingual nerve block 312–314
 - for local anesthetic in children 390–391
 - for mandibular block: conventional/direct technique 286–291
 - for mandibular block: Gow-Gates technique 296–299
 - for mandibular block: Laguardia-Akinosi technique 301–303
 - for nasopalatine nerve block 271–273, 274
 - for needle breakage 420
 - for ocular complications 412
 - for P-AMSA 371–373
 - for P-ASA 374–375
 - for periodontal ligament technique 324–326
 - for phentalomine (OraVerse®) 96–97
 - for posterior superior alveolar nerve block 251–252
 - for transpalatal technique 257–260
 - for trismus 407–408
 - Tegner, Cläes 6
 - temporal crest 42
 - TENS (transcutaneous electrical nerve stimulation) 8
 - tensor veli palatini 42
 - terminal zone 19
 - terminology, for injections 234–255
 - tetracaine (amethocaine)
 - about 6, 456
 - for topical anesthesia (DentiPatch®) 201–202
 - thiopental 162
 - Thoma, Kurt Hermann 5
 - timer 185–186
 - tip, of needles 173–174
 - tissue irritation, from local anesthetics 73–74
 - tolerance, toxicity, and adverse side effects, of phentalomine (OraVerse®) 97–98
 - tonic and phase block 59
 - topical anesthesia/anesthetics
 - about 195
 - application of 222–223
 - benzocaine 197–199
 - cocaine 203
 - for complementary anesthesia of palate 269
 - compounds 203–205
 - effect of 197
 - effectiveness of 69–70

- topical anesthesia/anesthetics (*cont'd*)
 - Eutectic Mixture of Local Anesthetic (EMLA) cream 200–201
 - experimental formulations 205–206
 - factor affecting with local anesthesia
 - amount administered 196
 - application time 195
 - area of the mouth 197
 - local anesthetic 195
 - method of application 195–196
 - types of pain 196
 - indications for 208–209
 - for intrapulpal anesthesia 319
 - lidocaine 199
 - lidocaine adhesive patches (DentiPatch®) 199–200
 - periodontal Oraqix® gel 209–211
 - tetracaine (amethocaine) 201–202
 - topical cooling
 - about 206
 - cold aerosols 206–207
 - refrigerants 207
 - topical ice 207–208
 - topical cooling
 - about 206
 - cold aerosols 206–207
 - for complementary anesthesia of palate 270
 - refrigerants 207
 - topical ice 207–208
 - topical ice 207–208
 - toxic methemoglobinemia
 - about 450–451
 - aggravating factors 452
 - clinical manifestations 452–453
 - dentist management 453
 - local anesthetics involved 451–452
 - toxicity
 - articaine 115
 - induced by sympathomimetic vasoconstrictors
 - about 444
 - dentist management 445
 - pathophysiology 444
 - symptoms of reaction to epinephrine 444–445
 - symptoms of reaction to norepinephrine 445
 - prilocaine (propitocaine) 120–122
 - traditional technique, for intrapulpal anesthesia 318–319
 - transcortical technique, for QuickSleeper 377–378
 - transcutaneous electrical nerve stimulation (TENS) 8
 - transient receptor potential channel 60
 - transpalatal technique
 - electric shock sensation after 403–404
 - pulpal anesthesia and
 - about 256–257
 - complications of 261–262
 - efficacy of 260–261
 - success factors of 263
 - technique 257–260
 - uses 257
 - zone anesthetized 257
 - transpapillary technique in children 276–277
 - tricyclic antidepressants, as a relative contraindication for vasoconstrictors 161–162
 - trigeminal ganglion 17
 - trigeminal nerve 17
 - trismus
 - about 407
 - causes of 408
 - as a clinical manifestation of needle-induced infection 418
 - clinical types of 408
 - techniques implicated in development of 407–408
 - treatment of 408–409
 - tunica adventitia 88
 - twenty-first century developments 8–9
 - Type III allergic reaction 401
 - U**
 - Uhlfelder, Emil 5
 - ulcers, on mucosa 209
 - Ultracalm 8
 - Unanue, José Hipólito 2
 - unconscious patients 436–438
 - uncontrolled hyperthyroidism, as a contraindication for vasoconstrictors 163
 - uncontrolled insulin-dependent Diabetes Mellitus, as an absolute contraindication for vasoconstrictors 155–156
 - uniject-type syringes 184
 - unipolar neurons 50
 - unmyelinated fibers 52
 - upper molars, buccal anesthesia of 241–242
 - Urech, E. 9
 - uterus, effect of catecholamines on 91
- V**
- Valentin's ganglion 23
 - Valverde, Vicente de 1–2
 - vasoconstrictive effect
 - about 91
 - adrenaline and 4–5
 - of felypressin (Octapressin®) 99–100
 - vasoconstrictors
 - about 6–7, 85, 456
 - advantages 85
 - catecholamines
 - about 87–88
 - adrenergic receptors 88–90
 - epinephrine 92–93
 - isomers and 88
 - levonordefrin 94–95
 - metabolism of 92
 - norepinephrine 93–94
 - systemic effects 90–91
 - vasoconstrictive effect 91
 - combinations of 101
 - composition of 107
 - concentrations 87
 - contraindications for (*See* contraindications, for vasoconstrictors)
 - dilutions 87
 - disadvantages 85–87
 - felypressin (Octapressin®)
 - about 98
 - advantages and disadvantages 100
 - adverse effects 100
 - cardiovascular effects 98–99
 - contraindications 100
 - maximum doses 100–101
 - vasoconstrictive effect 99–100
 - osteoradionecrosis and, as a contraindication for vasoconstrictors 164
 - phentalomine (OraVerse®)
 - about 95–96
 - advantages and indications 96

- clinical efficacy 97
- technique and dose 96–97
- tolerance, toxicity, and adverse side effects 97–98
- vasodilation 70
- vasospasm, ischemic necrosis due to 400–401
- vasovagal syncope 439–442
- ventral/anterior boundaries, of pterygomandibular space 42–43
- VibraJect® 188, 189
- vibrating devices 188–190
- visual disorders, as a clinical manifestation of ocular complications 412
- volume, of local anesthetics 72

W

- Walton, Richard 8
- the Wand 8
- Wells, Horace (dentist) 1
- Wesley, John 8
- Willstätter, Richard 2
- Winther, J. E. 6
- wisdom teeth, accessory branch for 35, 352
- Wood, Alexander 4

X

- X-Tip® 331–335

Z

- zone of the second premolar apex 38, 39
- zones anesthetized

- for buccal infiltration 242
- for double infiltration in anterior teeth 304
- for high tuberosity approach 254
- for infraorbital nerve block 246
- for intranasal maxillary local anesthesia (Kovanaze®) 379
- for mandibular block
 - conventional/direct technique 286
 - in general 282
 - Gow-Gates technique 296
 - Laguardia-Akinosi technique 301
- for posterior superior alveolar nerve block 251
- for transpalatal technique 257

