

Index

Numerics

- 3-D (three-dimensional) dentition
 - model, reconstructing 451, 452, 453, 454, 455, 456, 457
- 3-D (three-dimensional) design of
 - insertion guides, for mini-implants
- about 451, 461, 463
- combining guide plate and guide cylinder 461
- determining area of guide plate on digital dental model 461
- establishing digital data of mini-implants and screwdrivers 457
- generating guide cylinder 461, 464
- generating guide plate 461
- reconstructing three-dimensional dentition model 451, 452, 453, 454, 455, 456, 457
- virtual placement of mini-implants 459, 460, 461, 462
- 3-D printing, generating actual insertion guide through 464, 466

a

- accuracy, as an advantage of insertion guides 446, 447–448
- adverse consequences, of soft tissue complications 519, 521
- age, as a basic condition 26, 27
- alveolar bone 33, 34
- anaesthesia
 - appropriate technique for 497, 498
 - for clinical procedures with insertion guides 476, 477
- anatomical characteristics
 - of anterior nasal spine (ANS)

- about 125, 129
- hard tissue factor: bone depth 125, 127, 130
- hard tissue factor: bone width 127, 130–131
- hard tissue factor: cortical thickness 128, 129
- soft tissue factor: labial frenum 127, 132
- soft tissue factor: mucogingival junction 127, 132, 133
- of buccal shelf of mandibular buccal region
 - about 364, 365–366
 - hard tissue factor: bone depth 364, 369, 370
 - hard tissue factor: cortical thickness 364, 367–368
 - hard tissue factor: plateau features 364, 366–367
 - soft tissue factor: soft tissue thickness 369, 371
 - soft tissue factor: soft tissue type 369, 371
 - vital anatomical structure: inferior alveolar nerve 369, 371
- of infrazygomatic crest (IZC)
 - hard tissue factor: bone depth 188, 190, 192, 190–191
 - hard tissue factor: cortical thickness 188, 189
 - hard tissue factor: crest shape 187–188, 187, 188
 - hard tissue factor: dental roots 192, 192–193
 - soft tissue factor: maxillary sinus 194, 195
 - soft tissue factor: soft tissue type 192, 194
- of interradicular sites in mandibular buccal region
 - about 335
 - hard tissue factor: bone depth 336, 338
 - hard tissue factor: bone width 336, 339–340
 - hard tissue factor: cortical thickness 335–336
 - hard tissue factor: shape of cortical plate 336, 340
 - soft tissue factor: buccal frenum 341, 342
 - soft tissue factor: soft tissue types 340–341
 - vital structures 341–342
- of interradicular sites of mandibular labial region
 - about 303, 304
 - hard tissue factor: bone depth 307, 308–310
 - hard tissue factor: bone width 307, 310–311
 - hard tissue factor: cortical thickness 305, 306–307
 - hard tissue factor: root prominence 307, 311
 - soft tissue factor: attached gingiva 307, 311, 312
 - soft tissue factor: labial frenum 307, 311
- of interradicular sites of maxillary labial region
 - about 95, 98
 - hard tissue factor: bone depth 99–100, 100, 101
 - hard tissue factor: bone width 100–102, 102, 103, 104, 105

- anatomical characteristics (*cont'd*)
 - hard tissue factor: cortical thickness 98–99
 - hard tissue factor: root prominence 103, 106
 - soft tissue factor: labial frenum 103, 106
 - soft tissue factor: mucogingival junction 103, 106
- of interradicular sites on maxillary palatal region
 - hard tissue factor: bone depth 240–241, 241, 242
 - hard tissue factor: bone width 241, 243, 243, 244
 - hard tissue factor: cortical thickness 238–240, 239–240
 - hard tissue factor: inclination of cortical plate 244, 245
 - soft tissue factor: soft tissue thickness 246, 247
 - soft tissue factor: soft tissue type 246, 246
 - vital structures 246–248, 248
- of mandibular ramus
 - anatomical location 389, 390, 391
 - hard tissue considerations 389, 391, 392–393
 - optimal insertion sites 394–395, 394, 396
 - soft tissue considerations 391, 394, 394–395
- of mandibular symphysis
 - about 320–321
 - hard tissue factor: bone depth 322, 323
 - hard tissue factor: cortical thickness 321, 322
 - soft tissue factors 323, 324–325
- of maxillary buccal region
 - about 145, 147
 - hard tissue factor: bone density 146, 147
 - hard tissue factor: bone depth 149–151
 - hard tissue factor: bone width 151, 153, 152–154
 - hard tissue factor: buccal exostosis 153, 154–155
 - hard tissue factor: cortical thickness 146, 148–149
 - soft tissue factor: buccal frenum 156, 157
 - soft tissue factor: soft tissue type 154–156, 155–156
- of maxillary tuberosity
 - about 223–224, 224–225
 - hard tissue factor: bone density 225, 226
 - hard tissue factor: bone dimension 226–227, 228
 - hard tissue factor: cortical thickness 226, 227
 - soft tissue factor: soft tissue thickness 228
 - soft tissue factor: types of soft tissue 228
- of midpalatal suture
 - about 297–298
 - hard tissue factor: bone depth 297–298
 - soft tissue factor: soft tissue thickness 298
 - vital structures 298
- of paramedian sites on maxillary palatal region
 - about 270
 - hard tissue factor: bone depth 271, 272
 - hard tissue factor: cortical thickness 270–271
 - soft tissue factor: soft tissue thickness 271, 272
 - vital anatomical structures 272–273, 272, 273
- undesirable for mini-implants 422, 424–428
- anatomical location, of mandibular ramus 389, 390–391
- anatomical sites
 - anatomy-driven paradigm
 - about 64, 65
 - mandible 68, 71, 72–74
 - maxilla 64, 65–68, 69–71
 - available for mini-plates 418, 419–420
- anatomy-driven paradigm
 - about 56
 - available anatomical sites
 - about 64, 65
 - mandible 68, 71, 72–74
 - maxilla 64, 65–68, 69–71
 - general principles
 - about 56, 57
 - dental roots 56–59, 60
 - maxillary sinus 60, 62–63
 - nasal cavity 60, 64
 - neurovascular bundle 59–60, 61–62
- ANS. *See* anterior nasal spine (ANS)
- anterior intrusion, as a clinical application with
 - infrazygomatic crest 208, 209, 217
- anterior nasal spine (ANS)
 - anatomical features 125, 127, 132, 128–132, 133
 - biomechanical considerations 132, 133
 - clinical applications 136, 138–143
 - insertion techniques 134–136, 137
 - selection of appropriate insertion sites 132, 134
- anterior retraction
 - as a clinical application for
 - interradicular sites 252–269
 - for interradicular sites of mandibular buccal region 350–353
 - in sagittal dimension 11, 12, 13
- applications, clinical
 - for anterior nasal spine 136, 138–143
 - for buccal shelf of mandibular buccal region
 - mandibular dentition
 - distalisation 376, 377, 378, 381
 - molar uprighting 379, 381–384
 - orthodontic traction of impacted teeth 379, 384–386
 - for infrazygomatic crest (IAC)
 - anterior intrusion 208, 209, 217
 - molar distalisation 201, 202, 203–208, 209, 210–212, 213–214, 215
 - molar intrusion 209, 213, 218, 219–221
 - orthodontic traction of impacted teeth 214, 218, 222–223
 - for interradicular sites of mandibular buccal region 350–363
 - anterior retraction 350–353
 - molar intrusion 354, 358, 359, 360–361
 - molar protraction 353–358

- molar uprighting 358, 359, 361–363
 - for interradicular sites of maxillary buccal region
 - en masse* anterior retraction 164, 166, 167, 168, 169, 170, 171, 172–173, 174
 - molar intrusion 170, 171, 177–180
 - molar protraction 168, 170, 175–176
 - occlusal canting 171, 174, 180–183, 184
 - for interradicular sites of maxillary labial region
 - correction of gummy smile 118, 121–122, 123–124
 - correction of occlusal canting 122, 125, 126, 127, 128
 - incisor intrusion 114, 115, 117–118, 119–120
 - for interradicular sites of maxillary palatal region
 - anterior retraction 252–269
 - molar distalisation 257, 259, 261–262, 263, 264
 - molar intrusion 257, 260–261
 - molar protraction 263, 265–269
 - for paramedian sites
 - mini-implant-assisted skeletal expansion 286, 288–289
 - molar anchorage reinforcement 280, 284–286, 287, 288
 - molar distalisation 280–282, 284
 - molar intrusion 293, 295
 - traction of impacted teeth 289–293, 294
 - attached gingiva, as a soft tissue factor
 - of interradicular sites of mandibular labial region 307, 311, 312
- b**
- basic conditions
 - age 519, 521
 - gender 26, 27
 - biocortical engagement, monocortical engagement *versus* 540
 - biomechanical advantages,
 - of mini-plates 422, 428–430
 - biomechanical considerations
 - of anterior nasal spine 132, 133
 - of buccal shelf in mandibular buccal region 369, 372
 - of interradicular sites
 - about 107
 - of mandibular buccal region 343, 344
 - of mandibular labial region 311, 312, 313
 - of mandibular symphysis 323, 325
 - biomechanics-driven paradigm
 - about 75, 76, 77
 - incisor intrusion 79, 80–81
 - maxillary molar
 - uprighting 76, 77, 78
 - molar intrusion 77, 79, 80
 - molar protraction 82, 84, 85
 - orthodontic traction of impacted molars 79, 82, 83
 - bisphosphonates 28, 29–30
 - bone density
 - about 33, 35–36
 - as a hard tissue factor
 - of interradicular sites of maxillary buccal region 146, 147
 - of maxillary tuberosity 225, 226
 - bone depth
 - about 33, 35, 37, 38–39
 - as a hard tissue factor
 - of buccal shelf of mandibular buccal region 364, 369, 370
 - of infrazygomatic crest (IZC) 188, 190, 191, 192
 - of interradicular sites of mandibular labial region 307, 308–310
 - of interradicular sites of maxillary labial region 99–100, 101
 - of interradicular sites of maxillary buccal region 149–151
 - of mandibular symphysis in mandibular labial region 322, 323
 - of maxillary palatal region 240–241, 242
 - of midpalatal suture 297–298
 - bone dimension, as a hard tissue factor
 - of maxillary tuberosity 226–227, 228
 - bone width
 - about 37, 38, 39, 40–42
 - as a hard tissue factor
 - of interradicular sites of mandibular labial region 307, 310–311
 - of interradicular sites of maxillary buccal region 151, 152–154
 - of interradicular sites of maxillary labial region 100–102, 103, 104, 105
 - of maxillary palatal region 241, 243, 244
 - Brodie bite, in transverse
 - dimension 18, 19
 - buccal exostosis, as a hard tissue factor
 - in interradicular sites of maxillary buccal region 153, 154–155
 - buccal frenum, as a soft tissue factor in interradicular sites of maxillary buccal region 156, 157
 - buccal interradicular region, placement
 - of mini-implants with insertion guides in 480–481, 482
 - buccal shelf
 - mandibular buccal region
 - anatomical characteristics 364–369, 370, 371
 - biomechanical
 - considerations 369, 372
 - clinical
 - applications 376, 377–386
 - insertion techniques 160–164, 165, 166
 - selection of appropriate insertion sites 371–372
 - placement of mini-implants with insertion guides on 481, 483, 484
- c**
- causative factors, removal of 528, 529
 - characteristics
 - drilling methods 5, 6
 - materials 2
 - morphology 4–5, 11
 - clinical applications
 - for anterior nasal spine 136, 138–143
 - for buccal shelf of mandibular buccal region

- clinical applications (*cont'd*)
 - mandibular dentition
 - distalisation 376, 377, 378, 381
 - molar uprighting 379, 381–384
 - orthodontic traction of impacted teeth 379, 384–386
 - for infrazygomatic crest (IAC)
 - anterior intrusion 208, 209, 217
 - molar distalisation 201, 202, 203–208, 209, 210–212, 213–214, 215
 - molar intrusion 209, 213, 218, 219–221
 - orthodontic traction of impacted teeth 214, 218, 222–223
 - for interradicular sites of mandibular
 - buccal region 350–363
 - anterior retraction 350–353
 - molar intrusion 354, 358, 359, 360–361
 - molar protraction 353–358
 - molar uprighting 358, 359, 361–363
 - for interradicular sites of maxillary
 - buccal region
 - en masse* anterior retraction 164, 166, 167, 168, 169, 170, 171, 172–173, 174
 - molar intrusion 170, 171, 177–180
 - molar protraction 168, 170, 175–176
 - occlusal canting 171, 174, 180–183, 184
 - for interradicular sites of maxillary labial region
 - correction of gummy smile 118, 121–122, 123–124
 - correction of occlusal canting 122, 125, 126, 127, 128
 - incisor intrusion 114, 115, 117–118, 119–120
 - for interradicular sites of maxillary palatal region
 - anterior retraction 252–269
 - molar distalisation 257, 259, 261–262, 263, 264
 - molar intrusion 257, 260–261
 - molar protraction 263, 265–269
 - for paramedian sites
 - mini-implant-assisted skeletal expansion 286, 288–289
 - molar anchorage
 - reinforcement 280, 284–286, 287, 288
 - molar distalisation 280–282, 284
 - molar intrusion 293, 295
 - traction of impacted teeth 289–293, 294
 - clinical decisions, for mini-implant
 - fractures in different clinical scenarios 511
 - clinical features, of mini-plates
 - advantages and disadvantages 417–418
 - available anatomical sites 418, 419–420
 - structure 415, 416–417
 - clinical indications
 - about 9–10
 - mini-plates
 - about 418
 - anatomical factors undesirable for mini-implants 422, 424–428
 - biomechanical
 - advantages 422, 428–430
 - orthopaedic treatment for skeletal discrepancy 420, 421–422, 423
 - sagittal dimension 11–12, 13–14
 - transverse dimension 16, 18, 19
 - vertical dimension 12, 15–16, 17–18
 - clinical manifestations
 - of root contact 488–499
 - of soft tissue complications
 - about 516
 - soft tissue hyperplasia 516, 518
 - soft tissue infection 517, 519
 - soft tissue lesion 517, 519
 - soft tissue swelling 516, 517
 - clinical procedures
 - for inserting mini-implants
 - insertion of mini-implants 86, 87–89, 91
 - post-insertion
 - examination 90, 91–92
 - preinsertion
 - preparation 85–86, 87
 - for insertion guides
 - anaesthesia 476, 477
 - detaching screwdrivers 479
 - inserting mini-implants
 - 476, 477–478
 - removing insertion guides 479
 - verifying fit of insertion guides 473–475
 - for mandibular ramus
 - insertion 399–401, 402
 - postinsertion 401
 - preinsertion preparation 399
 - for removing fractured mini-implants 511, 512
 - complications, potential 19–32
 - cortical thickness
 - about 37, 39, 42
 - as a hard tissue factor
 - of buccal shelf of mandibular buccal region 364, 367–368
 - of infrazygomatic crest (IZC) 188, 189
 - of interradicular sites of mandibular labial region 305, 306–307
 - of interradicular sites of maxillary buccal region 146, 148–149
 - of mandibular symphysis in mandibular labial region 322, 323
 - of maxillary labial region 98–99
 - of maxillary palatal region 238–240
 - of maxillary tuberosity 226, 227
 - cost, as a disadvantage of insertion guides 449
 - crest shape, as a hard tissue factor in infrazygomatic crest (IZC) 187–188
- d**
- debridement, local 528
 - density, bone
 - about 33, 35–36
 - as a hard tissue factor in interradicular sites of maxillary buccal region 146, 147
 - as a hard tissue factor of maxillary tuberosity 225, 226
 - dental models, digitalization of 451, 452, 453
 - dental roots
 - as a general principle 56, 57–59, 60
 - as a hard tissue factor in infrazygomatic crest (IZC) 192–193

depth, bone
 about 33, 35, 37, 38–39
 as a hard tissue factor
 of buccal shelf of mandibular
 buccal region 364, 369, 370
 of infrazygomatic crest
 (IZC) 188, 190, 191, 192
 of interradicular sites of
 mandibular labial
 region 307, 308–310
 of interradicular sites of maxillary
 labial region 99–100, 101
 of interradicular sites of maxillary
 buccal region 149–151
 of mandibular symphysis in
 mandibular labial
 region 322, 323
 of maxillary palatal
 region 240–241, 242
 of midpalatal suture 297–298
 design, as a risk factor for failure of
 orthodontic temporary
 anchorage devices 541, 542
 diabetes, as a systemic disease 28, 29
 digital models
 creating for guide cylinders
 457, 459
 creating for mini-implants 457, 459
 creating for screwdrivers 457, 459
 dimension, bone, as a hard tissue factor
 of maxillary
 tuberosity 226–227, 228
 direct anchorage, indirect anchorage
versus 8–9
 distalisation, molar
 as a clinical application with
 infrazygomatic crest 201,
 202, 203–208, 209, 210–212,
 213–214, 215
 for interradicular sites 257, 259,
 261–262, 263, 264
 for paramedian sites 280–282, 284
 in sagittal dimension 11–12, 13–15
 drainage, local 528
 drilling methods 5, 6
 drugs
 bisphosphonates 28, 29–30
 glucocorticoids 30, 31

e

ease of insertion, as an advantage of
 insertion guides 446, 449

efficiency, as an advantage of insertion
 guides 446, 448–449
en masse anterior retraction, for
 interradicular sites 164, 166,
 167, 168, 169, 170, 171,
 172–173, 174
 evolution
 of insertion guides
 concept of guided surgery 437,
 438, 439, 440
 for mini-implants 439, 440–445
 of orthodontic temporary anchorage
 devices 1–2, 3
 extra-alveolar bone 33, 34
 extrusion, in vertical dimension
 16, 18

f

failure, of orthodontic temporary
 anchorage devices
 about 533, 534, 544, 545
 management of 544
 prevention of 543
 primary stability 534–536
 risk factors
 implant-associated 541–542
 operator-associated 538–541
 patient-associated 537–538
 secondary stability 534–536
 force loading, for mini-
 implants 523, 524
 fractures, of orthodontic temporary
 anchorage devices
 about 501–503, 512
 management of mini-implant
 fracture
 clinical decisions in different
 clinical scenarios 511
 clinical techniques for removing
 fractured mini-
 implants 511, 512
 prevention of mini-implant fracture
 appropriate insertion techniques
 508, 510
 judicious selection of appropriate
 mini-implants 508, 510
 prudent selection of insertion
 sites 508, 509
 risk factors for mini-implant fracture
 about 504
 implant-associated
 factors 505–507

insertion site-associated
 factors 507–508
 operator-associated
 factors 504–505

g

gender, as a basic condition 26, 27
 general principles, of anatomy-driven
 paradigm
 about 56, 57
 dental roots 56, 57–59, 60
 maxillary sinus 60, 62–63
 nasal cavity 60, 64
 neurovascular bundles 59,
 60, 61–62
 geometry, as a risk factor for failure
 of orthodontic temporary
 anchorage devices
 541, 542
 gingiva, attached, as a soft tissue factor
 of interradicular sites of
 mandibular labial
 region 307, 311, 312
 glucocorticoids 30, 31
 guide cylinders
 combining with guide plate 461
 creating digital models for 457, 459
 generating 461, 464
 guide plates
 combining with guide cylinder 461
 determining area of, on digital dental
 model 461
 generating 461
 guided surgery, evolution of insertion
 guides for 437, 438,
 439, 440
 gummy smile, correction of 118,
 121–122, 123–124

h

habits 30, 31–32
 hard tissue
 about 32–33
 alveolar bone and extra-alveolar
 bone 33, 34
 bone density 33, 35–36
 bone depth 33, 35, 37, 38–39
 bone width 37, 38, 39, 40–42
 cortical thickness 37, 39, 42
 mandibular ramus 389,
 391, 392–393
 selection of optimal sites 39, 43

- hard tissue factor
 - for buccal shelf of mandibular
 - buccal region
 - bone depth 364, 369, 370
 - cortical thickness 364, 367–368
 - plateau features 364, 366–367
 - for infrazygomatic crest (IZC)
 - bone depth 188, 190, 191, 192
 - cortical thickness 188, 189
 - crest shape 187–188
 - dental roots 192–193
 - for interradicular sites of mandibular
 - buccal region
 - bone depth 336, 338
 - bone width 336, 339–340
 - cortical thickness 335–336
 - shape of cortical plate 336, 340
 - for interradicular sites of mandibular
 - labial region
 - bone depth 307, 308–310
 - bone width 307, 310–311
 - cortical thickness 305, 306–307
 - root prominence 307, 311
 - for interradicular sites of maxillary
 - buccal region
 - bone density 146, 147
 - bone depth 149–151
 - bone width 151, 153, 152–154
 - buccal exostosis 153, 154–155
 - cortical thickness 146, 148–149
 - for interradicular sites of maxillary
 - labial region
 - bone depth 99–100, 100, 101
 - bone width 100–102, 102, 103, 104, 105
 - cortical thickness 98–99
 - root prominence 103, 106
 - for mandibular symphysis
 - bone depth 322, 323
 - cortical thickness 321, 322
 - for maxillary palatal region
 - bone depth 240–241, 241, 242
 - bone width 241, 243, 243, 244
 - cortical thickness 238–240, 239–240
 - inclination of cortical plate 244, 245
 - for maxillary tuberosity
 - bone density 225, 226
 - bone dimension 226–227, 228
 - cortical thickness 226, 227
 - for midpalatal suture 297–298
 - for paramedian sites
 - bone depth 271, 272
 - cortical thickness 270–271
 - hyperplasia, soft tissue 516, 518
 - hypertrophic soft tissue,
 - excision of 530
- i**
- image superimposition 451, 455–457
 - implant-associated risk factors
 - of failure of orthodontic temporary
 - anchorage devices
 - about 541, 542
 - design 541, 542
 - geometry 541, 542
 - shape 541, 542, 543
 - surface topology 543
 - of fractures of orthodontic
 - temporary anchorage
 - devices 505–507
 - incisor intrusion
 - biomechanics-driven
 - paradigm 79, 80–81
 - in maxillary labial region 114, 115, 117–118, 119–120
 - in vertical dimension 16, 17
 - inclination of cortical plate, as a hard
 - tissue factor of maxillary
 - palatal region 244, 245
 - indications, clinical
 - about 9–10
 - mini-plates
 - about 418
 - anatomical factors undesirable for
 - mini-implants 422, 424–428
 - biomechanical
 - advantages 422, 428–430
 - orthopaedic treatment for skeletal
 - discrepancy 420, 421–422, 423
 - sagittal dimension 11–12, 13–14
 - transverse dimension 16, 18, 19
 - vertical dimension 12, 15–16, 17–18
 - indirect anchorage, direct anchorage
 - versus 8–9
 - infection, soft tissue 517, 519
 - infrazygomatic crest (IZC)
 - anatomical characteristics
 - about 183, 185–186
 - hard tissue factor: bone
 - depth 188, 190, 191, 192
 - hard tissue factor: cortical
 - thickness 188, 189
 - hard tissue factor: crest
 - shape 187–188
 - hard tissue factor: dental
 - roots 192–193
 - soft tissue factor: maxillary
 - sinus 194, 195
 - soft tissue factor: soft tissue
 - type 192, 194
 - biomechanical considerations 194, 195, 196
 - clinical applications
 - anterior intrusion 208, 209, 217
 - molar distalisation 201, 202, 203–208, 209, 210–212, 213–214, 215
 - molar intrusion 209, 213, 218, 219–221
 - orthodontic traction of impacted
 - teeth 214, 218, 222–223
 - insertion techniques
 - insertion procedures 197–201, 202, 203
 - preinsertion 196, 197
 - selection of appropriate insertion
 - sites 196, 197
 - initial procedures, for mandibular
 - ramus 397, 398
 - insertion
 - for buccal shelf of mandibular
 - buccal region 160–164, 165, 166
 - for interradicular sites of mandibular
 - buccal region 345–350
 - for mandibular ramus
 - biomechanical analysis 401, 402
 - clinical procedures 399–401, 402
 - initial procedures 397, 398
 - insertion on skulls 397, 398
 - for paramedian sites 160–164, 165, 166
 - insertion angle, as a risk factor of
 - failure of orthodontic
 - temporary anchorage
 - devices 539, 540, 541
 - insertion angulation
 - meticulous design of 496, 497
 - as a risk factor 496–498
 - insertion depth, as a risk factor of failure
 - of orthodontic temporary
 - anchorage devices 539, 540

- insertion guides
 - about 437
 - advantages of
 - accuracy and precision 446, 447–448
 - ease of insertion 446, 449
 - efficiency 446, 448–449
 - clinical procedures
 - anaesthesia 476, 477
 - detaching screwdrivers 479
 - inserting mini-implants 476, 477–478
 - removing insertion guides 479
 - verifying fit of insertion guides 473–475
 - disadvantages
 - cost 449
 - no change during insertion 449–450
 - time needed for CAD-CAM 449
 - evolution of
 - concept of guided surgery 437, 438, 439, 440
 - for mini-implants 439, 440–445
 - manufacturing insertion guides
 - adding supporting components for insertion guide 464, 465
 - examples of insertion guides for different anatomical sites 466, 468–470
 - exporting STL file 464
 - generating actual insertion guide through 3-D printing 464, 466
 - polishing insertion guide 464, 467
 - removing supporting components for insertion guide 464, 467
 - try-in on dental model 464, 467
 - placement of mini-implants with insertion guides at different sites
 - buccal interradicular region 480–481, 482
 - buccal shelf 481, 483, 484
 - labial interradicular region 479
 - palatal region 480, 483
 - removing 479
 - three-dimensional design of, for mini-implants
 - about 451, 461, 463
 - combining guide plate and guide cylinder 461
 - determining area of guide plate on digital dental model 461
 - establishing digital data of mini-implants and screwdrivers 457
 - generating guide cylinder 461, 464
 - generating guide plate 461
 - reconstructing three-dimensional dentition model 451, 452, 453, 454, 455, 456, 457
 - virtual placement of mini-implants 459, 460, 461, 462
 - verifying fit of 473–475
 - insertion height, as a risk factor 494, 539, 540
 - insertion on skulls, mandibular ramus and 397, 398
 - insertion principles
 - about 55, 56
 - anatomy-driven paradigm
 - about 56
 - available anatomical sites 64–74
 - general principles 56–64
 - biomechanics-driven paradigm
 - about 75, 76, 77
 - incisor intrusion 79, 80–81
 - maxillary molar
 - uprighting 76, 77, 78
 - molar intrusion 77, 79, 80
 - molar protraction 82, 84, 85
 - orthodontic traction of impacted molars 79, 82, 83
 - clinical procedures for inserting mini-implants
 - insertion of mini-implants 86, 87–89, 91
 - post-insertion
 - examination 90, 91–92
 - preinsertion preparation 85–86, 87
 - insertion requirements
 - about 25, 26, 51
 - local requirements
 - about 32
 - hard tissue 32–40, 41–43
 - soft tissue 40, 43–45, 46
 - systemic requirements
 - about 26, 27
 - basic conditions 26, 27
 - drugs 28–30, 31
 - habits 30, 31–32
 - systemic diseases 28, 29
- insertion site-associated risk factors 507–508
- insertion sites
 - for anterior nasal spine 132, 134
 - for buccal shelf in mandibular buccal region 371–372
 - for interradicular sites of maxillary labial region
 - about 107
 - U1-U1 site 107–110, 111–112
 - U1-U2 site 110, 112–114, 115, 116
 - U2-U3 site 110, 112–114, 115, 116
 - for mandibular buccal region 343, 344
 - for mandibular ramus 394–395, 396
 - for mini-implants 459, 461, 462
 - prudent selection of 496, 497, 507, 508
 - as a risk factor 493
 - selecting for prevention of soft tissue complications 525, 526
- insertion techniques
 - for anterior nasal spine 134–136, 137
 - appropriate 497, 498, 508, 510
 - for buccal shelf of mandibular buccal region
 - insertion 160–164, 165, 166
 - postinsertion 373, 377
 - preinsertion 372
 - for infrazygomatic crest (IZC)
 - insertion procedures 197–201, 202, 203
 - preinsertion 196, 197
 - for interradicular sites of mandibular buccal region 345–350
 - insertion 345–350
 - postinsertion 350
 - preinsertion 345
 - for interradicular sites of mandibular labial region 313–320
 - for interradicular sites of maxillary labial region
 - about 107
 - insertion procedures 160–164, 165, 166
 - preinsertion 160
 - U1-U1 site 107–110, 111–112
 - U1-U2 site 110, 112–114, 115, 116
 - U2-U3 site 110, 112–114, 115, 116

- insertion techniques (*cont'd*)
 - for mandibular symphysis 325–330
 - for maxillary tuberosity
 - insertion procedures 229–230, 231
 - postinsertion 230
 - preinsertion 229
 - for mini-plates 431–433
 - for paramedian sites
 - insertion 160–164, 165, 166
 - postinsertion 279
 - preinsertion 273, 275, 276
 - for prevention of soft tissue
 - complications 525, 526, 527
- interradicular sites
 - anatomical characteristics for
 - maxillary labial region
 - about 95, 98
 - hard tissue factor: bone
 - depth 99–100, 101
 - hard tissue factor: bone
 - width 100–102, 103, 104, 105
 - hard tissue factor: cortical
 - thickness 98–99
 - hard tissue factor: root
 - prominence 103, 106
 - soft tissue factor: labial
 - frenum 103, 106
 - soft tissue factor: mucogingival
 - junction 103, 106
 - anatomical characteristics of
 - maxillary buccal region
 - about 145, 147
 - hard tissue factor: bone
 - density 146, 147
 - hard tissue factor: bone
 - depth 149–151
 - hard tissue factor: bone
 - width 151, 152–154
 - hard tissue factor: buccal
 - exostosis 153, 154–155
 - hard tissue factor: cortical
 - thickness 146, 148–149
 - soft tissue factor: buccal
 - frenum 156, 157
 - soft tissue factor: soft tissue
 - type 154–156
 - biomechanical considerations 103, 107, 156, 157, 158
 - clinical applications
 - en masse* anterior retraction 164, 166, 167, 168, 169, 170, 171, 172–173, 174
 - in maxillary labial region 350–363
 - molar intrusion 170, 171, 177–180
 - molar protraction 168, 170, 175–176
 - occlusal canting 171, 174, 180–183, 184
 - insertion techniques
 - insertion procedure 160–164, 165, 166
 - in maxillary labial
 - region 107–114, 115, 116
 - preinsertion 160
 - mandibular buccal region
 - anatomical
 - characteristics 335–342
 - biomechanical
 - considerations 343, 344
 - clinical applications 350–363
 - insertion techniques 345–350
 - selection of appropriate insertion
 - sites 343, 344
 - mandibular labial region
 - anatomical
 - characteristics 305–311, 312
 - biomechanical perspectives 311, 312, 313
 - determining optimal sites 312, 313, 314
 - insertion techniques 313–320
 - maxillary palatal region
 - anatomical
 - characteristics 238–248
 - biomechanical considerations 248
 - clinical applications 252–269
 - insertion
 - techniques 248, 249–251
 - selection of appropriate insertion
 - sites 248, 249
 - selection of appropriate insertion
 - sites 107, 158–160
 - interradicular space, limited, as a risk
 - factor 493, 494
 - intrusion
 - anterior, as a clinical application
 - with infrazygomatic
 - crest 208, 209, 216–217
 - incisor
 - biomechanics-driven
 - paradigm 79, 80–81
 - in maxillary labial region 114, 115, 117–118, 119–120
 - in vertical dimension 16, 17
 - molar
 - biomechanics-driven
 - paradigm 77, 79, 80
 - as a clinical application with
 - infrazygomatic crest 209, 213, 218, 219–221
 - for interradicular sites of
 - mandibular buccal
 - region 354, 358, 359, 360–361
 - for interradicular sites of maxillary
 - buccal region 170, 171, 177–180
 - for interradicular sites of
 - maxillary palatal
 - region 257, 260–261
 - for paramedian sites 293, 295
 - in vertical dimension 12, 15, 16, 17–18
 - IZC (infrazygomatic crest)
 - anatomical characteristics
 - about 183, 185–186
 - hard tissue factor: bone
 - depth 188, 190, 191, 192
 - hard tissue factor: cortical
 - thickness 188, 189
 - hard tissue factor: crest
 - shape 187–188
 - hard tissue factor: dental
 - roots 192–193
 - soft tissue factor: maxillary
 - sinus 194, 195
 - soft tissue factor: soft tissue
 - type 192, 194
 - biomechanical considerations 194, 195, 196
 - clinical applications
 - anterior intrusion 208, 209, 217
 - molar distalisation 201, 202, 203–208, 209, 210–212, 213–214, 215
 - molar intrusion 209, 213, 218, 219–221
 - orthodontic traction of impacted
 - teeth 214, 218, 222–223
 - insertion techniques
 - insertion procedures 197–201, 202, 203
 - preinsertion 196, 197
 - selection of appropriate insertion
 - sites 196, 197

j

jaw model, acquisition of 451, 453–454

l

labial frenum

- as a soft tissue factor of interradicular sites of mandibular labial region 307, 311
- as a soft tissue factor of interradicular sites of maxillary labial region 103, 106

labial interradicular region, placement of mini-implants with insertion guides in 479

lesion, soft tissue 517, 519

lingually angulated impacted mandibular second molars, traction of 405, 407–409

loading time, as a risk factor of failure of orthodontic temporary anchorage devices 540–541

local factors, as risk factors of failure of orthodontic temporary anchorage devices 537–538

local requirements

- about 32
- hard tissue 32–40, 41–43
- soft tissue 40, 43–45, 46

m

management

- of failure of orthodontic temporary anchorage devices 544–545
- of root contact 498

mandible, as an available anatomical site 68, 71–74

mandibular buccal region

- about 333, 334–335, 386
- buccal shelf
 - anatomical characteristics 364–369, 370–371
 - biomechanical
 - considerations 369, 372
 - clinical applications 376, 377–386
 - insertion
 - techniques 372–376, 377
 - selection of appropriate insertion sites 371, 372
- interradicular sites

anatomical

characteristics 335–342

biomechanical

considerations 343, 344

clinical applications 350–363

insertion techniques 345–350

selection of appropriate insertion sites 343, 344

mandibular dentition distalisation, as a clinical application for buccal shelf in mandibular buccal region 376, 377–386

mandibular labial region

about 303–304

interradicular sites

anatomical

characteristics 305–311, 312

biomechanical perspectives 311, 312, 313

determining optimal sites 312, 313, 314

insertion

techniques 313, 315–320

mandibular symphysis

about 320, 321

anatomical features 320, 321–323, 324–325

biomechanical

considerations 323, 325

insertion techniques 325–330

selection of optimal sites 325

mandibular ramus

about 389, 390, 413

anatomical considerations

anatomical location 389, 390, 391

hard tissue considerations 389, 391, 392, 393

optimal insertion

sites 394, 395–396

soft tissue considerations 391, 394, 395

insertion procedure

biomechanical analysis 401, 402

clinical procedures 399–401, 402

insertion procedures 397, 398

insertion on skulls 397, 399

mini-implant selection 396–397

versatile clinical applications

orthodontic traction of vertically impacted mandibular second molars 405, 406, 407

traction of lingually angulated

impacted mandibular second molar 405, 407, 408–409

traction of mandibular third molar

away from inferior alveolar canal 409, 410–412

uprighting mesioangulated

impacted mandibular second molars 402–405

mandibular symphysis, in mandibular labial region

about 320, 321

anatomical features 320, 321–323, 324, 325

biomechanical

considerations 323, 325

insertion techniques 325–330

selection of optimal sites 325

mandibular third molars away from inferior alveolar canal, traction of 409, 410–412

manifestations, clinical

of root contact 488, 489

soft tissue complications

about 516

soft tissue hyperplasia 516, 518

soft tissue infection 517, 519

soft tissue lesion 517, 519

soft tissue swelling 516, 517

manufacturing insertion guides

adding supporting components for insertion guide 464, 465

examples of insertion guides for different anatomical sites 466, 468–470

exporting STL file 464

generating actual insertion guide through 3-D

printing 464, 466

polishing insertion guide 464, 467

removing supporting components

for insertion guide 464, 467

try-in on dental model 464, 467

materials

as a factor associated with mini-implants 523, 524

for orthodontic temporary anchorage devices 2

maxillary arch expansion

as an available anatomical site 64, 66–68, 69–71

in transverse dimension 16, 18

- maxillary buccal region
 - about 145, 146, 147, 232
- infrazygomatic crest (IZC)
 - anatomical characteristics 183, 185–194, 195
 - biomechanical
 - considerations 194, 195, 196
 - clinical applications 201, 202, 203, 204–223
 - insertion techniques 196, 197–201, 202, 203
 - selection of appropriate insertion sites 196, 197
- interradicular sites
 - anatomical characteristics 145–146, 147, 148–156, 157
 - biomechanical
 - considerations 156, 157, 158
 - clinical applications 164, 166, 167–183, 184, 185
 - insertion techniques 160–164, 165, 166
 - selection of appropriate insertion sites 158–160
- maxillary tuberosity
 - anatomical
 - characteristics 223–228
 - biomechanical
 - considerations 228
 - clinical applications 230, 231, 232
 - insertion techniques 229–230, 231
 - selection of appropriate insertion sites 229
- maxillary labial region
 - about 95, 96–98, 143
- anterior nasal spine (ANS)
 - anatomical features 125, 127, 129–132, 133
 - biomechanical considerations 132, 133
 - clinical applications 136, 138–143
 - insertion techniques 134–136, 137
 - selection of appropriate insertion sites 132, 134
- interradicular sites
 - anatomical features 95, 98–103, 104–106
 - biomechanical
 - considerations 103, 107
 - clinical applications 114, 115, 117–125, 126, 127, 128
 - insertion techniques 107–114, 115, 116
 - selection of appropriate insertion sites 107
- maxillary molar uprighting, in
 - biomechanics-driven paradigm 76, 77, 78
- maxillary palatal region
 - about 235–237, 301
- interradicular sites
 - anatomical
 - characteristics 238–248
 - biomechanical
 - considerations 248
 - clinical applications 252–269
 - insertion techniques 248, 249, 250–251
 - selection of appropriate insertion sites 248, 249
- midpalatal suture
 - about 296–297
 - anatomical features 297–298
 - clinical applications 299, 300
 - insertion techniques 299, 300
 - optimal insertion sites 298, 299
- paramedian sites
 - anatomical
 - characteristics 270–273, 274
 - biomechanical
 - considerations 273, 274, 275
 - clinical applications 280–295
 - insertion techniques 273, 275–279
 - selection of optimal insertion sites 273, 275
- maxillary sinus
 - as a general principle 60, 62, 63
 - as a soft tissue factor in infrazygomatic crest (IZC) 194
- maxillary tuberosity
 - about 223–225
 - anatomical characteristics
 - about 223–225
 - hard tissue factor: bone density 225–226
 - hard tissue factor: bone dimension 226, 227, 228
 - hard tissue factor: cortical thickness 226, 227
 - soft tissue factor: soft tissue thickness 228
 - soft tissue factor: types of soft tissue 228
- biomechanical considerations 228
- clinical applications 230, 231–232
- insertion techniques
 - insertion procedures 229–230, 231
 - postinsertion 230
 - preinsertion 229
- selection of appropriate insertion sites 229
- mechanical retention
 - about 5, 6, 7
 - direct *versus* indirect
 - anchorage 8–9
 - primary stability 7–8
 - secondary stability 7–8
- mesioangulated impacted mandibular
 - second molars,
 - uprighting 402–405
- midpalatal suture, in maxillary
 - palatal region
 - about 296–297
 - anatomical features 297–298
 - clinical applications 299, 300
 - insertion techniques 299, 300
 - optimal insertion sites 298, 299
- mini-implant-assisted skeletal
 - expansion, for paramedian
 - sites 286, 288–289
- mini-implants
 - about 4–5
 - anatomical factors undesirable
 - for 422, 425–428
 - creating digital models for 457, 459
 - establishing digital data of 457, 459
 - evolution of insertion guides for
 - mini-implants 439, 440–445
 - factors associated with 523, 524
 - inserting 85–92, 476, 477–479
 - judicious selection of
 - appropriate 508, 510
 - management of fractures in
 - clinical decisions in different
 - clinical scenarios 511
 - clinical techniques for removing
 - fractured mini-implants 511, 512
 - placement of, with insertion guides
 - at different sites
 - buccal interradicular region 480, 481, 482
 - buccal shelf 481, 483–484
 - labial interradicular region 479
 - palatal region 480, 483

- position of 522–523, 524
- post-insertion examination of 90, 91, 92
- preinsertion preparation for 85–86, 87
- prevention of fractures in
 - appropriate insertion techniques 508, 510
 - judicious selection of appropriate mini-implants 508, 510
 - prudent selection of insertion sites 508, 509
- prognosis of 490–491
- risk factors for fractures in
 - about 504
 - implant-associated factors 505–507
 - insertion site-associated factors 507–508
 - operator-associated factors 504–505
- selecting 396–397
- three-dimensional design and
 - manufacture of insertion guides for
 - combining guide plate and guide cylinder 461
 - determining area of guide plate on digital dental model 461
 - establishing digital data of mini-implants and screwdrivers 457, 459
 - generating guide cylinder 461, 464
 - generating guide plate 461
 - reconstructing three-dimensional dentition model 451–457, 458, 459
 - virtual placement of mini-implants 459, 460–461, 462
- mini-plates
 - about 5, 6, 415, 416, 434
 - clinical features
 - available anatomical sites 418–420
 - advantages and disadvantages 417–418
 - structure 415, 416–417
 - clinical indications
 - about 420
 - anatomical factors undesirable for mini-implants 422, 425–428
 - biomechanical advantages 422, 428–430
 - orthopaedic treatment for skeletal discrepancy 420–422, 423
 - insertion techniques 431–433
 - removal techniques 433–434
 - model post-processing 457, 458–459
 - molar anchorage reinforcement, for paramedian sites 280, 284–286, 287, 288
 - molar distalisation
 - as a clinical application with infrazygomatic crest 201, 202, 203, 204–223
 - for interradicular sites 257, 259, 261–263, 264, 265
 - for paramedian sites 280, 281, 282, 283, 284
 - in sagittal dimension 11, 12, 13
 - molar intrusion
 - biomechanics-driven paradigm 77, 79, 80
 - as a clinical application with infrazygomatic crest 209, 213, 214, 218–223
 - for interradicular sites 170, 171, 177–180, 257, 260, 261
 - for interradicular sites of mandibular buccal region 354, 358, 359, 360, 361
 - for paramedian sites 293, 295
 - in vertical dimension 12, 15, 16, 17
 - molar protraction
 - biomechanics-driven paradigm 82, 84–85
 - for interradicular sites 168, 170, 175–176, 263, 265–269
 - for interradicular sites of mandibular buccal region 353, 354, 355–358
 - in sagittal dimension 11, 12, 13, 14
 - molar uprighting
 - as a clinical application for buccal shelf in mandibular buccal region 379, 381–384
 - for interradicular sites of mandibular buccal region 358, 359, 361–363
 - monocortical engagement, biocortical engagement *versus* 540
 - morphology, of orthodontic temporary anchorage devices 4–5, 6
 - mucogingival junction, as a soft tissue factor 103, 106

n

 - nasal cavity, as a general principle 60, 64
 - neurovascular bundles, as a general principle 59, 60, 61–62
 - no change during insertion, as a disadvantage of insertion guides 449, 450

o

 - occlusal canting
 - correction of 122, 125, 126, 127, 128
 - for interradicular sites 171–173, 188–204
 - operator-associated risk factors
 - failure of orthodontic temporary anchorage devices
 - about 538, 539
 - biocortical *versus* monocortical engagement 540
 - insertion angle 539–540, 541
 - insertion depth 539, 540
 - insertion height 539, 540
 - loading time 540–541
 - root proximity 538, 539
 - self-tapping *versus* self-drilling 540
 - fracture of orthodontic temporary anchorage devices 504, 505–506
 - for soft tissue
 - complications 522, 523–524
 - optimal sites
 - determining for interradicular sites of mandibular labial region 312–313, 314
 - for mandibular symphysis 323, 325
 - selection of 37, 43, 45–50
 - oral hygiene care
 - as a habit 31
 - for prevention of soft tissue complications 525, 526
 - orthodontic temporary anchorage devices (TADs)
 - about 1, 21
 - characteristics of
 - drilling methods 5, 6
 - materials 2
 - morphology 2–5

orthodontic temporary anchorage devices (TADs) (*cont'd*)

- clinical indications for
 - about 9–11
 - sagittal dimension 9, 11–12, 13–15
 - transverse dimension 14–19
 - vertical dimension 15, 16–18
- evolution of 1–3
- failure of
 - about 534, 535, 546
 - management of 544
 - prevention of 543
 - primary stability 534–536, 537
 - risk factors 537–541, 542, 543
 - secondary stability 534–536, 537
- fractures of
 - about 501, 502, 503, 512
 - management of mini-implant fracture 511, 512
 - prevention of mini-implant fracture 508, 509, 510
 - risk factors for mini-implant fracture 504, 505, 505–507, 508
- mechanical retention of
 - about 5, 7
 - direct *versus* indirect anchorage 6, 8–9
 - primary stability 5–6, 8
 - secondary stability 5–6, 8
- potential complications 19–21
- orthodontic traction
 - of impacted molars in
 - biomechanics-driven paradigm 82, 83
 - of impacted teeth
 - as a clinical application for buccal shelf in mandibular buccal region 214–215, 384–386
 - as a clinical application with infrazygomatic crest 214, 216, 222–223
 - of vertically impacted mandibular second molars 405, 405, 406–407
- orthopaedic treatment, for skeletal discrepancy 420–421, 423, 424
- osteoporosis, as a systemic disease 28

p

palatal region, placement of mini-implants with insertion guides in 480, 483

paradigms

- anatomy-driven
 - about 55
 - available anatomical sites
 - about 62, 64
 - mandible 66, 71–73
 - maxilla 64–66, 67–68, 69–71
 - general principles
 - about 55, 56
 - dental roots 56–59
 - maxillary sinus 60, 62, 63
 - nasal cavity 62, 64
 - neurovascular bundle 59–60, 61
- biomechanics-driven
 - about 75, 75–76, 77
 - incisor intrusion 79, 80–81
 - maxillary molar
 - uprighting 76–77, 78
 - molar intrusion 77, 79, 80
 - molar protraction 82, 84, 85
 - orthodontic traction of impacted molars 82, 83

paramedian sites

- insertion techniques
 - insertion 271, 276, 277, 278
 - postinsertion 279
 - preinsertion 273, 275, 276

maxillary palatal region

- about 270
- anatomical characteristics 270, 271, 270–274
- biomechanical considerations 273, 274–275
- clinical applications 280, 300, 280–293, 295–297
- hard tissue factor: bone
 - depth 270, 271, 276, 277
- hard tissue factor: cortical
 - thickness 270, 271
- insertion techniques 271, 273, 275, 277, 278, 279
- selection of optimal insertion sites 273, 275
- soft tissue factor: soft tissue
 - thickness 272
- vital anatomical structures 272, 273–274

mini-implant-assisted skeletal expansion 286, 288–289

molar anchorage reinforcement 280, 286–287

molar distalisation 280, 281–282, 283, 284

molar intrusion 293, 295

traction of impacted teeth 289–294

patient-associated risk factors

- failure of orthodontic temporary anchorage devices
 - about 537
 - local factors 537–538
 - systemic factors 537
- for soft tissue complications 517, 519, 520, 521–522

peri-implant irrigation and scaling 528, 529

periodontal tissues, dental roots and 491–492, 496, 497

plateau features, as a hard tissue factor of buccal shelf of mandibular buccal region 364, 366–367

polishing insertion guides 464, 467

postinsertion

- for buccal shelf of mandibular buccal region 376, 377
- for interradicular sites of mandibular buccal region 350
- for paramedian sites 279

precision, as an advantage of insertion guides 446, 447–448

preinsertion

- for buccal shelf of mandibular buccal region 372
- for interradicular sites of mandibular buccal region 345
- for mandibular ramus 397, 401
- for paramedian sites 273, 275, 276

prevention

- of failure of orthodontic temporary anchorage devices 543–544

root contact

- appropriate anaesthesia and insertion technique 497, 498
- meticulous design of insertion angulation 496, 497
- prudent selection of insertion sites 496, 497

soft tissue complications

- meticulous oral hygiene care 525, 526

- prevention of excessive soft tissue trauma 526–527
 - prudent selection of insertion sites 525, 526
 - sophisticated insertion techniques 525–526
 - primary stability 5–6, 8, 534–536, 537
 - procedures, clinical
 - for inserting mini-implants
 - insertion of mini-implants 86–90
 - post-insertion examination 90, 91
 - preinsertion preparation 85–86, 87
 - for insertion guides
 - anaesthesia 476, 477
 - detaching screwdrivers 479
 - inserting mini-implants 476, 477, 478–479
 - removing insertion guides 479
 - verifying fit of insertion guides 473–474, 475
 - mandibular ramus
 - insertion 397, 399, 402, 403
 - postinsertion 401
 - preinsertion preparation 399
 - for removing fractured mini-implants 511, 512
 - prognosis, of root contact
 - mini-implants 490, 491
 - periodontal tissues and dental roots 491–492, 495, 496
 - protraction, molar
 - biomechanics-driven paradigm 82, 84, 85
 - for interradicular sites 168–169, 175, 176, 252, 253, 275–279
 - for interradicular sites of mandibular buccal region 354, 356, 378–382
 - in sagittal dimension 12, 13–14
- r**
- removal techniques, for mini-plates 433, 434
 - retraction, anterior
 - as a clinical application for
 - interradicular sites 252–253, 254, 255, 256–257
 - for interradicular sites of mandibular buccal region 350–351, 352–353, 354
 - in sagittal dimension 11
 - risk factors
 - root contact
 - insertion angulation 495, 496
 - insertion height 494
 - insertion site 493
 - limited interradicular space 493–494
 - soft tissue complications
 - factors associated with
 - mini-implants 523–524
 - operator factors 522–523, 522, 523, 524
 - patient factors 520–521, 521, 522
 - risk factors, implant-associated
 - of failure of orthodontic temporary anchorage devices
 - about 541, 542
 - design 541, 542
 - geometry 541, 542
 - shape 541, 542, 543
 - surface topology 543
 - of fractures of orthodontic temporary anchorage devices 505–506, 506–507
 - risk factors, operator-associated
 - of failure of orthodontic temporary anchorage devices
 - about 538, 539
 - biocortical *versus* monocortical engagement 540
 - insertion angle 539–540, 541
 - insertion depth 539, 540
 - insertion height 539, 540
 - loading time 540–541
 - root proximity 538, 539
 - self-tapping *versus* self-drilling 540
 - fracture of orthodontic temporary anchorage devices 504, 505
 - for soft tissue complications 522, 523, 524
 - risk factors, patient-associated
 - of failure of orthodontic temporary anchorage devices
 - about 537
 - local factors 537–538
 - systemic factors 537, 538
 - for soft tissue complications 520–521, 522
 - root contact
 - about 487–488, 488, 499
 - clinical manifestations 488, 489
 - management of 498
 - prevention
 - appropriate anaesthesia and insertion technique 497, 498
 - meticulous design of insertion angulation 496–497
 - prudent selection of insertion sites 496, 497
 - prognosis
 - mini-implants 490–491
 - periodontal tissues and dental roots 491, 492
 - risk factors
 - insertion angulation 495, 496
 - insertion height 494
 - insertion site 493
 - limited interradicular space 493–494
 - root prominence
 - as a hard tissue factor of interradicular sites in maxillary labial region 103, 106
 - as a hard tissue factor of interradicular sites of mandibular labial region 307, 311
 - root proximity, as a risk factor of failure of orthodontic temporary anchorage devices 538, 539
- s**
- sagittal dimension, of orthodontic temporary anchorage devices 11–12, 13–15
 - screwdrivers
 - creating digital models for 457, 459
 - detaching 479
 - establishing digital data of 457, 459
 - secondary stability 7, 8, 534–535, 535–536
 - self-drilling drilling method
 - about 5, 6
 - self-tapping *versus* 540
 - self-tapping drilling method
 - about 5, 6
 - self-drilling *versus* 540
 - shape, as a risk factor for failure of orthodontic temporary anchorage devices 541, 542, 543
 - skeletal discrepancy, orthopaedic treatment for 420–422, 423

- skeletal orthopaedics, in sagittal dimension 12, 15
 - smoking
 - as a habit 30, 31, 32
 - as a risk factor for soft tissue complications 521
 - soft tissue
 - about 40, 43
 - mandibular ramus 391, 394, 395
 - selection of optimal sites 45–50
 - thickness of 40, 45, 46
 - types of 40, 44
 - soft tissue complications
 - about 515, 516, 530
 - adverse consequences 519, 520
 - clinical manifestations
 - about 516, 517
 - soft tissue hyperplasia 516, 518
 - soft tissue infection 517, 519
 - soft tissue lesion 517, 519
 - soft tissue swelling 516, 517
 - prevention
 - meticulous oral hygiene care 525
 - prevention of excessive soft tissue trauma 526, 528
 - prudent selection of insertion sites 525, 526
 - sophisticated insertion techniques 525–526, 527
 - risk factors
 - factors associated with
 - mini-implants 523–524
 - operator factors 522, 523, 524
 - patient factors 520–521, 522
 - treatment
 - excision of hypertrophic soft tissue 530
 - local debridement and drainage 528
 - peri-implant irrigation and scaling 528, 529
 - removal of causative factors 528, 529
 - soft tissue factor
 - for buccal shelf of mandibular buccal region
 - soft tissue thickness 369, 371
 - soft tissue type 369, 371
 - for infrazygomatic crest (IZC)
 - maxillary sinus 194, 195
 - soft tissue type 192, 194
 - for interradicular sites of mandibular buccal region
 - buccal frenum 341, 342
 - soft tissue types 340–341
 - for interradicular sites of mandibular labial region
 - attached gingiva 307, 311, 312
 - labial frenum 307, 311
 - for interradicular sites of maxillary buccal region
 - buccal frenum 156, 157
 - soft tissue type 154–156
 - for interradicular sites of maxillary labial region
 - labial frenum 103, 106
 - mucogingival junction 103, 106
 - for mandibular symphysis 323, 324–325
 - for maxillary palatal region
 - soft tissue thickness 246, 247
 - soft tissue type 246
 - for maxillary tuberosity
 - soft tissue thickness 228
 - types of soft tissue 228
 - for midpalatal suture 298
 - for paramedian sites 271–272
 - soft tissue hyperplasia 516, 518
 - soft tissue infection 517, 519
 - soft tissue lesion 517, 519
 - soft tissue swelling 516, 517
 - soft tissue thickness
 - about 40, 45, 46
 - as a soft tissue factor for midpalatal suture 298
 - as a soft tissue factor of buccal shelf of mandibular buccal region 369, 371
 - as a soft tissue factor of maxillary palatal region 246, 247
 - as a soft tissue factor of maxillary tuberosity 228
 - soft tissue type
 - as a soft tissue factor in infrazygomatic crest (IZC) 192, 194
 - as a soft tissue factor in interradicular sites of maxillary buccal region 154–156
 - as a soft tissue factor of buccal shelf of mandibular buccal region 369, 371
 - as a soft tissue factor of maxillary palatal region 246
 - stainless steel 2
 - STL file, exporting 464
 - structure, of mini-plates 415, 416–417
 - surface properties, as a factor
 - associated with
 - mini-implants 523–524
 - surface topology, as a risk factor for
 - failure of orthodontic temporary anchorage devices 543
 - swelling, soft tissue 516, 517
 - systemic diseases
 - diabetes 28, 29
 - osteoporosis 28
 - systemic factors, as risk factors of
 - failure of orthodontic temporary anchorage devices 537, 538
 - systemic requirements
 - about 26, 27
 - basic conditions
 - age 26, 27
 - gender 26, 27
 - drugs
 - bisphosphonates 28–29, 30
 - glucocorticoids 30, 31
 - habits 31
 - systemic diseases
 - diabetes 28, 29
 - osteoporosis 28
- t**
- TADs (temporary anchorage devices)
 - about 1, 21
 - characteristics of
 - drilling methods 5, 6
 - materials 2
 - morphology 4–5, 6
 - clinical indications for
 - about 9, 10
 - sagittal dimension 11–12, 13–15
 - transverse dimension 16, 18–19
 - vertical dimension 12, 15–18
 - evolution of 1–2, 3
 - failure of
 - about 533, 534, 546
 - management of 544, 545
 - prevention of 543–544
 - primary stability 534–536
 - risk factors 537–543, 537–542
 - secondary stability 534–536
 - fractures of

- about 501, 502, 503, 512
- management of mini-implant fracture 511, 512
- prevention of mini-implant fracture 508, 509–510
- risk factors for mini-implant fracture 504–507, 505–507, 508
- mechanical retention of
 - about 5, 6, 7
 - direct *versus* indirect anchorage 8–9
 - primary stability 7, 8
 - secondary stability 7, 8
- potential complications 19–21
- temporary anchorage devices (TADs)
 - about 1, 21
 - characteristics of
 - drilling methods 5, 6
 - materials 2
 - morphology 4–5, 6
 - clinical indications for
 - about 9, 10
 - sagittal dimension 11–12, 13–15
 - transverse dimension 16, 18–19
 - vertical dimension 12, 15–18
 - evolution of 1–2, 3
 - failure of
 - about 533, 534, 546
 - management of 544, 545
 - prevention of 543–544
 - primary stability 534–536
 - risk factors 537–543
 - secondary stability 534–536
 - fractures of
 - about 501, 502, 503, 512
 - management of mini-implant fracture 511, 512
 - prevention of mini-implant fracture 508, 509–510
 - risk factors for mini-implant fracture 504–507, 508
 - mechanical retention of
 - about 5, 6, 7
 - direct *versus* indirect anchorage 8–9
 - primary stability 7, 8
 - secondary stability 7, 8
 - potential complications 19–21
- 3-D (three-dimensional) dentition model, reconstructing 451, 452, 453, 454, 455, 456, 457, 458, 459
- 3-D (three-dimensional) design of
 - insertion guides, for mini-implants
 - about 451, 461, 463
 - combining guide plate and guide cylinder 461
 - determining area of guide plate on digital dental model 461
 - establishing digital data of mini-implants and screwdrivers 457, 459
 - generating guide cylinder 461, 464
 - generating guide plate 461
 - reconstructing three-dimensional dentition model 451, 452, 453, 454, 455, 456, 457, 458, 459
 - virtual placement of mini-implants 459, 460, 461, 462
- 3-D printing, generating actual insertion guide through 464, 466
- time needed for CAD-CAM, as a disadvantage of insertion guides 449
- tissue
 - hard
 - about 32–33
 - alveolar bone and extra-alveolar bone 33, 34, 35
 - bone density 33, 35–37
 - bone depth 33, 34, 37, 38–39
 - bone width 37, 38, 40–42
 - cortical thickness 37, 39, 42
 - mandibular ramus 389, 391, 392–393
 - selection of optimal sites 39, 43
 - hard tissue factor
 - for buccal shelf of mandibular buccal region 364, 366–369, 370
 - for infrazygomatic crest (IZC) 187–192, 193
 - for interradicular sites of mandibular buccal region 335–336, 337–340
 - for interradicular sites of mandibular labial region 305, 307–311
 - for interradicular sites of maxillary buccal region 146, 147, 148–153, 154, 155
 - for interradicular sites of maxillary labial region 95, 98–103, 98, 99, 100, 101, 102, 103, 104, 105, 106
 - for mandibular symphysis 321–323
 - for maxillary palatal region 238–245
 - for maxillary tuberosity 225–227, 228
 - for midpalatal suture 297–298
 - for paramedian sites 270–271, 272
 - soft
 - about 40, 43
 - mandibular ramus 391, 394, 395
 - selection of optimal sites 45–50
 - thickness of 40, 45, 46
 - types of 40, 44
 - soft, complications with
 - about 515, 516, 530
 - adverse consequences 519, 520
 - clinical manifestations 516–519, 517–519
 - prevention 525–526, 525–528
 - risk factors 520–524, 521–524
 - treatment 528–530, 529–530
 - soft tissue factor
 - for buccal shelf of mandibular buccal region 369, 371
 - for infrazygomatic crest (IZC) 192, 194, 195
 - for interradicular sites of mandibular buccal region 340–341, 342
 - for interradicular sites of mandibular labial region 307, 311, 312
 - for interradicular sites of maxillary buccal region 154–156, 157
 - for interradicular sites of maxillary labial region 103, 106
 - for mandibular symphysis 323, 324–325
 - for maxillary palatal region 246, 247
 - for maxillary tuberosity 228
 - for midpalatal suture 298
 - for paramedian sites 271–272
 - soft tissue thickness
 - as a soft tissue factor for midpalatal suture 298

- tissue (*cont'd*)
 - as a soft tissue factor of buccal shelf of mandibular buccal region 369, 371
 - as a soft tissue factor of maxillary palatal region 246, 247
 - as a soft tissue factor of maxillary tuberosity 228
 - soft tissue type
 - as a soft tissue factor in infrazygomatic crest (IZC) 192, 194
 - as a soft tissue factor in interradicular sites of maxillary buccal region 154–156
 - as a soft tissue factor of buccal shelf of mandibular buccal region 369, 371
 - as a soft tissue factor of maxillary palatal region 246
 - titanium alloy 2
 - traction
 - of impacted molars in biomechanics-driven paradigm 79, 82–83
 - of impacted teeth
 - as a clinical application for buccal shelf in mandibular buccal region 379, 384, 385, 386
 - as a clinical application with infrazygomatic crest 214, 218, 222–223
 - for paramedian sites 289–293, 294
 - of lingually angulated impacted mandibular second molars 405, 407–409
 - of mandibular third molars away from inferior alveolar canal 409, 410–412
 - of vertically impacted mandibular second molars 405, 406–407
 - transverse dimension, of orthodontic temporary anchorage devices 16, 18–19
 - treatment, of soft tissue complications
 - excision of hypertrophic soft tissue 530
 - local debridement and drainage 528
 - peri-implant irrigation and scaling 528, 529
 - removal of causative factors 528, 529
 - try-in, for insertion guides on dental model 464, 467
- u**
- U1-U1 site 107, 109–110, 108–110, 111, 112
 - U1-U2 site 110, 112–114, 115, 116
 - U2-U3 site 110, 112–114, 115, 116
 - uprighting
 - as a clinical application for buccal shelf in mandibular buccal region 379, 381–384
 - for interradicular sites of mandibular buccal region 358–359, 361–363
 - for mesioangulated impacted mandibular second molars 402–405
- v**
- versatile clinical applications, for mandibular ramus
 - orthodontic traction of vertically impacted mandibular second molars 405, 406–407
 - traction
 - of lingually angulated impacted mandibular second molar 405, 407–409
 - of mandibular third molar away from inferior alveolar canal 409, 410–412
 - uprighting mesioangulated impacted mandibular second molars 402–405
 - vertical dimension, of orthodontic temporary anchorage devices 12, 15–18
 - vertically impacted mandibular second molars, orthodontic traction of 405, 406–407
 - vital structures
 - inferior alveolar nerve and buccal shelf of mandibular buccal region 369, 371
 - in interradicular sites of mandibular buccal region 341–342
 - maxillary palatal region 246–248
 - midpalatal suture 298
 - paramedian sites 272–273
 - vitallium 2
- w**
- width, bone
 - about 37, 38, 40–42
 - as a hard tissue factor
 - of interradicular sites of mandibular labial region 307, 310–311
 - of interradicular sites of maxillary buccal region 151, 153, 152–154
 - of interradicular sites of maxillary labial region 100–102, 102, 103, 104, 105
 - of maxillary palatal region 241, 243, 242, 243, 244

