

Index

a

- Abdominal fluid *see* Body cavity fluids
- Abscess
cutaneous 127, 128f
leukemoid response and 477
mammary gland 366
pancreatic 278, 279f
tooth root 218
- Acanthocheilonema reconditum see* Microfilariae
- Acanthocytes 445f, 446, 447f
- Acantholytic cells, pemphigus foliaceus
132–133, 132f
- Acid fast
Cryptosporidium spp. 64, 64f
Mycobacterium spp. 69, 70f
Nocardia spp. 69
- Acral lick granuloma 126
- Actinomyces* spp. 69, 71f, 126
- Acute leukemia
bone marrow 176–179, 176f–179f
lymph node infiltration 150, 151f
non-regenerative
anemia and 435
peripheral blood 461, 462f, 500–502, 500f–503f
spleen 160, 160f–161f
- Acute lymphoid leukemia (ALL)
bone marrow 178, 179f
peripheral blood 500–502, 500f
- Acute myeloid leukemia (AML)
bone marrow 176–178, 176f–178f
erythroid 160, 161f, 176, 178f, 459, 461, 462f, 502
- granulocytic/monocytic 160f, 176, 176f–177f, 481, 492
lymph node infiltration 150, 151f
megakaryoblastic 177, 178f, 502, 523, 523f–524f, 529
peripheral blood 461, 462f, 500–502, 500f–503f
spleen 160, 160f–161f
- Adenocarcinoma
adrenocortical 339, 340f
anal sac apocrine gland 111, 112f
ceruminous gland 412, 413f–414f
clitoral 374, 374f
colon 264f
intestinal 262, 263f
lung 317, 318f–319f
mammary 361, 365f
nasal 312, 314f
neutrophilia 477
ovarian 359, 360f
pancreatic 274, 274f–275f
parathyroid 335, 336f
perianal gland 111, 111f
prostatic 355, 355f
renal 285, 288f
salivary 255, 257f
sweat gland 105, 106f
thyroid 332, 332f–334f
- Adenoma
adrenocortical 338, 338f–339f
bile duct 250, 251f
ceruminous gland 412, 413f
intestinal 262, 263f
mammary 34f, 361, 362f–363f
ovarian 359, 360f
pancreatic 272, 273f
parathyroid 335, 335f
perianal gland 110, 110f
salivary 255, 256f
sebaceous 105, 107f
sweat gland 105, 106f
thyroid 331, 331f
- Adipocytes *see also* Lipoma
incidental 15, 22f
- Adrenal gland 338–340
adenocarcinoma 339, 340f
adenoma 338, 338f–339f
extramedullary hematopoiesis 339, 339f
pheochromocytoma 340, 341f
- Aelurostrongylus abstrusus*
65, 67f, 322
- Algae 56–58
- Alimentary tract *see* Intestines
- Allergic disease
basophilia 490
cutaneous 131, 131f
eosinophilia 488
respiratory 324, 325f
- Amastigotes, in *Leishmania* 60, 60f, 184f
- Amelanotic melanoma *see* Melanoma
- Ammonium urate crystals *see* Urine, crystals
- Amyloid
liver 249, 249f
spleen 165, 166f
- Anal sac apocrine gland
adenocarcinoma 111, 112f
- Anaphase 33–34, 41f

- Anaplasma platys* 524, 524f
Anaplasma spp. 72, 72f, 221, 221f, 504, 505f, 524, 524f
 Anaplastic mammary carcinoma 362, 365f
 Anaplastic sarcoma with giant cells 37f, 120, 121f
Ancylostoma spp. 269, 270f
 Anemia 433–435
 Immune-mediated hemolytic anemia (IMHA) 430f–431f, 437, 437f, 445f, 455f, 456f
 of inflammatory disease 435
 Iron deficiency 435, 443, 448, 451, 518
 Non-regenerative 435
 Regenerative 434–435, 439, 440f
 Anestrus, vaginal cytology 367, 370f
 Anisocytosis
 tissue cells 31, 34f
 red blood cells 444, 444f
 Anisokaryosis 32, 36f
 Anisonucleosis 32
 Antinuclear antibodies (ANA) 221
 Aortic body tumor 337
 Apocrine gland adenocarcinoma, anal sac 111, 112f
 Apoptotic cells
 peripheral blood 531–532, 531f
 tissue 14, 19f, 24, 29f
 Arthritis
 immune-mediated 221, 222f
 osteoarthritis 219
 septic 219, 220f
 Arthrospores, *Dermatophyte* spp. 46, 48f
 Artifacts
 cell lysis 14, 18f–19f, 428f
 crystal formation 13, 16f
 formalin 14, 20f
 gel 13, 16f
 glove powder/starch crystals 13, 15f
 hemoglobin crystals 13, 17f, 427, 428f
 nuclear material 14, 18f
 pollen grains 14, 20f
 stain precipitation 8, 13, 15f, 427, 427f, 460, 461f, 527, 528f
 Ascites *see* Body cavity fluids
Aspergillus spp. 53, 54f, 218, 406, 415
 Astrocytoma 379, 382f
- b**
- Babesia* spp. 449, 466, 467f–468f
 Bacteremia 534–535, 534f
 Bacteria
 abscess 127, 128f, 279f
 acid fast 69, 70f
 arthritis 219, 220f
 Borrelia spp. 534–535, 534f
 bile 252, 252f
 branching 69, 71f
 cerebrospinal fluid 391f, 395–396
 fecal flora 267, 267f–268f
 fluids 194–195, 195f, 200f
 identification of 69–75, 69f–75f
 osteomyelitis 217
 otitis externa 413, 414f–415f
 peripheral blood 534–535, 534f
 pneumonia 321–323, 323f
 prostatitis 357, 357f
 rickettsial 72, 72f, 220–221, 221f, 504, 505f, 524, 524f
 spiral 73, 74f, 267
 spirochetes 534, 534f
 spore forming 73, 73f
 vaginitis 373, 374f
 Bactibilia 252, 252f
 Band neutrophils 173f, 478, 479f, 483f
 Bare nuclei, artifact 14, 19f
 Barium, pneumonia 326, 327f
 Barr body 476, 477f
 Basal cell carcinoma 104, 105f
 Basal cells, vaginal cytology 366, 368f
 Basal cell tumor *see* Cutaneous basilar epithelial neoplasia
 Basket cells 532, 532f
- Basophilic stippling 456, 457f
 Basophils 476f, 489–490, 490f
 Bence-Jones urine protein 162, 185, 216
 Benign mammary tumors 34f, 361, 362f–363f,
 Benign neoplasia 30, 33f–34f
 Benign prostatic hyperplasia (BPH) *see* Prostate hyperplasia
 Beta islet cell tumors *see* Insulinoma
 Bile duct adenoma 250, 251f
 Bile duct carcinoma 250, 251f
 Bile duct cystadenoma 250, 251f
 Bile peritonitis
 classic 197, 197f
 white bile 197, 198f
 Biliary epithelium 250, 250f
 Biliary hyperplasia 250, 250f
 Biliary tract 250–252
 Bilirubin
 concentration in body fluids 197
 crystals *see* Urine crystals
 pigment, hepatocytes 246, 247f
 Bladder 291–294
 hyperplasia 291, 292f
 papilloma/polyp 292, 293f
 transitional cell carcinoma 293, 293f
Blastocystis 63, 63f
Blastomyces dermatitidis 48, 49f
 Blister cells 445f, 448, 449f
 Blood
 background features 527–528
 components 430, 431f
 erythrocytes 433–468
 leukocytes 475–509
 platelets 515–525
 Blood smear
 approach to evaluation 427–430
 artifacts
 of preparation 424f, 425f
 of staining 425–426, 426f
 background features 527–528
 monolayer 429, 429f
 preparation 421–423, 422f–423f
 stain precipitation 427, 427f, 527, 528f
 staining procedure 425–426

- Body cavity fluids 193–208
 bile peritonitis 197–198, 197f–198f
 blood-to-fluid glucose difference 195
 cell concentration in 193
 cestodiasis 65, 66f, 194
 cholesterol-to-triglyceride ratio 199
 chylous effusion 198–199, 198f
 classification of 193
 exudate, eosinophilic 195–196, 196f
 exudate, high protein 196–197, 196f
 exudate, neutrophilic 195, 195f
 exudate, septic 194–195, 194f
 exudate, sterile 195, 195f
 feline infectious peritonitis 197
 fluid-to-serum creatinine ratio 200
 fluid-to-serum potassium ratio 200
 hemorrhagic 200, 201f
 histiocytic sarcoma 206f, 207
 lymphocyte-rich effusion 199, 199f
 lymphoma 205, 206f
 mast cell neoplasia 207, 207f–208f
 mesothelial hyperplasia 200–201, 201f–202f
 mesothelioma 202–203, 203f
 modified transudate 193
 neoplastic 202–207, 203f–208f
 pericardial 195, 196, 200, 206f, 207, 338
 protein concentration in 193
 transudate low protein 193, 194f high protein 193
 triglyceride concentration in 199
 uroabdomen 193, 199–200, 200f
- Bone
 chondrosarcoma 212–213, 214f
 fibrosarcoma 215, 216f
 hemangiosarcoma 214, 215f
 histiocytic sarcoma 216, 217f
 metastatic neoplasia 216–217, 218f
 multilobular osteochondrosarcoma (MLO) 214, 215f
 multiple myeloma 216, 217f
 osteoma 211, 212f
 osteomyelitis 217–218, 218f
 osteosarcoma 211–212, 212f–213f
- Bone marrow 170–187
 acute leukemia 176–179, 176f–179f
 aplasia 185
 chronic lymphocytic leukemia 183, 184f
 erythroid hyperplasia 180, 181f
 granulocytic/erythroid ratio (G/E ratio) 176
 granulocytic hyperplasia 180, 180f
 hemophagocytic histiocytic sarcoma 182, 182f
 hemophagocytosis 180–181, 181f
 histiocytic sarcoma 182, 183f
 hypoplasia 185, 187f
 inflammation/infection 182, 183f–184f
 lymphoma 179, 179f
 metastatic disease 185, 186f
 multiple myeloma 185, 185f
 normal 170, 176, 170f–175f
- Bordetella bronchiseptica* 70, 71f, 322, 324f
- Borrelia* spp. 534f, 535
- Bowel *see* Intestines
- Brain 379–386
 astrocytoma 379, 382f
 choroid plexus carcinoma 385, 386f
 choroid plexus papilloma 384, 385f
 encephalitis 386, 387f
 ependymoma 386, 387f
 histiocytic sarcoma 383, 385f
 lymphoma 380–381, 384f
 meningioma 379, 380f–381f
 neuroblastoma 382, 384f
 oligodendroglioma 379, 383f
 primitive neuroectodermal tumors (PNET) 381–382, 384f
 psammoma body, meningioma 379, 381f
- Branchial cyst 169, 169f
- Bronchoalveolar lavage (BAL) 320–327
 allergic disease 324
 bacteria 320, 322, 322f–324f
 Curschmann's spirals 320–321, 323f
 eosinophilic inflammation 323–324, 325f
 foreign material 326, 327f
 goblet cells 320, 322f
 hemorrhage 326, 327f
 hyperplastic epithelium 320, 322f
 hypersensitivity 324
 infectious agents 322–323, 323f–324f
 lymphocytic inflammation 326, 326f
 macrophages 325, 325f
 mononuclear inflammation 325, 325f
 mucus 320–321, 322f–323f
 neoplasia 327, 328f
 neutrophilic inflammation 321, 323f
 normal epithelium 320, 321f
 oropharyngeal contamination 320, 322f
- Brucella canis* 349
- Brush sampling procedure 7
- Buffy coat 430, 431f
 infectious agents 64, 504, 508
 mast cells 492
- C**
- C cell carcinoma, thyroid 334–335, 334f
- Calcareous corpuscles 65, 66f
- Calcinosis circumscripta 129, 129f–130f
- Calcinosis cutis 129, 130f
- Calcium oxalate crystals *see* Urine crystals

- Campylobacter* spp. 73, 74f, 267
- Candida* spp. 50, 51f, 297f, 406, 415
- Canine
- cutaneous mast cell neoplasia 85–87, 85f–88f
 - histiocytoma 90–91, 91f–92f
 - lymphoma 143–144, 144f–146f
 - sterile nodular panniculitis 124–125, 125f
- Cannibalism, cells in neoplasia 31, 35f, 202, 203f
- Capillaria plica* 298, 298f
- Capillaries 15, 21f, 115, 116f, 121, 122f, 239, 240f, 285, 338f, 347, 349f, 379, 383f
- Carcinoid
- gall bladder 240
 - intestine 263, 264f
 - liver 239, 241f
- Carcinoma *see also* Adenocarcinoma
- adrenocortical 339, 340f
 - BAL/TTW 327, 328f
 - basal cell 104, 105f
 - bile duct 250–251, 251f
 - body cavity fluids 204, 204f–205f
 - choroid plexus 385, 386f, 398, 399f
 - clear cell adnexal 112, 113f
 - hepatocellular 21f, 32f, 238–239, 240f–241f
 - lung 317, 318f–319f
 - mammary 36f, 361–362, 363f–365f
 - Merkel cell 93–94, 95f
 - metastatic
 - bone 216–217, 218f
 - bone marrow 185, 186f
 - cutaneous 108, 109f
 - liver 241, 242f
 - lymph node 151, 151f
 - spleen 164, 164f
 - synovial fluid 222, 224f
 - parathyroid 335, 336f
 - perianal gland 35f, 111
 - pituitary 340, 341f
 - prostatic 12f, 30f, 355, 355f
 - pulmonary 317, 318f–319f
 - renal 285, 287f–288f
 - sebaceous 107, 108f
 - squamous cell 109, 110f, 315, 315f, 317, 319f, 405, 407f
 - thymic 167, 168f
 - thyroid 332–333, 332f–334f
 - thyroid C cell carcinoma 334, 334f
 - transitional cell 36f, 289f, 293, 293f, 296f, 355, 356f
- Carcinoma *in situ* 262
- Carcinomatosis 263
- Carcinosarcoma, mammary gland 365
- Carotid body tumor 336, 336f–338f
- Casts, urinary *see* Urine casts
- Cell count
- body cavity fluids 193
 - cerebrospinal fluid 386
 - synovial fluid 219
- Cells, categorization 15, 24, 29–30
- Cellulitis *see* Panniculitis
- Central nervous system 379–401
- Cerebrospinal fluid (CSF) 386–400
- blood contamination of 394
 - cell concentration 386
 - choroid plexus carcinoma 398, 399f
 - choroid plexus cells, incidental 389, 389f
 - eosinophilic inflammation 391, 391f
 - ependymal cells 39, 399f
 - feline infectious peritonitis 395, 396f
 - granulomatous meningoencephalitis 395, 395f
 - hemorrhage 394, 394f
 - histiocytic sarcoma 397, 398f
 - infectious agents 391f, 395–396, 396f
 - intervertebral disc material 387, 388f
 - lymphocytic inflammation 392, 392f
 - lymphoma 397, 397f
 - mast cell neoplasia 399, 400f
 - meningitis-arteritis 390
 - mononuclear inflammation 392, 393f
 - mononuclear reactivity 392, 393f
 - myelin-like material 388, 389f
 - neoplasia 397–400
 - neutrophilic inflammation 390, 390f–391f
 - normal 386, 388f
 - protein concentration 386
 - septic meningitis 391f, 395–396, 396f
 - surface epithelial cells 389, 389f–390f
 - xanthochromia 394
- Ceruminous gland adenocarcinoma 412, 413f–414f
- Ceruminous gland adenoma 412, 413f
- Cestodiasis *see* Body cavity fluids
- Chagas' disease *see Trypanosoma cruzi*
- Chemodectoma 336–338
- aortic body tumor 337
 - carotid body tumor 336f–338f
- Chemoreceptor tumors *see* Chemodectoma
- Chlamydia* spp,
- conjunctival 409, 410f
- Cholangiocarcinoma 250, 251f
- Cholangiohepatitis 245, 250, 252
- Cholangitis 246, 250
- Cholecystitis 252, 252f
- Cholestasis 246, 247f, 248
- Cholesterol crystals 11, 11f, 101, 224, 225f, 278, 279f, 290, 292
- Cholesterol-to-triglyceride ratio *see* Body cavity fluids
- Chondroid 212, 214f, 315, 367f
- Chondrosarcoma
- bone 212–213, 214f
 - mammary gland 362
 - nasal 315, 316f
- Choroid plexus carcinoma
- brain 385, 386f
 - cerebrospinal fluid 398, 399f
- Choroid plexus cells 389, 389f
- Choroid plexus papilloma 384, 385f
- Chronic lymphocytic leukemia (CLL)
- bone marrow 183–184, 184f
 - liver 243

- peripheral blood 498–499, 499f
spleen 161, 161f
- Chylous effusion 198–199, 198f
- Ciliated epithelium
branchial cyst 169, 169f
respiratory 320, 321f
- Clear cell adnexal carcinoma
112, 113f
- Clitoral adenocarcinoma 374, 374f
- Clostridium* spp. 73, 73f
- Coccidioides* spp. 63, 63f–64f
- Coccidiosis *see* *Cystoisospora* spp.
- Codocytes 445f, 451, 453f
- Colitis 267
- Collagen
extracellular matrix 12, 13f,
in feline gastrointestinal
eosinophilic sclerosing
fibroplasia 266
in keloidal fibromas 115, 115f
mast cell tumors 85, 85f, 86
- Colloid, thyroid 331–332,
331f–332f
- Colon *see* Intestines
- Conjunctiva 409–412
Chlamydia felis 409, 410f
inflammation 409, 410f–411f
lymphoma 411, 412f
mast cells 410, 411f
Mycoplasma felis 409, 411f
neoplasia 411–412
- Copper pigment, in hepatocytes
247–248, 248f–249f
- Cornea 405–409
bacterial keratitis 405, 407f
chronic superficial keratitis
408, 409f
eosinophilic keratitis 407, 408f
fungal keratitis 406, 408f
hyperplasia 405, 406f
inflammation 406f
normal epithelium 405, 406f
pigmentary keratitis 409, 410f
squamous cell carcinoma
405, 407f
- Corticosteroid
hepatopathy 235
stress response 477
- Cranial mediastinal mass
chemodectoma 336–337
lymphoma 168, 169f
thymoma 167, 167f–168f
- Creatinine, in body fluids 200
- Crenation 422, 423f, 446
- Criteria of malignancy
31–32, 34f–39f
- Crown cells 115, 117f
- Cryoglobulin 527, 529f
- Cryptococcus* spp. 45, 46f–47f, 218,
322, 396f
- Cryptosporidium* spp. 64, 64f
- Crystals
ammonium urate 300, 301f
background artifact 13, 16f
barium 326, 327f
bilirubin 303, 303f
calcium oxalate
dihydrate 298, 299f
calcium oxalate monohydrate
299, 300f
cholesterol 11, 11f, 101, 224,
225f, 278, 279f, 290, 292
cystine 302, 302f
glove power 13, 15f
hematoidin 12f, 200, 201f, 202,
203f, 255, 257f
hemoglobin 13, 17f, 445f,
454–455, 456f–457
struvite 298, 299f
uric acid 301, 301f–302f
urinary 298–303
- CSF *see* Cerebrospinal fluid (CSF)
- Curschmann's spirals 320–321, 323f
- Cutaneous basilar epithelial
neoplasia 102–103, 103f
granular 104f
pigmented 104f
- Cutaneous lymphoma 93, 94f
- Cutaneous metastatic carcinoma
108, 109f
- Cuterebra* spp. 75, 76f
- Cyniclomyces guttulatus*
53, 53f, 267
- Cyst
background 11, 11f
Giardia lamblia 61, 62f
- infundibular/epidermal
101, 101f–103f
- kidney 290, 292f
- pancreas 278, 279f
- Pneumocystis* spp. 50, 51f–52f
- prostate 356, 357f
- synovial 224, 225f
- thymic branchial 169, 169f
- Cystadenoma, of bile duct 250, 251f
- Cystine *see* Urine crystals
- Cystitis *see* Urine, infection/
inflammation
- Cystoisospora* spp. 272, 272f
- Cytauxzoon felis*
merozoites 60, 61f, 464, 466f
schizonts 60, 61f, 464, 466f, 508
- Cytologic analysis of cells 11–43
- Cytologic artifacts 13–15, 14f–20f
- Cytology samples
collection of 1–7, 2f–3f, 6f
fine-needle aspiration 2, 3f
needle collection 2–3, 2f–3f
selection of cases 1
slide preparation 3–4, 4f–5f
staining 7–8, 7f
- Cytoplasmic fragments 12, 14f
- d**
- Dacryocytes 452, 453f
- Degenerative joint disease 219, 224
- Degenerative left shift 481
- Degenerative neutrophils 24, 28f
- Demodex* spp. 75, 77f, 415, 417f
- Dermatophyte* spp. 46, 48f
- Diatoms 57, 57f
- Diestrus, vaginal cytology 373, 373f
- Diff-Quik stain 7–8, 7f, 85, 88f, 90f,
146f, 350, 425, 463f–464f,
505f, 507, 507f
- Dipylidium caninum* 271, 271f
- Dirofilaria* spp. *see* Microfilariae
- Disseminated intravascular
coagulation (DIC) 442, 447,
448, 517
- Distemper
conjunctiva 409
erythrocytes 464, 464f–465f
leukocytes 507, 507f

Döhle bodies 24, 28f, 481–483, 482f–483f
Dracunculus 67, 68f
 Dry-mount fecal cytology 267–268
 Dysgerminoma 358, 358f
 Dystrophic mineralization 129

e

Ear mites *see Otodectes cynotis*
 Ears 412–417
 ceruminous gland adenocarcinoma 412–413, 413f
 ceruminous gland adenoma 412, 413f
 otitis externa 413–415, 414f–417f
 Eccentrocytes 448, 450f
 Echinocytes 445f, 446, 447f
 Ectoparasites 75–78
 Effusions *see* Body cavity fluids
Ehrlichia spp. 72, 221, 504, 505f
 Elliptocytes 451, 452f
 Encephalitis 386, 387f
 Endocrine tumors 331–341
 Endospores
 Clostridium spp. 73, 73f
 Coccidioides spp. 49, 50f
 Prototheca spp. 56, 57f
 Rhinosporidium seeberi 58, 58f
 Enteritis 267, 268f
 Eosinopenia 488
 Eosinophilia 488
 Eosinophilic effusion 195–196, 196f
 Eosinophilic granuloma 131, 131f
 Eosinophilic inflammation
 body cavity fluids 195–196, 196f
 bronchoalveolar lavage 323, 325f
 cerebrospinal fluid 391, 391f
 cornea 407, 408f
 cutaneous lesions 130–131, 130f–131f
 feline gastrointestinal eosinophilic sclerosing fibroplasia 266, 266f
 lymphadenitis 142, 143f
 mast cell tumor 85, 85f
 Eosinophilic keratitis 407, 408f

Eosinophilic meningoencephalomyelitis 391, 391f
 Eosinophils
 gray 488, 490f
 peripheral blood 476f, 488, 489f
 tissue 24, 25f
 Ependymal cells 389, 389f
 Ependymoma 386, 387f
 Epidermal inclusion cyst *see* Infundibular/epidermal cyst
 Epithelial cells
 cerebrospinal fluid 389, 389f–390f
 identification of 29, 30f
 Epithelioid macrophages 126
 Epithelioma, sebaceous 107, 107f
 Epitheliotropic lymphoma 93
 Erythrocytes *see also* Red blood cells (RBCs)
 body cavity fluids 200, 201f
 cerebrospinal fluid 394, 394f
 hemorrhage 11, 12f
 peripheral blood *see* Red blood cells (RBCs)
 synovial fluid 223, 224f
 Erythrocytosis 435–436, 435f–436f
 paraneoplastic 285, 289, 316
 primary 436f, 461
 Erythroid precursors
 adrenal gland 339f
 bone marrow 170f–171f, 180, 181f
 peripheral blood 441, 441f–443f
 spleen 155, 155f
 Erythroleukemia
 bone marrow 176–177, 178f
 peripheral blood 461, 462f
 spleen 160, 161f
 Erythrophagocytosis
 hemophagocytic syndrome 166, 166f
 hemorrhage 11, 12f, 200, 202, 326, 327f
 histiocytic sarcoma 162, 182, 182f
Escherichia coli 252, 285, 358, 365, 373

Estrogen
 bone marrow hypoplasia 185, 478, 517
 granulosa cell tumor 359
 sertoli cell tumor 346
 serum concentration 370, 373
 in squamous metaplasia, prostate 356
 Estrous cycle 366–373
 cytologic staging of 366, 370f–373f
 Estrus, vaginal cytology 370, 372f
 Ethylene glycol
 toxicity 299–300, 300f
 Excitement response 477, 495, 518
 Extracellular matrix
 background 12, 13f
 chondroid 212, 214f, 315, 316f, 367f
 collagen 12, 13f, 85, 85f, 86, 115, 115f
 colloid 331–332, 331f–332f
 mesenchymal cells 29–30
 osteoid 211, 212f–213f
 Extramedullary
 hematopoiesis (EMH)
 adrenal gland 339, 339f
 spleen 155, 155f
 Extramedullary plasmacytoma
 cutaneous 95, 96f–98f
 gastrointestinal 261, 261f
 nasal 311, 313f
 Exudate *see* Body cavity fluids
 Eyes 405–412
 conjunctiva 409–412
 cornea 405–409

f

Fatty cast, urinary 305, 307f
 Fatty liver *see* Hepatic lipidosis
 Fecal cytology 267–272
 bacteria 267, 267f
 bacterial overgrowth 267, 269f
 Campylobacter spp. 73, 74f, 267
 Clostridium spp. 73, 73f, 267
 Coccidia 272, 272f
 Cryptosporidium spp. 64, 64f, 267

- Cyniclomyces guttulatus* 53, 53f, 267
- Cystoisospora* spp. 272, 272f
- Giardia* spp. 61, 62f, 267
- hookworm 269, 270f, 434f
- inflammation 267, 268f
- normal 267, 267f–268f
- parasite ova 268–272
- roundworm 268, 269f
- tapeworm 271, 271f
- trichomonads 62, 63f
- whipworm 270–271, 270f
- Feline
- eosinophilic keratitis 407, 408f
 - gastrointestinal eosinophilic sclerosing fibroplasia 266, 266f
 - hepatic lipidosis 235, 237f–238f
 - visceral mast cell neoplasia 89, 163–164, 164f, 207, 486f
- Feline herpesvirus, conjunctival 408–409
- Feline immunodeficiency virus (FIV)
- lymphoma 144
 - neutropenia 478
 - Toxoplasma gondii* 59
- Feline infectious peritonitis (FIP)
- cerebrospinal fluid 395, 396f
 - exudate 196–197, 196f, 199
- Feline leukemia virus (FeLV)
- acute erythroid leukemia 461
 - acute lymphoid leukemia 179
 - bone marrow hypoplasia 185
 - chronic myeloid leukemia (CML) 503
 - Cryptosporidium* spp. 64
 - erythroleukemia 461
 - Howell-Jolly bodies 459
 - lymphoma 144
 - macrocytosis 444
 - mediastinal lymphoma 169
 - nasal lymphoma 314
 - neutropenia 478
 - pseudo-Pelger-Huët 481
- Feline mast cell neoplasia
- cutaneous 87–89, 89f–90f
 - visceral 163, 164f, 486f
- FeLV *see* Feline leukemia virus (FeLV)
- Fibrocartilagenous emboli (FCE) 390
- Fibroma
- cutaneous 13f, 33f, 113, 114f
 - keloidal 115, 115f
- Fibroplasia
- reactive 112, 113f
 - reactive, in mast cell tumors 85, 86f
- Fibrosarcoma
- bone 215, 216f
 - cutaneous 114–115, 114f
 - keloidal 115
 - mammary 362
 - metastatic 153f, 165f, 243f
 - nasal 315, 316f
- Filaroides hirthi* 65, 67f, 322
- Fine-needle aspiration 2–3, 2f–3f
- FIP *see* Feline infectious peritonitis (FIP)
- FIV *see* Feline immunodeficiency virus (FIV)
- Flame cell
- blood smear 531f
 - identification 24, 27f
 - multiple myeloma 216, 217f
 - plasmacytoma 96, 97f, 311, 313f
 - reactive lymphoid hyperplasia 139
- Fluid-to-serum creatinine ratio 200
- Fluid-to-serum potassium ratio 200
- Fluids *see* Body cavity fluids; Cerebrospinal fluid (CSF); Synovial fluid
- Follicular cyst *see* Infundibular/epidermal cyst
- Foreign body
- cutaneous reaction 126
 - nasal 311
 - otitis externa 414–415
 - respiratory 325
 - septic peritonitis 195
 - sialoceles and 256
- Formalin artifact 8, 14, 20f
- Fungal agents 45–56
- Furunculosis 126
- g**
- Gallbladder
- carcinoid 240, 252, 252f
 - white bile and 198, 198f
- Gamonts, *Hepatozoon* spp. 64, 65f, 508, 509f
- Gastrinoma 276f, 277
- Gastritis *see* Intestines
- Gastrointestinal stromal tumor (GIST) 265, 265f
- Gastrointestinal tract *see* Intestines
- Gel, artifact 13, 16f
- Ghost cells 454, 455f
- Giant cells
- anaplastic sarcoma with giant cells 37f, 120, 121f
 - macrophages, multinucleated 125f, 127f
 - osteoclasts 213f, 218f
 - osteosarcoma 211
- Giant cell tumor of soft tissue *see* Anaplastic sarcoma with giant cells
- Giardia* spp. 61, 62f
- Gliomas 379
- Glomerular tuft 285, 286f
- Glove powder crystals, artifact 13, 15f
- Glucose, in body cavity fluids 195
- Goblet cells 320, 322f
- Gram stain
- Actinomyces* spp. 69
 - Clostridium* spp. 73
 - Helicobacter* spp. 74
 - Mycobacterium* spp. 69
 - Nocardia* spp. 69
 - Simonsiella* spp. 75
- Granular casts, urinary 303, 304f
- Granular lymphoma
- blood 501, 501f
 - intestinal 259, 261f
 - pancreas, metastatic 277f
- Granulocytic/Erythroid ratio (G/E ratio) 176
- Granulocytic leukemia
- acute 176, 502, 503f
 - bone marrow 176f–177f
 - chronic 477, 503, 504f

- Granulocytic leukemia (*cont'd*)
 lymph node 151
 spleen 160, 160f
- Granulocytic precursors
 bone marrow 170, 172f–174f, 180, 180f
 spleen 155, 155f–156f
- Granuloma
 acral lick 126
 eosinophilic 131, 131f
- Granulomatous inflammation
 cutaneous 126, 127f
 lymph node 143, 144f
 osteomyelitis 218, 218f
- Granulomatous meningoencephalitis (GME) 395, 395f
- Granulosa cell tumor 18f, 359, 359f
- h**
- Hair follicular tumors *see*
 Cutaneous basilar
 epithelial neoplasia
- Hair shaft fragments 101, 102f
- Heartworm 533–534, 533f
- Heinz bodies 455f, 458–459, 458f–459f
 New methylene blue 426, 459f
- Helicobacter* spp. 73, 74f
- Helminths 65–69
- Hemangioma 116–117, 118f
- Hemangiopericytoma 115
- Hemangiosarcoma
 bone 214, 215f
 cutaneous 118, 118f–119f
 hemorrhagic effusion with 200
 kidney 290, 291f
 mammary 362
 neutrophilia and 477
 poikilocytosis
 and 446–448, 451–452
 spleen 157, 157f
- Hemarthrosis 223, 224f
- Hematoidin crystals 11, 12f, 200, 201f, 203f, 257f
- Hematopoiesis *see* Extramedullary
 hematopoiesis (EMH)
- Hemoabdomen 158–159, 200, 201f
- Hemoglobin crystals
 artifact 13, 17f, 427, 428f
 peripheral blood 445f, 454–455, 456f–457f
- Hemophagocytic histiocytic sarcoma
 bone marrow 182, 182f
 spleen 162, 163f
- Hemophagocytic syndrome
 166, 166f
- Hemorrhage
 background 11, 12f
 body cavity fluids 200, 201f
 bronchoalveolar lavage 326, 327f
 cerebrospinal fluid 394, 394f
 iatrogenic 200, 223, 394
 regenerative anemia 435, 440f
 synovial fluid 223, 224f
- Hemorrhagic effusion 200, 201f
- Hemosiderin
 chronic hemorrhage 11, 12f, 118f, 143f, 200, 201f, 327f, 530f
 liver 246–247, 248f
- Hepatic disease *see* Liver
- Hepatic lipidosis 235, 237f–238f, 245f
 poikilocytosis and 447–448, 451
- Hepatitis *see* Liver, inflammation
- Hepatocellular carcinoma
 high-grade 32f, 164f, 239, 241f
 well-differentiated 21f, 238–239, 240f
- Hepatocytes *see* Liver
- Hepatoid gland tumor *see* Perianal
 gland adenoma
- Hepatoma 236–237, 239f
- Hepatosplenic lymphoma 159, 160f
- Hepatozoon* spp. 64, 65f, 429, 431, 508, 509f
- Herpesvirus, conjunctival 409
- Histiocytic sarcoma *see also*
 Hemophagocytic
 histiocytic sarcoma
 body fluids 206f, 207
 bone 216, 217f
 bone marrow 182, 183f
 brain 383, 385f
 cerebrospinal fluid 397, 398f
 criteria of malignancy 37f–39f, 42f
 cutaneous 92, 92f–93f
 lungs 318, 320f
 neutrophilia and 477
 periarticular 225, 226f
 spleen 162, 163f
 synovial fluid 222, 223f
- Histiocytoma 32f, 90, 91f–92f
- Histoplasma capsulatum*
 feces 267
 osteomyelitis 218
 peripheral blood 508, 508f
 tissue 45, 47f
- Hodgkin's-like lymphoma 149, 150f
- Hookworm 269, 270f, 434f
- Howell-Jolly bodies 459, 460f–461f
- Hyaline cast, urine 303, 304f
- Hygroma 128
- Hypercalcemia
 anal sac apocrine gland
 adenocarcinoma 112
 clitoral adenocarcinoma 375
 leiomyoma 227
 lymphoma, large cell 144
 lymphoma, lymphoblastic 148
 lymphoma, mediastinal 168–169
 multiple myeloma 162, 185, 216
 parathyroid adenocarcinoma 335
 parathyroid adenoma 335
 renal carcinoma 285
 thymoma 167
- Hyperchromasia, nuclear 32, 38f
- Hyperplasia
 biliary 250, 250f
 corneal 405, 406f
 erythroid, bone
 marrow 180, 181f
 granulocytic, bone
 marrow 180, 180f
 liver, nodular 235, 238f
 lung 317, 317f
 lymph node 139, 140f–141f
 mesothelial 200, 201f–202f
 pancreas, nodular 272, 273f
 prostatic 350, 354f
 respiratory epithelial 312, 313f, 320, 322f
 spleen, nodular 154, 154f–155f

- synovial 219
 - thyroid, adenomatous 331
 - transitional cell 292f, 293–294, 295f
 - Hypersensitivity reaction
 - basophilia, blood 490
 - bronchoalveolar lavage 324
 - conjunctivitis 410
 - cutaneous 130, 131f
 - eosinophilia, blood 488
 - eosinophils in 24
 - Hyphae, fungal
 - Aspergillus* spp. 53, 54f
 - Candida* spp. 50, 51f
 - Conidiobolus* spp. 324f
 - keratitis 406, 408f
 - osteomyelitis 218f
 - Penicillium* spp. 53, 54f
 - Phaeohyphomycosis 54, 55f
 - Pythium insidiosum* 56, 56f
 - Hypocellular, bone marrow 185, 187f
- i**
- Iatrogenic hemorrhage
 - cerebrospinal fluid 394
 - hemorrhagic effusion 200
 - synovial fluid 223
 - Idiopathic
 - calcinosis cutis 129
 - chyloous effusion 199
 - eosinophilic airway disease 324
 - eosinophilic granuloma 132
 - eosinophilic meningoencephalitis 391, 391f
 - hypereosinophilic syndrome 488
 - neutropenia 478
 - pericardial effusion,
 - hemorrhagic 200
 - sialadenosis 255
 - sialocele 256
 - xanthoma 124
 - Immune mediated polyarthritis (IMPA) 125, 221, 222f
 - Immunoglobulins
 - flame cells 24, 27f
 - mott cells 24, 27f
 - ragocytes 221, 222f
 - Immunophenotype, lymphoma *see* Phenotype, lymphoma
 - In vitro* artifacts
 - background crystal formation 13, 16f
 - cell lysis 14, 19f
 - formalin 8, 14, 20f
 - hemoglobin crystal formation
 - cytology 13–14, 17f
 - blood 427, 428f
 - urine crystal formation 298
 - Infectious agents 45–78
 - Infiltrative lipoma *see* Lipoma
 - Inflammation
 - bile 252
 - body cavity fluids 193–196
 - bone 217, 218f
 - bone marrow 182–183, 183f–184f
 - brain 386, 387f
 - bronchoalveolar lavage 321–326, 323f–326f
 - cerebrospinal fluid 390–393, 390f–394f
 - characterization, cells 24, 25f–28f
 - conjunctiva 409–410, 410f–411f
 - cornea 405–409, 406f–409f
 - cutaneous disorders 124–132, 125f–132f
 - ears 413–415, 414f–417f
 - feces 267, 268f
 - granulomatous 126, 127f
 - intestine 258, 259f
 - joint 219–222, 220f–222f
 - kidney 285, 287f
 - liver 244–246, 245f–246f
 - lung 320, 321f
 - lymph node 140–143, 142f–144f
 - mammary gland 365, 367f
 - nasal cavity 311, 312f
 - pancreas 277–278, 278f–279f
 - prostate 357, 357f
 - pyogranulomatous 126, 127f
 - salivary gland 257, 258f
 - testicle 348, 350f
 - urine 296, 297f
 - vagina 373, 374f
 - Inflammatory bowel disease (IBD) 258, 496
 - Inflammatory cells, identification 24, 25f–28f
 - Infundibular/epidermal cyst 101, 101f–103f
 - Injection site reaction 126
 - Insulinoma 275, 276f
 - Intermediate cells, vaginal cytology 366, 369f
 - Interstitial cell tumor 347, 349f
 - Intervertebral disc material 387, 388f
 - Intestines 258–267
 - adenocarcinoma 262, 263f
 - adenoma 262
 - carcinoid 263, 264f
 - feline gastrointestinal eosinophilic sclerosing fibroplasia 266, 266f
 - gastrointestinal stromal tumor (GIST) 265, 265f
 - inflammation 258, 259f
 - leiomyosarcoma 265f, 266
 - lymphoma, large cell 259–260, 260f–261f
 - lymphoma, small cell 258, 259f–260f
 - mast cell neoplasia 262, 262f
 - plasmacytoma 261, 261f
 - polyp 262, 263f
 - Intracellular bacteria 13, 72f, 127, 128f, 144f, 194, 194f, 200f, 220f–221f, 279f, 297f, 312f, 323f, 357f, 367f, 373f–374f, 391f, 407f, 411f, 505f–506f, 524f
 - Ischemia 305, 393, 487
 - Ischemic myelopathy *see* Fibrocartilagenous emboli (FCE)
 - Islet cell tumors 275
 - Isospora* *see* *Cystoisospora* spp.
- j**
- Joint fluid *see* Synovial fluid
 - Joints 219–226
 - degenerative disease 219, 224
 - hemarthrosis 223, 224f
 - immune mediated disease 221, 222f

Joints (*cont'd*)

- infection 219–221, 220f–221f
- inflammation 219–222, 220f–223f
- neoplasia
 - metastatic 222, 223f–224f
 - primary 225, 226f
- synovial cyst 224, 225f
- systemic lupus erythematosus 221, 223f

Juvenile cellulitis 141, 142f

k

- Karyolysis 24, 28f
- Karyorrhexis 24, 28f, 531, 531f
- Keloidal fibroma/fibrosarcoma 115, 115f
- Keratin debris
 - incidental 15, 23f
 - infundibular/epidermal cysts 101, 102f
- Keratinization 109, 110f, 319f, 355, 356f, 405, 407f
- Keratinocytes 132, 132f
- Keratitis 405–409
 - bacterial 405, 407f
 - chronic superficial 408, 409f
 - eosinophilic 407, 408f
 - fungal 406, 408f
 - pigmentary 409, 410f
- Keratocytes 448, 449f–450f
- Keratohyaline granules, squamous papilloma 108, 109f
- Kerion 47, 48f
- Kidney 285–291
 - carcinoma 285, 287f–288f
 - cyst 290, 292f
 - inflammation 285, 287f
 - glomerulus 285, 286f
 - lymphoma 288, 290f
 - nephroblastoma 286, 289f–290f
 - normal 285, 286f
 - pyelonephritis 285, 287f
 - sarcoma 289, 291f
 - transitional cell carcinoma 285, 289f
- Kinetoplasts, in *Leishmania* spp. 60, 60f

L

- Large granular lymphoma (LGL)
 - intestines 259, 261f
 - pancreas 277f
 - peripheral blood 501, 501f
- Large intestine *see* Intestines
- Larynx
 - rhabdomyoma 227f
- Lead toxicity 456–457, 457f
- Left shift 478–481
 - degenerative 481
- Leiomyoma 227, 229f, 265, 294, 373
- Leiomyosarcoma 30f, 228, 230f, 265, 265f, 266, 373
- Leishmania* spp. 60
 - amastigotes 60, 60f
 - bone marrow 184f
 - orchitis 349
 - peripheral blood 508
- Leukemia
 - acute erythroid 160, 161f, 176, 178f, 459, 461, 462f, 502
 - acute granulocytic/monocytic 160f, 176, 176f–177f, 481, 492, 502f
 - acute lymphoid 178, 179f, 500–502, 500f
 - acute megakaryoblastic 177, 178f, 502, 523, 523f–524f, 529
 - acute myeloid 176–179, 461–462, 500–503
 - chronic lymphocytic 161, 161f, 183, 184f, 243, 498–499, 499f
 - lymph node infiltration 150, 151f
 - spleen 160, 160f–161f
- Leukemoid response 477
- Leukergy 475
- Leukocyte adhesion deficiency (LAD) 477–478, 532
- Leukocytes *see also* White blood cells (WBC)
 - peripheral blood 475–509
 - tissue 24, 25f–28f
- Leukogram
 - excitement 477, 495, 518
 - inflammatory 477–481
 - stress 477, 492
- Leydig cells 345, 346f
- Leydig cell tumor 347, 349f
- Lipid, background 15, 22f
- Lipid droplets, fatty cast 305, 307f
- Lipidosis
 - hepatic 235, 237f–238f, 245f
 - poikilocytosis and 448, 451
- Lipofuscin 235, 246, 247f, 487, 487f
- Lipoma
 - infiltrative 122
 - myelolipoma 156, 156f
 - subcutaneous 121, 121f–122f
- Liposarcoma 115, 122, 122f–123f
- Liver 235–250
 - amyloid 249, 249f
 - bile pigment 246, 247f
 - carcinoid 239, 241f
 - carcinoma 238
 - high-grade 239, 241f
 - well-differentiated 238, 240f
 - cholangiohepatitis 245, 250, 252
 - cholestasis 246, 247f
 - copper pigment 247, 248f–249f
 - cytoplasmic changes 235, 237f–238f
 - hemosiderin pigment 246, 248f
 - hepatic lipidosis 235, 237f–238f
 - hepatoma 236, 239f
 - inflammation 244–246, 245f–246f
 - lipofuscin pigment 246, 247f
 - lymphoma
 - large cell 242, 243f–244f
 - small cell 243, 244f
 - metastatic disease 241, 242f–243f
 - nodular hyperplasia 235, 238f
 - normal 235, 236f
 - nuclear inclusion 235, 236f
 - steroid hepatopathy 235
 - vacuolar hepatopathy 235, 237f–238f
- Lubricant gel, artifact 13, 16f
- Lung 317–320
 - bronchoalveolar lavage of 320–328
 - carcinoma 317, 318f–319f
 - histiocytic sarcoma 318, 320f
 - hyperplasia 317, 317f

- infection 320, 321f
 - inflammation 320, 321f
 - parasites 65–66, 67f
 - squamous cell carcinoma 317, 319f
 - Lungworm
 - Aelurostrongylus abstrusus* 65, 67f
 - Filaroides hirthi* 65, 67f
 - Oslerus osleri* 65
 - Lupus erythematosus (LE) cells,
 - synovial fluid 221, 223f
 - Luteinizing hormone (LH) 370, 373
 - Lymph node 139–153
 - eosinophilic lymphadenitis 142, 143f
 - hyperplasia 139, 140f–141f
 - infectious organisms 142f, 143, 144f
 - leukemia infiltration 150, 151f
 - lymphoma
 - Hodgkin's-like 149, 150f
 - large cell 143, 144f–146f
 - lymphoblastic 148, 148f
 - mott cell differentiation 149, 149f
 - small cell 145–147, 146f–147f
 - metastatic disease 151, 151f–153f
 - neutrophilic lymphadenitis 140, 142f
 - normal 139, 139f–140f
 - reactive hyperplasia 139, 140f–141f
 - salmon poisoning disease 143, 144f
 - Lymphadenitis
 - eosinophilic 142, 143f
 - neutrophilic 140, 142f
 - septic 142f
 - Lymphocytes
 - granular 259, 261f, 277f, 497f, 498–499, 499f, 501, 501f
 - in bone marrow 176
 - in bronchoalveolar lavage 326f
 - in cerebrospinal fluid 388f, 392, 392f, 394f
 - in histiocytoma 92f
 - identification of 24, 26f
 - lymph nodes 139
 - peripheral blood 495–498, 496f–498f
 - reactive 495, 497f
 - in seminoma 348f
 - in synovial fluid 219
 - Lymphocytic inflammation
 - bronchoalveolar lavage 326, 326f
 - cerebrospinal fluid 388f, 392, 392f, 394f
 - intestines 258
 - liver 244, 245f
 - nasal cavity 311, 312f
 - Lymphoglandular bodies *see* Cytoplasmic fragments
 - Lymphoid leukemia *see* Leukemia
 - Lymphoma
 - B-cell 144, 147, 149, 159, 179, 412
 - bladder 294, 294f
 - body cavity fluids 205, 206f
 - bone marrow 179, 179f
 - brain 380, 384f
 - cerebrospinal fluid 397, 397f
 - conjunctiva 411, 412f
 - cutaneous 93, 94f–95f
 - cytoplasmic fragments and 14f
 - epitheliotropic 93
 - hepatosplenic 159, 160f
 - Hodgkin's-like 149, 150f
 - intestinal 258–259, 259f–261f
 - large cell 143, 144f–146f
 - large granular 259, 261f, 277f, 501, 501f
 - leukemic phase 501, 501f
 - liver 242–243, 243f–244f
 - lymphoblastic 148, 148f
 - marginal zone 159, 159f
 - mediastinal 148, 168, 169f
 - mott cell differentiation 149, 149f
 - nasal 314, 314f
 - nodal 143–149
 - pancreas 277, 277f
 - peripheral blood 501, 501f
 - renal 288, 290f
 - small cell 145–147, 146f–147f
 - spleen 158–159, 158f–160f, 161
 - T-cell 24, 93, 142, 144–148, 159, 168–169, 259, 412, 488, 502
 - thymic 168, 169f
 - Lymphoplasmacytic inflammation
 - brain 386, 387f
 - intestines 258, 259f
 - liver 244, 245f
 - nasal cavity 311, 312f
 - Lysis, of cells 14, 18f–19f
 - Lysosomal storage disease 484, 484f–485f
- m**
- Macrophages
 - alveolar 325, 325f
 - body cavity fluids 193
 - cerebrospinal fluid 386, 388f
 - epithelioid 126
 - granulomatous inflammation 126, 127f
 - hemorrhage 201f
 - identification of 24, 26f
 - multinucleated 126, 127f
 - peripheral blood 529, 530f
 - synovial fluid 219, 219f, 224f, 225f
 - xanthoma 124, 124f
 - Magnesium ammonium phosphate
 - crystals *see* Urine crystals, struvite
 - Malassezia* spp.
 - identification 51, 52f
 - otitis externa 415, 416f
 - Malignancy, criteria of 30–33, 34f–39f
 - Malignant fibrous histiocytoma *see* Anaplastic sarcoma with giant cells.
 - Malignant mammary tumors 36f, 361–362, 363f–365f
 - Malignant melanoma 33f, 99, 100f–101f, 153f
 - Mammary gland 361–366
 - adenocarcinoma 361, 365f
 - adenoma 361, 362f
 - benign tumors 361, 362f–363f
 - carcinoma 36f, 361–362, 363f–365f
 - carcinosarcoma 365
 - complex tumor 364, 366f
 - hyperplasia 361

- Mammary gland (*cont'd*)
inflammation 365, 367f
mastitis 365, 367f
metastatic 218f, 242f
mixed tumor 364, 367f
sarcoma 362, 366f
- Marginal zone lymphoma 159, 159f
- Mast cell neoplasia
body fluid 207, 207f–208f
bone marrow 185, 187f
canine 31f, 85, 85f–88f
cerebrospinal fluid 399, 400f
collagen in 85, 85f
cutaneous 85–90, 85f–90f
Diff-Quik 8, 88f
eosinophilic inflammation in 85, 86f, 88f
feline 87–88, 89f–90f
fibroplasia in 85, 86f
grading 85
high-grade 85, 86f–88f
intestine 262, 262f
low-grade 85, 85f–86f
metastatic 152, 152f, 164, 165f, 187f, 242f
spleen 163–164, 164f–165f
subcutaneous 85
visceral 163, 164f
- Mast cell granules
in leukocytes 486, 486f
- Mast cells
allergic disease 130, 131f
in bone marrow 185
buffy coat and 431
conjunctivitis 410, 411f
in eosinophilic keratitis 407
in feline gastrointestinal eosinophilic sclerosing fibroplasia 266–267
in hemangioma 117, 118f
lymph nodes 152
paraneoplastic 117, 118f, 167, 168f
peripheral blood 491, 491f
staining 8, 88f
in thymoma 167, 168f
- Mastitis 365, 367f
- Mastocytemia 491, 491f
- Matrix *see* Extracellular matrix
- May Hegglin anomaly 487–488, 488f
- Mediastinal lesions
branchial cyst 169, 169f
chemodectoma 336
lymphoma 148, 168, 169f
thymic carcinoma 167, 168f
thymoma 167, 167f–168f
- Medulloblastoma 382
- Megakaryoblastic leukemia 177, 178f, 502, 523, 523f–524f, 529
- Megakaryocytes
bone marrow 170, 176, 174f–175f
extramedullary hematopoiesis 156f
identification of 174f–175f
myelolipoma 156f
peripheral blood 528, 529f
- Melamed-Wolinska bodies 293, 293f, 355, 356f
- Melanocytoma 99, 100f
- Melanoma
amelanotic 101f
benign 99, 100f
malignant 33f, 99, 100f–101f
metastatic 153f
poorly melanotic 101f
- Meningeal cells 389, 390f
- Meningioma 379, 380f–381f
- Meningitis
eosinophilic 391, 391f
mononuclear 392
septic 390, 391f, 395, 396f
steroid responsive meningitis-arteritis 390, 390f, 392–393
- Meningoencephalitis
granulomatous
meningoencephalitis 392, 395, 395f
necrotizing meningoencephalitis 392, 395
of unknown etiology 392, 393
- Merkel cell carcinoma 93, 95f
- Merozoites, *Babesia* spp. 466, 467f–468f
- Merozoites, *Cytauxzoon felis* 60, 61f, 464, 466f
- Mesenchymal tissue cells
identification of 29, 30f–31f
origin of 29
- Mesocestoides* 65, 66f
- Mesomycetozoea 58
- Mesothelioma 34f–35f, 202, 203f–204f
- Mesothelium
body cavity fluids 200, 201f–202f
hyperplasia 200, 201f–202f
identification of 15, 200–201
neoplasia *see* Mesothelioma
normal 15, 24f
reactive 200, 201f–202f
- Metamyelocytes
bone marrow 173f, 180, 180f
peripheral blood 479, 479f, 495f
- Metaphase 33, 40f–41f, 43f
- Metaplasia, squamous, prostate 355, 356f
- Metarubricytes
bone marrow 171f
peripheral blood 441, 441f–442f, 445f, 456f, 462f
- Metastatic disease
bone 216, 218f
bone marrow 179f, 185, 186f–187f
cutaneous 108, 109f
joints 222, 223f–224f
kidney 285
liver 241, 242f–243f
lungs 317
lymph nodes 151–152, 151f–153f
pancreas 277f
spleen 164, 164f–165f
- Metritis 373
- Microfilariae 533, 533f
- Microsporum* spp. 47
- Mineralization
calcinosis circumscripta 129, 129f
dystrophic 129
identification of 12–13, 14f
infundibular/epidermal cysts 101, 102f
prostatic carcinoma 355
prostatic cyst 356, 357f
psammoma body 379, 381f

- Mites
Demodex spp. 75, 77f, 415, 417f
Otodectes cynotis 78, 78f, 415, 416f
Sarcoptes scabiei 77, 77f
- Mitotic figures
 atypical/bizarre 34–35, 42f–43f
 in blood 532, 533f
 criteria of malignancy 32–33, 40f–43f
 normal 33, 40f–42f
- Modified transudate *see* Body cavity fluids
- Monocytes 492, 492f–495f
- Monocytic leukemia 150, 151f, 176, 177f, 492, 502, 502f
- Mononuclear inflammation
 bronchoalveolar lavage 325, 325f–326f
 cerebrospinal fluid 392, 393f
 synovial fluid 219, 220f
- Mononuclear reactivity
 cerebrospinal fluid 392, 393f
 synovial fluid 219, 220f
- Mott cell
 identification of 24, 27f
 lymph nodes 139,
 lymphoma, differentiation in 149, 149f
 rhinitis 312f
 Russell bodies 149f, 313f, 495, 498f
- Mucin
 biliary cystadenoma 250, 251f
 bronchoalveolar lavage 321, 323f
 cholecystitis 252, 252f
 myxoma 119f
 myxosarcoma 120f
 nasal cavity 312f
 respiratory epithelium 321f–322f
 salivary gland 255,
 sialoceles 255, 257f
 synovial cyst 224, 225f
 synovial fluid 219, 219f
 white bile 198f
- Mucocele, salivary 255, 257f
- Mucus 320–321, 323f
- Multilobular osteochondrosarcoma (MLO) 214, 215f
- Multinucleation
 criterion of malignancy 32, 37f
 crown cells 115, 117f
 giant cells 121f
 macrophages 126, 127f
 osteoclasts 213f
- Multiple myeloma
 bone 216, 217f
 bone marrow 185, 185f
 spleen 162, 162f
- Muscle
 skeletal muscle, normal 15, 23f
 tumors of 226–229, 227f–230f
- Mycobacterium* spp.
 airway 322, 325
 mastitis 365
 peripheral blood 505, 506f
 pyelonephritis 285
 pyogranulomatous inflammation 69f–70f, 126
 tissues 69, 69f–70f
- Mycoplasma* spp.
 airway 324
 conjunctiva 409, 411f
 peripheral blood 462, 462f–463f
- Myelin, in cerebrospinal fluid 388, 389f
- Myeloblasts 172f, 180, 180f, 480, 481f
- Myelocytes 173f, 480, 480f
- Myelofibrosis 185
- Myeloid leukemia *see* Leukemia
- Myeloid/erythroid (M/E) ratio *see* Granulocytic/Erythroid (G/E) ratio
- Myelolipoma 156, 156f
- Myelomonocytic leukemia
 bone marrow 176, 177f
 lymph node infiltration 150, 151f
 peripheral blood 502
- Myiasis 75, 76f
- Myxoma 119, 119f
- Myxosarcoma 120, 120f
- n**
- Nasal cavity 311–317
 adenocarcinoma 312, 314f
 chondrosarcoma 315, 316f
 epithelial hyperplasia 312, 313f
 extramedullary plasmacytoma 311, 313f
 fibrosarcoma 315, 316f
 infection 311, 312f
 inflammation 311, 312f
 lymphoma 314, 314f
 squamous cell carcinoma 315, 315f
- N/C ratios 31, 36f
- Necrosis 11, 12f
- Necrotizing cholecystitis 197
- Necrotizing meningoencephalitis (NME) 392, 395
- Nematodes 65–67
- Neoplasia *see also* specific tumor types
 benign 30, 34f
 criteria of malignancy 30–32
 malignant 30, 35f–39f
 mitoses in 33–34, 40f–43f
- Neorickettsia helminthoeca* 72, 72f, 143, 144f
- Neospora caninum* 58, 59f
- Nephroblastoma
 renal 286, 289f–290f
 spinal 400, 401f
- Nerve sheath tumor 400, 401f
- Neuroblastoma 382, 384f
- Neuroendocrine tumor
 chemodectomas 336, 336f–338f
 hepatic carcinoid 239, 241f
 gastrinoma 276f, 277
 insulinoma 275, 276f
 intestinal carcinoid 263, 264f
 pancreas 275–277, 276f
 parathyroid tumors 335–336, 335f–336f
 thyroid tumors 331–334, 331f–334f
- Neutropenia 478
- Neutrophilia 477
- Neutrophilic inflammation
 abscess 127, 128f
 body cavity fluids 194f, 195, 195f
 bronchoalveolar lavage 321, 323f
 cerebrospinal fluid 390, 390f–391f
 conjunctiva 409, 410f–411f

Neutrophilic inflammation (*cont'd*)

cornea 405, 406f–407f
 feces 267, 268f
 kidney 285, 287f
 liver 245, 246f
 lymphadenitis 140, 142f
 pancreas 277–278, 278f–279f
 salivary gland 257, 258f
 semen 354f
 synovial fluid 219–221,
 220f–223f
 urine 296, 297f

Neutrophils

bands 478, 173f, 478, 479f, 483f
 degenerative 24, 28f
 Döhle bodies 24, 28f, 481–483,
 482f–483f
 hypersegmented 478, 478f
 identification of 24, 25f
 inclusions 484–488
 karyolysis 24, 28f
 karyorrhexis 24, 28f, 531, 531f
 left shift 478–481, 479f–481f
 lysosomal storage disease 484,
 484f–485f
 normal 24, 25f, 476, 476f
 Pelger-Huët anomaly
 481, 482f
 peripheral blood 476–478, 476f
 pyknosis/pyknotic 24, 29f
 right shift 478
 toxic changes 24, 28f, 481–483,
 482f–484f, 495f

New methylene blue (NMB)

Heinz bodies 459f
 procedure 426
 reticulocytes 438, 440f

Nocardia spp. 69

Nodular hyperplasia

liver 235, 238f
 pancreas 272, 273f
 spleen 154, 154f–155f

Nodular panniculitis, canine

sterile 124–125, 125f

Nose *see* Nasal cavity

Nuclear fragmentation 32, 38f

Nuclear streaming 14, 18f

Nuclear to cytoplasmic ratios (N/C ratios) 31, 36f

Nucleated red blood cells (nRBC)

bone marrow 170f–171f
 peripheral blood 441, 441f–443f

Nucleoli, criteria of

malignancy 32, 39f

O

Oligodendroglioma 379, 383f

Oncocytoma 226

Oocysts

Cryptosporidium spp. 64, 64f
Cystoisospora spp. 272, 272f
Toxoplasma gondii 59

Oomycetes 56, 56f

Orchitis 348, 350f

Oropharyngeal contamination 75,
 320, 322f*Oslerus osleri* 65

Osteoarthritis 219–220

Osteoblast 211, 212f, 218f

Osteoclast 213f, 218f

Osteoid 212f–213f

Osteoma 211, 212f

Osteomyelitis 217, 218f

Osteosarcoma 31f, 38f, 39f, 211,
 212f–213f, 362, 366f

Otitis externa

bacterial 413, 414f–415f
 fungal 415, 416f
 parasitic 415, 416f–417f

Otodectes cynotis 78, 78f,
 415, 416f

Ovalocytes 451, 452f

Ovary 358–361

adenocarcinoma 359, 360

adenoma 359, 360

dysgerminoma 358, 358f

granulosa cell tumor 18f,
 359, 359f

teratoma 360, 361f

P

Pancreas 272–279

abscess 278, 279f

adenocarcinoma

poorly-differentiated

274, 275f

well-differentiated

274, 274f

adenoma 272, 273f

beta islet cell tumor 275, 276f

cyst 278, 279f

gastrinoma 276f, 277

inflammation 277–278, 278f

insulinoma 275, 276f

lymphoma 277, 277f

metastatic neoplasia 277, 277f

nodular hyperplasia 272, 273f

Pancreatitis 277–278, 278f

exudate 195, 195f

Panniculitis 124, 125f, 126

Pannus 409, 409f

Papilloma

bladder 292

choroid plexus 384, 385f

squamous 108, 109f

Pappenheimer bodies 457, 458f

Parabasal cells, vaginal

cytology 366–367, 368f,
 370–371, 370f, 373

Paragonimus kellicotti 68, 68f

Parasites

ectoparasites 75–78, 76f–78f,
 415, 416f

effusions 65, 66f

gastrointestinal 61–64, 62f–64f

ova 268–272, 269f–272f

respiratory 65–66, 67f

Parathyroid

adenocarcinoma 335, 336f

Parathyroid adenoma 276, 277f

Pearsonema plica *see* *Capillaria*
plica

Pelger-Huët anomaly 481, 482f

Pemphigus foliaceus 132, 132f

Penicillium spp. 53, 54f

Penis 358

Pentatrichomonas hominis 62Perianal gland adenocarcinoma
 111, 111fPerianal gland adenoma
 110, 110f

- Pericardial effusion
 hemorrhagic 200, 201f
 idiopathic 200
 neoplastic 203–205, 206f
 reactive mesothelial
 hyperplasia 200–201, 202f
 septic 195
- Perinuclear vacuolation 109, 110f, 202f, 315, 318
- Peripheral nerve sheath tumor 115
- Peritonitis
 bile 197, 197f–198f
 feline infectious peritonitis
 196–197, 196f, 199
 parasitic 65, 66f
 septic 194–195, 194f
 sterile 195, 195f
- Perivascular wall tumors
 115, 116f–117f
- Phaeohyphomycosis 54, 55f
- Phenotype, lymphoma
 B-cell 144, 147, 149, 159, 179, 412
 T-cell 24, 93, 142, 144–148, 159, 168–169, 259, 412, 488, 502
- Pheochromocytoma 340, 341f
- Pigmentary keratitis 409, 410f
- Pigments, hepatic 246–248, 247f–249f
- Pilomatricoma 103
- Piroplasms, *Cytauxzoon felis* 60, 61f, 464–465, 466f
- Pituitary carcinoma 340, 341f
- Plaque, eosinophilic 132
- Plasma cells *see also* Plasmacytoma and Multiple myeloma
 bone marrow 176, 182, 183f
 brain 386, 387f
 flame cells 24, 27f
 identification of 24, 26f
 intestines 258, 259f
 liver 244, 245f
 lymph node 139, 140f
 mott cells 24, 27f
 nasal cavity 311, 312f
 peripheral blood 530, 530f, 531f
 spleen 154, 155f
- Plasmacytoma
 colon 261, 261f
 cutaneous 95, 96f–98f
 nasal 311, 313f
- Platelets 515–525
 activated 519, 521f
 aggregates 515, 516f
 Anaplasma platys 524, 524f
 approach to evaluation 515
 clumping 515, 516f
 estimating concentration 515
 giant platelets / macroplatelets 518, 520f
 hypogranular 520, 521f
 macrothrombocytopenia 518–519
 neoplasia 522–524, 522f–524f
 normal 518, 519f
 pseudothrombocytopenia 515
 thrombocytopenia 516, 516f–517f
 thrombocytosis 517, 518f
 vacuolated 521, 522f
- Pleural effusion *see* Body cavity fluids
- Pneumocystis* spp. 50, 51f–52f
- Pneumonia 320–321, 323, 323f–324f
- Poikilocytes *see* Red blood cells (RBCs), poikilocytes
- Pollen grains 14, 20f
- Polyarthritis 221, 222f–223f
- Polychromatophils 171f, 426, 438–439, 440f, 445f
- Polycythemia *see* Erythrocytosis
- Polyp
 bladder 292, 293f
 gastrointestinal 262, 263f
 nasal, *Rhinosporidium seeberi* 58
- Polypoid cystitis 293
- Potassium, in body cavity fluids 200
- Primary erythrocytosis 436f, 461
- Primary thrombocytosis 517, 522–523, 522f–523f
- Primitive neuroectodermal tumors (PNET) 381–382, 384f
- Proestrus, vaginal cytology 370, 371f
- Progesterone, concentration
 estrous cycle staging 370, 373
 granulosa cell tumor 359
- Promegakaryocytes 175f
- Promyelocytes
 bone marrow 172f, 180, 180f
 peripheral blood 480–481, 480f
- Prophase 33, 40f
- Prorubricytes
 bone marrow 170f, 180
 peripheral blood 441, 442f
- Prostate 350, 354–358
 carcinoma 355, 355f
 cyst 356, 357f
 hyperplasia 350, 354, 354f
 septic prostatitis 357, 357f
 squamous metaplasia 355–356, 356f
 transitional/urothelial cell carcinoma 355, 356f
- Protein concentration
 body cavity fluids 193–194
 cerebrospinal fluid 386
- Prototheca* spp. 56, 57f
- Protozoa 58–65
- Psammoma bodies, meningioma 379, 381f
- Pseudohyperkalemia 518
- Pseudohyphae, *Candida* spp. 50, 51f
- Pseudothrombocytopenia 515
- Pulmonary *see* Lung
- Pulmonary carcinoma 317, 318f–319f
 cutaneous metastases 108, 109f
- Pyelonephritis 285, 287f
- Pyknocytes 450, 451f
- Pyknosis/pyknotic cells 24, 29f
- Pyogranulomatous inflammation 126, 127f
- Pyometra 359, 373, 477, 478f
- Pyothorax 194–195
- Pythium insidiosum* 56, 56f
- Pyuria *see* Urine, infection/ inflammation

r

- Rabies, vaccine reaction 127f
 - Ragocytes 221, 222f
 - Ranula 256
 - Reactive fibrohistiocytic nodule 124, 125f
 - Reactive fibroplasia 112, 113f
 - Reactive lymphoid hyperplasia 139, 140f–141f
 - Rectal
 - adenoma 262
 - carcinoid, prognosis in 264
 - plasmacytoma 261, 261f
 - prolapse 262
 - scrape 267
 - Rectum *see* Intestines
 - Red blood cells (RBCs) *see also* Erythrocytes
 - agglutination 436, 437f
 - anemia 433–435, 434f
 - anisocytosis 444, 444f
 - approach to evaluation 433
 - artifacts 426f, 454, 456f, 460, 461f
 - Babesia* spp. 466, 467f–468f
 - basophilic stippling 456, 457f
 - Cytauxzoon felis* 60, 61f, 464–465, 466f
 - Distemper 464, 464f–465f, 507f
 - distribution 433–438
 - erythrocytosis 435–436, 435f–436f
 - ghost cells 454, 455f
 - Heinz bodies 455f, 458, 458f–459f
 - New methylene blue 426, 459f
 - hemoglobin crystals 445f, 454, 456f–457f
 - Howell-Jolly bodies 459, 460f, 461f
 - hypochromatophils 443, 443f
 - inclusions 456–461, 457f–461f
 - infectious agents 462–467, 462f–468f
 - monolayer 422–423, 429, 429f, 433
 - morphology 438–455
 - Mycoplasma* spp. 462, 462f–463f
 - neoplasia of 461–462, 462f
 - normal 438, 439f
 - nucleated 440f, 441–442, 441f–443f
 - Pappenheimer bodies 457, 458f
 - poikilocytes 444–455
 - acanthocytes 445f, 446, 447f
 - blister cells 445f, 448, 449f
 - codocytes 445f, 451, 453f
 - dacryocytes 452, 453f
 - eccentricocytes 448–449, 450f
 - echinocytes 445f, 446, 447f
 - elliptocytes 451, 452f
 - ghost cells 454, 455f
 - keratocytes 448, 449f–450f
 - ovalocytes 451, 452f
 - pyknocytes 450, 451f
 - schistocytes 445f, 447, 448f–449f
 - spherocytes 444–446, 445f, 455f–456f
 - spheroechinocytes 446, 446f
 - stomatocytes 453, 454f
 - target cells 445f, 451, 453f
 - torocytes 454, 455f
 - polychromatophils 171f, 426, 438–439, 440f, 445f
 - reticulocytes 426, 435, 438, 440f
 - rouleaux 438, 438f
 - saline agglutination test 430, 430f–431f
 - siderocytes 457, 458f
 - siderotic inclusions 457, 458f
 - Reed-Sternberg cells 149, 150f
 - Renal 285–291
 - carcinoma 285, 287f–288f
 - cyst 290, 292f
 - inflammation 285, 287f
 - glomerulus 285, 286f
 - lymphoma 288, 290f
 - nephroblastoma 286, 289f–290f
 - normal 285, 286f
 - pyelonephritis 285, 287f
 - sarcoma 289, 291f
 - transitional cell carcinoma 285, 289f
 - Reproductive system
 - female 358–375
 - male 345–358
 - Respiratory tract 311–328
 - Reticulocytes 426, 435, 438, 440f
 - Reticulum 426, 440f
 - Rhabdomyoma 226, 227f
 - Rhabdomyosarcoma 227, 228f–229f
 - Rhinitis 311, 312f
 - Rhinosporidium seeberi* 58, 58f
 - Rickettsia* spp.
 - identification 72, 72f
 - joints 220, 221f
 - lymph nodes 143, 144f
 - peripheral blood 72f, 504, 505f, 524, 524f
 - Ringworm *see Dermatophyte* spp.
 - Romanowsky stains 7–8, 7f, 425
 - Round cell tumors,
 - classification of 29
 - Roundworm 268, 269f
 - Rubriblasts
 - bone marrow 170f, 178f, 180
 - peripheral blood 441, 443f, 462f
 - Rubricytes
 - bone marrow 170f–171f, 180, 181f
 - peripheral blood 440f, 441, 442f–443f, 462f
 - Russell bodies, mott cells 149f, 313f, 495, 498f
- s**
- Saline agglutination test 430, 430f–431f, 436–438
 - Salivary gland 255–258
 - adenocarcinoma 255, 257f
 - adenoma 255, 256f
 - inflammation 257, 258f
 - mucocoele 255, 257f
 - normal 255, 256f
 - sialocoele 255, 257f
 - Salmon poisoning disease 72, 72f, 143, 144f
 - Sample collection 1–7
 - brush 7
 - cytology 1–7

- fine-needle aspiration 2–3, 2f–3f
 impression smear 6
 needle collection 2–3, 2f–3f
 procedure 2–7
 scrape 5–6
 swab 5, 6f
 techniques 2–7
 Sample preparation
 blood 421–425, 422f–424f
 cytology 3–4, 4f–5f
 Sample staining
 blood 425
 cytology 7–8, 7f
 Sarcoma
 anaplastic sarcoma with giant cells 37f, 120, 121f
 chondrosarcoma 212–213, 214f, 315, 316f, 362
 fibrosarcoma 114–115, 114f, 115, 153f, 165f, 215, 216f, 315, 316f, 362
 hemangiosarcoma 118, 118f–119f, 157, 157f, 200, 214, 215f, 290, 291f, 362, 477
 hemophagocytic histiocytic sarcoma 162, 163f, 182, 182f
 histiocytic sarcoma *see* Histiocytic sarcoma
 keloidal fibrosarcoma 115
 leiomyosarcoma 30f, 228, 230f, 265, 265f, 266, 373
 liposarcoma 115, 122, 122f–123f
 metastatic
 liver 241, 242f–244f
 lymph node 151, 151f–153f
 spleen 164, 164f–165f
 synovial fluid 222, 223f–224f
 myxosarcoma 120, 120f
 osteosarcoma 31f, 38f, 39f, 211, 212f–213f, 362, 366f
 renal sarcoma 289, 291f
 rhabdomyosarcoma 227, 228f–229f
 soft tissue sarcoma 43f, 115, 116f–117f
 synovial cell sarcoma 13f, 225, 226f
 Sarcoptes scabiei 77, 77f
 Satellite nuclei 32, 37f
 Schistocytes 445f, 447, 448f–449f
 Schizont, *Cytauxzoon felis* 60, 61f, 464, 466f, 508
 Scrapes
 corneal 406
 deep skin 76
 rectal 267
 sampling procedure 5–6
 Sebaceous adenoma 105–106, 107f
 Sebaceous carcinoma 107, 108f
 Sebaceous epithelioma 107, 107f
 Semen analysis 350, 351f–354f
 Seminoma 345, 348f
 Septic
 abscess 127, 128f, 218, 278, 279f, 366, 477
 arthritis 219, 220f
 body cavity fluids 194, 194f, 200f
 lymphadenitis 142f
 mastitis 365, 367f
 meningitis 390, 391f, 395, 396f
 pancreatic abscess 278, 279f
 prostatitis 357, 357f
 rhinitis 311, 312f
 urine 296, 297f
 vaginitis 373, 374f
 Seroma 128, 128f
 Sertoli cell 345, 346f
 Sertoli cell tumor 345, 348f
 Sialadenitis 257, 258f
 Sialadenosis 255
 Sialocele 255, 257f
 Siderocytes 457, 458f
 Siderotic inclusions 457, 458f
 Simonsiella-like spp.
 identification 75, 75f
 oropharyngeal contamination 320, 322f
 Skeletal muscle, normal 15, 23f
 Skin 85–133
 Skin surface debris 15, 23f
 Small cell lymphoma *see* Lymphoma
 Small intestines *see* Intestines
 Soft tissue sarcoma 43f, 115, 116f–117f
 Spermatozoa morphology 350, 351f–354f
 Spherocytes 444–446, 445f, 455f–456f
 Spheroechinocytes 446, 446f
 Spherules, *Coccidioides* spp. 49, 49f
 Spinal cord 400–401
 ependymoma 401
 meningioma 401
 nephroblastoma 400, 401f
 nerve sheath tumor 400, 401f
 Spindle cells, identification of 29, 30f
 Spirochetes 534, 534f
 Spleen 153–167
 amyloid 165, 166f
 chronic lymphocytic leukemia 161, 161f
 extramedullary hematopoiesis 155, 155f
 hemangiosarcoma 157, 157f
 hemophagocytic histiocytic sarcoma 162, 163f
 hemophagocytic syndrome 166, 166f
 histiocytic sarcoma 162, 163f
 hyperplasia, nodular 154, 154f
 leukemia 160, 160f–161f
 lymphoma
 hepatosplenic 159, 160f
 large cell 158, 158f
 marginal zone 159, 159f
 small cell 161
 mast cell neoplasia 163, 164f
 metastatic disease 164, 164f–165f
 multiple myeloma 162, 162f
 myelolipoma 156, 156f
 nodular hyperplasia 154, 154f
 normal 153, 154f
 Sporothrix schenckii 45, 48f
 Squamous cell carcinoma
 cornea 405, 407f
 cutaneous 109, 110f
 lung 317, 319f
 lymph node, metastatic 151f
 nasal 315, 315f

- Squamous metaplasia, prostate 355, 356f
- Squamous papilloma 108, 109f
- Stain
- Acid fast 64, 64f, 69, 70f
 - Alkaline Phosphatase (ALP) 211
 - artifacts 425, 426f
 - Diff-Quik 7–8, 7f, 425
 - Grocott methenamine silver (GMS) 55, 55f
 - handling and storage 7–8
 - New methylene blue (NMB) 426
 - precipitation 8, 15f, 427, 427f, 461, 461f, 527, 528f, 534f
 - procedure 7–8, 425
 - Prussian blue 457
 - Romanowsky-type 7–8, 7f
 - Wright Giemsa 7, 425
- Starch crystals, artifact 13, 15f
- Steatitis 126, 126f
- Sterile nodular panniculitis 124, 125f, 126
- Steroid hepatopathy 235
- Steroid responsive meningitis-arteritis 390, 392–393
- Stomach *see* Intestines
- Stomatocytes 453, 454f
- Strap cells 227
- Stress leukogram 477
- Struvite crystals *see* Urine crystals
- Superficial cells, vaginal cytology 366–367, 369f, 370, 371f, 373
- Suppurative inflammation *see* Neutrophilic inflammation
- Surface epithelial cells, in cerebrospinal fluid 389, 389f–390f
- Swab
- sampling procedure 5, 6f
- Sweat gland
- adenocarcinoma 105, 106f
- Sweat gland adenoma 105, 106f
- Synovial cell sarcoma 13f, 225, 226f
- Synovial cyst 224, 225f
- Synovial fluid
- cell concentration 219
 - degenerative joint disease 219, 224
- hemarthrosis 223, 224f
- immune mediated polyarthritis (IMPA) 221, 222f
- inflammation 219–222, 220f–223f
- metastatic neoplasia 222, 223f–224f
- mononuclear
- inflammation 219, 220f
- mononuclear reactivity 219, 220f
- normal 219, 219f
- ragocytes 221, 222f
- rickettsial disease 220–221, 221f
- septic 219–221, 220f–221f
- systemic lupus erythematosus 221, 223f
- Systemic lupus erythematosus (SLE) 221, 223f
- t**
- Tachyzoites
- Neospora caninum* 58, 59f
 - Toxoplasma gondii* 59, 59f, 321f
- Tamm-Horsfall proteins 303
- Tapeworm 271, 271f
- Telophase 33–34, 42f
- Teratoma 360, 361f
- Testes 345–349
- inflammation 348, 350f
 - interstitial (Leydig) cell tumor 347, 349f
 - normal 345, 346f–347f
 - orchitis 348, 350f
 - seminoma 345, 348f
 - sertoli cell tumor 345, 348f
- Thoracic fluid *see* Body cavity fluids
- Thrombocytopenia 516, 516f–517f
- pseudothrombocytopenia 515
- Thrombocytosis 517, 518f
- Thymic branchial cyst 169, 169f
- Thymic carcinoma 167, 168f
- Thymic lymphoma 168, 169f
- Thymoma 167, 167f–168f
- Thyroid adenoma 331, 331f
- Thyroid C cell carcinoma 334, 334f
- Thyroid carcinoma 332–334, 332f–334f
- Thyroid medullary carcinoma *see* Thyroid C cell carcinoma
- Tick-borne relapsing fever (TBRF) 534f, 535
- Tissue cells, types 24, 29
- Torocytes 454, 456f
- Total nucleated cell count
- body cavity fluids 193
 - cerebrospinal fluid 386
 - synovial fluid 219
- Total protein concentration
- body cavity fluids 193
 - cerebrospinal fluid 386
- Toxascaris leonina* 268
- Toxic neutrophils 24, 28f, 481–483, 482f–484f, 495f
- Toxocara* spp. 268, 269f
- Toxoplasma gondii* 59, 59f, 321f
- Transitional cell carcinoma 36f
- bladder 293, 293f
 - kidney 285, 289f
 - prostate 355, 356f
 - in urine 295, 296f
- Transitional cell papilloma/polyp 292, 293f
- Transitional epithelium
- hyperplasia 294–295, 295f
 - normal 294–295, 295f
- Transmissible venereal tumor (TVT) 98, 98f–99f, 152, 152f
- Transtracheal wash *see* Bronchoalveolar lavage
- Transudate *see* Body cavity fluids
- Traumatic catheterization, urethra 296
- Trichoblastoma 103, 103f
- Trichoepithelioma 103, 104f
- Trichomoniasis 62, 63f
- Trichophyton* spp. 47
- Trichuris vulpis* 270f, 271
- Triglycerides, in chylous effusion 199
- Tritrichomonas foetus* 62, 63f

- Trophozoites
Giardia spp. 61, 62f
Pneumocystis spp. 50
Trypanosoma cruzi 535, 535f
Tumors *see also* specific tumor types
epithelial 29, 30f, 34f
mesenchymal 29, 30f–31f, 33f
round cell 29, 31f–32f
TVT *see* Transmissible
venereal tumor
- U**
- Ultrasound gel, artifact 13, 16f
Uncinaria spp. 269
Urine 294–307
Capillaria plica 298, 298f
hyperplastic cells 294, 295f
infection/inflammation
296–297, 297f
neoplastic cells 295, 296f
normal cells 294, 295f
Urine casts 303–307
cellular 305, 306f
granular 303, 304f
hyaline 303, 304f
fatty 305, 307f
waxy 303, 305f
Urine crystals 298–303
ammonium urate 300, 301f
bilirubin 303, 303f
calcium oxalate dihydrate
298, 299f
calcium oxalate
monohydrate 299, 300f
cystine 302, 302f
struvite 298, 299f
uric acid 301, 301f–302f
Uric acid crystals, urine
301, 301f–302f
Uroabdomen 199, 200f
- V**
- Vaccination reaction 126, 127f
Vacuolar hepatopathy 235, 237f–238f
Vagina
inflammation 373, 374f
neoplasia 373–374, 374f
Vaginal cytology 366–373
anestrus 367, 370f
cell types 366, 368f–369f
diestrus 373, 373f
estrous cycle staging 366–373
estrus 370, 372f
proestrus 370, 371f
Vaginitis 373, 374f
Venereal tumor, transmissible *see*
Transmissible venereal
tumor (TVT)
Virus
canine distemper virus
409, 464, 464f–465f, 507, 507f
feline herpesvirus 408–409
feline immunodeficiency virus
(FIV) 59, 144, 478
feline infectious peritonitis
(FIP) 196–197, 196f, 199,
395, 396f
feline leukemia virus *see* Feline
leukemia virus (FeLV) 179,
185, 461, 503
papilloma virus 108
parvovirus 185, 478, 492
- W**
- Wart *see* Squamous papilloma
Waxy casts, urinary 303, 305f
Whipworm 270, 270f
White bile peritonitis 197, 198f
White blood cells (WBCs) *see also*
Leukocytes
approach to evaluation 475
bacteria 504, 506f
bands 478, 173f, 478,
479f, 483f
basophils 476f, 489–490, 490f
degenerative left shift 481
Distemper 507, 507f
Döhle bodies 24, 28f, 481–483,
482f–483f
eosinophils 488–489
eosinopenia 488
eosinophilia 488
gray 488, 490f
normal 476f, 488, 489f
infectious agents 504–509,
505f–509f
left shift 478–481
leukemoid response 477
leukergy 475
lymphocytes 495–498
granular 498, 499f
lymphocytosis 495
lymphopenia 495
normal 495, 496f
reactive 495–496, 497f
mastocytemia 491–492, 491f
monocytes 492–495
monocytosis 492
normal 492, 492f–493f
reactive 493, 494f–495f
neoplasia 498–504
acute lymphoid leukemia
(ALL) 500, 500f
acute myeloid leukemia
(AML) 502, 502f–503f
chronic lymphocytic leukemia
(CLL) 498, 499f
chronic myeloid leukemia
(CML) 503, 504f
leukemic phase of
lymphoma 501, 501f
neutrophils
granules in cats 485, 485f
immature 478–481,
479f–481f
inclusions 484–488
lysosomal storage disease 484,
484f–485f
May Hegglin
anomaly 487–488, 488f
neutropenia 478
neutrophilia 477
normal 24, 25f, 476, 476f
toxic 24, 28f, 481–483,
482f–484f, 495f
Pelger-Huët anomaly
481, 482f
Rickettsial spp. 504, 505f
sideroleukocytes 486, 487f
toxic changes 24, 28f, 481–483,
482f–484f, 495f

Windrowing
salivary gland 255
synovial fluid 220f, 222f, 225, 226f

X

Xanthochromia, of cerebrospinal
fluid 394
Xanthoma 124, 124f

Y

Yeast

candida 50, 51f
enteric 267, 268f
malassezia 51, 52f, 415, 416f

Z

Zoonoses
Blastocystis 64
Bordetella bronchiseptica 71
Brucella canis 349
Campylobacter spp. 73

Cryptosporidium spp. 64
Dermatophytes spp. 47
giardia 61
hookworms 270
Leishmania spp. 60
Mycobacterium spp. 69
roundworms 268
Sporothrix schenckii 45
tapeworms 272
Toxoplasma gondii 59

