

Contents

Abstract	i
Zusammenfassung	iii
Acknowledgements	v
List of Symbols	vii
List of Abbreviations	ix
List of Figures	xv
List of Tables	xix
1 Introduction	1
1.1 Preamble	1
1.2 Motivation	1
1.3 The human tactile sense	1
1.4 Research objective & state of the art	3
1.4.1 Existing solutions	5
1.4.2 White spots & research goal	6
1.5 Sensing concept	7
1.6 Thesis outline	10
2 Sensing technology	11
2.1 Device design	11
2.1.1 Taxel design	11
2.1.2 Device dimensions	13
2.1.3 Membrane, stopper and bumper design	14
2.1.4 Array design	15
2.1.5 Electrical readout and scalability	17
2.2 Fabrication	20
2.2.1 Related work in flexible substrate technology	20
2.2.2 Material choice	21
2.2.3 Fabrication process	21
2.2.4 Tools	23

2.3	Devices and masks	24
2.3.1	GEN0 - Test structure mask	24
2.3.2	GEN1 - Single taxel process integration	25
2.3.3	GEN2 - Sensing arrays	26
2.3.4	GEN3 - Sensing arrays for artificial finger integration	29
2.4	Results	30
2.4.1	Flexible substrate characterization	30
2.4.1.1	Line resistance	30
2.4.1.2	Leakage	33
2.4.1.3	Contact resistance	33
2.4.2	Appearance	35
2.4.3	Mechanical characterization & simulation comparison	36
2.4.3.1	Measurement setup & devices	36
2.4.3.2	Membrane simulation	38
2.4.3.3	Results	39
2.4.3.4	Effect of the membrane thickness	43
2.4.4	Electromechanical characterization	43
2.4.4.1	Measurement setup	44
2.4.4.2	General behavior	44
2.4.4.3	Sensitivity	46
2.4.4.4	Further studies	47
2.4.5	3D sensing capabilities	47
2.4.6	Cycling stability & sensor overload behavior	49
2.4.7	Characterization of temperature influence	52
2.5	Manufacturing costs	53
2.6	Comparison of the unpackaged sensor technology	55
3	Sensor packaging in soft material	59
3.1	Related work in silicone spray coating	59
3.2	Spray coating setup & material	59
3.3	Results	61
3.3.1	Process characterization	61
3.3.1.1	Standard processes	61
3.3.1.2	Curing	62
3.3.1.3	Defects	62
3.3.2	Optical appearance & coating conformity	63
3.3.3	Embedded sensors - Static characterization	65
3.3.3.1	Experimental	65
3.3.3.2	Results	66
3.3.4	Embedded sensors - Dynamic characterization	68
3.3.4.1	Experimental	68
3.3.4.2	Results	70
3.3.5	Endurance tests	71
3.4	Summary	72

4	Artificial Fingertip	75
4.1	Artificial finger bulk	75
4.1.1	Human finger measurement	75
4.1.2	Design & Fabrication	77
4.1.3	Results	77
4.2	Simulation of sensing behavior and finger integration studies	78
4.2.1	Simulation environment	78
4.2.2	Results	79
4.3	Fabrication of the integrated Fingertip	80
4.4	Results - single sensor characteristics	83
4.5	Results - sensing array	85
4.5.1	Experimental setup	85
4.5.2	Touch and Slide events	86
4.5.3	Shape & surface distinction	88
4.5.4	Force estimation & Robustness	91
4.5.5	Degradation effects	94
4.6	Neural networks for feature extraction	95
4.6.1	Experimental	95
4.6.2	Event and shape detection by classification	97
4.6.3	Force and location measurement by regression	98
4.7	Summary of capabilities and open questions	98
5	Characterization setup & Electronics	101
5.1	General overview	101
5.2	Mechanical aspects of the setup	103
5.2.1	Static measurements and system stiffness	104
5.2.2	Dynamic measurements and system eigenfrequency	104
5.3	Architectures of the electrical readout of sensors	106
5.3.1	EV0 - LCR meter	106
5.3.2	EV1 - Analog discovery	106
5.3.2.1	Characterization	108
5.3.3	EV2 & EV3 - FPGA based readout	109
5.3.3.1	EV2 & EV3 - differences in the readout PCB	110
5.3.3.2	IQ mixer	111
5.3.3.3	Characterization	112
5.3.4	Summary	113
5.4	Typical failure modes and their characteristics	114
5.4.1	Explanations with raw signal	116
5.4.2	Imperfections in 3E sensors	116
5.5	Programming approach	117
5.5.1	GUI overview	118
5.5.2	Databases	119

6 Conclusion	121
6.1 Final evaluation and comparison with other technologies . . .	121
6.1.1 Comparison with the human tactile sense	123
6.1.2 Commercial potential	124
6.2 Outlook	124
A List of samples	127
A.1 List of cleanroom samples	127
A.2 List of fingers	128
B Additional information on setups & materials	131
B.1 Characterization setup	131
B.2 Material overview	132
C Supplementary data	135
C.1 Artificial finger - Touch and Slide	135
C.2 Artificial finger - Robustness tests	135
D Processing details (Restricted information!)	141
D.1 Process flow	141
D.1.1 Summarized process flow	141
D.1.1.1 Cleanroom processes	141
D.1.1.2 Backend processes	142
D.1.2 Detailed process flow	142
D.1.2.1 Cleanroom processes	142
D.1.2.2 Backend processes	142
D.2 Layer integration	153
D.3 Polymer processing	153
D.3.1 PI thinning mix	153
D.3.2 Sputter surface preprocessing for metallization	154
D.4 Membrane tuning with stress in metallic thin films	155
D.5 Silicone coating - avoidance of liquid coating	158
D.6 Laser cutter parameters	158
D.7 Next steps for robustness optimization	159
D.8 Open tasks / projects	159
D.9 LOR reflow	160
D.10 Conceptual work & chosen design	162
D.11 Line & daisy chain resistance measurements on newer samples	165
Bibliography	167
Publications & Contributions	177
Curriculum Vitae	181