
Science of Synthesis Knowledge Updates 2011/1

	Preface	V
	Abstracts	VII
	Table of Contents	XIII
7.6.15	Product Subclass 15: Dialkyl- and Diarylmagnesiums L. Yang and C.-J. Li	1
12.2.5	1<i>H</i>- and 2<i>H</i>-Indazoles (Update 2011) K. Sapeta and M. A. Kerr	15
15.7.5	Quinolizinium Salts and Benzo Analogues (Update 2011) H. Ihmels	75
16.5.2	1,2-Diselenins (Update 2011) T. J. Hagen	93
16.6.4	1,4-Diselenins (Update 2011) T. J. Hagen	99
16.12	Product Class 12: Pyrimidines S. von Angerer	103
39.17.3	Acyclic Dialkyl Selenoxides and Derivatives (Update 2011) T. Shimizu	493
	Author Index	503
	Abbreviations	537

Table of Contents

Volume 7: Compounds of Groups 13 and 2 (Al, Ga, In, Tl, Be ... Ba)

7.6	Product Class 6: Magnesium Compounds		
7.6.15	Product Subclass 15: Dialkyl- and Diarylmagnesiums L. Yang and C.-J. Li		
7.6.15	Product Subclass 15: Dialkyl- and Diarylmagnesiums		1
	Synthesis of Product Subclass 15		1
7.6.15.1	Method 1:	Disproportion of Grignard Reagents	1
7.6.15.1.1	Variation 1:	Reaction of Magnesium Metal with 2-Chlorobutane	2
7.6.15.2	Method 2:	Reaction of Grignard Reagents with Organolithium Reagents	2
7.6.15.2.1	Variation 1:	Reaction of Activated Magnesium Halides with Organolithium Reagents	3
7.6.15.3	Method 3:	Reaction of Diorganomercury(II) Compounds with Magnesium Metal	4
7.6.15.4	Method 4:	Reaction of Alkenes and Activated Magnesium Hydride	4
7.6.15.5	Method 5:	Reaction of 1,3-Dienes with Activated Magnesium Metal	5
	Applications of Product Subclass 15 in Organic Synthesis		6
7.6.15.6	Method 6:	Reactions of Organomagnesium Compounds	6
7.6.15.7	Method 7:	Reactions Involving Diorganomagnesium Compounds Obtained from 1,3-Dienes	9
7.6.15.8	Method 8:	Catalysts Derived from Diorganomagnesium Compounds	10
7.6.15.9	Method 9:	Miscellaneous Reactions of Diorganomagnesium Compounds	11

Volume 12: Five-Membered Hetarenes with Two Nitrogen or Phosphorus Atoms

12.2	Product Class 2: 1H- and 2H-Indazoles		
12.2.5	1H- and 2H-Indazoles K. Sapeta and M. A. Kerr		
12.2.5	1H- and 2H-Indazoles		15
12.2.5.1	Synthesis by Ring-Closure Reactions		16
12.2.5.1.1	By Annulation to an Arene		16
12.2.5.1.1.1	By Formation of One N—N and One N—C Bond		16
12.2.5.1.1.1.1	Fragments N—Arene—C and N		16

12.2.5.1.1.1.1	Method 1:	From 2-Alkylanilines by Diazotization or Nitrosation	16
12.2.5.1.1.1.2	Method 2:	From 2-Acylnitroarenes	17
12.2.5.1.1.2	By Formation of Two N—C Bonds		18
12.2.5.1.1.2.1	Fragment Arene—C and N—N		18
12.2.5.1.1.2.1.1	Method 1:	From 1-Acyl-2-haloarenes and Hydrazine	18
12.2.5.1.1.2.1.2	Method 2:	From 1-Alkyl-2-haloarenes and Hydrazines	20
12.2.5.1.1.2.1.3	Method 3:	From 2-Arylidenecyclohexanones and Hydrazines	21
12.2.5.1.1.2.1.4	Method 4:	From 2-Acylcyclohexanones and Hydrazine	22
12.2.5.1.1.2.1.5	Method 5:	From 2-Acylhydroxyarenes and Hydrazine	23
12.2.5.1.1.2.1.6	Method 6:	From [2-(Halomethyl)aryl]zincs and Arenediazonium Salts ...	23
12.2.5.1.1.2.2	Fragments Arene and N—N—C		24
12.2.5.1.1.2.2.1	Method 1:	From Benzyne and Diazo Compounds	24
12.2.5.1.1.2.2.1.1	Variation 1:	Using Acyl Diazomethanes	25
12.2.5.1.1.2.2.1.2	Variation 2:	Using (Trimethylsilyl)diazomethane	26
12.2.5.1.1.2.2.1.3	Variation 3:	Using Sydnone	28
12.2.5.1.1.2.2.1.4	Variation 4:	Using Azomethine Imides	28
12.2.5.1.1.2.2.2	Method 2:	From Quinones and Arylhydrazones	29
12.2.5.1.1.2.2.3	Method 3:	From Nitroarenes or Nitroalkenes and Hydrazones	30
12.2.5.1.1.3	By Formation of One N—C and One C—C Bond		30
12.2.5.1.1.3.1	Fragments N—N—Arene and C		30
12.2.5.1.1.3.1.1	Method 1:	From Arylhydrazines and Acyl Derivatives	30
12.2.5.1.1.3.1.2	Method 2:	From Arylhydrazones	32
12.2.5.1.1.3.1.3	Method 3:	By Carbonylation	32
12.2.5.1.1.4	By Formation of One N—N Bond		32
12.2.5.1.1.4.1	Fragment N—Arene—C—N		32
12.2.5.1.1.4.1.1	Method 1:	From 2-Acylamino- or 2-Acylazidoarenes	32
12.2.5.1.1.4.1.1.1	Variation 1:	Using Oximes	32
12.2.5.1.1.4.1.1.2	Variation 2:	From 2-Amino- and 2-Azidobenzamides	33
12.2.5.1.1.4.1.2	Method 2:	From 1-Acyl-2-nitroarenes	34
12.2.5.1.1.4.1.2.1	Variation 1:	From 2-Nitroiminoarenes	34
12.2.5.1.1.4.1.2.2	Variation 2:	From 2-Nitrobenzamides	35
12.2.5.1.1.4.1.3	Method 3:	From 1-(Aminomethyl)-2-nitroarenes	35
12.2.5.1.1.5	By Formation of One N—C Bond		37
12.2.5.1.1.5.1	Fragment N—N—Arene—C		37
12.2.5.1.1.5.1.1	Method 1:	From (2-Alkynylphenyl)triazenes	37
12.2.5.1.1.5.1.2	Method 2:	From Azoarenes	38
12.2.5.1.1.5.1.2.1	Variation 1:	From 2-Diazenylbenzonitriles or (2-Ethynylphenyl)diazenes ..	38
12.2.5.1.1.5.1.2.2	Variation 2:	From 2-Acyl-1-diazenylarenes or 2-(Phenyldiazenyl)benzhy- drols	38
12.2.5.1.1.5.1.3	Method 3:	From 2-Hydrazinobenzonitriles	39
12.2.5.1.1.5.2	Fragment N—N—C—Arene		39
12.2.5.1.1.5.2.1	Method 1:	From (2-Halobenzyl)hydrazines and 2-Halobenzohydrazides .	39

12.2.5.1.1.5.2.2	Method 2: From (2-Halobenzylidene)hydrazines	40
12.2.5.1.1.5.2.3	Method 3: From (2-Nitrobenzylidene)hydrazines	41
12.2.5.1.1.5.2.4	Method 4: From Benzophenone Hydrazones	42
12.2.5.1.1.6	By Formation of One C—C Bond	42
12.2.5.1.1.6.1	Fragment Arene—N—N—C	42
12.2.5.1.1.6.1.1	Method 1: From 2-Alkylidenehydrazinoarenes	42
12.2.5.1.2	By Annulation to the Heterocyclic Ring	43
12.2.5.1.2.1	By Formation of Two C—C Bonds	43
12.2.5.1.2.1.1	Fragments Pyrazole—C—C and C—C	43
12.2.5.1.2.1.1.1	Method 1: From 4-Styrylpyrazoles and Dienophiles	43
12.2.5.1.2.1.2	Fragments C—Pyrazole—C and C—C	43
12.2.5.1.2.1.2.1	Method 1: From Dihydropyrazol-3-ones and Dienophiles	43
12.2.5.1.2.1.2.2	Method 2: From Pyrazole-4,5-quinodimethane and Dienophiles	44
12.2.5.1.2.1.3	Fragments C—Pyrazole and C—C—C	45
12.2.5.1.2.1.3.1	Method 1: From 5-(Cyanomethyl)pyrazoles and α -Oxoketene Dithioacetals	45
12.2.5.1.2.2	By Formation of One C—C Bond	45
12.2.5.1.2.2.1	Fragment C—C—Pyrazole—C—C	45
12.2.5.1.2.2.1.1	Method 1: From 5-Phenyl-4-styryl-1 <i>H</i> -pyrazoles or 1-(5-Phenyl-1 <i>H</i> -pyrazol-4-yl)-2-phenylethanol	45
12.2.5.1.2.2.1.2	Method 2: From 3,4-Diethynyl-1 <i>H</i> -pyrazoles	46
12.2.5.1.3	From Acyclic Reactants	46
12.2.5.1.3.1	Method 1: From Alkenylethynyl Carbenes	46
12.2.5.2	Synthesis By Ring Transformation	47
12.2.5.2.1	Formal Exchange of Ring Members with Retention of Ring Size	47
12.2.5.2.1.1	Method 1: Of a Five-Membered Heterocycle	47
12.2.5.2.2	Ring Contraction	49
12.2.5.2.2.1	Method 1: Of a Six-Membered Heterocycle	49
12.2.5.2.2.2	Method 2: Of a Seven-Membered Heterocycle	50
12.2.5.2.2.3	Method 3: Of a Seven-Membered Carbocycle	50
12.2.5.3	Aromatization	51
12.2.5.3.1	Method 1: Of a Six-Membered Carbocycle	51
12.2.5.4	Synthesis By Substituent Modification	52
12.2.5.4.1	Addition Reactions	52
12.2.5.4.1.1	Addition of Organic Groups	52
12.2.5.4.1.1.1	Method 1: Addition of Alkyl Groups	52
12.2.5.4.1.1.2	Method 2: Addition of a Ring System to the Heterocyclic Ring	52
12.2.5.4.1.2	Addition of Heteroatoms	53

12.2.5.4.1.2.1	Method 1: By Oxidation	53
12.2.5.4.1.2.2	Method 2: Reduction of the Heterocyclic Ring	54
12.2.5.4.2	Substitution of Existing Substituents	54
12.2.5.4.2.1	Of Hydrogen	54
12.2.5.4.2.1.1	Method 1: Metalation	54
12.2.5.4.2.1.1.1	Variation 1: Lithiation	54
12.2.5.4.2.1.1.2	Variation 2: Metalation by Transition Metals	55
12.2.5.4.2.1.2	Method 2: Halogenation	56
12.2.5.4.2.1.3	Method 3: Alkoxylation	57
12.2.5.4.2.1.4	Method 4: Alkylation	57
12.2.5.4.2.1.5	Method 5: Arylation	60
12.2.5.4.2.1.6	Method 6: Acylation	61
12.2.5.4.2.2	Of Heteroatoms	62
12.2.5.4.2.2.1	Method 1: Halogen–Metal Exchange	62
12.2.5.4.2.2.2	Method 2: Cross-Coupling Reactions of Haloindazoles	63
12.2.5.4.2.2.3	Method 3: Removal or Exchange of Silyl Groups	64
12.2.5.4.2.2.4	Method 4: Removal or Exchange of Alkoxy Groups	65
12.2.5.4.2.2.5	Method 5: Removal or Exchange of Amino or Nitro Groups	65
12.2.5.4.2.3	Of Carbon Functionalities	66
12.2.5.4.2.3.1	Method 1: Deacylation	66
12.2.5.4.2.3.2	Method 2: Decarboxylation	66
12.2.5.4.2.4	Modification of Substituents	67
12.2.5.4.2.4.1	Method 1: Modification of Carbonyl Groups	67
12.2.5.4.2.4.2	Method 2: Modification of Hydroxy Groups	67
12.2.5.4.2.4.3	Method 3: Modification of Nitro Groups	68
12.2.5.4.2.5	Rearrangement Reactions	68
12.2.5.4.2.5.1	Method 1: Rearrangement of 2 <i>H</i> -Indazoles to 1 <i>H</i> -Indazoles	68
12.2.5.4.2.5.2	Method 2: Rearrangement of Oxazino[3,2- <i>b</i>]indazoles by Nucleophilic Ring Opening	68
12.2.5.4.2.5.3	Method 3: Rearrangements of 3,4-Dihydropyrazino[1,2- <i>b</i>]indazol-2-ium 6-Oxides	69

Volume 15:

Six-Membered Hetarenes with One Nitrogen or Phosphorus Atom

15.7	Product Class 7: Quinolizinium Salts and Benzo Analogues	
15.7.5	Quinolizinium Salts and Benzo Analogues H. Ihmels	
15.7.5	Quinolizinium Salts and Benzo Analogues	75
15.7.5.1	Quinolizinium Salts	75

15.7.5.1.1	Synthesis by Ring-Closure Reactions	75
15.7.5.1.1.1	By Annulation to an Arene	75
15.7.5.1.1.1.1	By Formation of Two C—C Bonds	75
15.7.5.1.1.1.1.1	Method 1: Enyne–Allene Rearrangement of 1-[3-(2-Alkynylphenyl)prop-2-ynyl]pyridinium Derivatives	75
15.7.5.1.2	Aromatization	76
15.7.5.1.2.1	Method 1: Oxidation of 1,2-Dihydroquinolizinium Derivatives	76
15.7.5.1.3	Synthesis by Substituent Modification	79
15.7.5.1.3.1	Substitution of Existing Substituents	79
15.7.5.1.3.1.1	Of Heteroatoms	79
15.7.5.1.3.1.1.1	Method 1: Stille Coupling of Bromoquinolizinium Derivatives	79
15.7.5.1.3.1.1.2	Method 2: Suzuki–Miyaura Coupling of Bromoquinolizinium Derivatives	81
15.7.5.1.3.1.1.3	Method 3: Sonogashira Coupling of Bromoquinolizinium Derivatives	82
15.7.5.2	Benzo[b]quinolizinium Salts	84
15.7.5.2.1	Synthesis by Ring-Closure Reactions	84
15.7.5.2.1.1	By Annulation to an Arene	84
15.7.5.2.1.1.1	By Formation of One C—C Bond	84
15.7.5.2.1.1.1.1	Method 1: Cyclization of 1-Benzyl-2-(1-hydroxy-1-methoxymethyl)pyridinium Derivatives	84
15.7.5.2.2	Synthesis by Substituent Modification	85
15.7.5.2.2.1	Substitution of Existing Substituents	85
15.7.5.2.2.1.1	Of Heteroatoms	85
15.7.5.2.2.1.1.1	Method 1: Suzuki–Miyaura Coupling of Benzo[b]quinoliziniumboronic Acids	85
15.7.5.2.2.1.1.2	Method 2: Replacement of Halogen Atoms by Nucleophilic Substitution	86
15.7.5.3	Benzo[c]quinolizinium Salts	88
15.7.5.3.1	Synthesis by Ring-Closure Reactions	88
15.7.5.3.1.1	By Annulation to an Arene	88
15.7.5.3.1.1.1	By Formation of One N—C Bond	88
15.7.5.3.1.1.1.1	Method 1: Cyclization of 2-[2-(2-Halophenyl)vinyl]pyridine Derivatives	88
15.7.5.4	Benzo[a]quinolizinium Salts	90
15.7.5.4.1	Synthesis by Ring-Closure Reactions	90
15.7.5.4.1.1	By Annulation to an Arene	90
15.7.5.4.1.1.1	By Formation of One C—C Bond	90
15.7.5.4.1.1.1.1	Method 1: Ring-Closing Metathesis of 1-Vinyl-2-(2-vinylphenyl)pyridinium Derivatives	90

Volume 16: Six-Membered Hetarenes with Two Identical Hetero- atoms

16.5	Product Class 5: 1,2-Diselenins		
16.5.2	1,2-Diselenins T. J. Hagen		
16.5.2	1,2-Diselenins		93
16.5.2.1	Synthesis by Ring-Closure Reactions		94
16.5.2.1.1	By Formation of One Se—Se and Two Se—C Bonds		94
16.5.2.1.1.1	Fragment C—C—C—C and Two Se Fragments		94
16.5.2.1.1.1.1	Method 1: Selenation of an Organolithium Compound with Elemental Selenium		94
16.5.2.1.1.1.2	Method 2: Selenium Transfer from Selenous Acid to Benzyl Halides Using Tin(II) Chloride and Copper(II) Chloride		94
16.5.2.1.1.1.3	Method 3: Synthesis from 1,4-Bis(2-haloaryl)- or 1,4-Bis(2-halohet-aryl)buta-1,3-dynes via Triple Cyclization		95
16.6	Product Class 6: 1,4-Diselenins		
16.6.4	1,4-Diselenins T. J. Hagen		
16.6.4	1,4-Diselenins		99
16.6.4.1	Synthesis by Ring-Closure Reactions		99
16.6.4.1.1	By Formation of Two Se—C Bonds		99
16.6.4.1.1.1	Fragments Se—C—C—Se and C—C		99
16.6.4.1.1.1.1	Method 1: Thermolysis of (Z)-1,2-Bis(benzylselanyl)ethene		99
16.6.4.1.1.1.2	Method 2: Cyclization of 3,4-Disubstituted Cyclobutene-1,2-diones		100
16.6.4.1.1.2	Fragments C—C—Se and C—C—Se		100
16.6.4.1.1.2.1	Method 1: Thermolysis of Selenadiazoles		100
16.6.4.1.1.2.2	Method 2: Photolysis of Dibenzo[c,g][1,2,5,6]tetraselenocins		101
16.12	Product Class 12: Pyrimidines S. von Angerer		
16.12	Product Class 12: Pyrimidines		103
16.12.1	Synthesis by Ring-Closure Reactions		111
16.12.1.1	By Formation of Four N—C Bonds and One C—C Bond		111
16.12.1.1.1	Fragments C—C, N, N, C, and C		111

16.12.1.1.1.1	Method 1:	Reaction of Alkyl Ketones with Orthoformates and Ammonia	111
16.12.1.1.1.2	Method 2:	Reaction of 1-(2-Oxoethyl)pyridinium Bromides with 4-Nitrobenzaldehyde and Ammonia	112
16.12.1.2	By Formation of Four N—C Bonds		112
16.12.1.2.1	Fragments C—C—C, N, N, and C		112
16.12.1.2.1.1	Method 1:	Reaction of β -Dicarbonyl Derivatives with Aldehydes and Ammonia	112
16.12.1.2.1.2	Method 2:	Reaction of (Perfluoroalkyl)acetaldehydes with Ammonia and Aldehydes	113
16.12.1.2.1.3	Method 3:	Reaction of β -Dicarbonyl Derivatives with Ortho Esters	114
16.12.1.3	By Formation of Three N—C Bonds and One C—C Bond		115
16.12.1.3.1	Fragments N—C—C, N, C, C		115
16.12.1.3.1.1	Method 1:	Reaction of Vinylamines with Orthoformates and Ammonia	115
16.12.1.3.2	Fragments N—C, C—C, N, and C		117
16.12.1.3.2.1	Method 1:	Reaction of Aryl Methyl Ketones with Aryl Aldehydes, Aryl Cyanides, and Hydroxylamine	117
16.12.1.4	By Formation of Two N—C Bonds and Two C—C Bonds		117
16.12.1.4.1	Fragments N—C—N, C, C, and C		117
16.12.1.4.1.1	Method 1:	One-Pot Reaction of Aryl Cyanides with Alkylphosphonates, Aromatic Aldehydes, and Amidines	117
16.12.1.5	By Formation of Three N—C Bonds		118
16.12.1.5.1	Fragments N—C—C—C, N, and C		118
16.12.1.5.1.1	Method 1:	Reaction of 2-(Aminomethyl)acrylates with Formamide	118
16.12.1.5.2	Fragments C—C—C, N—C, and N		119
16.12.1.5.2.1	Method 1:	Reaction of β -Dicarbonyl Derivatives with Formamide	119
16.12.1.5.2.1.1	Variation 1:	Reaction of 1,3-Diketones	119
16.12.1.5.2.1.2	Variation 2:	Reaction of 4,4-Dimethoxybutan-2-one	120
16.12.1.5.2.1.3	Variation 3:	Reaction of Malonaldehyde Diacetals	120
16.12.1.5.2.1.4	Variation 4:	Reaction of 3-Heterosubstituted Propenals or Propenones	121
16.12.1.5.2.2	Method 2:	Reaction of Malonyl Chlorides with Nitriles	122
16.12.1.5.2.3	Method 3:	Reaction of β -Diketones with Cyanamide	123
16.12.1.6	By Formation of Two N—C Bonds and One C—C Bond		124
16.12.1.6.1	Fragments N—C, N—C, and C—C		124
16.12.1.6.1.1	Method 1:	Trimerization of Nitriles	124
16.12.1.6.1.2	Method 2:	Reaction of Alkynes with Nitriles	125
16.12.1.6.1.3	Method 3:	Reaction of Alkyne Precursors with Nitriles	127
16.12.1.6.1.3.1	Variation 1:	Reaction of Carbonyl Compounds Activated with Trifluoromethanesulfonic Anhydride	127
16.12.1.6.1.3.2	Variation 2:	Reaction of Ketimines	129
16.12.1.6.1.3.3	Variation 3:	Reaction of Enol Trifluoromethanesulfonates	130
16.12.1.6.1.3.4	Variation 4:	Reaction of Heterosubstituted Alkenes	130
16.12.1.6.1.3.5	Variation 5:	Reaction of 1,1-Diethoxybut-2-ene	131

16.12.1.6.1.4	Method 4:	Reaction of Diethyl Malonate with Trifluoroacetonitrile	132
16.12.1.6.1.5	Method 5:	Reaction of C—H Acidic Compounds with Formamide and Equivalents	132
16.12.1.6.1.5.1	Variation 1:	Reaction of Phenylacetonitrile	133
16.12.1.6.1.5.2	Variation 2:	Reaction of Malononitrile and Dimethyl Malonate	133
16.12.1.6.1.5.3	Variation 3:	Reaction of Ketones	134
16.12.1.6.1.6	Method 6:	Reaction of Acetonitriles with Aryl Cyanates	135
16.12.1.6.2	Fragments N—C—C, N—C, and C		136
16.12.1.6.2.1	Method 1:	Reaction of Acetonitriles with Phosgene	136
16.12.1.6.2.2	Method 2:	Reaction of Acetonitriles with (Trichloromethyl)benzene	137
16.12.1.6.3	Fragments C—N—C, C—C, and N		137
16.12.1.6.3.1	Method 1:	Reaction of Vinylamines with Benzoyl Isocyanate	137
16.12.1.6.4	Fragments N—C—N, C—C, and C		138
16.12.1.6.4.1	Method 1:	Reaction of Cyanoacetates and Aromatic Aldehydes with Amidine Derivatives	138
16.12.1.6.4.1.1	Variation 1:	Reaction with Guanidine	138
16.12.1.6.4.1.2	Variation 2:	Reaction with a Polymer-Bound Thiouronium Salt	139
16.12.1.6.4.2	Method 2:	Reaction of Malononitrile and Aromatic Aldehydes with Amidine Derivatives	140
16.12.1.6.4.3	Method 3:	Reaction of Malononitrile with Carbon Disulfide, an <i>S</i> -Alkylisothiuronium Salt, and an Alkylating Agent	141
16.12.1.6.4.4	Method 4:	Reaction of a Substituted Acetate with Ethyl Formate and Guanidine	141
16.12.1.6.4.5	Method 5:	Reaction of Aryl Methyl Ketones with Benzaldehydes and Acetimidamide	142
16.12.1.6.4.6	Method 6:	Reaction of Aroylacetonitriles with Guanidines and Activated Formates	143
16.12.1.6.4.7	Method 7:	Reaction of Amidines with Alkynes and a One-Carbon Fragment	144
16.12.1.6.4.7.1	Variation 1:	Reaction of <i>tert</i> -Butyl Isocyanide with Alkynes and Amidines	144
16.12.1.6.4.7.2	Variation 2:	Reaction of Acid Chlorides with Alkynes and Amidines	145
16.12.1.6.4.7.3	Variation 3:	Reaction of Hexacarbonylmolybdenum(0) with Alkynes, Amidines, and Iodobenzene	146
16.12.1.7	By Formation of Two N—C Bonds		146
16.12.1.7.1	Fragments N—C—C—C—N and C		146
16.12.1.7.1.1	Method 1:	Reaction of Malonamides with Ethyl Formate	147
16.12.1.7.1.2	Method 2:	Reaction of Amidinoacetamides with Formamide	147
16.12.1.7.1.3	Method 3:	Reaction of Malonimidic Acid Esters with Acid Chlorides	148
16.12.1.7.1.4	Method 4:	Reaction of Malonimidamides with Esters	149
16.12.1.7.1.5	Method 5:	Reaction of 3-Aminoacrylamides with Acid Derivatives	149
16.12.1.7.1.6	Method 6:	Reaction of 3-Amino-2-cyanoacrylamides with Anhydrides	150
16.12.1.7.1.7	Method 7:	Reaction of 4-Amino-1-azabutadiene and Dimethylformamide	151
16.12.1.7.2	Fragments C—C—C—N—C and N		151
16.12.1.7.2.1	Method 1:	Reaction of <i>N</i> -Acylacrylamides with Ammonia	151

16.12.1.7.2.2	Method 2:	Reaction of <i>N</i> ,2-Diacrylvinylamines with Ammonia and Derivatives	152
16.12.1.7.2.2.1	Variation 1:	Reaction with Ammonium Salts	153
16.12.1.7.2.2.2	Variation 2:	Reaction with Formamide	153
16.12.1.7.2.2.3	Variation 3:	Reaction with Urea	154
16.12.1.7.3	Fragments C—C—C—N and N—C		155
16.12.1.7.3.1	Method 1:	Reaction of 3-Chloroacrylonitriles with Nitriles	155
16.12.1.7.3.2	Method 2:	Reaction of 3,3-Bis(methylsulfanyl)acrylonitrile with Amides ..	156
16.12.1.7.3.3	Method 3:	Reaction of 3-Aminoacrylates	157
16.12.1.7.3.3.1	Variation 1:	With Amides	157
16.12.1.7.3.3.2	Variation 2:	With Benzimidates	158
16.12.1.7.3.3.3	Variation 3:	With Nitriles	158
16.12.1.7.3.4	Method 4:	Reaction of 3-Aminoprop-2-en-1-ones with Nitriles	158
16.12.1.7.3.5	Method 5:	Reaction of 1,3-Diketimines with Benzonitrile	159
16.12.1.7.3.6	Method 6:	Reaction of 3-Aminopropenals with Formamide	160
16.12.1.7.3.7	Method 7:	Reaction of 3-Aminoacrylonitriles with Nitriles	161
16.12.1.7.4	Fragments N—C—N and C—C—C		161
16.12.1.7.4.1	Method 1:	Reaction of Vinamidinium Salts with Amidine Derivatives ...	161
16.12.1.7.4.2	Method 2:	Reaction of Malonates with Amidine Derivatives	163
16.12.1.7.4.3	Method 3:	Reaction of Cyanoacetates (α -Cyanocarboxylates) with Amidine Derivatives	164
16.12.1.7.4.4	Method 4:	Reaction of 3,3-Diheterosubstituted Acrylates with Amidine Derivatives	165
16.12.1.7.4.4.1	Variation 1:	Reaction of 3,3-Dialkoxyacrylates with Amidine Derivatives ..	165
16.12.1.7.4.4.2	Variation 2:	Reaction of 3,3-Bis(methylsulfanyl)acrylates with Amidine Derivatives	165
16.12.1.7.4.4.3	Variation 3:	Reaction of 3-Amino-3-(methylsulfanyl)acrylates with Guanidine or Thiourea	166
16.12.1.7.4.5	Method 5:	Reaction of α -Formyl Esters or Equivalents with Amidine Derivatives	166
16.12.1.7.4.6	Method 6:	Reaction of β -Oxo Esters with Amidine Derivatives	168
16.12.1.7.4.7	Method 7:	Reaction of 3-Heterosubstituted Acrylates with Amidine Derivatives	171
16.12.1.7.4.8	Method 8:	Reaction of Alkynyl or Allenyl Esters with Amidine Derivatives ..	174
16.12.1.7.4.9	Method 9:	Reaction of 3-Unsubstituted, 3-Alkyl-, and 3-Arylacrylates with Amidine Derivatives	175
16.12.1.7.4.10	Method 10:	Reaction of Malononitriles with Amidine Derivatives	176
16.12.1.7.4.11	Method 11:	Reaction of 3,3-Diheterosubstituted Acrylonitriles with Amidine Derivatives	177
16.12.1.7.4.11.1	Variation 1:	Reaction of 3,3-Dialkoxyacrylonitriles	177
16.12.1.7.4.11.2	Variation 2:	Reaction of 3,3-Bis(methylsulfanyl)acrylonitriles	178
16.12.1.7.4.12	Method 12:	Reaction of 3-Heterosubstituted Acrylonitriles with Amidine Derivatives	179
16.12.1.7.4.12.1	Variation 1:	Reaction of 3-Haloacrylonitriles	180
16.12.1.7.4.12.2	Variation 2:	Reaction of 3-Alkoxyacrylonitriles	180
16.12.1.7.4.12.3	Variation 3:	Reaction of 3-(Methylsulfanyl)acrylonitriles	182
16.12.1.7.4.12.4	Variation 4:	Reaction of 3-Aminoacrylonitriles	183

16.12.1.7.4.13	Method 13:	Reaction of Propynenitriles or Buta-2,3-dienenitriles with Amidine Derivatives	184
16.12.1.7.4.14	Method 14:	Reaction of 3-Arylacrylonitriles with Amidine Derivatives	185
16.12.1.7.4.15	Method 15:	Reaction of β -Dialdehydes or Equivalents with Amidine Derivatives	187
16.12.1.7.4.15.1	Variation 1:	Reaction of Malonaldehydes	187
16.12.1.7.4.15.2	Variation 2:	Reaction of Sodium 3,3-Dimethoxy-2-(methoxycarbonyl)prop-1-en-1-olate	188
16.12.1.7.4.15.3	Variation 3:	Reaction of Malonaldehyde Diacetals	188
16.12.1.7.4.15.4	Variation 4:	Reaction of 3-Heterosubstituted Propenals	190
16.12.1.7.4.16	Method 16:	Reaction of β -Diketones with Amidine Derivatives	193
16.12.1.7.4.16.1	Variation 1:	Reaction with Guanidines	193
16.12.1.7.4.16.2	Variation 2:	Reaction with O-Methyluronium Salts	195
16.12.1.7.4.16.3	Variation 3:	Reaction with Urea or Thiourea	195
16.12.1.7.4.16.4	Variation 4:	Reaction with Arylamidines	196
16.12.1.7.4.17	Method 17:	Reaction of 3,3-Dialkoxypropan-1-ones with Amidine Derivatives	197
16.12.1.7.4.18	Method 18:	Reaction of 3,3-Diheterosubstituted Prop-2-en-1-ones with Amidine Derivatives	198
16.12.1.7.4.18.1	Variation 1:	Reaction of 3,3-Dialkoxyprop-2-en-1-ones	198
16.12.1.7.4.18.2	Variation 2:	Reaction of 3,3-Disulfanylprop-2-en-1-ones or 3-Amino-3-sulfanylprop-2-en-1-ones	198
16.12.1.7.4.18.3	Variation 3:	Reaction of 3,3-Diaminoprop-2-en-1-ones	201
16.12.1.7.4.19	Method 19:	Reaction of 3-Heterosubstituted Prop-2-en-1-ones with Amidine Derivatives	201
16.12.1.7.4.19.1	Variation 1:	Reaction of 3-Haloprop-2-en-1-ones	201
16.12.1.7.4.19.2	Variation 2:	Reaction of 3-Alkoxyprop-2-en-1-ones	202
16.12.1.7.4.19.3	Variation 3:	Reaction of 3-Sulfanylprop-2-en-1-ones	205
16.12.1.7.4.19.4	Variation 4:	Reaction of 3-Aminoprop-2-en-1-ones	205
16.12.1.7.4.20	Method 20:	Reaction of Prop-2-yn-1-ones with Amidine Derivatives	207
16.12.1.7.4.21	Method 21:	Reaction of 3-Arylprop-2-en-1-ones with Amidine Derivatives	210
16.12.1.7.4.22	Method 22:	Reaction of 1-Amino-1-(benzotriazol-1-yl)-3,4,4-trichloro-2-nitrobuta-1,3-dienes with Amidine Derivatives	213
16.12.1.7.4.23	Method 23:	Pyrimidines by Solid-Phase Synthesis	213
16.12.1.7.4.23.1	Variation 1:	Reactions of Polymer-Supported Three-Carbon Fragments ..	213
16.12.1.7.4.23.2	Variation 2:	Reactions of Polymer-Supported Amidine Derivatives	219
16.12.1.8	By Formation of One N—C and One C—C Bond		221
16.12.1.8.1	Fragments N—C—N—C—C and C		221
16.12.1.8.1.1	Method 1:	Reaction of <i>N</i> -[2-(3-Methylisoxazol-5-yl)vinyl]amidines with Dimethylformamide Acetals	221
16.12.1.8.2	Fragments N—C—N—C and C—C		222
16.12.1.8.2.1	Method 1:	Reaction of 3-Cyano-2-methylisothiourea or 2-Cyanoguanidines with Ketones	222
16.12.1.8.2.2	Method 2:	Reaction of 1,3-Diazabuta-1,3-dienes with Alkynes	222
16.12.1.8.2.2.1	Variation 1:	Reaction of 4,4-Bis(methylsulfanyl)-2-phenyl-1,3-diazabuta-1,3-diene	223
16.12.1.8.2.2.2	Variation 2:	Reaction of 4-(Dimethylamino)-1,3-diazabuta-1,3-dienes	223

16.12.1.8.2.3	Method 3:	Reaction of 4-(Dimethylamino)-2-(methylsulfanyl)-1,3-diazabuta-1,3-diene with Ketenes	224
16.12.1.8.3	Fragments C—C—N—C and N—C		225
16.12.1.8.3.1	Method 1:	Reaction of Azapropenylum Perchlorates with 1,1,3,3-Tetramethylguanidine	225
16.12.1.8.3.2	Method 2:	Reaction of 2-Azabuta-1,3-dienes with Nitriles	226
16.12.1.8.3.3	Method 3:	Reaction of <i>N</i> -Vinylamides with Nitriles	228
16.12.1.8.3.4	Method 4:	Reaction of Ethyl (Cyanoacetyl)carbamate with Trifluoroacetoneitrile	229
16.12.1.8.3.5	Method 5:	Dimerization of <i>N</i> -Cyanothioacetimidates	230
16.12.1.8.4	Fragments N—C—C and C—N—C		230
16.12.1.8.4.1	Method 1:	Reaction of Acetonitriles with <i>N</i> -(Dichloromethylene)trichloromethanamine	230
16.12.1.8.4.2	Method 2:	Reaction of Cyanothioacetamide with Benzoyl Isothiocyanate	231
16.12.1.8.4.3	Method 3:	Reaction of Acetamides with <i>N</i> -Cyanoimidates or <i>N</i> -Acylimidates	231
16.12.1.8.4.4	Method 4:	Reaction of Enamines with <i>N</i> -(Dichloromethylene)trichloromethanamine	233
16.12.1.8.4.5	Method 5:	Reaction of Enamines with Acyl Isothiocyanates	234
16.12.1.8.4.6	Method 6:	Reaction of Enamines with <i>N</i> -[Bis(methylsulfanyl)methylene]cyanamide	235
16.12.1.8.4.7	Method 7:	Reaction of α -Halo Oxime Derivatives with Grignard Reagents	235
16.12.1.9	By Formation of One N—C Bond		237
16.12.1.9.1	Fragment N—C—C—C—N—C		237
16.12.1.9.1.1	Method 1:	Cyclization of 3-(Acylamino)but-2-enamides	237
16.12.1.9.1.2	Method 2:	Cyclization of 3-Amino- <i>N</i> -acylthioacrylamides	237
16.12.1.9.1.3	Method 3:	Cyclization of 3-Amino- <i>N</i> -cyano-3-methoxyacrylimidate	238
16.12.1.9.1.4	Method 4:	Cyclization of 3-(Acylamino)-2-cyanoacrylates and 2-Cyano-3-(thioacylamino)acrylates	239
16.12.1.9.1.5	Method 5:	Cyclization of <i>N</i> -(2-Cyanovinyl)amidines	242
16.12.1.9.1.6	Method 6:	Cyclization of 1-(Dimethylamino)-5-(dimethylimino)-2-azapenta-1,3-dienes	242
16.12.1.9.1.7	Method 7:	Cyclization of 3-(Vinylamino)but-2-enamides	243
16.12.1.9.2	Fragment N—C—N—C—C—C		243
16.12.1.9.2.1	Method 1:	Cyclization of <i>N</i> -(3-Substituted Acryloyl)ureas	243
16.12.1.9.2.2	Method 2:	Cyclization of 3-Ureidoacrylates	245
16.12.1.9.2.3	Method 3:	Cyclization of <i>N</i> -[2-(Methoxycarbonyl)ethylidene]ureas	247
16.12.1.9.2.4	Method 4:	Cyclization of 3-Ureidoacrylonitriles	248
16.12.1.9.2.5	Method 5:	Cyclization of <i>N</i> -(2-Cyanovinyl)imidamides	249
16.12.1.9.2.6	Method 6:	Cyclization of 1-(Cyanoacetyl)-2-methylisoureas	250
16.12.1.9.2.7	Method 7:	Cyclization of 3-(Cyanoamino)acrylonitriles	251
16.12.1.9.2.8	Method 8:	Cyclization of (Cyanoacetyl)cyanamides and Equivalents	251
16.12.1.10	By Formation of One C—C Bond		254
16.12.1.10.1	Fragment C—C—N—C—N—C		254

16.12.1.10.1.1	Method 1:	Cyclization of 1-Acetyl-3-cyanourea	255
16.12.1.10.1.2	Method 2:	Cyclization of <i>N</i> ² -Carbamoyl- <i>N</i> ¹ -vinylbenzimidamides	255
16.12.2	Synthesis by Ring Transformation		256
16.12.2.1	By Ring Enlargement		256
16.12.2.1.1	Of Three-Membered Carbocycles		256
16.12.2.1.1.1	Method 1:	Reaction of Cyclopropenones with Amidoximes	256
16.12.2.1.2	Of Four-Membered Heterocycles		257
16.12.2.1.2.1	Method 1:	Reaction of Azetes with Nitriles	257
16.12.2.1.2.2	Method 2:	Reaction of Azetidinones with Imidates	257
16.12.2.1.3	Of Five-Membered Heterocycles		258
16.12.2.1.3.1	Method 1:	Reaction of Furans	258
16.12.2.1.3.2	Method 2:	Reaction of 3-Acyl-2-oxotetrahydrothiophene with Amidine Derivatives	260
16.12.2.1.3.3	Method 3:	Reaction of 2,3,4,5-Tetraphenylpyrrole with Sulfenamides ...	261
16.12.2.1.3.4	Method 4:	Reaction of Isoxazoles	262
16.12.2.1.3.4.1	Variation 1:	Rearrangement of 5-(Acylamino)isoxazoles	262
16.12.2.1.3.4.2	Variation 2:	Rearrangement of <i>N</i> -(Isoxazol-4-ylcarbonyl)ureas and <i>N</i> ¹ -(Isoxazol-4-ylcarbonyl)benzimidamides	263
16.12.2.1.3.5	Method 5:	Reaction of Oxazoles	264
16.12.2.1.3.6	Method 6:	Reaction of Pyrazoles	265
16.12.2.1.3.7	Method 7:	Reaction of Imidazoles	266
16.12.2.1.3.7.1	Variation 1:	Reaction with Chloroform	266
16.12.2.1.3.7.2	Variation 2:	Rearrangement of 1-Benzoyldihydroimidazoles	267
16.12.2.1.3.7.3	Variation 3:	Rearrangement of 4-(Chloromethyl)dihydroimidazoles	267
16.12.2.1.3.7.4	Variation 4:	Rearrangement of Methyleneimidazolidin-4-ones	269
16.12.2.1.3.7.5	Variation 5:	Reaction with Acetylenes	269
16.12.2.1.3.7.6	Variation 6:	Reaction with Phenylmalonaldehyde	270
16.12.2.1.3.8	Method 8:	Reaction of 1,2,4-Oxadiazoles	271
16.12.2.1.3.8.1	Variation 1:	Hydrogenation of 3-[(3-Oxoprop-1-enyl)amino]-1,2,4-oxadiazoles	271
16.12.2.1.3.8.2	Variation 2:	Reaction of 3-Amino-5-methyl-1,2,4-oxadiazole with β -Diketones	271
16.12.2.1.3.9	Method 9:	Reaction of 1,2,4-Dithiazolium Salts with Nitrogen-Containing Derivatives of Carboxylic Acids	272
16.12.2.2	Formal Exchange of Ring Members with Retention of the Ring Size		273
16.12.2.2.1	Method 1:	Reaction of Pyran-2-ones with Amidine Derivatives	274
16.12.2.2.1.1	Variation 1:	Use of Two-Carbon Ring Fragments	274
16.12.2.2.1.2	Variation 2:	Use of Three-Carbon Ring Fragments	276
16.12.2.2.2	Method 2:	Reaction of Pyran-4-ones with Amidine Derivatives	277
16.12.2.2.3	Method 3:	Reaction of 1,3-Oxazines	281
16.12.2.2.3.1	Variation 1:	Reaction of 1,3-Oxazin-4-ones with Ammonia	281
16.12.2.2.3.2	Variation 2:	Rearrangement of 2-Amino-1,3-oxazin-4-ones	282
16.12.2.2.3.3	Variation 3:	Reaction of 1,3-Oxazin-4-ones with Thioamides	282
16.12.2.2.3.4	Variation 4:	Reaction of 1,3-Oxazin-6-ones with Ammonia	283

16.12.2.2.3.5	Variation 5:	Rearrangement of 1,3-Oxazine-5-carboxamides	284
16.12.2.2.3.6	Variation 6:	Reaction of 1,3-Oxazinium Perchlorates with Ammonia	284
16.12.2.2.4	Method 4:	Reaction of 1,3-Thiazinones or 1,4-Benzothiazines	285
16.12.2.2.5	Method 5:	Reaction of Pyrimidinones and Pyrimidinecarboxylates	287
16.12.2.2.6	Method 6:	Ring Opening of Polycycles with Retention of the Pyrimidine Ring	288
16.12.2.2.7	Method 7:	Rearrangement of 1,2,4-Oxadiazines	290
16.12.2.2.8	Method 8:	Reaction of 1,3,5-Oxadiazinium or 1,3,5-Thiadiazinium Salts with Active Methylene Compounds	290
16.12.2.2.9	Method 9:	Reaction of 1,2,4-Triazines with <i>N,N</i> -Diethylprop-1-ynamine ..	292
16.12.2.2.10	Method 10:	Reaction of 1,3,5-Triazines	293
16.12.2.2.10.1	Variation 1:	Reaction of 1,3,5-Triazines with Dienophiles	293
16.12.2.2.10.2	Variation 2:	Reaction of 1,3,5-Triazines with Active Methylene Compounds	296
16.12.2.2.10.3	Variation 3:	Rearrangement of 2-(Acylmethyl)-1,3,5-triazines	297
16.12.2.2.10.4	Variation 4:	Thermolysis of 2-Alkyl-1,2-dihydro-1,3,5-triazines	298
16.12.2.2.10.5	Variation 5:	Reaction of 1,3,5-Triazinediones	298
16.12.2.2.11	Method 11:	Reaction of 1,2,3,5-Oxathiadiazine 2,2-Dioxides with Active Methylene Compounds	299
16.12.2.3	By Ring Contraction		300
16.12.2.3.1	Method 1:	Ring Contraction of 1,4-Diazepines	300
16.12.3	Aromatization		300
16.12.3.1	By Oxidation		300
16.12.3.1.1	Method 1:	Dehydrogenation of Dihydropyrimidines	300
16.12.3.1.2	Method 2:	Dehydrogenation of Tetrahydropyrimidines	302
16.12.3.1.3	Method 3:	Pyrimidinones by Dehydrogenation	303
16.12.3.1.4	Method 4:	Oxidation of 6-Methyl-3,4-dihydropyrimidin-2(1 <i>H</i>)-ones	306
16.12.3.2	By Elimination		307
16.12.3.2.1	Method 1:	Acid-Catalyzed Elimination of Water	307
16.12.3.2.2	Method 2:	Base-Catalyzed Elimination of HX	308
16.12.4	Synthesis by Substituent Modification		310
16.12.4.1	Substitution of Existing Substituents		310
16.12.4.1.1	Of Hydrogen		310
16.12.4.1.1.1	Method 1:	Hydrogen/Deuterium Exchange	310
16.12.4.1.1.2	Method 2:	Metalation	311
16.12.4.1.1.3	Method 3:	Silylation	316
16.12.4.1.1.4	Method 4:	G-Acylation	317
16.12.4.1.1.4.1	Variation 1:	Formylation	317
16.12.4.1.1.4.2	Variation 2:	Acylation by Radicals	318
16.12.4.1.1.4.3	Variation 3:	Carboxylation	319
16.12.4.1.1.4.4	Variation 4:	Carbamoylation	320
16.12.4.1.1.5	Method 5:	Cyanation	321
16.12.4.1.1.6	Method 6:	Hydroxyalkylation and Related Reactions	322
16.12.4.1.1.7	Method 7:	G-Alkylation	323

16.12.4.1.1.8	Method 8:	C-Arylation	327
16.12.4.1.1.9	Method 9:	Halogenation	331
16.12.4.1.1.10	Method 10:	Hydroxylation	334
16.12.4.1.1.11	Method 11:	Nitration	335
16.12.4.1.1.12	Method 12:	Nitrosation	336
16.12.4.1.1.13	Method 13:	Amination	337
16.12.4.1.2	Of Metals		340
16.12.4.1.2.1	Method 1:	Reaction of (Trialkylstannyl)pyrimidines with Aryl Halides or Acid Chlorides	340
16.12.4.1.2.2	Method 2:	Reaction of Pyrimidin-5-ylboronic Acids or (Pyrimidin-5-yl)tri-fluoroborates with Hetaryl Halides	343
16.12.4.1.3	Of Carbon Functionalities		347
16.12.4.1.3.1	Method 1:	Decarboxylation	347
16.12.4.1.3.2	Method 2:	N-Deacylation	348
16.12.4.1.3.3	Method 3:	N-Dealkylation	349
16.12.4.1.3.4	Method 4:	Removal of Protecting Groups	349
16.12.4.1.3.4.1	Variation 1:	Benzyloxymethyl Group	349
16.12.4.1.3.4.2	Variation 2:	Cyanoethyl Group	350
16.12.4.1.3.4.3	Variation 3:	Benzyl Group	351
16.12.4.1.3.5	Method 5:	Conversion of Pyrimidine-5-carbaldehydes into 5-Hydroxy-pyrimidines	352
16.12.4.1.4	Of Heteroatoms		352
16.12.4.1.4.1	Dehalogenation		352
16.12.4.1.4.1.1	Method 1:	Dehalogenation with Palladium on Carbon	353
16.12.4.1.4.1.2	Method 2:	Dechlorination by Zinc Dust	354
16.12.4.1.4.1.3	Method 3:	Dechlorination of 3-Chloropyrimidines with Tosylhydrazine ..	356
16.12.4.1.4.2	Halogen-Metal Exchange Reactions		356
16.12.4.1.4.2.1	Method 1:	Formation of Stannylpyrimidines	356
16.12.4.1.4.2.2	Method 2:	Formation of Pyrimidinylboronic Acids	358
16.12.4.1.4.2.3	Method 3:	Formation of Pyrimidinylzinc Halides	358
16.12.4.1.4.2.4	Method 4:	Formation of Pyrimidinylmagnesium Halides	360
16.12.4.1.4.3	Substitution of Halogens by Carbofunctional Groups		360
16.12.4.1.4.3.1	Method 1:	Reaction with Carbonyl Compounds via Lithiated Intermediates	361
16.12.4.1.4.3.2	Method 2:	Palladium-Catalyzed Cross Coupling with Alkenes or Alkynes (Heck-Type Reactions)	363
16.12.4.1.4.3.2.1	Variation 1:	Coupling with Alkenes	363
16.12.4.1.4.3.2.2	Variation 2:	Coupling with Alkynes (Sonogashira Coupling)	366
16.12.4.1.4.3.3	Method 3:	Palladium-Catalyzed Cross Coupling with Organostannanes (Stille Reaction)	371
16.12.4.1.4.3.4	Method 4:	Palladium-Catalyzed Cross Coupling with Organozinc Reagents (Negishi Coupling)	373
16.12.4.1.4.3.5	Method 5:	Reaction with Arylboronic Acids (Suzuki and Suzuki-Miyaura Coupling)	376

16.12.4.1.4.3.6	Method 6:	Reaction with Aryl- or Alkyltrifluoroborates	381
16.12.4.1.4.3.7	Method 7:	Reaction with Triaryl- or Trialkynylindiums	383
16.12.4.1.4.3.8	Method 8:	Reaction with Grignard Reagents (Kumada Cross Coupling) ..	384
16.12.4.1.4.3.9	Method 9:	Reaction with Active Methylene Compounds	386
16.12.4.1.4.3.10	Method 10:	Cyanation	388
16.12.4.1.4.3.11	Method 11:	Other Substitution Reactions	390
16.12.4.1.4.4	Halogen-Exchange Reactions		392
16.12.4.1.4.4.1	Method 1:	Exchange of Chlorine for Fluorine	392
16.12.4.1.4.4.2	Method 2:	Exchange of Chlorine for Iodine	394
16.12.4.1.4.5	Substitution of Halogen by Oxygen Functions		396
16.12.4.1.4.5.1	Method 1:	Hydrolysis of Halopyrimidines	396
16.12.4.1.4.5.2	Method 2:	Exchange of Halogen for Alkoxides	397
16.12.4.1.4.6	Substitution of Halogen by Sulfur Functionalities		401
16.12.4.1.4.6.1	Method 1:	Conversion of Halopyrimidines into Thiols	401
16.12.4.1.4.6.2	Method 2:	Reaction of Halopyrimidines with Thiolates	403
16.12.4.1.4.7	Substitution of Halogens by Nitrogen Functionalities		406
16.12.4.1.4.7.1	Method 1:	Substitution of Halogens by Ammonia	406
16.12.4.1.4.7.2	Method 2:	Substitution of Halogens by Aliphatic Amines	408
16.12.4.1.4.7.3	Method 3:	Substitution of Halogens by Aromatic Amines	412
16.12.4.1.4.7.4	Method 4:	Substitution of Halogens by N-Heterocycles	416
16.12.4.1.4.7.5	Method 5:	Substitution of Halogens by Sulfonamides	416
16.12.4.1.4.7.6	Method 6:	Substitution of Halogens by Hydrazines	417
16.12.4.1.4.7.7	Method 7:	Substitution of Halogens by Azide	418
16.12.4.1.4.8	Substitution of Oxygen Functions		419
16.12.4.1.4.8.1	Method 1:	Exchange of Oxygen for a Carbofunctional Group	419
16.12.4.1.4.8.2	Method 2:	Exchange of Hydroxy for Halogen	420
16.12.4.1.4.8.2.1	Variation 1:	Introduction of Chlorine	420
16.12.4.1.4.8.2.2	Variation 2:	Introduction of Bromine	423
16.12.4.1.4.8.3	Method 3:	Exchange of Hydroxy for Alkoxy and Aryloxy	425
16.12.4.1.4.8.4	Method 4:	Exchange of Oxygen for Sulfur	426
16.12.4.1.4.8.5	Method 5:	Exchange of Hydroxy for Amino	427
16.12.4.1.4.9	Substitution of Sulfur Functions		429
16.12.4.1.4.9.1	Method 1:	Desulfurization	430
16.12.4.1.4.9.1.1	Variation 1:	Reduction with Raney Nickel	430
16.12.4.1.4.9.1.2	Variation 2:	Detosylation	430
16.12.4.1.4.9.2	Method 2:	Exchange for Carbofunctional Groups	431
16.12.4.1.4.9.3	Method 3:	Exchange for Hydroxy and Alkoxy Groups	433
16.12.4.1.4.9.4	Method 4:	Exchange for Amino Groups	435
16.12.4.1.4.10	Substitution of Amino Groups		437
16.12.4.1.4.10.1	Method 1:	Conversion of Pyrimidin-2-amines into 2-Phenylpyrimidines ..	438
16.12.4.1.5	Solid-Phase Synthesis Based on Substitution Reactions		438
16.12.4.2	Addition Reactions		445

16.12.4.2.1	Addition of Organic Groups	445
16.12.4.2.1.1	Method 1: N-Alkylations	445
16.12.4.2.1.2	Method 2: C-Alkylations	446
16.12.4.2.2	Addition of Heteroatoms	447
16.12.4.2.2.1	Method 1: Generation of <i>N</i> -Oxides	447
16.12.4.3	Rearrangement of Substituents	450
16.12.4.3.1	Method 1: Dimroth Rearrangement	450
16.12.4.3.2	Method 2: Conversion of 3-Phenyl-2 <i>H</i> -isoxazolo[2,3- <i>a</i>]pyrimidin-2-ones into 2-Benzoylpyrimidines	451
16.12.4.3.3	Method 3: Conversion of 3 <i>H</i> -[1,2,4]Thiadiazolo[4,3- <i>c</i>]pyrimidin-3-ones into Pyrimidin-4-ylcarbamates	452
16.12.4.4	Modification of Substituents	453
16.12.4.4.1	Modification of Carbon Functions	453
16.12.4.4.1.1	Method 1: Modification of 5-(Ethoxymethyl)pyrimidines	453
16.12.4.4.1.2	Method 2: Conversion of Methyl into Pyrazol-4-yl	454
16.12.4.4.1.3	Method 3: Conversion of Ethynyl into Indol-3-yl	455
16.12.4.4.2	Modification of Oxygen Functions	455
16.12.4.4.2.1	Method 1: O-Alkylation and O-Arylation	455
16.12.4.4.2.2	Method 2: O-Acylation	457
16.12.4.4.2.3	Method 3: O-Silylation	459
16.12.4.4.2.4	Method 4: O-Sulfonation	459
16.12.4.4.3	Modification of Sulfur Functions	460
16.12.4.4.3.1	Method 1: S-Alkylation and S-Dealkylation	460
16.12.4.4.3.2	Method 2: S-Oxidation	461
16.12.4.4.4	Modification of Nitrogen Functions	463
16.12.4.4.4.1	Method 1: Reduction of Nitro and Nitroso Groups	463
16.12.4.4.4.2	Method 2: Arylation of Primary Amino Groups	464

Volume 39: Sulfur, Selenium, and Tellurium

39.17 Product Class 17: Acyclic Dialkyl Selenoxides and Derivatives

39.17.3 Acyclic Dialkyl Selenoxides and Derivatives T. Shimizu

39.17.3	Acyclic Dialkyl Selenoxides and Derivatives	493
39.17.3.1	Applications of Acyclic Dialkylselenium Dihalides in Organic Synthesis	493
39.17.3.1.1	Utilization of Dialkylselenium Dihalides as Reagents	493
39.17.3.1.1.1	Method 1: Reduction of Tertiary Amides	493
39.17.3.1.1.2	Method 2: Reduction of Nitriles	494

39.17.3.1.1.3	Method 3:	Transformation of Alcohols into the Corresponding Halides ..	495
39.17.3.1.1.4	Method 4:	Transformation of Alcohols into Alkyl Chlorides	496
39.17.3.1.1.5	Method 5:	Selenation of Metallocene-1,1'-dichalcogenols	497
39.17.3.1.2		Transformation of Dialkylselenium Dihalides	498
39.17.3.1.2.1	Method 1:	Transformation into Dialkylselenium Diazides	498
39.17.3.1.2.2	Method 2:	Dehalogenation into Selenides	498
39.17.3.1.2.3	Method 3:	Migration of Chlorine	500
39.17.3.1.2.4	Method 4:	Addition with Ring Opening of Tetrahydrofuran	501
Author Index			503
Abbreviations			537