

Science of Synthesis Knowledge Updates 2010/4

	Preface	V
	Abstracts	VII
	Table of Contents	XIX
2.4.12	Arene Organometallic Complexes of Chromium, Molybdenum, and Tungsten (Update 2010) M. Uemura	1
4.4.26.7	1-Diazo-1-silylalkanes (Update 2010) Y. Hari, T. Aoyama, and T. Shioiri	25
7.1.2.44	Aluminum Hydrides (Update 2010) H. Naka and S. Saito	69
7.1.3.18	Aluminum Halides (Update 2010) H. Naka and S. Saito	79
7.1.9.11	Triorganoaluminum Compounds (Update 2010) M. Oishi and H. Takikawa	93
7.2.8	Gallium Compounds (Update 2010) M. Yamaguchi	113
7.3	Product Class 3: Indium Compounds S. Araki and T. Hirashita	125
7.9.5	Barium Compounds (Update 2010) A. Yanagisawa	195
8.1.28	The Catalytic Use of Lithium Compounds for Bond Formation S. Matsunaga	209
8.2.16	The Catalytic Use of Sodium Compounds for Bond Formation T. Arai	223
16.8.5	Pyridazines (Update 2010) J. Zhang	237
20.2.1.8.13	Synthesis with Retention of the Functional Group (Update 1, 2010) G. Landelle and J.-F. Paquin	277

20.2.1.8.14	Synthesis with Retention of the Functional Group (Update 2, 2010) J. L. Gleason and E. A. Tiong	283
21.15	Product Class 15: Polyamides T. Higashihara and M. Ueda	301
27.13.3	Nitrones and Cyclic Analogues (Update 2010) P. Merino	325
40.1.1.1.2	Reductive Amination of Carbonyl Compounds P. Margaretha	405
	Author Index	443
	Abbreviations	469

Table of Contents

Volume 2: Compounds of Groups 7–3 (Mn..., Cr..., V..., Ti..., Sc..., La..., Ac...)

2.4	Product Class 4: Arene Organometallic Complexes of Chromium, Molybdenum, and Tungsten		
2.4.12	Arene Organometallic Complexes of Chromium, Molybdenum, and Tungsten M. Uemura		
2.4.12	Arene Organometallic Complexes of Chromium, Molybdenum, and Tungsten		1
2.4.12.1	Method 1:	Synthesis of Tricarbonylmethyl–Arene Complexes by Arene Modification	1
2.4.12.1.1	Variation 1:	Via Nucleophilic Substitution	1
2.4.12.1.2	Variation 2:	Under Thermal Conditions; Chromium Migration	3
2.4.12.2	Method 2:	Synthesis of Tricarbonylmethyl–Arene Complexes by Side-Chain Modification	7
2.4.12.2.1	Variation 1:	Via Cycloaddition	7
2.4.12.2.2	Variation 2:	Via Radical Coupling	8
2.4.12.3	Method 3:	Synthesis of Optically Active Arene Complexes	14
2.4.12.3.1	Variation 1:	Diastereo- and Enantioselective Lithiation–Electrophilic Addition Reactions	15
2.4.12.3.2	Variation 2:	Palladium-Catalyzed Reactions; Catalytic Asymmetric Synthesis	17
2.4.12.4	Method 4:	(Arene)tricarbonylchromium(0) Complexes as Catalysts	19
2.4.12.5	Method 5:	(Arene)tricarbonylchromium(0) Complexes as Chiral Ligands	20

Volume 4: Compounds of Group 15 (As, Sb, Bi) and Silicon Com- pounds

4.4	Product Class 4: Silicon Compounds		
4.4.26.7	1-Diazo-1-silylalkanes Y. Hari, T. Aoyama, and T. Shioiri		
4.4.26.7	1-Diazo-1-silylalkanes		25
4.4.26.7.1	Synthesis of 1-Diazo-1-silylalkanes		25
4.4.26.7.1.1	Method 1:	Synthesis of 1-Diazo-1-silylalkanes from Diazoacetates	25

4.4.26.7.1.2	Method 2:	Reaction of Metalated Diazo(trimethylsilyl)methane with Electrophiles	27
4.4.26.7.1.2.1	Variation 1:	Hydroxyalkylation of Diazo(trimethylsilyl)methane	27
4.4.26.7.1.2.2	Variation 2:	Borylation of Diazo(trimethylsilyl)methane	28
4.4.26.7.1.2.3	Variation 3:	Sulfidation of Diazo(trimethylsilyl)methane	28
4.4.26.7.1.2.4	Variation 4:	Phosphinylation of Diazo(trimethylsilyl)methane	28
4.4.26.7.2	Applications of 1-Diazo-1-silylalkanes		29
4.4.26.7.2.1	Method 1:	Diazo(trimethylsilyl)methane as a One-Carbon Unit	30
4.4.26.7.2.2	Method 2:	Diazo(trimethylsilyl)methane as a C—N—N Unit	45
4.4.26.7.2.3	Method 3:	Applications of Diazo(trimethylsilyl)methane in the Generation of Alkylidene Carbenes	48
4.4.26.7.2.4	Method 4:	Applications of 2-Diazo-2-(trimethylsilyl)ethanols	57
4.4.26.7.2.5	Method 5:	Applications of Diazo(silyl)acetates	60
4.4.26.7.2.6	Method 6:	Applications of Diazo(silyl)methyl Ketones	64

Volume 7:

Compounds of Groups 13 and 2 (Al, Ga, In, Tl, Be...Ba)

7.1 Product Class 1: Aluminum Compounds

7.1.2.44 Aluminum Hydrides

H. Naka and S. Saito

7.1.2.44	Aluminum Hydrides	69
7.1.2.44.1	Method 1: Amine- and Amide-Aluminate Complexes Prepared from Lithium Aluminum Hydride and Amines	69
7.1.2.44.2	Method 2: Sodium Bis(2-methoxyethoxy)aluminum Hydride	69
7.1.2.44.3	Method 3: Sodium Bis(2-methoxyethoxy)aluminum Hydride with Pyrrolidine and Potassium <i>tert</i> -Butoxide	70
7.1.2.44.4	Method 4: Diisobutylaluminum Hydride with Metal Alkoxides	72
7.1.2.44.5	Method 5: Diisobutylaluminum Hydride with Lithium Amides	72
7.1.2.44.6	Method 6: Diisobutylaluminum Hydride with Nickel Compounds	73
7.1.2.44.7	Method 7: Trivalent Aluminum Trihydride-Amine Complexes	76

7.1.3.18 Aluminum Halides

H. Naka and S. Saito

7.1.3.18	Aluminum Halides	79
7.1.3.18.1	Method 1: Aluminum Halides with Amino Ligands	79
7.1.3.18.2	Method 2: Aluminum Halides with Chiral Alkoxide Ligands	81
7.1.3.18.3	Method 3: Aluminum Halides Coordinated with Thiols or Sulfides	88
7.1.3.18.4	Method 4: Aluminum Halides with Onium Salts	88
7.1.3.18.5	Method 5: Aluminum Bromide with Organosilicon Halides	89
7.1.3.18.6	Method 6: Aluminum Triiodide	90

7.1.9.11	Triorganoaluminum Compounds M. Oishi and H. Takikawa	
7.1.9.11	Triorganoaluminum Compounds	93
7.1.9.11.1	Method 1: Applications in Addition to C—C Multiple Bonds	93
7.1.9.11.1.1	Variation 1: Carboalumination of Alkenes and Alkynes	93
7.1.9.11.1.2	Variation 2: Conjugate Addition	97
7.1.9.11.2	Method 2: Applications in Addition Reactions to Carbon—Heteroatom Multiple Bonds	102
7.1.9.11.2.1	Variation 1: Reaction with Carbonyl Substrates	102
7.1.9.11.3	Method 3: Applications in Activation of Inert Chemical Bonds	104
7.1.9.11.3.1	Variation 1: Alkylative Defluorination	104
7.1.9.11.3.2	Variation 2: Carbon—Hydrogen Bond Activation	107
7.2	Product Class 2: Gallium Compounds	
7.2.8	Gallium Compounds M. Yamaguchi	
7.2.8	Gallium Compounds	113
7.2.8.1	Method 1: Synthesis of Organogallium(III) Complexes Containing Gal- lium—Gallium Bonds	113
7.2.8.2	Method 2: Synthesis of Organogallium Complexes Containing a Bond between Gallium and a Transition Metal	114
7.2.8.3	Method 3: Synthesis of Organogallium(III) Halides	115
7.2.8.4	Method 4: Synthesis of Organogallium(III) Complexes Containing a Bond between Gallium and a Group 16 Element	116
7.2.8.5	Method 5: Synthesis of Organogallium(III) Complexes Containing a Bond between Gallium and a Group 15 Element	117
7.2.8.6	Method 6: Synthesis of Triorganogallium(III) Complexes	119
7.2.8.7	Method 7: Synthesis of Organogallium(I) Complexes	120
7.3	Product Class 3: Indium Compounds S. Araki and T. Hirashita	
7.3	Product Class 3: Indium Compounds	125
7.3.1	Product Subclass 1: Allylic Indium Complexes	125
	Synthesis of Product Subclass 1	126
7.3.1.1	Method 1: Addition of Indium Metal to Allylic Halides	126
7.3.1.1.1	Variation 1: In Ionic Liquids	126
7.3.1.1.2	Variation 2: Allylic Indium Complex from 4-Bromobuta-1,2-diene	126
7.3.1.1.3	Variation 3: Allylic Diindium Complex	127
7.3.1.2	Method 2: Reaction of Indium(I) Salts with Allylic Compounds	127
7.3.1.2.1	Variation 1: Reaction of Allylboronates with Catalytic Indium(I) Iodide ...	128
7.3.1.2.2	Variation 2: Electrochemical Processes	128
7.3.1.3	Method 3: Transmetalation from Allylic Stannanes to Indium(III) Chloride	129

7.3.1.4	Method 4:	Transmetalation from π -Allylpalladium and π -Allylnickel Complexes	130
7.3.1.4.1	Variation 1:	Transmetalation from π -Allylpalladium Complexes	130
7.3.1.4.2	Variation 2:	Transmetalation from π -Allylnickel Complexes	132
7.3.1.5	Method 5:	Hydroindation of 1,3-Dienes	133
		Applications of Product Subclass 1 in Organic Synthesis	134
7.3.1.6	Method 6:	Regioselective Allylation of Carbonyl Compounds	134
7.3.1.7	Method 7:	Diastereoselective Allylation of Carbonyl Compounds	135
7.3.1.7.1	Variation 1:	Allylation of Aldehydes Bearing Coordinative Substituents ...	136
7.3.1.7.2	Variation 2:	Allylation with Allylindium Bearing Coordinative Substituents	137
7.3.1.8	Method 8:	Enantioselective Allylation of Carbonyl Compounds	138
7.3.1.9	Method 9:	Allylation of Imines	139
7.3.1.9.1	Variation 1:	Diastereoselective Allylation	139
7.3.1.9.2	Variation 2:	Enantioselective Allylation	139
7.3.1.10	Method 10:	Carboindation of Carbon—Carbon Multiple Bonds	140
7.3.1.11	Method 11:	Cross-Coupling Reaction	142
7.3.1.12	Method 12:	Photolytic Radical Reaction	142
7.3.2		Product Subclass 2: Propargylic/Allenlylic Indium Complexes	143
		Synthesis of Product Subclass 2	143
7.3.2.1	Method 1:	Addition of Indium Metal to Propargylic Halides	143
7.3.2.2	Method 2:	Insertion of Indium(I) Halide into Propargylic Halides	144
7.3.2.3	Method 3:	Transmetalation from Organopalladium Complexes	144
		Applications of Product Subclass 2 in Organic Synthesis	145
7.3.2.4	Method 4:	Addition to Carbonyl and Imine Compounds	145
7.3.2.5	Method 5:	Coupling Reaction	146
7.3.3		Product Subclass 3: Indium Enolates	147
		Synthesis of Product Subclass 3	147
7.3.3.1	Method 1:	Insertion of Indium Metal or Indium(I) Halides into α -Halo Esters	147
		Applications of Product Subclass 3 in Organic Synthesis	147
7.3.3.2	Method 2:	Reformatsky-Type Reactions	147
7.3.3.3	Method 3:	1,4-Addition	148
7.3.4		Product Subclass 4: Arylindium(III) Complexes	148
		Synthesis of Product Subclass 4	148
7.3.4.1	Method 1:	Transmetalation	148
7.3.4.2	Method 2:	Insertion of Indium Metal into Aryl Iodides	148
		Applications of Product Subclass 4 in Organic Synthesis	149
7.3.4.3	Method 3:	Nucleophilic Substitution	149
7.3.4.4	Method 4:	Cross-Coupling Reactions	150
7.3.4.4.1	Variation 1:	Palladium-Catalyzed Cross-Coupling Reactions	150
7.3.4.4.2	Variation 2:	Copper-Catalyzed Three-Component Coupling Reactions	151

7.3.5	Product Subclass 5: Alkyl- and Alkenylindium(III) Complexes	152
	Synthesis of Product Subclass 5	152
7.3.5.1	Method 1: Transmetalation	152
7.3.5.2	Method 2: Alkenylindium via Hydroindation	152
	Applications of Product Subclass 5 in Organic Synthesis	152
7.3.5.3	Method 3: Allylic Substitution	152
7.3.5.4	Method 4: Cross-Coupling Reactions	153
7.3.5.4.1	Variation 1: Cross Coupling with Halides or Pseudohalides	153
7.3.5.4.2	Variation 2: Carbonylative Cross-Coupling Reaction	154
7.3.5.4.3	Variation 3: Radical Coupling Reaction	154
7.3.6	Product Subclass 6: Tetraorganoindates	155
	Synthesis of Product Subclass 6	155
7.3.6.1	Method 1: Reaction of Indium Halides with Organolithium or Grignard Reagents	155
	Applications of Product Subclass 6 in Organic Synthesis	155
7.3.6.2	Method 2: Allylic Substitution	155
7.3.6.3	Method 3: Ring Opening of Epoxides	156
7.3.6.4	Method 4: Cross-Coupling Reactions	156
7.3.7	Product Subclass 7: Indium(III) Chloride	157
	Applications of Product Subclass 7 in Organic Synthesis	158
7.3.7.1	Method 1: Allylation and Alkylation	158
7.3.7.1.1	Variation 1: Allylation and Alkenylation with Organosilanes	158
7.3.7.1.2	Variation 2: Sakurai–Hosomi-Type Allylation	158
7.3.7.1.3	Variation 3: Alkylation of 1,3-Dicarbonyl Compounds	159
7.3.7.2	Method 2: Cycloaddition Reactions	160
7.3.7.2.1	Variation 1: Enantioselective Diels–Alder Reaction	160
7.3.7.2.2	Variation 2: Ketone–Ene Reaction	160
7.3.7.3	Method 3: Prins-Type Reactions	160
7.3.7.4	Method 4: Mukaiyama Aldol Reaction	161
7.3.7.5	Method 5: Mannich-Type Reaction	162
7.3.7.6	Method 6: Friedel–Crafts Reaction	162
7.3.7.7	Method 7: Intramolecular Cyclization	163
7.3.7.8	Method 8: Reduction	164
7.3.7.9	Method 9: Chlorination of Alcohols	165
7.3.8	Product Subclass 8: Indium(III) Bromide	165
	Applications of Product Subclass 8 in Organic Synthesis	166
7.3.8.1	Method 1: Reductive Aldol Reaction	166
7.3.8.2	Method 2: Friedel–Crafts Acylation of Arenes	166
7.3.8.3	Method 3: Activation of Silyl Enolates	167
7.3.8.3.1	Variation 1: Addition/Coupling with Alkynes	167
7.3.8.3.2	Variation 2: Alkylation by Alkyl Chlorides	167
7.3.8.4	Method 4: Carbonyl Alkynylation	168

7.3.8.5	Method 5:	Intramolecular Cyclization	168
7.3.8.5.1	Variation 1:	Indole Synthesis	168
7.3.8.5.2	Variation 2:	Intramolecular Michael Addition	169
7.3.9	Product Subclass 9: Indium(III) Iodide		169
	Synthesis of Product Subclass 9		170
7.3.9.1	Method 1:	Reaction of Indium Metal with Iodine	170
	Applications of Product Subclass 9 in Organic Synthesis		170
7.3.9.2	Method 2:	α -Alkylation of Carbonyl Compounds	170
7.3.9.3	Method 3:	Strecker Reaction	171
7.3.9.4	Method 4:	Transesterification	171
7.3.9.5	Method 5:	Allylation of Ketones	172
7.3.9.6	Method 6:	Ring Opening of Aziridines	172
7.3.10	Product Subclass 10: Indium(III) Trifluoromethanesulfonate		173
	Applications of Product Subclass 10 in Organic Synthesis		173
7.3.10.1	Method 1:	Allylation	173
7.3.10.1.1	Variation 1:	Allylation of Ketones and Imines	173
7.3.10.1.2	Variation 2:	Enantioselective Allylation	174
7.3.10.2	Method 2:	Reaction of Alkynes	175
7.3.10.2.1	Variation 1:	Addition of β -Dicarbonyl Compounds to Unactivated Alkynes	175
7.3.10.2.2	Variation 2:	Asymmetric Addition of Enamines to Alkynes	176
7.3.10.2.3	Variation 3:	Conia-Ene Reaction	177
7.3.10.3	Method 3:	Rearrangement	178
7.3.10.4	Method 4:	Diels-Alder Reaction	178
7.3.10.5	Method 5:	Retro-Claisen Condensation	179
7.3.10.6	Method 6:	Cycloaddition	180
7.3.10.7	Method 7:	Carbonyl-Ene Reaction	180
7.3.11	Product Subclass 11: Indium(III) Trifluoromethanesulfonimide		181
	Applications of Product Subclass 11 in Organic Synthesis		181
7.3.11.1	Method 1:	Addition of 1,3-Dicarbonyl Compounds to Alkynes	181
7.3.11.2	Method 2:	Alkylation of Pyrroles	182
7.3.12	Product Subclass 12: Indium(I) Iodide		183
	Synthesis of Product Subclass 12		183
7.3.12.1	Method 1:	Reaction of Indium Metal with Iodine	183
	Applications of Product Subclass 12 in Organic Synthesis		183
7.3.12.2	Method 2:	Cleavage of Diselenides and Disulfides	183
7.3.12.2.1	Variation 1:	Synthesis of Unsymmetrical Diorganyl Selenides and Related Compounds	183
7.3.12.2.2	Variation 2:	Synthesis of Vinyl Selenides	184
7.3.12.2.3	Variation 3:	Aziridine Ring Opening	184
7.3.13	Product Subclass 13: Zerovalent Indium		184
	Applications of Product Subclass 13 in Organic Synthesis		185

7.3.13.1	Method 1:	Reduction	185
7.3.13.1.1	Variation 1:	Reduction of Conjugated Alkenes	185
7.3.13.1.2	Variation 2:	Reduction of Nitro and N-Oxide Groups and Hydroxylamines	185
7.3.13.2	Method 2:	Radical Reaction	186
7.3.13.2.1	Variation 1:	Intermolecular Reaction	186
7.3.13.2.2	Variation 2:	Intramolecular Reaction	186
7.3.13.3	Method 3:	Elimination	189

7.9 Product Class 9: Barium Compounds

7.9.5 Barium Compounds

A. Yanagisawa

7.9.5	Barium Compounds	195
7.9.5.1	Applications of Barium in Organic Synthesis	195
7.9.5.1.1	Method 1: Reactions of Propargylic Bromides with Carbonyl Compounds	195
7.9.5.1.2	Method 2: Reactions of Propargylic Bromides with Imines	196
7.9.5.1.3	Method 3: Reactions of α -Chloro Ketones with Aldehydes	197
7.9.5.2	Applications of Barium Hydride in Organic Synthesis	198
7.9.5.2.1	Method 1: Homocoupling of Enones	198
7.9.5.2.1.1	Variation 1: Cross Coupling of Enones	199
7.9.5.3	Applications of Barium Alkoxides in Organic Synthesis	200
7.9.5.3.1	Method 1: Reactions of Ketones with Aldehydes	200
7.9.5.3.1.1	Variation 1: Reactions of Ketones with Enones	201
7.9.5.3.2	Method 2: Aldol Reactions	202
7.9.5.3.3	Method 3: Mannich-Type Reactions	204
7.9.5.3.4	Method 4: Diels–Alder-Type Reactions	206

Volume 8: Compounds of Group 1 (Li...Cs)

8.1 Product Class 1: Lithium Compounds

8.1.28 The Catalytic Use of Lithium Compounds for Bond Formation

S. Matsunaga

8.1.28	The Catalytic Use of Lithium Compounds for Bond Formation	209
8.1.28.1	Lithium Acetate and Related Compounds as Lewis Base Catalysts	209
8.1.28.1.1	Method 1: Catalytic C—C Bond Formation of Silyl Enolates	209
8.1.28.2	Use of Lithium Aryloxides as Brønsted Base Catalysts	211
8.1.28.2.1	Method 1: Catalytic C—C Bond Formation via In Situ Enolate Generation	211
8.1.28.3	Use of Lithium Binaphtholates as Chiral Catalysts	213

8.1.28.3.1	Method 1:	Catalytic Asymmetric Cyanation Reactions	213
8.1.28.3.2	Method 2:	Catalytic Asymmetric Mannich-Type Reactions	215
8.1.28.3.3	Method 3:	Catalytic Asymmetric 1,4-Addition Reactions	216
8.1.28.3.4	Method 4:	Catalytic Asymmetric Synthesis of 2,2-Disubstituted Epoxides and Oxetanes	219
8.1.28.3.5	Method 5:	Catalytic Asymmetric Aldol Reaction	221

8.2 Product Class 2: Sodium Compounds

8.2.16 The Catalytic Use of Sodium Compounds for Bond Formation T. Arai

8.2.16	The Catalytic Use of Sodium Compounds for Bond Formation		223
8.2.16.1	Method 1:	Lewis Base Catalysis	224
8.2.16.1.1	Variation 1:	Sodium Methoxide Catalysis of the Mukaiyama Aldol Reaction	224
8.2.16.1.2	Variation 2:	Sodium Acetate Catalysis of Michael Reactions	224
8.2.16.1.3	Variation 3:	Sodium–Phosphine Oxide for the Activation of a Trimethylsilyl Enolate	225
8.2.16.1.4	Variation 4:	Sodium Formate for the Synthesis of Trimethylsilyl-Protected (Trichloromethyl)carbinols	226
8.2.16.1.5	Variation 5:	Sodium Salt of L-Phenylglycine for the Cyanosilylation of Ketones	227
8.2.16.2	Method 2:	Lewis Acid Catalysis	227
8.2.16.2.1	Variation 1:	Use of Sodium Tetrafluoroborate	228
8.2.16.3	Method 3:	Acid–Base Catalysis	228
8.2.16.3.1	Variation 1:	Sodium Tetramethoxyborate for Michael Reaction	228
8.2.16.3.2	Variation 2:	Lanthanum Trisodium Tris(binaphtholate) Complex for Michael Reaction	229
8.2.16.3.3	Variation 3:	Gallium Sodium Bis(binaphtholate)/Sodium <i>tert</i> -Butoxide Combination for Michael Reaction	230
8.2.16.3.4	Variation 4:	Aluminum Lithium Bis(binaphtholate)/Sodium <i>tert</i> -Butoxide for Michael Reaction	231
8.2.16.3.5	Variation 5:	Samarium Trisodium Tris(binaphtholate) for Michael Reaction–Protonation	232
8.2.16.3.6	Variation 6:	Lanthanum Trilithium Tris(biphenoxide)/Sodium Iodide for Cyclopropanation of Enones	233
8.2.16.3.7	Variation 7:	Neodymium/Sodium–Amidophenol Complex for <i>anti</i> -Selective Henry Reaction	234

Volume 16:

Six-Membered Hetarenes with Two Identical Heteroatoms

16.8 Product Class 8: Pyridazines

16.8.5 Pyridazines

J. Zhang

16.8.5	Pyridazines	237
16.8.5.1	Synthesis by Ring-Closure Reactions	239
16.8.5.1.1	By Formation of Two N—C Bonds	239
16.8.5.1.1.1	Fragments C—C—C—C and N—N	239
16.8.5.1.1.1.1	Method 1: Condensation of 1,4-Diketones with Hydrazine	239
16.8.5.1.1.1.2	Method 2: Condensation of 4-Oxoalkanoic Acid Derivatives with Hydrazine	241
16.8.5.1.1.1.3	Method 3: Condensation of Maleic Anhydrides with Hydrazine	241
16.8.5.1.1.1.4	Method 4: Condensation of 4-Oxo Acids with Hydrazine, with Subsequent Oxidation by Copper(II) Salts	242
16.8.5.1.1.1.5	Method 5: Isomerization of Alk-2-yne-1,4-diols Followed by Condensation with Hydrazine	243
16.8.5.1.1.1.6	Method 6: Reaction of α -Oxo Acids with Aryl Methyl Ketones To Give 4-Oxobut-2-enoic Acids, Followed by Condensation with Hydrazine	244
16.8.5.1.1.1.7	Method 7: Synthesis from Methyl 3,3,3-Trifluoro-2-oxopropanoate and Hydrazine	244
16.8.5.1.1.1.8	Method 8: Synthesis from Pyran-2-one and Hydrazine, with Subsequent Oxidation	245
16.8.5.1.2	By Formation of One N—C and One C—C Bond	246
16.8.5.1.2.1	Fragments N—N—C—C and C—C	246
16.8.5.1.2.1.1	Method 1: Michael-Type Addition/Heterocyclization of Active Methylene Compounds to 1,2-Diazabuta-1,3-dienes	246
16.8.5.1.2.1.2	Method 2: Synthesis from Sodium 1,2-Dihydroxyethane-1,2-disulfonate	248
16.8.5.2	Synthesis by Ring Transformation	249
16.8.5.2.1	Formal Exchange of Ring Members with Retention of Ring Size	249
16.8.5.2.1.1	Method 1: Diels–Alder Reaction of 1,2,4,5-Tetrazine and Ketene Acetals	249
16.8.5.2.1.2	Method 2: Diels–Alder Reaction of 1,2,4,5-Tetrazines and Ketones	250
16.8.5.2.1.3	Method 3: Diels–Alder Reaction of 1,2,4,5-Tetrazines and Alkynylboronic Esters	251
16.8.5.2.1.4	Method 4: Diels–Alder Reaction of Nitrogen Heterocycle Substituted Tetrazines and Alkynyltrifluoroborates	252
16.8.5.2.1.5	Method 5: Diels–Alder Reaction of 1,2,4,5-Tetrazines and Enol Ethers or Alkenes	254
16.8.5.3	Synthesis by Substituent Modification	256

16.8.5.3.1	Substitution of Existing Substituents	256
16.8.5.3.1.1	Method 1: Synthesis from Chloropyridazines or Chloropyridazinones via Palladium-Mediated Suzuki Coupling	256
16.8.5.3.1.2	Method 2: Synthesis from Chloropyridazines or Chloropyridazin-3(2 <i>H</i>)-ones via Palladium-Mediated Stille Coupling	264
16.8.5.3.1.3	Method 3: Synthesis from Chloropyridazines or Chloropyridazin-3(2 <i>H</i>)-ones via Palladium-Mediated Sonogashira Coupling	266
16.8.5.3.1.4	Method 4: Synthesis from Halopyridazines or Halopyridazin-3(2 <i>H</i>)-ones via Palladium-Mediated Heck Coupling	268
16.8.5.3.1.5	Method 5: Palladium-Catalyzed Cross-Coupling Reactions of Pyridazine <i>N</i> -Oxides with Aryl Chlorides, Bromides, and Iodides	268
16.8.5.3.1.6	Method 6: Other Nucleophilic Substitutions	270

Volume 20:

Three Carbon—Heteroatom Bonds: Acid Halides; Carboxylic Acids and Acid Salts; Esters, and Lactones; Peroxy Acids and R(CO)OX Compounds; R(CO)X, X = S, Se, Te

20.2	Product Class 2: Carboxylic Acids	
20.2.1.8.13	Synthesis with Retention of the Functional Group (Update 1) G. Landelle and J.-F. Paquin	
20.2.1.8.13	Synthesis with Retention of the Functional Group (Update 1)	277
20.2.1.8.13.1	Method 1: Synthesis by Conjugate Addition	277
20.2.1.8.13.1.1	Variation 1: Conjugate Addition of Organometallic Reagents	277
20.2.1.8.13.1.2	Variation 2: Conjugate Addition of Thiols	278
20.2.1.8.13.1.3	Variation 3: Asymmetric Conjugate Addition	279
20.2.1.8.14	Synthesis with Retention of the Functional Group (Update 2) J. L. Gleason and E. A. Tjong	
20.2.1.8.14	Synthesis with Retention of the Functional Group (Update 2)	283
20.2.1.8.14.1	Synthesis by Alkylation or Arylation	283
20.2.1.8.14.1.1	Method 1: Direct α -Alkylation or -Arylation of Carboxylic Acids	283
20.2.1.8.14.1.2	Method 2: Diastereoselective Alkylations	284
20.2.1.8.14.1.3	Method 3: Alkylation of Alkenoic Acids	285
20.2.1.8.14.1.4	Method 4: Synthesis via Carboxylic Acid Derivatives	286
20.2.1.8.14.1.4.1	Variation 1: Alkylation and Arylation of Esters	287
20.2.1.8.14.1.4.2	Variation 2: Chiral Auxiliaries: Tertiary Stereocenters	289
20.2.1.8.14.1.4.3	Variation 3: Chiral Auxiliaries: Quaternary Stereocenters	293

Volume 21:

Three Carbon—Heteroatom Bonds: Amides and Derivatives; Peptides; Lactams

21.15	Product Class 15: Polyamides T. Higashihara and M. Ueda	
21.15	Product Class 15: Polyamides	301
21.15.1	Product Subclass 1: Aliphatic Polyamides	301
21.15.1.1	Synthesis of Product Subclass 1	301
21.15.1.1.1	Method 1: Interfacial Polymerization	301
21.15.1.1.2	Method 2: Ring-Opening Polymerization	302
21.15.1.1.3	Method 3: Melt Polymerization	303
21.15.2	Product Subclass 2: Aliphatic–Aromatic Polyamides	303
21.15.2.1	Synthesis of Product Subclass 2	303
21.15.2.1.1	Method 1: Use of Diacid Dichlorides	303
21.15.2.1.2	Method 2: Melt Polymerization	304
21.15.3	Product Subclass 3: Aromatic Polyamides	305
21.15.3.1	Synthesis of Product Subclass 3	305
21.15.3.1.1	Method 1: Use of Diacid Dichlorides	305
21.15.3.1.2	Method 2: Use of Active Esters and Amides	306
21.15.3.1.3	Method 3: Direct Polymerization	307
21.15.3.1.3.1	Variation 1: Use of Condensation Agents	308
21.15.3.1.3.2	Variation 2: By Reaction-Induced Crystallization	309
21.15.3.1.3.3	Variation 3: Melt or Solid-State Polymerization	310
21.15.3.1.4	Method 4: Transition-Metal-Catalyzed Polymerization	312
21.15.3.1.5	Method 5: Condensative Chain-Growth Polymerization	313
21.15.3.1.5.1	Variation 1: Aromatic Polyamides with Low Polydispersity	313
21.15.3.1.5.2	Variation 2: Block Copolyamides	314
21.15.3.1.6	Method 6: Hyperbranched Polymers Using AB _x Monomers	317
21.15.3.1.7	Method 7: Dendrimers by Divergent and Convergent Methods	318

Volume 27:

Heteroatom Analogues of Aldehydes and Ketones

27.13	Product Class 13: Nitrones and Cyclic Analogues	
27.13.3	Nitrones and Cyclic Analogues P. Merino	
27.13.3	Nitrones and Cyclic Analogues	325
27.13.3.1	Synthesis of Nitrones and Cyclic Analogues	325

27.13.3.1.1	Method 1:	Synthesis by Oxidation	325
27.13.3.1.1.1	Variation 1:	Of Secondary Amines	325
27.13.3.1.1.2	Variation 2:	Of Imines	333
27.13.3.1.1.3	Variation 3:	Of Hydroxylamines	336
27.13.3.1.2	Method 2:	Synthesis by Condensation of <i>N</i> -Alkylhydroxylamines	340
27.13.3.1.2.1	Variation 1:	With Aldehydes	340
27.13.3.1.2.2	Variation 2:	With Ketones	345
27.13.3.1.3	Method 3:	Synthesis by <i>N</i> -Alkylation of Oximes	347
27.13.3.1.4	Method 4:	Synthesis by Ring-Closure Reactions	348
27.13.3.1.5	Method 5:	Miscellaneous Methods	354
27.13.3.2		Applications of Nitrones and Cyclic Analogues in Organic Synthesis	360
27.13.3.2.1	Method 1:	1,3-Dipolar Cycloadditions	360
27.13.3.2.1.1	Variation 1:	With Heteroaromatic Multiple Bonds	360
27.13.3.2.1.2	Variation 2:	With Alkynes	363
27.13.3.2.1.3	Variation 3:	With Cumulenes	367
27.13.3.2.1.4	Variation 4:	With Heterocumulenes	369
27.13.3.2.1.5	Variation 5:	With Alkenes	370
27.13.3.2.1.6	Variation 6:	Intramolecular Cyclizations	377
27.13.3.2.1.7	Variation 7:	Enantioselective Catalysis	379
27.13.3.2.2	Method 2:	Nucleophilic Additions	383
27.13.3.2.2.1	Variation 1:	Of <i>sp</i> -Nucleophiles	383
27.13.3.2.2.2	Variation 2:	Of <i>sp</i> ² -Nucleophiles	384
27.13.3.2.2.3	Variation 3:	Of <i>sp</i> ³ -Nucleophiles	386
27.13.3.2.2.4	Variation 4:	Of Enolates	387
27.13.3.2.2.5	Variation 5:	Allylation	388
27.13.3.2.2.6	Variation 6:	Reduction (Deoxygenation)	389
27.13.3.2.2.7	Variation 7:	Of <i>P</i> -Nucleophiles	390
27.13.3.2.3	Method 3:	Metal Complex Formation	390
27.13.3.2.4	Method 4:	Rearrangements	391
27.13.3.2.5	Method 5:	Spin-Trapping	392
27.13.3.2.6	Method 6:	Miscellaneous Reactions	393

Volume 40:

Amines, Ammonium Salts, Amine *N*-Oxides, Haloamines, Hydroxylamines and Sulfur Analogues, and Hydrazines

40.1	Product Class 1: Amino Compounds	
40.1.1.1.2	Reductive Amination of Carbonyl Compounds	
	P. Margaretha	
40.1.1.1.2	Reductive Amination of Carbonyl Compounds	405
40.1.1.1.2.1	Alkylamines from Carbonyl Compounds by Direct Reductive Amination	406
40.1.1.1.2.1.1	Method 1: Direct Reductive Amination by Catalytic Hydrogenation	406

40.1.1.1.2.1.1.1	Variation 1:	Hydrogenation Using Heterogeneous Metal Catalysts	407
40.1.1.1.2.1.1.2	Variation 2:	Hydrogenation Using Homogeneous Metal Complex Catalysts	407
40.1.1.1.2.1.1.3	Variation 3:	Palladium-Catalyzed Transfer Hydrogenation	409
40.1.1.1.2.1.2	Method 2:	Direct Reductive Amination Using Silanes as a Hydrogen Source	410
40.1.1.1.2.1.2.1	Variation 1:	Using Polymethylhydrosiloxane	410
40.1.1.1.2.1.2.2	Variation 2:	Using Aminohydrosilanes	411
40.1.1.1.2.1.2.3	Variation 3:	Using Triethylsilane	411
40.1.1.1.2.1.2.4	Variation 4:	Using Phenylsilane	412
40.1.1.1.2.1.3	Method 3:	Direct Reductive Amination with Borohydride or Borane Reducing Agents	412
40.1.1.1.2.1.3.1	Variation 1:	Using Sodium Cyanoborohydride	412
40.1.1.1.2.1.3.2	Variation 2:	Using Sodium Borohydride	415
40.1.1.1.2.1.3.3	Variation 3:	Using Zirconium(II) or Copper(I) Borohydrides	417
40.1.1.1.2.1.3.4	Variation 4:	Using Sodium Triacyloxyborohydrides	418
40.1.1.1.2.1.3.5	Variation 5:	Using Aminoboranes	419
40.1.1.1.2.1.3.6	Variation 6:	One-Pot Direct Reductive Amination via Borane Reduction of Imines	420
40.1.1.1.2.2	Primary Alkylamines from Oximes and O-Alkyloximes		421
40.1.1.1.2.2.1	Primary Alkylamines from Oximes		422
40.1.1.1.2.2.1.1	Method 1:	Catalytic Hydrogenation	422
40.1.1.1.2.2.1.2	Method 2:	Catalytic Transfer Hydrogenation	423
40.1.1.1.2.2.1.3	Method 3:	Reduction with Metallic Zinc	424
40.1.1.1.2.2.1.3.1	Variation 1:	Using Zinc in the Presence of Ammonia	424
40.1.1.1.2.2.1.3.2	Variation 2:	Using Zinc in the Presence of a Carboxylic Acid	425
40.1.1.1.2.2.1.4	Method 4:	Reductions with Borane or Borohydrides	426
40.1.1.1.2.2.1.4.1	Variation 1:	Reduction with Borane	426
40.1.1.1.2.2.1.4.2	Variation 2:	Reduction with Borohydrides	426
40.1.1.1.2.2.1.5	Method 5:	Reductions with Aluminum Trihydride or Hydroaluminates ..	428
40.1.1.1.2.2.2	Primary Alkylamines from O-Alkyloximes		428
40.1.1.1.2.3	Secondary Alkylamines from N-Alkylidenealkylamines by Reduction		430
40.1.1.1.2.3.1	Method 1:	Stereorandom Reduction of N-Alkylidenealkylamines to Secondary Alkylamines	430
40.1.1.1.2.3.1.1	Variation 1:	Via Heterogeneous Hydrogenation	430
40.1.1.1.2.3.1.2	Variation 2:	Via Lewis Acid Catalyzed Hydrogenation	431
40.1.1.1.2.3.1.3	Variation 3:	Via Transfer Hydrogenation	431
40.1.1.1.2.3.1.4	Variation 4:	By Reduction with Hydrides	432
40.1.1.1.2.3.2	Method 2:	Enantioselective Reduction of N-Alkylidenealkylamines to Secondary Alkylamines	434
40.1.1.1.2.4	Tertiary Alkylamines from Enamines by Reduction		435
40.1.1.1.2.4.1	Method 1:	Amines from Enamines by Catalytic Hydrogenation	435
40.1.1.1.2.4.2	Method 2:	Amines from Enamines by Enantioselective (Asymmetric) Catalytic Hydrogenation	437
40.1.1.1.2.4.3	Method 3:	Amines from Enamines Using Other Reducing Agents	438

Author Index 443

Abbreviations 469