

Index

2D full-field digital
 mammography *see*
 full-field digital
 mammography
15% peak kilovolt rule 33

A

absorbed radiation dose (D)
 106–107

absorption
 differential 52–53
 photoelectric 48, 50
 principles 47–52
 processes 47
 see also attenuation

accreditation 146–149

ACR *see* American College
 of Radiology

active area, flat panel
 detectors 69–70

ADC *see* analog-to-digital
 conversion

adipose tissue, linear
 attenuation coefficients 4

AEC *see* automatic
 exposure control

AI *see* artificial intelligence

air gap method 60–62

ALARA *see* As Low As
 Reasonably Achievable

aluminum filters 29–34

American College of Radiology
 (ACR)-approved
 phantoms 127–128

amorphous selenium (a-Se) 69

analog-to-digital conversion
 (ADC) 66–67, 71

angles, of anodes 24–27

annual dose limits 112–113

annual tests 146

anode heel effect 19, 25–26

- anodes 20–27
 - angle 24–27
 - focal spot 21–23, 25–27
 - half-value layer 51
 - orientation 19, 25
 - target materials 23–24
 - architectural distortion 124
 - arrays, flat panel
 - detectors 69–71
 - artifacts 143–144
 - artificial intelligence (AI) 151–161
 - computer vision 155–159
 - diagnosis 154, 158–159
 - image classification
 - 153, 157–158
 - image enhancement 156
 - image reconstruction 154
 - image segmentation
 - 154, 156–157
 - object detection 153, 157–158
 - personalized medicine 154–155
 - a-Se *see* amorphous selenium
 - As Low As Reasonably Achievable (ALARA)
 - 113, 145
 - attenuation
 - Compton scatter 49–50
 - differential 52–53
 - factors 49–52
 - half-value layer 50–52
 - photoelectric absorption 48, 50
 - principles 47–52
 - attenuation curves, filters 29–35
 - automatic exposure control
 - (AEC) 62–63
 - automatic filter mode 62
 - automatic kVp mode 62
 - automatic timer mode 62
 - average glandular dose *see* mean glandular dose
 - average photon energy 33–35
- B**
- background radiation 111–112
 - back projection 93–95
 - BCT *see* breast computed tomography
 - beam attenuation 47–53
 - Compton scatter 49–50
 - factors 49–52
 - half-value layer 50–52
 - photoelectric
 - absorption 48, 50
 - beam divergence 6, 25
 - beam limitation *see* collimation
 - beryllium 27
 - bi-angle tubes 27
 - bias 18–20
 - bit depth 71
 - blooming 144
 - breast compression 40–41, 54
 - breast computed tomography (BCT) 98–99
 - breast supports 41–42
 - breast tissue
 - half-value layer 51–52
 - linear attenuation
 - coefficients 4
 - photon interactions 46–47
 - Bremsstrahlung 22
 - Bucky factors 60

C

- CADe *see* computer-aided detection
- CADx *see* computer-aided diagnosis
- calculation
 - effective dose 108–109
 - equivalent dose 107
 - mean glandular dose 109–111
 - photon energies 104
- cathodes 16–20
 - emitted electrons 17–18
 - focusing cups 18–20
 - orientation 18, 26
 - power limits 18
- CEDM *see* contrast-enhanced digital mammography
- certification 146–149
- cesium iodide (CsI) 67–68
- characteristic interactions 23
- CIF *see* contrast improvement factor
- C/Kg *see* coulombs/kilogram
- CNNs *see* convolutional neural networks
- CNR *see* contrast-to-noise ration
- collimation 35–36, 54
- compression 40–41, 54
- Compton scatter 49–50
- computed radiography (CR) 65–66
- computed tomography (CT) 3, 98–99
- computer-aided detection (CADE) 157
- computer-aided diagnosis (CADx) 154, 158–159
- computer vision 155–159
 - diagnosis 158–159
 - image enhancement 156
 - object classification 157–158
 - segmentation 156–157
- continuing education 147–149
- contrast 5, 52–62
 - air gap method 60–62
 - and collimation 54
 - and compression 54
 - detective quantum efficiency 70–71
 - differential attenuation 52–53
 - exposure 62–63
 - grids 55–60
 - scattered radiation 53–54
- contrast-detail phantoms 140–141
- contrast-enhanced digital mammography (CEDM) 6, 89–90
- contrast enhancement 79
- contrast improvement factor (CIF) 59–60
- contrast-to-noise ration (CNR) 139
- control, scattered radiation 53–54
- convolutional neural networks (CNNs) 152–159
 - concepts 152
 - diagnosis 154, 158–159

convolutional neural networks (CNNs) (*cont'd*)
 image classification 153, 157–158
 image enhancement 156
 image reconstruction 154
 image segmentation 154, 156–157
 object detection 153, 157–158
 personalized medicine 154–155
 copper filters 29, 31
 coulombs/kilogram (C/Kg) 106
 CR *see* computed radiography
 CsI *see* cesium iodide
 CT *see* computed tomography
 currents, filament 6, 13, 18

D

D *see* absorbed radiation dose
 D_g *see* mean glandular dose
 DAC *see* digital-to-analog conversion
 DBT *see* digital breast tomosynthesis
 deblurring 79
 deep learning 153
 diagnosis 154, 158–159
 image classification 153, 157–158
 image enhancement 156
 image reconstruction 154
 image segmentation 154, 156–157
 object detection 153, 157–158
 personalized medicine 154–155
 detective quantum efficiency (DQE) 70–71, 137
 detector-based artifacts 143–144
 detector noise 135, 137
 diagnostic artificial intelligence 154
 DICOM *see* Digital Imaging and Communications in Medicine
 DICOM file format 75–76
 differential attenuation or absorption 52–53
 digital breast tomosynthesis (DBT) 6, 76, 90–97, 114, 142
 digital image processing (DIP) 78–79, 135–136, 138, 144
 Digital Imaging and Communications in Medicine (DICOM) standards 72–73, 75–76, 82, 110–111
 digital radiography (DR) 3
 digital stereotactic biopsies 86–88
 digital-to-analog conversion (DAC) 76
 digital zoom 138
 DIP *see* digital image processing
 direct effects 104–105
 direct flat panel detectors 68–69
 display of images 76–82
 digital processing 78–79
 monitors 79–82
 noise 135–136

display monitors 79–82
 divergence 6, 25
 dose limits 112–113
 dose reference levels (DRLs) 113
 doses
 geometry effects 36–37
 see also radiation exposure
 DQE *see* detective quantum
 efficiency
 DR *see* digital radiography
 DRLs *see* dose reference levels
 ductal tissues, linear attenuation
 coefficients 4
 dynamic range 71–72

E

edge enhancement 78, 131, 138
 effective dose 108–109
 effective focal spot size (EFFS)
 19, 26, 128
 electromagnetic (EM) energy
 21–22
 electronic noise 137
 electronic zoom 78
 emitted electrons 17–18
 equipment-based artifacts 143
 equivalent dose (H) 107
 exit port 27
 exposure modes 62

F

FFDM *see* full-field digital
 mammography
 fibroglandular tissue, linear
 attenuation coefficients 4

filament currents 6, 13, 18
 filament temperature 13
 file formats 75–76
 filters 28–35, 51
 flat panel detectors (FPD) 66–71
 active areas 69–70
 arrays 69–71
 detective quantum
 efficiency 70–71
 direct 68–69
 dynamic range 71–72
 in-direct 67–68
 focal spots 5–6, 21–23, 25–27
 bi-angle tubes 27
 effective sizes 19, 26
 focusing cups 18–20
 FPD *see* flat panel detectors
 full-field digital mammography
 (FFDM) 45–83
 air gap method 60–62
 attenuation 47–53
 collimation 54
 compression 54
 DICOM file format 75–76
 differential attenuation or
 absorption 52–53
 doses 114
 dynamic range 71–72
 exposure 62–63
 grids 55–60
 half-value layer 50–52
 image display 76–82
 image generation 71–76
 image processing 78–79
 image quality 125–126
 image recording 64–71
 metadata 75–76

full-field digital mammography
 (FFDM) (*cont'd*)
 monitors 79–82
 pre-processing 72–75
 scattered radiation control
 53–54

G

Gaussian Mixture Models
 (GMM) approach 157
 geometric magnification 38
 geometric unsharpness
 37, 38, 129
 geometry 36–39, 129
 ghosting 143
 global latitude reduction 79
 GMM *see* Gaussian
 Mixture Models
 grays (Gy) 106–107
 grid ratio (*R*) 58–59
 grids 55–60
 contrast improvement factor
 59–60
 high transmission cellular
 56–58
 linear 55–56
 ratio 58–59
 Gy *see* grays

H

H *see* equivalent dose
 half-field geometry 39
 half-value layer (HVL) 50–52
 health risks 104–105, 115–116
 heat units (HU) 20

high-density masses
 122–123
 high-frequency X-ray
 generators 13–16
 high transmission cellular
 (HTC) grids 56–58
 HTC *see* high transmission
 cellular
 HU *see* heat units
 HVL *see* half-value layer

I

image classification
 153, 157–158
 image contrast 5, 52–62,
 131–136, 138–142
 image enhancement 78–79
 image formation 45–83
 air gap method 60–62
 beam attenuation 47–53
 breast computed tomography
 98–99
 collimation 54
 compression 54
 Compton scatter 49–50
 contrast enhanced
 mammography 89–90
 DICOM file format 75–76
 differential attenuation or
 absorption 52–53
 digital breast
 tomosynthesis 90–97
 display 76–82
 dynamic range 71–72
 exposure 62–63
 generation 71–76

- grids 55–60
 - half-value layer 50–52
 - image processing 78–79
 - metadata 75–76
 - monitors 79–82
 - photoelectric
 - absorption 48, 50
 - photon-counting
 - mammography 97–98
 - photon–tissue
 - interactions 46–47
 - pre-processing 72–75
 - raw 71
 - recording 64–71
 - scattered radiation
 - control 53–54
- image generation 71–76
 - DICOM file format 75–76
 - digital breast
 - tomosynthesis 93
 - dynamic range 71–72
 - look-up-tables 72–75
 - pre-processing 72–75
- image magnification 37–38, 60–62, 78
- image processing 78–79, 93–97, 135, 144
- image quality 121–150
 - artifacts 143–144
 - digital breast
 - tomosynthesis 142
 - image contrast 131–136, 138–142
 - noise 136–138, 138–139, 142, 145
 - relationships 138–142
 - requirements 122–124
 - spatial resolution 126–131, 139–142
 - triangle 125–126
- image reconstruction 154
- image recording 64–71
 - arrays 69–71
 - breast computed tomography 98–99
 - detectors 66–71
 - digital breast tomosynthesis 93
 - history of 64–66
 - photon-counting
 - mammography 97–98
- image
 - segmentation 154, 156–157
- imaging geometry 36–37
- indirect effects 104–105
- in-direct flat panel
 - detectors 67–68
- instrumentation 5–6, 9–43
 - annual tests 146
 - artifacts 143–144
 - breast supports 41–42
 - collimation 35–36
 - compression 40–41
 - exposure modes 62–63
 - filters 28–35
 - geometry 36–39
 - grids 55–60
 - magnification 37–38
 - overview 10–12
 - voltage ripple 14–16
 - X-ray generators 13–16
 - X-ray tubes 16–27
- intensity 36–37
- interpolation 80–81
- interpreting physicians 147–148

interspace material 56
 iodine contrast 89–90
 ionizing radiation 104–105,
 115–116

K

K-edges 29–35, 89
 kVp *see* peak kilovolts

L

linear attenuation coefficients 4
 linear grid 55–56
 line focus principle 26
 line-pair phantoms 126–127
 look-up-tables (LUTs) 72–75,
 78, 135
 low-energy photons 28
 LUTs *see* look-up-tables

M

magnification 37–38, 60–62,
 78, 129
 mammary microcalcifications
 (MCs) 5, 123–124
 mammograms 1–3
 mammographers 147
 Mammography Quality
 Standards Acts (MQSA)
 40–41, 82, 113
 mammography radiologists
 147–148
 manual mode 62
 MCs *see* mammary
 microcalcifications

mean glandular dose (D_g)
 109–111
 measurement, radiation
 exposure 105–114
 medical physicists 148–149
 metadata 75–76, 110–111
 microcalcifications 5, 123–124
 modulation transfer
 function (MTF) 140
 molybdenum filters 29–34
 molybdenum targets
 20, 23–24
 monitors 79–82
 motion 130–131
 mottle 137
 MQSA *see* Mammography
 Quality Standards Acts
 MTF *see* modulation
 transfer function

N

national dose levels 113
 negative bias 18–20
 nipple retraction 124
 noise 136–138, 138–
 139, 142, 145
 noise reduction 79
 nonuniformities 143

O

object detection 153, 157–158
 object to image distance
 (OID) 37–38, 60, 129
 occupational exposure 112
 OID *see* object to image distance

orientation
 anodes 19, 24–27
 cathodes 18, 19, 26
 X-ray tubes 19, 25–26

P

patient dose 103–120
 patient positioning 36–37
 patient-related artifacts 143
 PCM *see* photon-counting
 mammography
 peak kilovolts (kVp)
 15% rule 33
 automatic 62
 definition 13
 increasing 33–35
 limiting factors 18
 and waveform 14–16
 penumbra 37
 personalized medicine 154–155
 personnel 146–149
 phantoms 126–128
 photoelectric absorption 48
 photon-counting mammography
 (PCM) 97–98, 114
 photon energies 28–35, 104
 photon–tissue
 interactions 46–47
 pixel counts 80–81
 pixel sizes 81, 964
 Planck’s equation 104
 Poisson noise 137
 polychromatic beams 28
 population dose 112
 power output 13
 pregnancy 117

pre-processing 72–75, 135
 presentation LUTs 78
 processing artifacts 144
 production, X-rays 19, 22–23,
 25–27

Q

QA *see* quality assurance
 QC *see* quality control
 qualifications 147
 quality assurance (QA) 144–146
 quality control (QC) 144–146

R

R see grid ratio
R see roentgens
 radiation exposure 103–120
 absorbed dose 106–107
 background 111–112
 effective dose 108–109
 equivalent dose 107
 health risks 104–105,
 115–116
 mean glandular dose 109–111
 measurement 105–106
 typical doses 111–114
 radiation protection
 principles 112–113
 shielding 116–117
 radiation-weighting
 factor (W_R) 107
 radiologic technologists 147
 radiomics 157
 rads 10
 raw images 71

reconstruction, digital breast
 tomosynthesis 93–95
 recording images 64–71
 requirements, image
 quality 122–124
 resolution 5, 26–27, 37–38,
 70–71, 80–81, 126–131,
 139–142
 rhodium filters 29–34
 rhodium targets 20, 24
 roentgens (R) 106

S

scattered radiation 53–54,
 133–135, 136–137
 scatter fraction (SF) 53–54
 scattering, processes 46–47
 SDNR *see* signal difference-to-
 noise ratio
 secondary radiation 53–54
 segmentation 154, 156–157
 semantic segmentation 154
 sensors, automatic exposure
 control 63
 SF *see* scatter fraction
 shielding 116–117
 SID *see* source–image distance
 sieverts (Sv) 107
 signal difference-to-noise ratio
 (SDNR) 136
 signal-to-noise ratio
 (SNR) 70–71, 136
 silver filters 29, 31–33
 single-phase generators 13–15
 skin dimpling 124
 skin doses 37

slice-sensitivity profile
 (SSP) 95–96
 SNR *see* signal-to-noise ratio
 SOD *see* source–object distance
 source–image distance
 (SID) 36–37
 source–object distance
 (SOD) 37, 60–62
 spatial frequency restoration 79
 spatial resolution 5, 26–27, 37–
 38, 126–131, 139–142
 SSP *see* slice-sensitivity profile
 stereotactic digital imaging
 biopsies 86–88
 storage artifacts 144
 subject contrast 52–53, 132–133
 Sv *see* sieverts

T

target/filter combinations
 29–34, 51
 targets
 filter combinations 29–35
 materials 20, 23–24
 TFT *see* thin film resistor
 thermionic emission 17–18
 thin film resistor (TFT)
 arrays 66–67, 69–70
 three-phase generators 13–15
 thyroid shields 116
 tissue-weighting factors (w_T)
 108–109
 tolerances, focal spot size 21
 tomography 90–91
 tomosynthesis *see* digital breast
 tomosynthesis

trade offs 105, 115–116
 transmission 46
 tube current 13, 17–18
 tungsten targets 20, 23–24
 tungsten–thorium
 filaments 16–18

U

unsharp masking 78
 unsharpness 37, 38
 US Mammography
 Quality Standards Act
 (MQSA) 40–41, 82, 113

V

values of interest (VOI)
 73–75
 VOI *see* values of interest
 voltage ripple 14–16
 voltage waveforms 14–16

W

W_R *see* radiation-
 weighting factor

w_T *see* tissue-weighting factors
 waveforms, voltage 14–16
 windows, X-ray tubes 27

X

X-ray attenuation 47–53
 Compton scatter 49–50
 differential 52–53
 factors 49–52
 half-value layer 50–52
 photoelectric absorption 48
 principles 47–52
 X-ray energies 23, 104
 X-ray filters 28–35
 X-ray generators 13–16
 X-ray production 19,
 22–23, 25–27
 X-ray tubes 5, 16–27
 anodes 20–27
 bi-angle 27
 cathodes 16–20
 focal spot 21–23, 25–27
 half-value layer 51
 orientation 19, 24–26
 target materials 20, 23–24
 windows 27

