

Science of Synthesis

Knowledge Updates 2011/4

	Preface	V
	Abstracts	VII
	Table of Contents	XV
2.12.15	Organometallic Complexes of Scandium, Yttrium, and the Lanthanides (Update 2011) P. Dissanayake, D. J. Averill, and M. J. Allen	1
2.14	Product Class 14: Group 4 Metallocene Complexes with Bis(trimethylsilyl)acetylene T. Beweries and U. Rosenthal	11
6.1.7.11	Hydroxyboranes (Update 2011) D. G. Hall and H. Zheng	73
7.1.4.7	Aluminum Alkoxides and Phenoxides (Update 2011) K. Ohmatsu and T. Ooi	113
7.1.7.15	Aluminum Amides (Update 2011) K. Ohmatsu and T. Ooi	131
8.1.29	Dearomatization Reactions Using Organolithiums G. Lemi�re and J. Clayden	139
8.1.30	Carbolithiation of Carbon–Carbon Multiple Bonds E. Lete and N. Sotomayor	191
16.14.5	Pyrazines (Update 2011) N. Sato	253
17.3.4	Six-Membered Hetarenes with More than Three Heteroatoms (Update 2011) S. L. Castle	345
19.5.16	Asymmetric Synthesis of Nitriles W. T. Wang, L. L. Lin, X. H. Liu, and X. M. Feng	377
27.15	Product Class 15: Oximes S. Chiba and K. Narasaka	445
	Author Index	501
	Abbreviations	533

Table of Contents

Volume 2: Compounds of Groups 7–3 (Mn..., Cr..., V..., Ti..., Sc..., La..., Ac...)

2.12	Product Class 12: Organometallic Complexes of Scandium, Yttrium, and the Lanthanides		
2.12.15	Organometallic Complexes of Scandium, Yttrium, and the Lanthanides P. Dissanayake, D. J. Averill, and M. J. Allen		
2.12.15	Organometallic Complexes of Scandium, Yttrium, and the Lanthanides	..	1
2.12.15.1	Lanthanide-Catalyzed Mukaiyama Aldol Reactions		1
2.12.15.1.1	Method 1: Non-enantioselective Formation of β -Hydroxycarbonyls		1
2.12.15.1.2	Method 2: Enantioselective Formation of β -Hydroxycarbonyls		4
2.12.15.1.2.1	Variation 1: In an Organic Solvent		4
2.12.15.1.2.2	Variation 2: In an Aqueous Solvent		7
2.14	Product Class 14: Group 4 Metallocene Complexes with Bis(trimethylsilyl)acetylene T. Beweries and U. Rosenthal		
2.14	Product Class 14: Group 4 Metallocene Complexes with Bis(trimethylsilyl)acetylene		11
2.14.1	Product Subclass 1: Titanocene–Bis(trimethylsilyl)acetylene Complexes	..	13
	Synthesis of Product Subclass 1		13
2.14.1.1	Method 1: Reduction of a Dichlorobis(η^5 -cyclopentadienyl)titanium Derivative in the Presence of Bis(trimethylsilyl)acetylene		13
2.14.1.1.1	Variation 1: Reduction and Intramolecular Dehydrocoupling of Cyclopentadienyl Fragments		14
2.14.1.2	Method 2: Methane Elimination from Bis(η^5 -cyclopentadienyl)dimethyltitanium(IV)		15
	Applications of Product Subclass 1 in Organometallic Reactions		15
2.14.1.3	Method 3: Reactions with Brønsted Acids		15
2.14.1.3.1	Variation 1: Reaction with Methanol		17
2.14.1.4	Method 4: Titanocene–Bis(trimethylsilyl)acetylene Complexes in the Formation of Metallacycles		18
2.14.1.4.1	Variation 1: Formation of Five-Membered Group 4 Metallacycles		18
2.14.1.4.2	Variation 2: Formation of Six-Membered Metallacycles		19
2.14.1.4.3	Variation 3: Formation of Three-Membered Aza-metallacycles		20
2.14.1.4.4	Variation 4: Formation of Four- and Five-Membered Aza-metallacycles	...	22

2.14.1.4.5	Variation 5:	Coupling Reactions of Dichlorophosphines and the Formation of Phospha-metallacycles	24
2.14.1.4.6	Variation 6:	Formation of Stiba-metallacycles	25
2.14.1.4.7	Variation 7:	Formation of Four-Membered Thia-metallacycles	27
2.14.1.4.8	Variation 8:	Formation of Four-Membered Seleno-metallacycles	28
2.14.1.5	Method 5:	Titanocene-Bis(trimethylsilyl)acetylene Complexes in Supramolecular Chemistry	28
2.14.1.5.1	Variation 1:	Dehydrogenative Coupling	31
2.14.1.6	Method 6:	Titanocene-Bis(trimethylsilyl)acetylene Complexes in Bond-Activation Reactions	32
2.14.1.6.1	Variation 1:	Dinitrogen Activation	32
2.14.1.6.2	Variation 2:	C—F Bond Activation	33
2.14.1.6.3	Variation 3:	C—C Single-Bond Metathesis	34
2.14.1.7	Method 7:	Catalytic Hydroamination of Alkynes	35
2.14.1.8	Method 8:	Catalytic Dehydrogenation of Dimethylamine Borane	36
2.14.1.9	Method 9:	Oxidation Reactions	36
2.14.1.10	Method 10:	Reactions with Alkynes: Alkyne Substitution Reactions	37
2.14.1.10.1	Variation 1:	Reactions with Alkynylsilanes	39
2.14.1.10.2	Variation 2:	Reactions with Polyyne	39
2.14.1.11	Method 11:	Lewis Base Exchange	41
2.14.1.12	Method 12:	Reactions with Carbon Dioxide	41
2.14.2	Product Subclass 2: Zirconocene-Bis(trimethylsilyl)acetylene Complexes		42
	Synthesis of Product Subclass 2		42
2.14.2.1	Method 1:	Reduction of a Dichlorobis(η^5 -cyclopentadienyl)zirconium(IV) in the Presence of Bis(trimethylsilyl)acetylene	42
2.14.2.1.1	Variation 1:	By Ligand Substitution	44
	Applications of Product Subclass 2 in Organometallic Reactions		45
2.14.2.2	Method 2:	Reactions with Brønsted Acids	45
2.14.2.3	Method 3:	Reactions with Internal Alkynes	46
2.14.2.3.1	Variation 1:	Alkyne Substitutions	47
2.14.2.3.2	Variation 2:	Formation of Zirconacyclopenta-2,4-dienes	48
2.14.2.3.3	Variation 3:	Macrocyclization	51
2.14.2.3.4	Variation 4:	Formation of Pentakis(pentafluorophenyl)borole	52
2.14.2.4	Method 4:	Reactions with Terminal Alkynes	53
2.14.2.5	Method 5:	Reactions with Carbonyl Compounds	54
2.14.2.6	Method 6:	Zirconocene-Bis(trimethylsilyl)acetylene Complexes in the Formation of Metallacycles	55
2.14.2.6.1	Variation 1:	Formation of Five-Membered Metallacycles	55
2.14.2.6.2	Variation 2:	Formation of Three-Membered Aza-metallacycles	56
2.14.2.6.3	Variation 3:	Formation of Five-Membered Aza-metallacycles	57
2.14.2.6.4	Variation 4:	Formation of Five- and Seven-Membered Oxa-metallacycles	58
2.14.2.6.5	Variation 5:	Formation of Four-Membered Thia-metallacycles	59
2.14.2.7	Method 7:	Zirconocene-Bis(trimethylsilyl)acetylene Complexes in Bond-Activation Reactions	60
2.14.2.7.1	Variation 1:	Dinitrogen Activation	60

2.14.2.7.2	Variation 2:	C—F versus C—H Bond Activation	61
2.14.2.7.3	Variation 3:	C—H Bond Activation	62
2.14.3	Product Subclass 3: Hafnocene Bis(trimethylsilyl)acetylene Complexes		63
	Synthesis of Product Subclass 3		63
2.14.3.1	Method 1:	Reduction of a Dichlorobis(η^5 -cyclopentadienyl)hafnium in the Presence of Bis(trimethylsilyl)acetylene	63
2.14.3.2	Method 2:	Synthesis from Dibutylbis(η^5 -cyclopentadienyl)hafnium(IV)	66
	Applications of Product Subclass 3 in Organometallic Reactions		66
2.14.3.3	Method 3:	Reactions with Alkenes	66

Volume 6: Boron Compounds

6.1	Product Class 1: Boron Compounds	
6.1.7.11	Hydroxyboranes D. G. Hall and H. Zheng	
6.1.7.11	Hydroxyboranes	73
6.1.7.11.1	Method 1: Synthesis by Metal-Catalyzed C—H Borylation	73
6.1.7.11.1.1	Variation 1: Aromatic C—H Borylation	73
6.1.7.11.1.2	Variation 2: Dehydrogenative Borylation	76
6.1.7.11.2	Method 2: Synthesis by Borylative Cross Coupling	77
6.1.7.11.2.1	Variation 1: Palladium-Catalyzed Borylative Cross Coupling	77
6.1.7.11.2.2	Variation 2: Nickel- and Copper-Catalyzed Borylative Cross Coupling	78
6.1.7.11.2.3	Variation 3: Metal-Free Borylative Cross Coupling	79
6.1.7.11.3	Method 3: Synthesis by Direct Borylation with Borenium Cations	80
6.1.7.11.4	Method 4: Synthesis by Addition Reactions with Diboron Species	81
6.1.7.11.4.1	Variation 1: Addition of Diboron Species to Carbonyl or Thiocarbonyl Groups, or Aldimines	82
6.1.7.11.4.2	Variation 2: β -Boration of α,β -Unsaturated Carbonyl Derivatives	83
6.1.7.11.5	Method 5: Synthesis by Hydrolysis of Boronates or Trifluoro(organo)borates	84
6.1.7.11.6	Method 6: Chemoselective Chemical Transformations of Parent Free Boronic Acids or Derivatives	86
6.1.7.11.7	Method 7: Applications as Catalysts or Stoichiometric Reaction Promoters	87
6.1.7.11.7.1	Variation 1: Activation of Carboxylic Acids	88
6.1.7.11.7.2	Variation 2: Activation of Alcohols	90
6.1.7.11.7.3	Variation 3: Activation of Carbonyl Groups	92
6.1.7.11.7.4	Variation 4: Use as Stoichiometric Reaction Promoters	93
6.1.7.11.8	Method 8: Applications in Carbon—Heteroatom Bond Formation	94
6.1.7.11.8.1	Variation 1: C—O Bond Formation	95
6.1.7.11.8.2	Variation 2: C—X Bond Formation (X = Halogen)	96
6.1.7.11.8.3	Variation 3: C—N Bond Formation	97

6.1.7.11.9	Method 9:	Applications in C—C Bond Formation	98
6.1.7.11.9.1	Variation 1:	<i>ipso</i> -Trifluoromethylation and <i>ipso</i> -Cyanation	98
6.1.7.11.9.2	Variation 2:	C—H Arylation and Alkylation	99
6.1.7.11.9.3	Variation 3:	Metal-Catalyzed Cross-Coupling Reactions	100
6.1.7.11.9.4	Variation 4:	Addition and Substitution Reactions	102
6.1.7.11.10	Method 10:	Applications as Productive Tags for Phase-Switch Purification ..	103
6.1.7.11.11	Method 11:	Applications in Medicine and Materials Science	105

Volume 7: Compounds of Groups 13 and 2 (Al, Ga, In, Tl, Be ... Ba)

7.1 Product Class 1: Aluminum Compounds

7.1.4.7 Aluminum Alkoxides and Phenoxides K. Ohmatsu and T. Ooi

7.1.4.7	Aluminum Alkoxides and Phenoxides	113
7.1.4.7.1	Method 1: Synthesis by Treatment of Alkylaluminum Compounds with Phenols	113
7.1.4.7.1.1	Variation 1: Reaction To Give Aluminum–Salen Complexes and Their μ -Oxo Dimers	113
7.1.4.7.2	Method 2: Applications of Aluminum Alkoxides	114
7.1.4.7.2.1	Variation 1: Reductions	114
7.1.4.7.2.2	Variation 2: Michael Additions	114
7.1.4.7.3	Method 3: Applications of Aluminum Phenoxides	115
7.1.4.7.3.1	Variation 1: Carbonyl Additions and Reductions	115
7.1.4.7.3.2	Variation 2: Conjugate Additions	116
7.1.4.7.3.3	Variation 3: Aldol Reactions	117
7.1.4.7.3.4	Variation 4: Meerwein–Ponndorf–Verley Reactions	120
7.1.4.7.3.5	Variation 5: Oppenauer Reactions	122
7.1.4.7.3.6	Variation 6: Cycloadditions	122
7.1.4.7.3.7	Variation 7: Cyclizations	123
7.1.4.7.3.8	Variation 8: Ferrier Reactions	124
7.1.4.7.3.9	Variation 9: Claisen Rearrangements	125
7.1.4.7.3.10	Variation 10: Intramolecular Prenyl Transfer Reactions	126
7.1.4.7.3.11	Variation 11: Radical Reactions	126
7.1.4.7.3.12	Variation 12: Asymmetric Conjugate Additions	127
7.1.4.7.3.13	Variation 13: Asymmetric Acylations	128
7.1.4.7.3.14	Variation 14: Asymmetric Wagner–Meerwein-Type Rearrangements	128
7.1.4.7.3.15	Variation 15: Asymmetric Passerini-Type Reactions	129

7.1.7.15 Aluminum Amides K. Ohmatsu and T. Ooi

7.1.7.15	Aluminum Amides	131
----------	------------------------------	-----

7.1.7.15.1	Method 1:	Synthesis by Treatment of Alkylaluminum Compounds with Amines	131
7.1.7.15.2	Method 2:	Applications in Transformation of Esters	131
7.1.7.15.3	Method 3:	Applications in Transformation of Amides	132
7.1.7.15.4	Method 4:	Applications in Alkylation with Aluminum Reagents	132
7.1.7.15.5	Method 5:	Applications in Wagner–Meerwein-Type Rearrangements ...	134
7.1.7.15.6	Method 6:	Applications in the Ene Reaction	136
7.1.7.15.7	Method 7:	Applications in Asymmetric Aldol Cycloadditions	137

Volume 8: Compounds of Group 1 (Li ... Cs)

8.1 Product Class 1: Lithium Compounds

8.1.29 Dearomatization Reactions Using Organolithiums G. Lemière and J. Clayden

8.1.29	Dearomatization Reactions Using Organolithiums	139
8.1.29.1	Intermolecular Dearomatization	139
8.1.29.1.1	Dearomatizing Additions to Aryl Rings Bearing No Further Activation	139
8.1.29.1.1.1	Method 1: Dearomatizing Addition to Naphthalenes	139
8.1.29.1.1.2	Method 2: Dearomatizing Addition to Condensed Polyaromatics	140
8.1.29.1.1.3	Method 3: Dearomatizing Addition to Pyridines and Other Electron-Deficient Heterocycles	141
8.1.29.1.2	Dearomatizing Addition to Activated Aromatic Rings	144
8.1.29.1.2.1	Method 1: Activation with 4,5-Dihydrooxazoles	144
8.1.29.1.2.1.1	Variation 1: Dearomatizing Addition to Naphthyl-4,5-dihydrooxazoles ...	144
8.1.29.1.2.1.2	Variation 2: Dearomatizing Addition to Pyridyl-4,5-dihydrooxazoles	146
8.1.29.1.2.1.3	Variation 3: Dearomatizing Addition to Phenyl-4,5-dihydrooxazoles	147
8.1.29.1.2.2	Method 2: Activation with Amides	149
8.1.29.1.2.2.1	Variation 1: Dearomatizing Addition to Naphthylamides	149
8.1.29.1.2.2.2	Variation 2: Dearomatizing Addition to Benzamides	150
8.1.29.1.2.3	Method 3: Activation with Aldehydes and Ketones	151
8.1.29.1.2.3.1	Variation 1: Dearomatizing Addition to Naphthyl Ketones	151
8.1.29.1.2.3.2	Variation 2: Dearomatizing Addition to Acetophenones and Benzaldehydes	151
8.1.29.1.2.4	Method 4: Activation with Esters	152
8.1.29.1.2.4.1	Variation 1: Dearomatizing Addition to Naphthyl Esters	152
8.1.29.1.2.4.2	Variation 2: Dearomatizing Addition to Benzoates	154
8.1.29.1.2.5	Method 5: Activation with Carboxylic Acids	154
8.1.29.1.2.6	Method 6: Activation with Sulfones	156
8.1.29.1.2.7	Method 7: Activation with Imines	156
8.1.29.2	Intramolecular Dearomatization (Dearomatizing Cyclization)	158
8.1.29.2.1	Dearomatizing Cyclization of Lithiated Amides	158

8.1.29.2.1.1	Method 1:	Dearomatizing Cyclization of Naphthamides	158
8.1.29.2.1.1.1	Variation 1:	<i>N</i> -Allylnaphthamides	160
8.1.29.2.1.1.2	Variation 2:	Chiral <i>N</i> -Benzyl naphthamides	161
8.1.29.2.1.2	Method 2:	Dearomatizing Cyclization of Benzamides	161
8.1.29.2.1.2.1	Variation 1:	Asymmetric Dearomatizing Cyclization with Chiral Lithium Amides	163
8.1.29.2.1.2.2	Variation 2:	Stereospecific Dearomatizing Cyclization of (1-Phenylethyl)benzamides	165
8.1.29.2.1.2.3	Variation 3:	Dearomatizing Cyclization of <i>N</i> -Benzoyloxazolidines	166
8.1.29.2.1.2.4	Variation 4:	Photochemical Rearrangements of the Dearomatized Products	167
8.1.29.2.1.3	Method 3:	Dearomatizing Cyclization of Pyridine- and Quinolinecarboxamides	169
8.1.29.2.1.3.1	Variation 1:	Cyclizations of Lithium Enolates	171
8.1.29.2.1.4	Method 4:	Dearomatizing Cyclization of Electron-Rich Heterocyclic Amides	173
8.1.29.2.1.4.1	Variation 1:	Pyrrolicarboxamides	173
8.1.29.2.1.4.2	Variation 2:	Thiophenecarboxamides	176
8.1.29.2.2		Dearomatizing Cyclization of Other Lithiated Compounds	179
8.1.29.2.2.1	Method 1:	Dearomatizing Cyclization of Lithiated Phosphinamides	179
8.1.29.2.2.2	Method 2:	Dearomatizing Cyclization of Lithiated Azo Compounds	180
8.1.29.2.2.3	Method 3:	Dearomatizing Cyclization of Lithiated 4,5-Dihydrooxazoles	181
8.1.29.2.2.4	Method 4:	Dearomatizing Cyclization of Lithiated Sulfones	182
8.1.29.2.2.5	Method 5:	[2,3]-Sigmatropic Dearomatization of Lithiated Sulfonium Salts	183
8.1.29.3		Rearrangements Proceeding via Dearomatized Intermediates	183
8.1.29.3.1	Method 1:	Arylation of <i>N</i> -Benzylureas	183
8.1.29.3.1.1	Variation 1:	Pyridylation of Ureas	185
8.1.29.3.1.2	Variation 2:	Arylation of <i>N</i> -Allylureas	186
8.1.29.3.2	Method 2:	Arylation of <i>O</i> -Benzyl Carbamates	187
8.1.29.3.3	Method 3:	Arylation of <i>S</i> -Benzyl Thiocarbamates	187
8.1.30	Carbolithiation of Carbon–Carbon Multiple Bonds E. Lete and N. Sotomayor		
8.1.30	Carbolithiation of Carbon–Carbon Multiple Bonds		191
8.1.30.1	Intermolecular Carbolithiation of C=C Bonds		191
8.1.30.1.1	Method 1:	Addition of Alkylolithiums to Alkenes	192
8.1.30.1.1.1	Variation 1:	Carbolithiation of Styrene Derivatives	192
8.1.30.1.1.2	Variation 2:	Carbolithiation of 1-Substituted Vinylarenes	195
8.1.30.1.1.3	Variation 3:	Carbolithiation of Stilbenes	197
8.1.30.1.2	Method 2:	Addition of Aryl- and Hetarylolithiums to Alkenes	199
8.1.30.1.2.1	Variation 1:	Halogen–Lithium Exchange	199
8.1.30.1.2.2	Variation 2:	Carbolithiation with Lithium Dianions	200
8.1.30.2	Intramolecular Carbolithiation of C=C Bonds		201

8.1.30.2.1	Method 1:	Addition of Alkylolithiums to Alkenes	202
8.1.30.2.1.1	Variation 1:	Halogen–Lithium Exchange	202
8.1.30.2.1.2	Variation 2:	Arene-Catalyzed Lithiation	203
8.1.30.2.1.3	Variation 3:	Tin–Lithium Exchange	206
8.1.30.2.1.4	Variation 4:	Selenium–Lithium Exchange	208
8.1.30.2.2	Method 2:	Addition of Alkenyllithiums to Alkenes	209
8.1.30.2.2.1	Variation 1:	Halogen–Lithium Exchange	209
8.1.30.2.2.2	Variation 2:	Carbolithiation of Lithiated Double Bonds Obtained by Halogen–Lithium Exchange	211
8.1.30.2.3	Method 3:	Addition of Aryl- and Hetaryllithiums to Alkenes	213
8.1.30.2.3.1	Variation 1:	Formation of Five-Membered Rings	213
8.1.30.2.3.2	Variation 2:	Formation of Six-Membered Rings	217
8.1.30.3		Intermolecular Carbolithiation of $C\equiv C$ Bonds	219
8.1.30.3.1	Method 1:	Addition of Alkyl- and Aryllithiums to Alkynes	220
8.1.30.4		Intramolecular Carbolithiation of $C\equiv C$ Bonds	222
8.1.30.4.1	Method 1:	Addition of Alkylolithiums to Alkynes	222
8.1.30.4.1.1	Variation 1:	Deprotonation	223
8.1.30.4.1.2	Variation 2:	Tin–Lithium Exchange	224
8.1.30.4.1.3	Variation 3:	Selenium–Lithium Exchange	226
8.1.30.4.1.4	Variation 4:	Halogen–Lithium Exchange	226
8.1.30.4.2	Method 2:	Addition of Alkenyllithiums to Alkynes	227
8.1.30.4.2.1	Variation 1:	Cyclization of Vinylolithiums onto Alkynes	227
8.1.30.4.2.2	Variation 2:	Cyclization of Vinylolithiums onto Arynes	229
8.1.30.4.3	Method 3:	Addition of Aryl- and Hetaryllithiums to Alkynes	230
8.1.30.4.3.1	Variation 1:	Cyclization of Aryllithiums onto Alkynes	231
8.1.30.4.3.2	Variation 2:	Cyclization of Aryllithiums onto Arynes	232
8.1.30.5		Inter- and Intramolecular Addition of Alkylolithiums to Arenes	234
8.1.30.5.1	Method 1:	Intermolecular Dearomatizing Addition of Alkylolithiums to Arenes	234
8.1.30.5.2	Method 2:	Intramolecular Dearomatizing Addition of Alkylolithiums to Arenes	235
8.1.30.6		Cascade Reactions	237
8.1.30.6.1	Method 1:	Tandem Intermolecular–Intramolecular Carbolithiations	237
8.1.30.6.2	Method 2:	Tandem Aminolithiation–Carbolithiation	239
8.1.30.7		Intermolecular Enantioselective Addition of Organolithiums to Alkenes	240
8.1.30.7.1	Method 1:	Intermolecular Addition of Alkylolithiums to Alkenes	240
8.1.30.8		Intramolecular Enantioselective Addition of Organolithiums to Alkenes	243
8.1.30.8.1	Method 1:	Intramolecular Addition of Alkylolithiums to Alkenes	244
8.1.30.8.2	Method 2:	Intramolecular Addition of Aryllithiums to Alkenes	245

Volume 16:

Six-Membered Hetarenes with Two Identical Heteroatoms

16.14	Product Class 14: Pyrazines	
16.14.5	Pyrazines N. Sato	
16.14.5	Pyrazines	253
16.14.5.1	Synthesis by Ring-Closure Reactions	256
16.14.5.1.1	By Formation of Four N—C Bonds	256
16.14.5.1.1.1	Fragments C—C, C—C, and Two N Fragments	256
16.14.5.1.1.1.1	Method 1: From a 1,2-Bifunctional Compound and Ammonia or Ammonium	256
16.14.5.1.2	By Formation of Three N—C Bonds	257
16.14.5.1.2.1	Fragments N—C—C, C—C, and N	257
16.14.5.1.2.1.1	Method 1: From an α -Amino Ketone, an α -Hydroxy Ketone, and Ammonium Acetate	257
16.14.5.1.3	By Formation of Two N—C Bonds	257
16.14.5.1.3.1	Fragments N—C—C—N and C—C	257
16.14.5.1.3.1.1	Method 1: From Alkane-1,2-diamines	257
16.14.5.1.3.1.2	Method 2: From Alkene-1,2-diamines	261
16.14.5.1.3.1.3	Method 3: From α -Amino Amides	262
16.14.5.1.3.1.4	Method 4: From α -Amino Nitriles	263
16.14.5.1.3.1.5	Method 5: From 1,4-Diazabutadienes	264
16.14.5.1.3.2	Fragments N—C—C and N—C—C	265
16.14.5.1.3.2.1	Method 1: By Cyclodimerization of Azirines	265
16.14.5.1.3.2.2	Method 2: By Self-Condensation	266
16.14.5.1.3.2.3	Method 3: By Condensation of Two Different α -Amino Ketones or Cyanides	268
16.14.5.1.3.3	Fragments C—C—N—C—C and N	271
16.14.5.1.3.3.1	Method 1: From β,β' -Difunctional Secondary Amines (or Amides) and Ammonia	271
16.14.5.1.4	By Formation of One N—C Bond	272
16.14.5.1.4.1	Fragment N—C—C—N—C—C	272
16.14.5.1.4.1.1	Method 1: Intramolecular Cyclization of a N—C—C—N—C—C Fragment	272
16.14.5.2	Synthesis by Ring Transformation	273
16.14.5.2.1	Method 1: Ring Transformation of Imidazoles	273
16.14.5.3	Aromatization	274

16.14.5.3.1	Method 1:	Dehydrogenation of Dihydropyrazines	274
16.14.5.3.2	Method 2:	By Elimination	275
16.14.5.4	Synthesis by Substituent Modification		276
16.14.5.4.1	Substitution of Existing Substituents		276
16.14.5.4.1.1	Of Hydrogen		276
16.14.5.4.1.1.1	Method 1:	Metalation	276
16.14.5.4.1.1.2	Method 2:	Acylation, Amidation, Alkylation, and Arylation	278
16.14.5.4.1.1.2.1	Variation 1:	Homolytic Acylation and Amidation	278
16.14.5.4.1.1.2.2	Variation 2:	Direct Alkylation and Arylation	279
16.14.5.4.1.1.2.3	Variation 3:	Alkylation, Arylation, and Alkenylation of Pyrazine <i>N</i> -Oxides ..	280
16.14.5.4.1.1.3	Method 3:	Halogenation	282
16.14.5.4.1.1.3.1	Variation 1:	Halogenation of Pyrazinamines	282
16.14.5.4.1.1.3.2	Variation 2:	Halogenation of Pyrazinols	284
16.14.5.4.1.1.3.3	Variation 3:	Deoxidative Chlorination of Pyrazine <i>N</i> -Oxides	285
16.14.5.4.1.1.4	Method 4:	Nitration	286
16.14.5.4.1.2	Of Metals		286
16.14.5.4.1.3	Of Carbon Functionalities		288
16.14.5.4.1.3.1	Method 1:	Decarboxylation, Decyanation, and Debenzylation	288
16.14.5.4.1.4	Of Halogen		289
16.14.5.4.1.4.1	Method 1:	Reduction	289
16.14.5.4.1.4.2	Method 2:	Metalation	290
16.14.5.4.1.4.3	Method 3:	Alkylation, Arylation, and Related Reactions	292
16.14.5.4.1.4.3.1	Variation 1:	Grignard Reaction and Related Reactions	292
16.14.5.4.1.4.3.2	Variation 2:	Suzuki–Miyaura Cross-Coupling Reaction and Related Reac- tions	293
16.14.5.4.1.4.3.3	Variation 3:	Negishi Cross-Coupling Reaction and Related Reactions	301
16.14.5.4.1.4.3.4	Variation 4:	Stille Cross-Coupling Reaction and Related Reactions	302
16.14.5.4.1.4.3.5	Variation 5:	Other Cross-Coupling Reactions for Arylation	304
16.14.5.4.1.4.4	Method 4:	Alkenylation and Related Reactions	304
16.14.5.4.1.4.5	Method 5:	Alkynylation and Related Reactions	307
16.14.5.4.1.4.6	Method 6:	Functionalized Methylation	308
16.14.5.4.1.4.7	Method 7:	Cyanation and Carbonylation	310
16.14.5.4.1.4.8	Method 8:	Halogenation	312
16.14.5.4.1.4.9	Method 9:	Hydroxylation, Alkoxylation, and Sulfanylation	312
16.14.5.4.1.4.10	Method 10:	Amination, Azidation, and Phosphonation	316
16.14.5.4.1.5	Of Oxygen and Sulfur Functionalities		320
16.14.5.4.1.5.1	Method 1:	Deoxygenation of <i>N</i> -Oxides and Reductive Removal of Oxy- gen Functionalities	320
16.14.5.4.1.5.2	Method 2:	Halogenation	321
16.14.5.4.1.5.3	Method 3:	O-Sulfonylation	322
16.14.5.4.1.5.4	Method 4:	Alkylation and Arylation	323
16.14.5.4.1.6	Of Nitrogen Functionalities		325
16.14.5.4.1.6.1	Method 1:	Halopyrazines, Pyrazinols, and Methoxypyrazines from Ami- nopyrazines	325

16.14.5.4.2	Addition Reactions	325
16.14.5.4.2.1	Method 1: N-Alkylation and N-Arylation	325
16.14.5.4.2.2	Method 2: N-Oxidation	327
16.14.5.4.3	Rearrangement of Substituents	328
16.14.5.4.3.1	Method 1: Hofmann or Curtius Rearrangement	328
16.14.5.4.4	Modification of Substituents	328
16.14.5.4.4.1	Method 1: Degradation of Condensed Pyrazines	328
16.14.5.4.4.2	Method 2: Modification of Carbon Substituents	330
16.14.5.4.4.3	Method 3: Modification of Nitrogen and Chalcogen Substituents	334

Volume 17:

Six-Membered Hetarenes with Two Unlike or More than Two Heteroatoms and Fully Unsaturated Larger-Ring Heterocycles

17.3	Product Class 3: Six-Membered Hetarenes with More than Three Heteroatoms	
17.3.4	Six-Membered Hetarenes with More than Three Heteroatoms S. L. Castle	
17.3.4	Six-Membered Hetarenes with More than Three Heteroatoms	345
17.3.4.1	1,2,3,4-Tetrazines	345
17.3.4.1.1	Method 1: Synthesis of 1,2,3,4-Tetrazine N-Oxides	346
17.3.4.1.1.1	Variation 1: Via Nitration	346
17.3.4.2	1,2,3,5-Tetrazines	348
17.3.4.3	1,2,4,5-Tetrazines	348
17.3.4.3.1	Synthesis by Ring-Closure Reactions	349
17.3.4.3.1.1	By Formation of Four N—C Bonds	349
17.3.4.3.1.1.1	Fragments N—N, N—N, and Two C Fragments	349
17.3.4.3.1.1.1.1	Method 1: Dimerization of Activated Hydrazidic Acid Derivatives	349
17.3.4.3.1.1.1.1.1	Variation 1: From Nitriles	349
17.3.4.3.1.1.1.1.2	Variation 2: From Carboxylic Acid Derivatives	352
17.3.4.3.1.2	By Formation of Two N—C Bonds	354
17.3.4.3.1.2.1	Fragments C—N—N—C and N—N	354
17.3.4.3.1.2.1.1	Method 1: Oxidation of Dihydropyrazines	354
17.3.4.3.2	Aromatization	354
17.3.4.3.3	Synthesis by Substituent Modification	354
17.3.4.3.3.1	Substitution of Existing Substituents	354
17.3.4.3.3.1.1	Of Heteroatoms	354

17.3.4.3.3.1.1.1	Method 1:	Substitution of Halogen Substituents	355
17.3.4.3.3.1.1.1.1	Variation 1:	Nucleophilic Aromatic Substitution	355
17.3.4.3.3.1.1.1.2	Variation 2:	Palladium-Catalyzed Coupling	361
17.3.4.3.3.1.1.2	Method 2:	Substitution of Sulfur Substituents	362
17.3.4.3.3.1.1.2.1	Variation 1:	Nucleophilic Substitution	362
17.3.4.3.3.1.1.2.2	Variation 2:	Palladium-Catalyzed Coupling	362
17.3.4.3.3.1.1.3	Method 3:	Substitution of Nitrogen Substituents	364
17.3.4.3.3.2	Modification of Substituents		370

Volume 19:

Three Carbon—Heteroatom Bonds: Nitriles, Isocyanides, and Derivatives

19.5 Product Class 5: Nitriles

19.5.16 Asymmetric Synthesis of Nitriles W. T. Wang, L. L. Lin, X. H. Liu, and X. M. Feng

19.5.16	Asymmetric Synthesis of Nitriles	377
19.5.16.1	Introduction of the Cyano Group by Addition to a Carbonyl Group	377
19.5.16.1.1	Method 1: Catalytic Asymmetric Cyanation of Aldehydes	377
19.5.16.1.1.1	Variation 1: Use of Enzymes	377
19.5.16.1.1.2	Variation 2: Use of Chiral Titanium Complexes as Catalysts	378
19.5.16.1.1.3	Variation 3: Use of Chiral Aluminum Complexes as Catalysts	383
19.5.16.1.1.4	Variation 4: Use of Chiral Yttrium Complexes as Catalysts	386
19.5.16.1.1.5	Variation 5: Use of Chiral Ruthenium Complexes as Catalysts	387
19.5.16.1.1.6	Variation 6: Use of Chiral Boron-Based Catalysts	388
19.5.16.1.1.7	Variation 7: Use of Chiral Vanadium-Based Catalysts	389
19.5.16.1.1.8	Variation 8: Use of Chiral Bases as Catalysts	391
19.5.16.1.2	Method 2: Catalytic Asymmetric Cyanation of Ketones	394
19.5.16.1.2.1	Variation 1: Use of Enzymes	394
19.5.16.1.2.2	Variation 2: Use of Chiral Titanium Complexes as Catalysts	395
19.5.16.1.2.3	Variation 3: Use of Chiral Aluminum Complexes as Catalysts	396
19.5.16.1.2.4	Variation 4: Use of a Chiral Gadolinium Complex as Catalyst	399
19.5.16.1.2.5	Variation 5: Use of Chiral Ruthenium Complexes as Catalysts	399
19.5.16.1.2.6	Variation 6: Use of Chiral Organic Salts	400
19.5.16.1.2.7	Variation 7: Use of Chiral Organocatalysts	402
19.5.16.2	Introduction of the Cyano Group by Addition to an Imino Group	406
19.5.16.2.1	Asymmetric Synthesis of α -Aminonitriles Derived from Aldimines	406
19.5.16.2.1.1	Method 1: Asymmetric Strecker Reactions with Chiral Auxiliaries	406
19.5.16.2.1.1.1	Variation 1: Use of Chiral Sulfonamides	406
19.5.16.2.1.1.2	Variation 2: Use of Chiral Hydrazones	407
19.5.16.2.1.2	Method 2: Catalytic Asymmetric Cyanation of Aldimines	408
19.5.16.2.1.2.1	Variation 1: Use of Chiral Aluminum Complexes as Catalysts	408

19.5.16.2.1.2.2	Variation 2:	Use of Chiral Titanium Complexes as Catalysts	410
19.5.16.2.1.2.3	Variation 3:	Use of Chiral Lanthanide Complexes as Catalysts	412
19.5.16.2.1.2.4	Variation 4:	Use of Chiral Thioureas as Catalysts	413
19.5.16.2.1.2.5	Variation 5:	Use of Chiral BINOL–Phosphoric Acids as Catalysts	415
19.5.16.2.1.2.6	Variation 6:	Use of Chiral Quaternary Ammonium Salts as Catalysts	417
19.5.16.2.1.2.7	Variation 7:	Use of a Chiral Bisformamide as Catalyst	418
19.5.16.2.1.2.8	Variation 8:	Use of a Chiral <i>N,N'</i> -Dioxide as Catalyst	419
19.5.16.2.2	Asymmetric Synthesis of α -Aminonitriles Derived from Ketimines		420
19.5.16.2.2.1	Method 1:	Asymmetric Strecker Reactions with Chiral Auxiliaries	420
19.5.16.2.2.1.1	Variation 1:	Use of Chiral Sulfinamides	420
19.5.16.2.2.2	Method 2:	Catalytic Asymmetric Cyanation of Ketimines	421
19.5.16.2.2.2.1	Variation 1:	Use of Chiral Thioureas as Catalysts	421
19.5.16.2.2.2.2	Variation 2:	Use of Chiral Titanium Complexes as Catalysts	422
19.5.16.2.2.2.3	Variation 3:	Use of Chiral Gadolinium Complexes as Catalysts	423
19.5.16.2.2.2.4	Variation 4:	Use of Chiral <i>N,N'</i> -Dioxides as Catalysts	424
19.5.16.2.2.2.5	Variation 5:	Use of Chiral Sodium 1,1'-Binaphthalene-2,2'-diyl Phosphate as Catalyst	426
19.5.16.3	Introduction of the Cyano Group by Conjugate Addition		427
19.5.16.3.1	Method 1:	Use of a Chiral Auxiliary	428
19.5.16.3.2	Method 2:	Use of Chiral Aluminum Complexes as Catalysts	429
19.5.16.3.3	Method 3:	Use of Chiral Gadolinium Complexes as Catalysts	430
19.5.16.3.4	Method 4:	Use of Chiral Strontium Complexes as Catalysts	434
19.5.16.3.5	Method 5:	Use of Chiral Titanium Complexes as Catalysts	435
19.5.16.3.6	Method 6:	Use of Chiral Ruthenium Complexes as Catalysts	436
19.5.16.3.7	Method 7:	Use of Chiral Organic Salts	437
19.5.16.4	Introduction of the Cyano Group by Hydrocyanation of Alkenes		440
19.5.16.4.1	Method 1:	Use of Chiral Nickel Complexes as Catalysts	440

Volume 27: Heteroatom Analogues of Aldehydes and Ketones

27.15	Product Class 15: Oximes S. Chiba and K. Narasaka		
27.15	Product Class 15: Oximes 445		
27.15.1	Synthesis of Product Class 15 445		
27.15.1.1	Method 1:	Condensation of Carbonyl Compounds and Hydroxylamine ..	445
27.15.1.2	Method 2:	Nitrosation	446
27.15.1.2.1	Variation 1:	Electrophilic Nitrosation of Active Methylene Compounds ...	447
27.15.1.2.2	Variation 2:	Electrophilic Nitrosation of Alkenes	448
27.15.1.2.3	Variation 3:	Radical Nitrosation	449
27.15.1.3	Method 3:	Oxidation of Amino Compounds	450
27.15.1.3.1	Variation 1:	Oxidation of Hydroxylamines	450
27.15.1.3.2	Variation 2:	Oxidation of Primary Amines	451

27.15.1.4	Method 4:	Reduction of Nitro and Nitroso Compounds	452
27.15.1.4.1	Variation 1:	Reduction of Nitroalkanes	452
27.15.1.4.2	Variation 2:	Reduction of Conjugated Nitroalkenes	454
27.15.1.4.3	Variation 3:	Reduction of <i>gem</i> -Chloronitroso Compounds	454
27.15.1.5	Method 5:	Additional Methods	455
27.15.2		Applications of Product Class 15 in Organic Synthesis	457
27.15.2.1	Method 1:	Formal Substitution with Cleavage of the O—N Bond	457
27.15.2.1.1	Variation 1:	Via Oxidative Addition to Transition Metals	458
27.15.2.1.2	Variation 2:	With Nucleophiles	460
27.15.2.1.3	Variation 3:	Via Radical Intermediates	463
27.15.2.2	Method 2:	Formal Elimination	466
27.15.2.2.1	Variation 1:	Generation of 1,3-Dipoles	466
27.15.2.2.2	Variation 2:	Conversion into Nitriles	468
27.15.2.2.3	Variation 3:	Regeneration of Carbonyl Compounds	470
27.15.2.3	Method 3:	Addition Reactions	471
27.15.2.3.1	Variation 1:	Reduction to Primary Amines	471
27.15.2.3.2	Variation 2:	Reduction to Hydroxylamines	472
27.15.2.3.3	Variation 3:	With Radicals	473
27.15.2.3.4	Variation 4:	With Carbon Nucleophiles	474
27.15.2.4	Method 4:	Rearrangements	475
27.15.2.4.1	Variation 1:	Beckmann Rearrangement	475
27.15.2.4.2	Variation 2:	Neber Reaction	478
27.15.2.5	Method 5:	Reactions with Retention of the Oxime Moiety	479
27.15.2.5.1	Variation 1:	<i>E/Z</i> -Isomerization	479
27.15.2.5.2	Variation 2:	α -Alkylation	480
27.15.2.5.3	Variation 3:	Radical Reactions of Sulfonyloxime Ethers	481
27.15.2.6	Method 6:	Directing Group for C—H Functionalization	482
27.15.2.7	Method 7:	Additional Reactions	486
	Author Index		501
	Abbreviations		533