

Contents

1. Introduction	1
2. Analytical Methods for the Calculation of Quasienergy States (QS) of Quantum Systems	6
2.1 Interaction of Quantum Systems with a Nonstationary Field ...	6
2.2 Perturbation Theory for QSs of Degenerate Quantum Systems .	7
2.2.1 Calculation of the QSs as a Stationary Problem	7
2.2.2 Perturbation Theory	9
2.3 High-Frequency or Very Intense Nonstationary Fields	11
2.3.1 Calculation of the QSs as a Stationary Problem	11
2.3.2 Perturbation Theory	13
2.3.3 Generalizations	15
3. Action of One-Dimensional Quasimonochromatic Electric Fields (QEF) on Coulomb Emitters	17
3.1 Splitting of Hydrogen-like Spectral Lines in a Single-Mode QEF	17
3.1.1 Analytical Investigation	17
3.1.2 Numerical Calculations. Oscillatory Behavior of Halfwidths and Intensities	21
3.1.3 Doppler Broadening. Formal Analogy with Thomson Scattering in the Presence of QEFs	23
3.2 Splitting of Hydrogen-like Spectral Lines in a Multimode QEF	25
3.2.1 Analytical Investigation for the Number of Modes Approaching Infinity, and Equal to 2	25
3.2.2 Numerical Calculations	28
3.3 Impact Broadening of Hydrogen-like Spectral Lines	29
3.3.1 Modifications of Impact Broadening Due to QEF	29
3.3.2 Modification of QEF-induced Line Splitting Due to Impact Broadening	32
3.4 Frequency-integrated Radiative Characteristics of Hydrogen-like Emitters Interacting with a Resonant Laser Field and a Low-Frequency QEF	35
3.4.1 Resonant Multiquantum Interaction	35
3.4.2 Non-Degenerate Case	35

3.4.3 Degenerate Case	36
3.4.4 Applications of the Results	37
4. Action of Multidimensional Dynamic Electric Fields on Coulomb Emitters	40
4.1 Splitting of Hydrogen-like Spectral Lines in a Plane Polarized QEF	40
4.1.1 Analytical Results for a Circularly Polarized Field	40
4.1.2 Multiquantum Dynamic Resonance in an Elliptically Polarized Field	41
4.1.3 Elliptically Polarized Fields in the High-Frequency Limit	45
4.1.4 Measurements of Elliptically Polarized Field Parameters .	46
4.1.5 Analytical Investigation of Two-Dimensional Multimode QEFs	46
4.2 Joint Action of QEF and Quasistatic EF on Hydrogen-like Spectral Lines	49
4.2.1 Dynamic Resonance	49
4.2.2 Hydrogen-like Lines at a Multiquantum Dynamic Resonance and Away from the Resonance	50
4.2.3 The L_α Spectral Line with Detuning from Resonance ...	57
4.2.4 Dips in Hydrogen Spectral Lines Resulting from the Resonance Effects	60
4.2.5 Intra-Stark Spectroscopy. Diagnostic Recommendations .	63
4.3 Hydrogen-like Spectral Lines in a High-Frequency or Strong QEF with a Quasistatic EF	66
4.3.1 Calculation of Quasienergy States	66
4.3.2 Calculations of the L_α , L_β and H_α Line Profiles	67
4.3.3 Further Generalizations for the Action of a Static Magnetic Field	70
5. Action of a One-Dimensional QEF on Non-Coulomb Emitters ..	73
5.1 Satellites of Dipole-Forbidden Spectral Lines Caused by a Nonresonant Action of QEFs (Three-Level Scheme)	73
5.1.1 Dirac Perturbation Theory. Baranger-Mozer Method for Measurements of QEF Parameters	73
5.1.2 Adiabatic Theory of Satellites and Quasilocal Method for Measurements of QEF Parameters	75
5.1.3 Polarization of Satellites	79
5.1.4 Strong Asymmetry of Satellite Distribution in Very Intense QEFs	81
5.1.5 Modification of Helium-like Ion Satellites Caused by Mixing of Singlet and Triplet Terms	83
5.1.6 Satellites in a Stochastic QEF	85
5.2 Satellites of Dipole-Forbidden Spectral Lines in Resonant QEFs. Three-Level Scheme	85

5.2.1 Multiquantum Resonance in a Two-Level Subsystem	85
5.2.2 Spectrum of Spontaneous Transitions to a Third Level in a Multiquantum Resonance	87
5.3 Satellites of Dipole-Forbidden Spectral Lines in More Complicated (Four-Level) Systems	88
5.3.1 Qs of a Three-Level Subsystem in a High-Frequency or Intense Field	88
5.3.2 Radiative Transitions from the States $2P_{1/2}$, $2S_{1/2}$, $2P_{3/2}$ of a Hydrogen-like Ion in a High-Frequency or Intense Field	91
5.4 Electron Oscillatory Shift in Plasmas Interacting with a Powerful Coherent Radiation	92
5.4.1 Calculation in the Rectilinear Trajectories Approximation	92
5.4.2 Calculations Including Curved Trajectories	95
5.4.3 Discussion	96
5.5 Action of QEFs on Diatomic Polar Molecules	98
5.5.1 Satellites in Vibrational-Rotational Spectra	98
5.5.2 Ultra-sensitive Laser Induced Fluorescence Measurements of Weak QEFs in Low-Temperature Plasmas	101
5.6 Frequency-Integrated Radiative Characteristics of Non-Coloumb Emitters Interacting with a Resonant Laser Field and Low-Frequency QEF	103
6. Non-Coulomb Emitters Under Multidimensional Dynamic EFs (Elliptically Polarized QEFs; Quasistatic EF plus QEF)	105
6.1 Satellites of Dipole-Forbidden Spectral Lines Caused by an Elliptically Polarized QEF	105
6.1.1 Three-Level Scheme, Nonresonant QEF	105
6.1.2 Three-Level Scheme, Resonant QEF	107
6.1.3 Four-Level Scheme	108
6.2 Joint Action of QEF and Intraplasmonic Quasistatic EF on Non-Coulomb Emitters	109
6.2.1 Strong Influence of a Quasistatic EF on Satellites of Dipole-Forbidden Lines	109
6.2.2 Intra-Stark Spectroscopy	112
6.2.3 Joint Action of a Quasistatic EF and a High-Frequency QEF on a Hydrogen-like Ion. Fine Structure and Lamb Shift. Local Measurements of Amplitude Angular Distributions of Low-Frequency Plasma Turbulence	114
6.3 Shift of Spectral Lines of Diatomic Polar Molecules in an Elliptically Polarized QEF	116

7. Applications of the Theory to Experimental Plasma Diagnostics	120
7.1 Preliminary Remarks	120
7.2 QEFs in θ -Pinches	122
7.2.1 QEFs Under a Magnetic Field Annihilation	122
7.2.2 QEFs Under a Rapid Compression of a θ -Pinch Plasma	126
7.3 QEFs in a Z-Pinch	129
7.4 New Features of Intra-Stark Spectroscopy Caused by a High Density of Plasmas	136
7.5 QEFs in Tokamaks	138
7.5.1 Intense EFs in the Edge Plasma of the T-10 Tokamak	138
7.5.2 Novel Spectroscopic Diagnostics of EFs in Tokamaks	142
7.6 QEFs in Plasmas Interacting with a Strong Microwave Field	145
7.6.1 Technique Utilizing Hydrogen or Deuterium Lines	145
7.6.2 Quasilocal Measurements Technique Utilizing Lines of Non-Coulomb Emitters	148
7.6.3 Techniques of Local Laser Fluorescence Diagnostics	153
Appendices	161
A Tables of Balmer Hydrogen Line Profiles Under the Action of a QEF $E_0 \cos \omega t$	161
B Reduced Halfwidths $\alpha_{1/2} \equiv \Delta\lambda_{1/2}/F_0$ of Hydrogen and Ionized Helium Spectral Lines in a Linearly Polarized Multimode QEF of rms Amplitude F_0 for Transverse (t) and Longitudinal (l) Observations	168
C Fourier Coefficients of an EF with Nonorthogonal Components F and $E_\theta \cos \omega t$	168
D Generalized QSs of a Hydrogen Atom in a Bichromatic EF	169
E Influence of Bound Electrons on the Frequency and Damping of Langmuir Oscillations	173
References	175
Subject Index	181