

Table of contents

	page
Preface	6
1. INTRODUCTION	7
1.1. Presentation of objectives	7
1.2. Basics	8
1.2.1. <i>Salix herbacea</i> L.	8
1.2.2. Mycoecology and mycosociology in alpine snow-beds	8
1.2.3. Ectomycorrhizae of alpine plants	9
2. MATERIAL AND METHODS	11
2.1. Abbreviations	11
2.2. Research area: Valley of Radönt (GR)	11
2.2.1. Geographical location	11
2.2.2. Climate	11
2.2.3. Geology	14
2.3. Research sites with permanent plots	14
2.4. Microclimatic investigations	17
2.4.1. Precipitation	17
2.4.2. Snow covering and mapping of snow-melting zones	17
2.4.3. Maximum and minimum air temperatures	18
2.5. Soils	18
2.5.1. Sampling and processing of soil cores	18
2.5.2. Physical and chemical analysis	18
2.6. Vegetation	19
2.6.1. Vegetation analysis	19
2.6.2. Evaluation of plant ecological indicator values	19
2.7. Mycological investigations	20
2.7.1. Methodical problems	20
2.7.2. Literature used for determination of the macromycetes	20
2.7.3. Observation period and excursion dates	22
2.7.4. Collecting, processing and determination of macromycetes	22
2.7.5. Investigated taxonomic macromycete groups	23
2.7.6. Mapping of macromycetes in permanent plots	23
2.7.7. Ecological significance of macromycete mapping	24
2.7.8. Evaluation and presentation of mapping data	24
2.8. Ectomycorrhiza with <i>Salix herbacea</i>	27
2.8.1. Natural ectomycorrhiza of <i>Salix herbacea</i>	27
2.8.1.1. Root sampling	27
2.8.1.2. Processing of root samples	27
2.8.1.3. Analysis of natural ectomycorrhiza	28
2.8.2. Ectomycorrhizal synthesis experiments	28
2.8.2.1. Fungal material	28
2.8.2.2. Plant material	29
2.8.2.3. Synthesis experiments	29
2.8.2.4. Analysis of synthesized ectomycorrhiza	29
2.8.3. Terminology	29
2.8.4. Cuttings	30
2.8.5. Synthesis experiments with cuttings of <i>Salix herbacea</i>	30

3.	RESULTS	31
3.1.	Climate	31
3.1.1.	Precipitation	31
3.1.1.1.	Description of precipitation patterns from 1987 to 1990 (region Davos)	31
3.1.1.2.	Local precipitation patterns on the sites (I-V): Radönt	32
3.1.1.3.	Comparison of local precipitation with the SMA and SLF stations	33
3.1.2.	Temperature	36
3.1.2.1.	Description of temperature course from 1987 to 1990 (region Davos)	36
3.1.2.2.	Local temperature conditions on the sites (I-V): Radönt	37
3.1.2.3.	Comparison of local maximum and minimum temperatures with SMA and SLF station records	40
3.1.2.4.	Extreme maximum and minimum temperatures during a 28 hour period	41
3.1.3.	Microclimatic comparison of the sites (I-V): Radönt	46
3.1.4.	Mapping of snow covering and snow-melting zones	50
3.1.4.1.	Winter snow pack	50
3.1.4.2.	Snow-melting zones	53
3.1.4.3.	Snowfall during the vegetation period	56
3.2.	Soils	59
3.2.1.	Physical and chemical characteristics	61
3.2.1.1.	<i>Eriophoretum scheuchzeri</i> and <i>Oxyrietum digynae</i>	61
3.2.1.2.	<i>Salicetum herbaceae</i>	62
3.2.1.3.	<i>Polytrichetum sexangularis</i>	64
3.2.1.4.	<i>Caricetum curvulae</i> and <i>Loiseleurio-Cetrarietum</i>	65
3.3.	Vegetation	67
3.3.1.	History and actual situation of the timberline around the alpine Valley of Radönt	67
3.3.2.	Flora and phytosociology	67
3.3.3.	Plant ecological indicator values	76
3.3.4.	Comparison of soil analysis with indicator values of the plants	79
3.4.	Mycology	82
3.4.1.	List of macromycetes from the Valley of Radönt	82
3.4.2.	Macromycetes of the <i>Eriophoretum</i> and <i>Oxyrietum</i> plot	90
3.4.3.	Macromycetes of the <i>Salicetum</i> plots	91
3.4.4.	Macromycetes of the <i>Polytrichetum</i> plots	95
3.4.5.	Macromycetes of the <i>Caricetum</i> and <i>Loiseleurietum</i> plot	96
3.4.6.	Basidiomycetes of the <i>Salicetum herbaceae</i> in the Alps	98
3.4.7.	Basidiomycetes reported with <i>Salix herbacea</i> from arctic and alpine habitats	102
3.5.	Ecology	111
3.5.1.	Seasonal course of productivity	111
3.5.2.	Dynamics and diversity of macromycetes	121
3.5.3.	Phenology of selected characteristic macromycetes in snow-bed communities	125
3.5.4.	Relationships between local climate and fructification of macromycetes in snow-bed communities	139
3.5.4.1.	Precipitation	140
3.5.4.2.	Snowfall and snow covering during the vegetation period	143
3.5.4.3.	Maximum and minimum temperatures	146
3.5.5.	Characteristic macromycetes in snow-bed communities and their response to environmental parameters	149
3.5.5.1.	Ectomycorrhizal taxa	150
3.5.5.2.	Saprobic (parasitic) taxa	166

3.6.	Statistical analyses of mapping data	171
3.6.1.	Interspecific association of selected macromycetes	171
3.6.2.	Diversity and species accordance	179
3.7.	Spatial distribution patterns of selected macromycetes	182
3.7.1.	Two-dimensional presentation of mapping data	182
3.7.2.	Three-dimensional presentation of mapping data	191
3.7.3.	Relationships between isochiones and distribution patterns of macromycetes	196
3.8.	Ectomycorrhiza	203
3.8.1.	Synthesis experiments with <i>Salix herbacea</i> and <i>Hebeloma repandum</i> compared with natural ectomycorrhizae	203
3.8.2.	Cuttings of <i>Salix herbacea</i>	203
4.	DISCUSSION	205
4.1.	Size of the investigation plots and period of observation	205
4.2.	Mycoflora and environmental parameters	207
4.2.1.	Soil and vegetation	207
4.2.2.	Precipitation and temperature	211
4.2.3.	Snow-melting zones (isochiones)	215
4.3.	Statistical evaluation	216
4.4.	The plant- and fungus-system	218
4.4.1.	Plant material	218
4.4.2.	Fungal material	219
	Summary - Zusammenfassung	223
	References	227