

Table of Contents

Chapter	Page
Acknowledgements	v
Abstract (english)	vii
Zusammenfassung (deutsch)	ix
Table of Contents	xi
List of Abbreviations	xvii
1. Introduction	1
1.1 The Primary Plant Cell Wall	1
1.2 Xyloglucans	3
1.2.1 Structure of xyloglucans	3
1.2.2 Biochemistry of xyloglucan	10
1.2.2.1 Biosynthesis of xyloglucan	10
1.2.2.2 Macromolecular organization of xyloglucan	12
1.2.2.3 Metabolism of xyloglucan	13
1.2.3 Structural characterization of xyloglucan	18
1.2.3.1 Solubilization of xyloglucans	18
1.2.3.2 Purification of xyloglucans and xyloglucan oligosaccharides	19
1.2.3.3 Structural analysis of xyloglucans and xyloglucan oligosaccharides using chemical methods	21
1.2.3.4 Structural analysis of xyloglucans and xyloglucan oligosaccharides using enzymatic methods	22
1.2.3.5 Structural analysis of xyloglucans and xyloglucan oligosaccharides using spectroscopic methods	23
1.2.3.6 Analysis of xyloglucans <i>in muro</i>	24
1.3 Significance of research	25
2. Materials and Methods	27
2.1 Reagents and General Laboratory Equipment	27

Chapter	Page
2.2 Colorimetric Assays	27
2.2.1 Anthrone assay for hexoses	27
2.2.2 <i>m</i> -Hydroxybiphenyl assay for uronic acids	27
2.2.3 <i>p</i> -Hydroxybenzoic acid hydrazine assay for reducing sugars	28
2.2.4 Iodine staining assay for XG	28
2.3 Enzyme Characterization Methods	28
2.3.1 Protein determination	28
2.3.2 Gel-electrophoresis of sodium dodecyl-sulfate-denatured protein (SDS-PAGE)	28
2.3.3 Enzyme assays	29
2.3.4 Purification of recombinant XG specific <i>endo</i> - β -1,4-glucanase (XEG)	30
2.3.5 Determination of the kinetic constants of the XEG	30
2.3.6 Effect of pH and temperature on activity and stability of the XEG	30
2.3.7 Measurement of transferase activity of the XEG	31
2.3.8 Nucleotide sequence analysis of the XEG	31
2.4 Saeman Hydrolysis	31
2.5 Monosaccharide Composition Analysis	32
2.6 Generation of Xyloglucan Oligosaccharides	33
2.6.1 Plant material	33
2.6.1.1 Pea stems (<i>Pisum sativum</i> L.)	33
2.6.1.2 <i>Arabidopsis</i> leaves (<i>Arabidopsis thaliana</i> L.)	34
2.6.1.3 Bean (<i>Phaseolus vulgaris</i> var cannolino) cell cultures	34
2.6.1.4 <i>Arabidopsis</i> (<i>Arabidopsis thaliana</i> L. var Columbia) cell cultures	35
2.6.2 Solubilization of XG and generation of XGOs	35
2.6.2.1 XG/XGOs from tamarind seeds (<i>Tamarindus indicus</i> L.)	35
2.6.2.2 XG/XGOs from cell culture medium	36
2.6.2.3 XGOs from plant cell wall tissue or suspension-cultured cells	36
2.7 De- <i>O</i> -acetylation of XG/XGOs	38

Chapter	Page
2.8 XG Binding to Cellulose	39
2.9 Formation of N-(<i>p</i> -Nitrobenzyloxy)Amino Alditols (PNB) Derivatives of XGOs	39
2.10 Liquid Chromatography	40
2.10.1 Anion-exchange chromatography	40
2.10.2 Gel permeation chromatography (GPC)	40
2.10.3 Reversed-phase chromatography	41
2.11 Mass Spectrometry (MS)	42
2.11.1 Matrix assisted laser desorption/ionization time-of-flight (MALDI-TOF) MS	42
2.11.2 Electrospray-MS (ES-MS)	43
2.12 Nuclear Magnetic Resonance (NMR) Spectroscopy	43
2.12.1 Enzymatic digest	43
2.12.2 1D ¹ H-NMR spectra	44
2.12.3 2D homonuclear [¹ H, ¹ H] correlated spectra (¹ H, ¹ H-COSY)	44
3 Results and Discussion	47
3.1 Development of Methods for the Extraction and Structural Elucidation of Xyloglucan	47
3.1.1 Overview of XG extraction	48
3.1.1.1 Cell wall preparation	48
3.1.1.2 Generation of XGOs by treatment with a cellulase (endo-β-1,4-glucanase)	48
3.1.1.3 Generation of XGOs by extraction with KOH	48
3.1.2 The introduction of an XEG	50
3.1.2.1 Purification of the XEG	50
3.1.2.2 Enzymatic properties of the XEG	53
3.1.2.3 Solubilization of XGOs from primary plant cell wall with XEG	71
3.1.2.4 Comparison of XEG to other <i>endo</i> -β-1,4-glucanases (EGs)	72
3.1.2.5 Summary of the XEG	77

Chapter	Page
3.1.3 XGOs present in the cell wall of etiolated pea stems are <i>O</i> -acetylated	78
3.1.3.1 XGOs generated from bean cell culture (BEPS-XGOs)	80
3.1.3.2 Purification of <i>O</i> -acetylated BEPS-XGOs	82
3.1.3.3 NMR-analysis of <i>O</i> -acetylated XGOs	84
3.1.3.4 Studies on the function of the <i>O</i> -acetate group on XG	91
3.1.3.5 Summary and discussion of the acetates on XG	100
3.1.4 Quantitation of XGOs from the cell wall of etiolated pea stem tissue	102
3.1.4.1 Evaluation of different depectination methods	102
3.1.4.2 Quantitation of solubilized XGOs	105
3.1.4.3 Extraction of XGOs from stem cell walls of etiolated peas	112
3.1.4.4 Quantitation of residual XGs in the cell wall using Saeman hydrolysis	114
3.1.4.5 Oligosaccharide subunit composition of the solubilized XGOs using derivatization with <i>p</i> -nitrobenzylhydroxylamine (PNB)	116
3.1.4.6 Summary of the quantitation methods	124
3.1.5 Conclusion for XG-extraction	126
3.2 Application of the Developed Tools	129
3.2.1 The macromolecular organisation of XGs in the primary cell wall	129
3.2.1.1 Studies on different XG domains in the cell wall	129
3.2.1.2 XG subunit composition of the XG domains	140
3.2.1.3 A model for XG/cellulose network and interaction	141
3.2.2 XGs in growing versus non-growing tissue (for example, pea stem)	149
3.2.2.1 Etiolated pea stems	149
3.2.2.2 Light-grown pea stems	155
3.2.2.3 Metabolism of XGs during plant cell growth	159
3.2.3 XG in <i>Arabidopsis</i> (<i>Arabidopsis thaliana</i> L.)	166
3.2.3.1 XGOs isolated from leaves of WT and <i>mur1</i> <i>Arabidopsis</i> plants	166

Chapter	Page
3.2.3.2 XGOs in <i>mur1</i> suspension-cultured cells	175
3.2.3.3 XGOs in WT suspension-cultured cells	187
3.2.3.4 The importance of L-fucose in XGs	193
3.2.3.5 Differences in XG structure <i>in planta</i> and <i>in cultura</i>	194
3.2.3.6 Differences in XG metabolism in light- versus dark-grown cell cultures	196
4. Conclusion	199
5. References	205
Curriculum vitae	229