

Contents

| | |
|---|----|
| Preface | V |
| 1 Setting the Scene | 1 |
| 1.1 Introduction | 1 |
| 1.1.1 The Selectivity of Catalysts | 2 |
| 1.2 Perspectives in Catalysis: Past, Present, Future | 4 |
| 1.2.1 Applied Catalysis since the 1940s | 6 |
| 1.2.2 Current Trends in Applied Catalysis | 10 |
| 1.2.2.1 Auto-Exhaust Catalysts | 10 |
| 1.2.2.2 Catalysts in Electrochemistry and Photoelectrochemistry | 12 |
| 1.2.2.3 Asymmetric Sites on Heterogeneous Catalysts. | 13 |
| 1.2.2.4 Immobilized Transition Metals | 15 |
| 1.2.2.5 Immobilized Enzymes and Cells: Present and Future | 16 |
| 1.2.2.6 Catalytic Antibodies | 20 |
| 1.2.2.7 Ribozymes | 23 |
| 1.2.2.8 Catalytic Oxidation of Methane: the Centrepiece of Future Power Sources | 24 |
| 1.3 Definition of Catalytic Activity | 26 |
| 1.3.1 Magnitude of Turnover Frequencies and Active Site Concentrations. | 27 |
| 1.3.2 Volcano Plots | 29 |
| 1.3.3 The Evolution of Important Concepts and Techniques in Heterogeneous Catalysis. | 30 |
| 1.3.3.1 Mechanistic Insights from Isotopic Labelling | 42 |
| 1.3.3.2 Concepts from Organometallic Chemistry | 44 |
| 1.3.3.3 Contributions from Theoretical and Computational Chemistry | 48 |
| 1.4 Some Intellectual and Practical Challenges for Catalysis in the 21st Century. | 49 |
| 1.5 Problems | 57 |
| 1.6 Further Reading | 60 |
| 1.6.1 General Background | 60 |
| 2 The Fundamentals of Adsorption: Structural and Dynamical Considerations, Isotherms, and Energetics | 65 |
| 2.1 Catalysis Must Always be Preceded by Adsorption | 65 |
| 2.1.1 Physical Adsorption, Chemisorption and Precursor States. | 65 |

| | | |
|---------|---|-----|
| 2.2 | The Surfaces of Clean Solids are Sometimes Reconstructed | 69 |
| 2.3 | There are Many Well-Defined Kinds of Ordered Adlayers. | 72 |
| 2.4 | Adsorption Isotherms and Isobars | 79 |
| 2.4.1 | The Empirical Facts. | 81 |
| 2.4.2 | Information that can be Gleaned from Isotherms. | 81 |
| 2.4.3 | Adsorption is Almost Invariably Exothermic | 82 |
| 2.5 | Dynamical Considerations | 85 |
| 2.5.1 | Residence Times | 85 |
| 2.5.2 | Rates of Adsorption. | 87 |
| 2.5.3 | Applying Statistical Mechanics to Adsorption. | 89 |
| 2.5.4 | Adsorption Kinetics Can Often be Represented by the Elovich Equation | 91 |
| 2.5.5 | Rates of Desorption. | 94 |
| 2.5.6 | Applying Statistical Mechanics to Desorption. | 96 |
| 2.5.7 | The Influence of a Precursor State on the Kinetics of Desorption . . . | 98 |
| 2.6 | Deriving Adsorption Isotherms from Kinetic Principles | 99 |
| 2.6.1 | Using the Langmuir Isotherm to Estimate the Proportions of Non-dissociative and Associative Adsorption | 101 |
| 2.6.2 | Other Adsorption Isotherms | 104 |
| 2.6.2.1 | Henry's Adsorption Isotherm | 104 |
| 2.6.2.2 | The Freundlich Isotherm | 104 |
| 2.6.2.3 | The Temkin Isotherm. | 104 |
| 2.6.2.4 | The Brunauer–Emmett–Teller Isotherm | 105 |
| 2.6.2.5 | Developments from Polanyi's Adsorption Theory | 105 |
| 2.6.2.6 | Kaganer's Isotherm and the DKR Equation. | 107 |
| 2.6.2.7 | The Virial Equation of State | 107 |
| 2.7 | Energetics of Adsorption | 108 |
| 2.7.1 | Estimating the Binding Energies of Physically Adsorbed Species. . . . | 108 |
| 2.7.2 | The Binding Energies of Chemisorbed Species. | 112 |
| 2.7.3 | Estimating Heats of Adsorption From Thermodynamic Data | 116 |
| 2.7.4 | Decline of the Heat of Adsorption with Increasing Coverage | 117 |
| 2.8 | Mobility at Surfaces. | 119 |
| 2.9 | Kinetics of Surface Reactions | 120 |
| 2.9.1 | The Influences of Precursor States on the Kinetics and Energy Distribution of Catalysed Reactions | 122 |
| 2.9.2 | Comparing the Rates of Heterogeneous and Homogeneous Reactions. | 123 |
| 2.10 | Autocatalytic, Oscillatory, and Complex Heterogeneous Reactions. | 124 |
| 2.10.1 | An Outline of Autocatalysis | 125 |
| 2.10.2 | Background to Oscillating Reactions. | 125 |
| 2.10.3 | Instabilities and Transient Phenomena in Heterogeneous Catalysis . . | 127 |
| 2.10.4 | Multiple Steady States | 127 |
| 2.10.5 | Transient Phenomena. | 130 |
| 2.11 | Problems | 135 |
| 2.12 | Further Reading | 142 |

| | | |
|----------|--|-----|
| 3 | Characterizing Catalysts and their Surfaces | 145 |
| 3.1 | Model Systems and Real-Life Catalysts | 145 |
| 3.2 | A Portfolio of Modern Methods: Introducing the Acronyms | 146 |
| 3.3 | Which Elements and Which Phases are Present? | 149 |
| 3.3.1 | X-Ray Fluorescence (XRF), X-Ray Emission (XRE) and Proton-Induced X-Ray Emission (PIXE) | 149 |
| 3.3.2 | Developing Techniques: ICPMS | 151 |
| 3.3.3 | X-Ray Diffraction (XRD) and Electron Diffraction (ED) | 151 |
| 3.3.3.1 | Mean Size, Surface Area and Particle-Size Distribution from SAXS | 153 |
| 3.3.3.2 | In-Situ Studies by X-Ray Diffraction | 154 |
| 3.4 | Detecting, Identifying, and Counting the Atoms at Solid Surfaces: Sub-monolayer Amounts can be Measured. | 157 |
| 3.4.1 | Ion-Scattering Spectroscopy (ISS): A Detection Limit of 10^{-4} Monolayers | 157 |
| 3.4.2 | Nuclear Microanalysis (NMI): A Sensitive Means of Detecting Specific Elements, Including Hydrogen, at Surfaces | 158 |
| 3.4.3 | Rutherford Back-Scattering (RBS) | 158 |
| 3.5 | Identifying the Atoms at a Surface and Probing their Immediate Environment: SIMS, IR, HREELS, AES and XPS | 159 |
| 3.5.1 | Secondary-Ion Mass Spectroscopy (SIMS): A Detection Limit of 10^{-5} Monolayers | 159 |
| 3.5.2 | Infrared Spectroscopy (IR): A Non-destructive Technique Usable on Catalysts Exposed to High Pressure | 161 |
| 3.5.3 | High-Resolution Electron-Energy-Loss Spectroscopy (HREELS): The Most Sensitive Tool for Identifying Surface Vibrational Modes | 164 |
| 3.5.4 | Electron Spectroscopy: The Ability to Probe Composition and Bonding at Surfaces | 166 |
| 3.5.4.1 | The Realization that Electron Spectroscopy is Sufficiently Sensitive to Detect Fractions of a Monolayer | 169 |
| 3.5.4.2 | Auger Electron Spectroscopy (AES) and Scanning Auger Microscopy (SAM) | 170 |
| 3.5.4.3 | X-Ray Photoelectron Spectroscopy (XPS) | 171 |
| 3.5.4.4 | UV-Induced Photoelectron Spectroscopy (UPS) | 175 |
| 3.5.4.5 | Inverse Photoemission: A Means of Probing Unoccupied States | 177 |
| 3.6 | The Structure and Crystallography of Surfaces: Measuring the Symmetries, Order and Disorder, and Deducing Bond Lengths and Bond Angles in the Adsorbed State | 179 |
| 3.6.1 | Two- and Three-Dimensional Surface Crystallography | 179 |
| 3.6.2 | Notations for Describing Ordered Structures at Surfaces | 183 |
| 3.6.3 | How do Bond Distances at Surfaces Compare with Those of Bulk Solids? What of Displacive Reconstructions? | 185 |
| 3.6.4 | Atomic Scattering and Diffraction | 185 |
| 3.6.5 | EXAFS, SEXAFS, XANES and NEXAFS: Probing Bond | |

| | |
|--|-----|
| Distances and Site Environments even when There is no Long-Range Order. | 185 |
| 3.6.5.1 The Origin of EXAFS and How it is Used | 187 |
| 3.6.5.2 Applications of EXAFS to the Study of Catalysts | 191 |
| 3.6.5.3 SEXAFS | 193 |
| 3.6.5.4 XANES and Pre-edge Structure: Deducing Site Symmetry and Oxidation States | 194 |
| 3.6.5.5 NEXAFS. | 196 |
| 3.7 Other Structural Techniques for Characterizing Bulk and Surfaces of Catalysts | 198 |
| 3.7.1 Electron Spin Resonance (ESR): Probing the Nature of Catalytically Active Sites and the Concentration of Paramagnetic Intermediates on Surfaces and in the Gas Phase | 198 |
| 3.7.1.1 Examples of the Use of ESR in Heterogeneous Catalysis. | 199 |
| 3.7.2 Electron Spin-Echo Modulation Spectroscopy (ESEMS): Probing the Environment of Paramagnetic Species | 200 |
| 3.7.3 Nuclear Magnetic Resonance (NMR): A Technique Applicable, at High Resolution, to Solids and their Surfaces | 201 |
| 3.7.3.1 Basic Principles. | 201 |
| 3.7.3.2 NMR Spectra of Solids. | 204 |
| 3.7.3.3 Applications of NMR to the Study of Catalysts, Adsorbents and Adsorbates. | 205 |
| 3.7.3.4 Future Prospects for the Study of Catalysts by Solid-State NMR | 208 |
| 3.7.4 Mössbauer Spectroscopy: A Means of Determining Valence, Spin States, and Site Environments of Ions | 210 |
| 3.7.4.1 Specific Applications | 210 |
| 3.7.4.2 Conversion-Electron Mössbauer Spectroscopy (CEMS): A Double-Resonance Technique of an Unusual Kind. | 212 |
| 3.7.5 Electron Microscopy | 213 |
| 3.7.5.1 Scanning Probe Microscopy: STM and AFM | 215 |
| 3.7.5.2 Optical Microscopy | 218 |
| 3.7.5.3 Ellipsometry: A Non-invasive Technique | 219 |
| 3.7.6 Neutron Scattering: A Technique of Growing Importance in the Study of Catalysts | 219 |
| 3.7.6.1 Determining the Atomic Structure and Texture of Microcrystalline Catalysts, the Nature of the Active Sites and the Disposition of Bound Reactants. | 221 |
| 3.7.6.2 Determining the Structure of, and Identifying Functional Groups in, Chemisorbed Layers at Catalyst Surfaces. | 222 |
| 3.8 A Miscellany of Other Procedures | 224 |
| 3.9 Determining the Strength of Surface Bonds: Thermal and Other Temperature-Programmed Methods | 226 |
| 3.9.1 Temperature-Programmed Desorption (TPD) or Flash Desorption Spectroscopy (FDS). | 226 |
| 3.9.2 Temperature-Programmed Reaction Spectroscopy (TPRS) | 229 |
| 3.9.3 Magnitude of the Heat and Entropy of Adsorption | 229 |

| | | |
|----------|---|------------|
| 3.10 | In-Situ Methods of Studying Catalysts: The Current Scene and Future Prospects | 232 |
| 3.10.1 | Isotopic Labelling and Transient Response. | 233 |
| 3.10.2 | Infrared, Raman, NMR, Mössbauer and X-Ray Absorption Spectroscopy for In-Situ Studies | 238 |
| 3.10.3 | In-Situ X-Ray and Neutron Diffraction Studies. | 241 |
| 3.10.4 | Combined X-Ray Absorption and X-Ray Diffraction for In-Situ Studies of Catalysts | 243 |
| 3.11 | Problems | 247 |
| 3.12 | Further Reading | 254 |
| | | |
| 4 | The Significance of Pore Structure and Surface Area in Heterogeneous Catalysis | 257 |
| 4.1 | The Importance of Pore Structure and Surface Area. | 257 |
| 4.2 | Experimental Methods of Estimating Surface Areas. | 258 |
| 4.2.1 | The Volumetric Method | 259 |
| 4.2.2 | The Gravimetric Method | 264 |
| 4.2.3 | The Dynamic Method | 265 |
| 4.3 | Experimental Methods of Estimating Pore Volume and Diameter. | 267 |
| 4.3.1 | Gas Adsorption Method of Estimating Pore Volume and Diameter | 268 |
| 4.3.2 | Mercury Porosimeter Method of Estimating Pore Volume and Diameter | 272 |
| 4.4 | Models of the Pore Structure of Catalyst Materials | 275 |
| 4.4.1 | Hysteresis and the Shapes of Capillaries. | 276 |
| 4.4.1.1 | Type A Hysteresis Loops | 277 |
| 4.4.1.2 | Type B Hysteresis Loops. | 279 |
| 4.4.1.3 | Type C Hysteresis Loops | 280 |
| 4.4.1.4 | Type D Hysteresis Loops | 281 |
| 4.4.1.5 | Type E Hysteresis Loops. | 282 |
| 4.4.1.6 | Other Adsorption–Desorption Characteristics | 282 |
| 4.4.2 | Geometric Models of Pores | 283 |
| 4.4.3 | Wheeler’s Semi-empirical Pore Model | 285 |
| 4.4.4 | Mathematical Models of Porous Structures | 286 |
| 4.4.4.1 | The Dusty Gas Model | 286 |
| 4.4.4.2 | The Random Pore Model | 287 |
| 4.4.4.3 | Stochastic Pore Networks and Fractals | 288 |
| 4.5 | Diffusion in Porous Catalysts. | 290 |
| 4.5.1 | The Effective Diffusivity | 290 |
| 4.5.1.1 | Molecular (Maxwellian) Diffusion or Bulk Diffusion | 292 |
| 4.5.1.2 | Knudsen Diffusion. | 294 |
| 4.5.1.3 | The Transition Region of Diffusion. | 294 |
| 4.5.1.4 | Forced Flow in Pores. | 295 |
| 4.6 | Chemical Reaction in Porous Catalyst Pellets | 295 |
| 4.6.1 | Effect of Intraparticle Diffusion on Experimental Parameters. | 303 |

XIV *Contents*

| | | |
|----------|--|------------|
| 4.6.2 | Non-isothermal Reactions in Porous Catalyst Pellets | 305 |
| 4.6.3 | Criteria for Diffusion Control | 308 |
| 4.6.4 | Experimental Methods of Assessing the Effect of Diffusion on Reaction | 313 |
| 4.7 | Problems | 314 |
| 4.8 | Further Reading | 317 |
| 5 | The Solid-State and Surface Chemistry of Catalysts | 319 |
| 5.1 | Classification of Heterogeneous Catalysts. | 319 |
| 5.2 | Structures | 320 |
| 5.2.1 | Metals and Alloys | 320 |
| 5.2.1.1 | Miller Indices and Miller–Bravais Indices | 321 |
| 5.2.1.2 | Transition-Metal Alloys and Bimetallic Clusters | 324 |
| 5.2.1.3 | Highly-Dispersed Metals | 325 |
| 5.1.3 | Interstitial Phases | 327 |
| 5.1.4 | Simple Metallic Oxides and their Non-stoichiometric Variants | 328 |
| 5.2.4 | Shear and Block Structures Based on ReO_3 | 335 |
| 5.2.5 | More Complicated Metallic Oxides. | 339 |
| 5.2.6 | Even More Complicated Oxides. | 340 |
| 5.2.6.1 | Perovskites and their Defective Variants | 340 |
| 5.2.6.2 | Perovskites as the Prototypes of New Homologous Series | 341 |
| 5.2.6.3 | Spinel, Scheelites and the Bismuth Molybdates | 344 |
| 5.2.6.4 | Heteropolyions (Keggin Structures) as Catalytically Significant Entities | 346 |
| 5.2.7 | Clays, Zeolites and Related Structures. | 347 |
| 5.2.7.1 | Pillared Clays are Effectively Two-Dimensional Zeolites | 352 |
| 5.2.7.2 | A Synoptic Guide to the Structure of Zeolitic and Related Solid Catalysts | 353 |
| 5.3 | Computational Approaches. | 364 |
| 5.3.1 | A Resumé of Available Methodologies | 364 |
| 5.3.1.1 | Selected Applications | 369 |
| 5.4 | A Chemist’s Guide to the Electronic Structure of Solids and Their Surfaces. | 377 |
| 5.4.1 | Energy Bands | 378 |
| 5.4.1.1 | Bands in 1D and 3D Crystals. | 381 |
| 5.4.1.2 | Energy Bands in Ionic Solids | 384 |
| 5.4.1.3 | Energy Bands in Transition-Metal Oxides: Understanding the Electronic Structure of the Monoxides of Titanium, Vanadium, Manganese and Nickel | 386 |
| 5.4.1.4 | Energy Bands in Structures Related to ReO_3 | 387 |
| 5.4.2 | Fermi Levels in Insulators and Semiconductors. | 389 |
| 5.4.3 | Surface Electronic States and the Occurrence of Energy Levels Within the Band Gap. | 391 |
| 5.4.4 | Band Bending and Metal–Semiconductor Junctions: Schottky Barriers | 392 |

| | | |
|----------|---|------------|
| 5.4.4.1 | Depletive Chemisorption on Semiconductors | 394 |
| 5.4.4.2 | The Bending of Bands when Semiconductors are Immersed in Electrolytes | 395 |
| 5.4.5 | Quantum Chemical Approaches to the Electronic Properties of Solids | 397 |
| 5.4.5.1 | The Cluster and Thin-Slab Approach | 398 |
| 5.4.6 | Hückel and Extended Hückel Calculations | 398 |
| 5.4.6.1 | 'Ab-Initio' Methods | 400 |
| 5.4.7 | A Brief Selection of Quantum Chemical Studies | 402 |
| 5.4.7.1 | Band Widths, DOS and Fermi Levels of the Transition Metals. | 403 |
| 5.4.7.2 | Heats of Chemisorption from EHT Calculations | 404 |
| 5.4.7.3 | The Adsorption of CO on Nickel | 406 |
| 5.4.7.4 | Dissociative Chemisorption of CO | 407 |
| 5.4.7.5 | Insight from Ab-Initio Computations: Methanol Synthesis and Olefin Metathesis. | 408 |
| 5.5 | Epilogue | 410 |
| 5.6 | Problems | 411 |
| 5.7 | Further Reading | 414 |
| 6 | Poisoning, Promotion, Deactivation and Selectivity of Catalysts | 417 |
| 6.1 | Background | 417 |
| 6.1.1 | Effect of Mass Transfer on Catalytic Selectivity. | 418 |
| 6.1.1.1 | Effect of Intraparticle Diffusion | 418 |
| 6.1.1.2 | Non-isothermal Conditions | 423 |
| 6.1.1.3 | Effect of Interparticle Mass and Heat Transfer | 425 |
| 6.1.2 | Bifunctional Catalysts | 427 |
| 6.2 | Catalyst Deactivation. | 429 |
| 6.2.1 | Deactivation Processes | 430 |
| 6.2.2 | Deactivation Models | 432 |
| 6.2.2.1 | Steady-State Model | 432 |
| 6.2.2.2 | A Dynamic Model. | 437 |
| 6.2.3 | Operational Consequences of Poisoning. | 440 |
| 6.3 | Modern Theories of Poisoning and Promotion | 440 |
| 6.3.1 | General Theoretical Considerations | 440 |
| 6.3.2 | Theoretical Interpretation of Poisoning and Promotion. | 445 |
| 6.3.2.1 | The Electronegativity of a Poison Seems to be of Secondary Importance | 448 |
| 6.3.2.2 | Other Factors Responsible for Promotion and Poisoning | 449 |
| 6.4 | Problems | 450 |
| 6.5 | Further Reading | 453 |
| 7 | Catalytic Process Engineering | 455 |
| 7.1 | Statement of the Problem | 455 |
| 7.2 | Kinetics of Heterogeneous Catalytic Reactions | 455 |

| | | |
|----------|---|------------|
| 7.2.1 | The Overall Rate of Reaction | 455 |
| 7.2.2 | The Rate of Chemical Reaction | 460 |
| 7.2.3 | Fundamental Kinetic Models | 460 |
| 7.2.4 | The Effect of Intraparticle Diffusion | 465 |
| 7.2.5 | The Effect of Interparticle (Fluid-to-Solid) Transport | 466 |
| 7.2.6 | The Effect of Catalyst Deactivation. | 468 |
| 7.3 | Catalytic Reactors | 472 |
| 7.3.1 | Experimental Laboratory Reactors | 472 |
| 7.3.1.1 | Batch Reactors | 473 |
| 7.3.1.2 | Tubular Reactors | 474 |
| 7.3.1.3 | Continuous Stirred-Tank Reactor | 477 |
| 7.3.1.4 | Recycle Reactor | 480 |
| 7.3.1.5 | Flowing-Solids Reactors | 481 |
| 7.3.1.6 | Slurry Reactors | 483 |
| 7.3.2 | Industrial Chemical Reactors | 486 |
| 7.3.2.1 | Batch Reactors | 487 |
| 7.3.2.2 | Continuous Tubular Reactors | 489 |
| 7.3.2.3 | Fluidised-Bed Reactor | 499 |
| 7.3.2.4 | The Trickle-Bed Reactor. | 502 |
| 7.3.2.5 | Metal Gauze Reactors | 503 |
| 7.3.3 | Thermal Characteristics of a Catalytic Reactor | 504 |
| 7.4 | Problems | 509 |
| 7.5 | Further Reading | 513 |
| 8 | Heterogeneous Catalysis: Examples and Case Histories | 515 |
| 8.1 | The Synthesis of Methanol | 515 |
| 8.1.1 | Proof that CO is not Dissociated During Methanol Synthesis. | 516 |
| 8.1.2 | The Role of CO ₂ : Evidence that it is the Main Source of CH ₃ OH | 517 |
| 8.1.3 | The State of Copper in the Working Catalyst | 517 |
| 8.1.4 | The Role of Oxide Supports: Is There Anything Special About ZnO? | 519 |
| 8.1.5 | Views on the Mechanism of the Reaction | 519 |
| 8.1.6 | Process Conditions, Reaction Configurations and Kinetics | 521 |
| 8.2 | Fischer–Tropsch Catalysis | 524 |
| 8.2.1 | Mechanistic Considerations. | 526 |
| 8.2.1.1 | Does Synthesis Proceed via Hydroxymethylene Intermediates? | 527 |
| 8.2.1.2 | What of the CO Insertion Mechanism? | 528 |
| 8.2.1.3 | Synthesis by the Fischer–Tropsch Process First Requires Dissociation of CO | 528 |
| 8.2.1.4 | Schultz–Flory Statistics | 531 |
| 8.2.1.5 | Other Possible Mechanisms | 532 |
| 8.2.2 | Fine-Tuning the Fischer–Tropsch Process | 533 |
| 8.2.3 | Practical Fischer–Tropsch Catalysts and Process Conditions | 536 |
| 8.2.4 | Reductive Coupling of Two CO Ligands Forming Acetylene from Syn-Gas. | 538 |

| | | |
|---------|--|-----|
| 8.2.5 | Methanation, Steam Reforming and Water-Gas Shift Reactions. | 540 |
| 8.2.5.1 | Methanation | 540 |
| 8.2.5.2 | Steam Reforming | 541 |
| 8.2.5.3 | Water-Gas Shift Reaction | 545 |
| 8.3 | The Synthesis of Ammonia | 548 |
| 8.3.1 | Catalyst Promoters are of Two Kinds | 549 |
| 8.3.2 | Kinetics of the Overall Reaction: The Temkin–Pyzhev Description. | 549 |
| 8.3.3 | The Surface of Iron Catalysts for Ammonia Synthesis Contain Several Other Elements: But is the Iron Crystalline? | 551 |
| 8.3.3.1 | Does Ammonia Synthesis Proceed via Atomically or Molecularly Adsorbed Nitrogen? | 553 |
| 8.3.3.2 | How and Where are the Reactant Gases Adsorbed at the Catalyst Surface? | 554 |
| 8.3.3.3 | A Potential-Energy Diagram Illustrating How the Overall Reaction Leading to Ammonia Synthesis can be Constructed | 557 |
| 8.3.3.4 | How Potassium Serves as an Electronic Promoter | 558 |
| 8.3.4 | The Technology of Ammonia Synthesis | 559 |
| 8.3.4.1 | Reactor Configurations are Important Industrially. | 561 |
| 8.4 | Oxidation of Ammonia: Stepping Towards the Fertilizer Industry | 564 |
| 8.5 | In-Situ Catalytic Reaction and Separation | 567 |
| 8.5.1 | Catalytic Distillation | 567 |
| 8.5.2 | Pressure Swing Reaction | 571 |
| 8.5.3 | Catalytic Membrane Processes. | 572 |
| 8.6 | Automobile Exhaust Catalysts and the Catalytic Monolith | 576 |
| 8.6.1 | The Three-Way Catalyst (TWC) | 577 |
| 8.6.2 | Why is Rhodium in the Auto-Exhaust Catalyst? | 578 |
| 8.6.3 | The Catalytic Monolith | 580 |
| 8.6.4 | Catalytic Monoliths may be Used in Several Applications. | 581 |
| 8.6.5 | Rate Characteristics of Catalytic Combustion Processes | 582 |
| 8.6.6 | Combustion Reactions in a Catalytic Monolith Differ from Those Occurring in a Homogeneously Operated Combustor. | 583 |
| 8.6.7 | Simulation of the Behaviour of a Catalytic Monolith is Important for Design Purposes | 585 |
| 8.7 | Photocatalytic Breakdown of Water and the Harnessing of Solar Energy | 590 |
| 8.7.1 | Oxygen Generation by Photo-induced Oxidation of Water | 591 |
| 8.7.2 | Hydrogen Generation by Photo-induced Reduction of Water. | 593 |
| 8.7.3 | Simultaneous Generation of Hydrogen and Oxygen by Catalysed Photolysis of Water | 594 |
| 8.7.4 | Other Photochemical Methods of Harnessing Solar Energy | 596 |
| 8.7.5 | Catalysis and Photoelectrochemistry: Photocatalysis and Photoelectrosynthesis | 597 |
| 8.7.5.1 | The Principles. | 598 |
| 8.7.5.2 | Practical Examples | 602 |
| 8.7.5.3 | The Prospects | 604 |

XVIII *Contents*

| | | |
|--------------|--|------------|
| 8.8 | Catalysis Using Microporous or Mesoporous Solids and Modified Clays: Its Growing Role in the Petroleum Industry and Clean Technology | 608 |
| 8.8.1 | Activity of Zeolitic Catalysts | 612 |
| 8.8.2 | Shape-Selective Zeolitic Catalysts | 614 |
| 8.8.3 | New Microporous Crystalline Catalysts | 616 |
| 8.8.4 | Some Case Studies of In-Situ Monitoring of Catalysis with ZSM-5 . . | 619 |
| 8.8.5 | A Rationally Chosen Zeolitic Catalyst | 621 |
| 8.8.6 | New Mesoporous Catalysts | 622 |
| 8.8.7 | Clays and Other Solid Acid Catalysts | 624 |
| 8.8.7.1 | Clays and their Possible Role in Replication, Evolution and the Origin of Life | 626 |
| 8.9 | Catalytic Processes in the Petroleum Industry | 627 |
| 8.9.1 | Catalytic Reforming | 627 |
| 8.9.2 | Catalytic Cracking | 631 |
| 8.9.2.1 | Cracking Reactions | 632 |
| 8.9.2.2 | Cracking Catalysts | 633 |
| 8.9.2.3 | The Catalytic Cracking Reactor | 634 |
| 8.9.3 | Hydrotreating | 636 |
| 8.10 | The Role of Catalysis in Energy-Related Environmental Technology | 641 |
| 8.11 | Problems | 643 |
| 8.12 | Further Reading | 650 |
| Index | | 659 |