

Table of contents / Abstracts: ITSC 2005

Economic aspects

The current situation and future of thermal spraying industry in China	1
The global thermal spray market – an overview of industry trends and dynamics	1
Doing business in china – from necessity to competitive advantage	1
Difference in thought of japanese small and medium companies obtained by analyzing questionnaire results from the viewpoint of cost	1
Thermal spraying-application and development trends	1

Applications / Case studies I

Carbide coatings on fibre-reinforced anilox rollers using the TeroStar®-process	1
New powder blends based on Cobalt superalloys to obtain near-net shape parts by HVOF	2
Property analysis of thermal sprayed glass-composite coatings	2
Thermal spray based rapid manufacturing, part refurbishing and reengineering	2

Cold spray I

Effect of the substrate surface activation on the process of cold spray coating formation	2
Microstructure and property of LTHVOF sprayed copper coatings	2
High resolution microstructural investigations of interfaces between light weight alloy substrates and cold gas sprayed coatings	2
The cold spray process and its potential for industrial applications	3
Influence of powder size on the structures and properties of the cold sprayed copper coatings	3

Modelling / Simulation II

Integrating a deposition model for off-line spray tools programming	3
Modeling of non-equilibrium supersonic plasma jets at low pressure	3
Thermal spraying – simulation of coating structure	4
XFEM modeling of effective thermal properties and fracture of thermal barrier coatings	4

Equipment / Processes II

Modified supersonic nozzles for the vacuum plasma spraying	4
Constructive aspects for the application of hard-metal coatings using High Velocity Oxygen Fuel Flame Spraying (HVOF); experience and examples	4
The coating properties of carbide cermet coatings produced by HVOF-YAG hybrid spraying	4
Investigation of relationship between spray parameters and Al ₂ O ₃ coating properties controlled by on-line monitoring system	5
Plasma torch developments	5
High quality coatings by VPS with combined IC/DC-spraying technology	5

Equipment / Processes III

LPPS thin film technology for the application of TBC systems	5
Functionally graded coatings by HVOF-Arc hybrid spray gun	5
Coatings obtained by low pressure plasma spraying	6
Continuous coating of technical textiles from “coil to coil”	6
Adjusted thermal spraying layers to enhance the electromagnetic forming of metal sheets	6

Nanostructured materials I

Production of samarium doped-ceria plasma sprayed nano-coatings using an internal injection of a suspension containing nanoparticles	6
Calcium phosphate coatings produced by solution precursor plasma spray	6
The influence of post heat-treatment on the wear properties of nano-structured WC-Co coatings	7
Cold spray deposition of nanocrystalline materials	7
Thermal shock resistance of thick graded nanostructured zirconia-NiCoCrAlY composite coatings by plasma spraying	7

Equipment / Processes IV

Plasma plume condition forming of cascaded type plasma guns	7
Shock wave physical mechanisms of modulated arc as applied to dusted plasma flows to form the coatings	8
Photocatalytic decomposition of nitrogen oxides over TiO ₂ coatings elaborated by liquid feedstock plasma spraying	8
Robotic trajectory autogeneration in thermal spraying	8

Plasma spraying III

Improvement of DC thermal plasma spraying by reducing the cold gas entrainment effect	8
Cermet coating by APS : Influence of the ceramic phase and the particle size range on the mechanical properties	8
Particle properties during plasma-spraying of yttria stabilized zirconia using a Triplex-II torch	9
Development and Properties of Tungsten-Based Coatings Sprayed by WSP(R)	9
Plasma sprayed ultra high temperature ceramic materials tested in simulated operative conditions	9
Coating deposition of bearing materials on connecting rod by thermal spraying	9

Applications / Case studies V

Local wear protection for demountable automotive aluminum draw bars by thermal spray coatings	9
Plasma sprayed beryllium high heat flux components	10
Metal passivation to resist corrosion using the cold spray process	10
Diffusion barrier coatings for graphite, C/C and C/SiC racks in vacuum heat treatment or high temperature brazing processes ..	10
Evaluation of interfacial adhesive toughness by simulation of crack propagation in interfacial indentation test	10

Process diagnostics II

Real time Control for plasma spray: sensor issues, torch nonlinearities, and control of coating thickness	11
Plasma spray process control with neural network	11
On the measurement of substrate temperature during thermal spraying	11
Fast determination of particle critical velocity in cold spraying	11

Nanostructured materials III

A computational heat and mass transfers model for a laser pyrolysis reactor	11
---	----

Equipment / Processes I

Progress in thermal spray processes	12
Characteristic of the arc length and voltage in a DC Bi-Anode plasma torch	12
Influence of powder size distribution and heat flux on yttria stabilised coatings elaborated by liquid suspension injection in a DC plasma jet	12
Influence of the voltage modulation frequency on voltage trace and wire arc coatings properties	12
Surface preparation of steel substrates using Grit-Blasting	12
Near-net shape forming of tungsten material by induction plasma deposition	13

Corrosion protection I

HVOF sprayed Ti(Al ₂ O ₃)/Al ₂ O ₃ based composite coatings for high temperature applications	13
HVOF coating of metallic surfaces: corrosion and bending characteristics of coating	13
Microstructure and electrochemical corrosion behavior of the Zn-Al-Mg coatings produced by cored wires and high velocity arc spraying	13
Dense titanium coatings by modified HVOF spraying	13

Properties / Characterization / Testing I

Experimental investigation of influence of plasma spraying operational parameters on properties of hydroxyapatite	13
Influence of annealing condition on crystallization behavior and mechanical properties of thermal sprayed PEEK coating	14
Oxidation study of high temperature ti compatible abrasible seal	14
Impact behaviour of HVOF-sprayed WC-CoCr coatings	14
Plasma sprayed cast iron coatings containing solid lubricant graphite and h-BN structure	14

Properties / Characterization / Testing II

Influence of the grit blasting process on the properties of thermally sprayed coatings	15
Adhesion tests for thermal spray coatings: Application range of tensile, shear and interfacial indentation methods	15

Stress-relaxation and creep behavior of heat-treated stand-alone plasma-sprayed 7 wt.% Y_2O_3 - ZrO_2 coatings	15
Computational evaluation of thermal barrier coating characteristics under plasma spraying	15
Plasma spraying II	
Simultaneous deposition of LSM and YSZ for SOFC cathode functional layers by an APS process	16
Microstructures of sprayed SiCp/Al composites	16
The influence of spraying parameters on in-flight characteristics of tungsten particles and the resulting splats sprayed by hybrid water-gas stabilized plasma torch	16
Cytocompatibility of plasma sprayed bioceramic coatings	16
Influence of the injection parameters on the suspension plasma spraying coating properties	16
Control of Coating Properties of Abradable Seals by On-Line Process Diagnostics	17
Applications / Case studies III	
Repair of multi-layered, polymer-based thermal spray coatings	17
Development of durable spray coatings in molten aluminum alloy	17
Reengineering of boiler feed pump using high performance coatings	17
Plasma Sprayed Coatings for the Improvement of Chemical Resistance of Ceramic Refractories	18
Manufacturing of metal foam composites through multifunctional coatings – the new easy Foam-process	18
Properties / Characterization / Testing III	
Photocatalytic properties of nanostructured TiO_2 and TiO_2 -Al coatings elaborated by HVOF spraying	18
Effects of substrate surface condition on the flattening behavior of impinging splat	18
In-flight particle characterization of HVOF-Arc hybrid gun	18
Friction and wear behavior of plasma sprayed Al_2O_3 and Cr_2O_3 coatings against copper alloy under high load dry sliding	19
Microstructure and properties of nanostructured WC/Co coating deposited by supersonic plasma spraying	19
Process diagnostics I	
In flight particles analysis for the characterization of the arc spray process	19
Correlation of inflight particle parameters and properties of HVOF sprayed cermet coatings	19
Plasma-sprayed particles : Impact imaging and flattening particle thermal history	19
Aerodynamic Characteristics of High-Velocity Oxy-Fuel Thermal Spray Process	20
Wear protection	
Investigation of ceramic and hardmetal coatings in an oscillating sliding wear test	20
Correlation of microstructure with abrasion and oscillating wear resistance of thermal spray coatings	20
Fractographic approach to wear mechanisms of selected thermally sprayed coatings	20
Wet spray coatings for heavy equipment industry	20
HVOF sprayed high chromium and high vanadium containing iron based hard coatings for combined abrasive wear and corrosion protection	21
Statistical modeling of thermal spray welding of steel-shaft materials for wear resistance	21
Properties / Characterization / Testing IV	
Correlating the spray pattern to the coating architecture: exploring the dominant mechanisms and process parameters.....	21
Measuring thermal contact resistance between molten aluminum droplets and a steel plate	21
Microwear in thermally sprayed hard coatings by different abrasives	22
Shear testing for characterizing the adhesive and cohesive coating strength without the need of adhesives	22
Plasma spraying of a novel material with amorphous and nanocrystalline microstructure	22
Properties / Characterization / Testing V	
Properties of Composite Coatings Sprayed by the Low Temperature High Velocity Air Fuel Spray	22
Characterization of the porosity of a TBC sprayed by a high power plasma system for SOFC application	23
Nanostructures in thermal sprayed hydroxyapatite (HA) and HA/nano-zirconia coatings and their influence on coating properties	23
Corrosion and tribological behaviour of polyamide-nitride composite coatings	23
Fatigue and Mechanical Properties of Nanostructured vs. Conventional Titania (TiO_2) Coatings	23
Plasma spraying I	
Phase formation mechanisms in plasma sprayed hydroxyapatite coatings	23

Plasma spraying behaviour and properties of Aynthesized/Agglomerated Calcium/Magnesium zirconates versus Lime/Magnesia stabilized zirconia	24
Self propagating high temperature synthesis of aluminium-matrix-composite coatings by means of atmospheric plasma spraying	24
Fluid dynamic stability of plasma spray jets	24
Examining the variations in splat properties within the footprint of a spray stream	24
Plasma sprayed oxide surfaces in aqueous environments	25
Plasma transferred arc surfacing	
Full mechanised cladding of 3-dimensional components in constrain position with the PPAW-process	25
Computer simulation of heat transfer and phase state under high-energy flux impact on solid body surface	25
Formation of nanoscale composite coatings via HVOF and wire-arc spraying	25
Development of highly wear resistant iron based PTAW hardfacing alloys	25
Modelling / Simulation I	
Study of magnetic properties of iron-based thermally sprayed coatings	26
Nozzle exit geometry and lump formation in APS	26
Finite elements modelling of transient thermal stresses developed in ceramic coatings during thermal cycling conditions	26
Numerical analysis of injection diesel spray using modified KIVA code and comparison to experimental works	26
Modeling of temperature and residual stress fields resulting from impacting process of a molten Ni particle onto a flat substrate	26
Applications / Case studies II	
Design, fabrication and characterization of sprayed multilayered thermopiles	27
Automated cold spray system: Description of equipment and performance data	27
TeroComposite® - coating solutions against high-temperature corrosion and erosion in boiler applications	27
The relation between temperature of substrate and the composition, structure and corrosion resistance of the zinc coated extruded aluminum multi-void for automotive air conditioning unit	27
Thermal barrier coatings II	
Manufacture and properties of segmented thermal barrier coatings	27
Study of CVD overaluminising on different CoNiCrAlY bond coats deposited by High Velocity Oxygen Fuel (HVOF), Low Pressure Plasma Spray (LPPS) and Vacuum Plasma Spray (VPS)	28
Thermal conductivity evaluation and comparsion of APS low density and dense vertically segmented advanced thermal barrier coatings	28
Corrosion protection II	
Development of highly molten chloride corrosion resistant coatings assisted by mechano-chemical reaction	28
Effect of angle of impingement on erosion-corrosion behaviour of a WC-Co-Cr HVOF sprayed coating	28
Proporties of Thermally sprayed coatings on magnesium parts for enhancement of wear and corrosion resistance	28
Cold spray II	
Cold spray flow modeling and validation	29
Effect of heat treatment on the structure and properties of cold sprayed copper	29
Production of freeform net shape components by cold gas dynamic spray	29
Study on cold-sprayed copper coating's properties and optimizing Parameters for the spraying process	29
Particle in-flight velocity measurements from particle image velocimetry in cold spray	30
Cold spray III	
Particle loading effect in cold spray	30
Kinetic deposition of ti coatings using gas atomized ti powder particles	30
Nano- and microcrystalline cold spray coatings	30
Effect of particle geometry and substrate preparation in cold spray	30
Spray forming titanium alloys using the cold spray process	31
Applications / Case studies IV	
Microstructure of Ni-graphite / YSZ composite coatings on porous metallic substrates obtained by Atmospheric Plasma Spraying (APS)	31
Effect of ternary gas mixtures on the microstructure of refractory metals and alloys deposited by low pressure plasma spraying	31

HVOF burner system, designed with special regard to heat management	31
High-temperature tensiometry by a coupled modeling and experimental approach	32
HVOF II	
HVOF coatings properties of the newly thermal spray composition WC-WB-Co	32
Influence of spraying parameters on the properties of HVOF alumina coatings	32
Analysis of thermal fluxes transferred by an impinging HVOF jet	32
Nanoreinforced HVOF -sprayed ceramic coatings	32
Impact modeling of thermally sprayed polymer particles	32
Observation of deformation and microstructure at the interface between WC-Co HVOF sprayed coating and carbon steel substrate	33
Cold spray IV	
Kinetically sprayed Cu coatings: effects of particle characteristics	33
Cold spraying – innovative layers for new applications	33
Alloying of cold-sprayed Al-Ti, Al-Ni composite films	33
Examination of the critical velocity for deposition of particles in cold spraying	34
Production of titanium deposits by cold gas dynamic spray	34
Cold spray V	
High velocity impact phenomena and coating quality in cold spraying	34
Cold spray nozzle design and performance evaluation using particle image velocimetry (PIV)	34
Effect of heat treatment on properties of cold sprayed coatings	34
Cold spray of Al-Cu-Mg-Fe-Ni alloy with Sc addition	35
The effect of a simple annealing heat treatment on the mechanical properties of cold-sprayed aluminium	35
Pre-treatment / Post-treatment	
Controlled removal of HVOF hard coatings by abrasive water jet	35
Surface modification induced by the pulsed Nd-YAG laser irradiation in the PROTAL® process	35
Relationship between surface topography parameters and adhesion strength for plasma spraying	35
Influence of post heat treatment on microstructure and wear properties of thermally sprayed WC-Co coatings	36
Improvement of mechanical properties of Alumina and Zirconia plasma sprayed coatings induced by laser after-treatment	36
Influence of reduction process on the microstructure and composition of plasma sprayed $\text{Al}_2\text{O}_3\text{TiO}_2/\text{CuO}$ composite coating	36
Quality inspection / Quality assurance / Quality management	
The quality control in plasma spraying ceramic coating on large area substrate	36
Non destructive testing of the coating-substrate interface of thermally-sprayed industrial parts non destructive testing of the coating-substrate interface of thermally-sprayed industrial parts	36
The Laser Shock Adhesion Test (LASAT) for production control of thermally-sprayed ceramic coatings	37
Experiences in education/training and qualification of thermal spraying personnel according international guidelines and standards	37
Thermal barrier coatings I	
Development of metal based thermal barrier coatings (MBTBCs) for low heat rejection diesel engines	37
Thermo mechanical behaviour of nano structured plasma sprayed thermal barrier coatings	38
New concepts for plasma sprayed zirconia TBCs for aeronautical applications	38
Formation of $\text{TiN-Al}_2\text{O}_3\text{-ZrO}_2$ composite coatings by gas tunnel type plasma spraying	38
Comparative study on segmented thermal barrier coatings sprayed from different feedstocks	38
Arc spraying	
Shear force on wire tips in wire arc spraying system	38
Comparative Study of wear and corrosion properties of electric arc thermally sprayed coatings	39
Reinforced lightweight composite materials	39
Supersonic nozzles for the wire arc spraying	39

HVOF I

A comparison of Cr_3C_2 -NiCr coatings obtained by HVOF using propylene and hydrogen as fuel gases	39
Properties of HVOF sprayed multi-scale polymer/silica composite coatings	39
Carbide containing materials for hard chromium replacement by HVOF-spraying	40
HVOF spraying of WC-Co coatings with liquid-fuelled and gas-fuelled systems: competing mechanisms of structural degradation	40
Oxidation of HVOF-sprayed hardmetal coatings	40
Corrosion properties of X-HVOF corrosion protective coatings	40

Modeling / Simulation III

A systematic approach to particle-substrate interactions in thermal spraying	41
A thermal and chemical non-equilibrium model for multi-component Ar- H_2 plasma	41
Effect of the surface adsorbates on the morphology of plasma-sprayed splats	41
Finite element modelling of acoustic emission behaviour of thermally sprayed WC-Co coatings	41
Particle treatment modeling in a time-dependent D.C. plasma flow	41

Nanostructured materials II

Microstructural observation of the sintering behavior of nanostructured yttria stabilized zirconia	42
Injection conditions and in-flight particle states in suspension plasma spraying of alumina and zirconia nano-ceramics	42
RF plasma deposition of half-cell (Anode – Electrolyte) assembly of medium temperature planar solid oxide fuel cell	42
Deposition and crystallization of thermally sprayed amorphous metallic coatings	42
Comparative study of the properties of WC-Co nanostructured and bimodal coatings, sprayed by high velocity oxy-fuel (HVOF)	43

Laser spraying

High rate deposition of protective coatings by high power diode laser (HPDL)	43
Microstructure characterization of WC-25%NiCr cermet coating by plasma laser hybrid spraying technique	43
Microstructures and abrasion resistances of laser clad MMC-coatings	43
New technique of laser cladding with tungsten carbide and diamond	43

Consumables / Gases

Modern Gas Supply Concepts for Thermal Spraying	44
MoSi ₂ coatings on titanium alloy substrates for high temperature oxidation protection of moved parts	44
Hot gas atomized melts - potentials for thermal spray powders	44
Development of a technique for hard coating of component parts by synthesis of silicon carbide in thermal spray processes	44
Influence of WC-Co type thermal spray powder characteristics on HVOF coating properties	45
Hydroxyapatite coating of biomimetic polymer composite materials	45

Modeling / Simulation IV

Short-pulse laser post processing of PTA and thermal sprayed wear and corrosion resistant coatings	45
Modelling the plasma torch: numerical and analytical models to describe the temperature and velocity distribution inside a F4 torch	45
Laser shock flier impact simulation of particle-substrate interactions in cold spray	46
Usefulness of 3-D time dependent models and steady 2-D models in plasma spraying engineering?	46
Computational Simulations and Experimental Characterization of the Mechanical and Fracture Behaviour of Alumina-Glass Plasma Sprayed Coatings	46

Nanostructured materials IV

Formation of nanoscale composite coatings via HVOF and wire-arc spraying	46
Study of Ni/Al ₂ O ₃ deposition on metallic surface using RF plasma process	47
Advanced nanoscale neutron absorber coatings for safe longterm storage of spent nuclear fuel and nuclear waste	47
Nanostructured and conventional titania coatings for abrasion and slurry-erosion resistance sprayed via APS, VPS and HVOF	47
Magnetic properties of HVOF thermally sprayed coatings obtained from nanostructured powders	47

ITSC 2005 Poster session

Applications / Case studies

Optimizing of LVOF spray parameters to coat ceramics by studying particles In-flight characteristics	47
Characteristics of BSCCO thin films fabricated by using the layer by layer deposition and evaporation deposition method	48
Research on microstructure and properties of Ni-Al ₂ O ₃ coatings produced by HVO/AF	48
Thermal properties of continuously graded thermal barrier coatings deposited by supersonic plasma spray	48
High temperature characteristics research of CoCrAlYT _a coating	48
Air gas dynamic spraying of powder mixtures: theory and application	48

Equipment / Processes

Thermal spray particulate and it's challenges for dust collection equipment.....	48
Alumina-titania coatings deposited by laser-assisted air plasma spraying: microstructure and mechanical characterization	49
The effects of deposition parameters and gaseous detonation equipment design on the coating formation	49
The development of a high efficiency supersonic plasma system	49
Construction and analysis of ozone condensation system for oxide superconductor thin film	49

Arc spraying

Research on the coating performance produced by arc spraying using high velocity high energy combustion gas	50
Oxidation behavior of in-flight molten aluminum droplets in the twin-wire electric arc thermal spray process	50
Corrosion resistance and microstructure of arc-sprayed Zn-Al and Zn-Al-Mg coatings	50

Plasma spraying

Irregularity parameter and sphericity of plasma sprayed nickel powders	50
Correlation of plasma process conditions, phase content, and photocatalytic performance of induction plasma-sprayed titania coatings	50
Corrosion properties of plasma-sprayed coatings using oxide powders	51
Plasma sprayed self lubricant coatings	51
In-flight behavior of Ni-Al powder during its plasma spraying	51
Development of gas-tight zirconia electrolyte layers by atmospheric plasma-spraying	51
Thermal fatigue testing of ceramic coatings produced by water-stabilized plasma gun	52
Stress gradients in plasma sprayed chromia coatings	52
Visualization of impact of plasma-sprayed molybdenum particles on hot and cold glass substrates	52
Influence of the spray parameters and particle size on the treatment of Fe-Cr and stainless steel particles in flight in APS	52
Qualification of a modified triplex II plasma gun for processing of liquid precursors and wire- or powder shaped spray materials under controlled atmosphere	52
Performance comparison of various sensor systems and plasma spray torches	53
Relationship between the elastic modulus and microstructure in vacuum plasma sprayed structures	53
Preliminary study on plasma spraying of ion conducting oxides on Bi ₂ O ₃ base	53

HVOF

High crystallinity degree hydroxyapatite coatings using HVOF spraying	53
Stellite 6 coatings obtained by HVOF using different fuel gases	53
Analysis of bonding mechanisms during thermal spraying	54
The relation between the morphology of powders and the spraying parameters and structure of coatings in the HVOF spraying	54
Thermal spraying of basalt for abrasion protective coatings using WSP, HVOF and APS	54
Effect of spray parameters on the cracking and spalling behavior of WC-17% Co cermet coatings	54
HVOF deposition of SOFC interconnect materials	54

Cold spray

On the influence of the substrate hardness on cold-sprayed nickel coating	55
CGS sprayed filler coatings for brazing of light weight alloys	55
Kinetic spraying deposition behavior of bulk amorphous NiTiZrSiSn feedstock	55
Effect of annealing treatment on the microstructure and properties of cold-sprayed Cu coating	55

Laser spraying	
Effective Laser-Cladding through the application of magnetic induced forces	56
Laser coating and thermal spraying - process basics and coating properties	56
Study of laser ablation in conjunction with wire arc spraying of Al-5Mg coating onto 7075 Al alloy	56
Plasma transferred arc surfacing	
Suitability of high power diode laser for Plasma-Augmented-Laser-Cladding (PALC)	56
A multi-wire ARC-HVOF hybrid gun	57
Process diagnostics	
Improved process controls of combustion sprayed clearance control coatings through sensor diagnostic technology	57
In-flight particle diagnostic of water stabilized plasma spray process	57
Characterization of the particle jet of different HVOF guns by means of LDA	57
Diagnosis of in-flight particles during arc spraying of carbon steel and relationships with microstructures of the deposited layers	57
Influence of reflected radiations on in flight particle temperature measurements	58
Diagnostic and microstructure of FeSi coatings sprayed by HVOF	58
Modeling / Simulation	
Computational modelling of a thermo-aabrasive blasting gun	58
Parametric study of the transient cooling during suspension d. c. plasma spraying of stabilized zirconia	58
Microstructure Characterization of thermal barrier coating deposits – practical models from measurements	58
Modeling of combustion assisted thermal spray processes	59
Modeling of an YSZ coating building and thermomechanical behavior during plasma-spraying	59
Modeling of the heating of cast iron particles during plasma spraying	59
Computer simulation of injected particle behavior during cold spray process	59
Numerical study of particle in-flight characteristics in a RF induction plasma spray	59
Study on the photo catalytic ability of plasma sprayed TiO ₂ -HAP compound coatings	60
Circumstantial theoretical analysis of oxide ceramics splat formation	60
Some key advices for the modeling of plasma jets using FLUENT	60
Impact and solidification of droplets onto rough substrates	60
Transient thermal analysis and coating formation simulation of arc spray process	60
Pre-treatment / Post-treatment	
Effect of substrate surface change by heating on flattening behavior of thermal sprayed particles	60
Interaction between a thin non continuous d.c. plasma sprayed alumina layer and preoxidized low carbon substrate	61
Residual grit on the substrate surface in roughening treatment: quantitative evaluation and a reduction technique	61
Role of the laser surface preparation on the adhesion of Ni-Al 5% coatings deposited using the PROTAL [®] process	61
Thermal barrier coatings	
Compound coatings of MCrAlY and alumina prepared by detonation thermal spraying	61
Thermal properties of continuously graded thermal barrier coatings deposited by supersonic plasma spray	62
Splat formation under YSZ hollow droplet impact onto substrate	62
Design of alternative multilayer thick thermal barrier coatings	62
Thermal behavior of Y-PSZ TBCs <i>in situ</i> remelted during their deposition	62
Pore network architecture and thermal conductivity of Y-PSZ TBCs <i>in situ</i> remelted during their deposition.....	63
Improving thermal cycling life of thermal barrier coatings using cryomilled nanostructured NiCrAlY powder as feedstock material	63
Nanostructured materials	
Sliding wear of plasma sprayed ZrO ₂ coatings using nanostructured powder	63
Suspension plasma spraying of nano-ceramics using an axial injection torch	63
Nanostructured NiTi coatings produced by low pressure plasma spraying	64
Relationship between process parameters and microstructure and wear characteristics of plasma sprayed nanostructured Al ₂ O ₃ -TiO ₂ ceramic coatings	64
Improvement of nanostructured WC base coatings	64

Collection of nano-powders generated by radio frequency (RF) plasma spray synthesis (PSS) processing, using a sampling probe	64
Synthesis and characterization of nano-size La _{0.8} Sr _{0.2} MO _{3-d} cathode materials by induction plasma	64
New thermal spray coatings from WC-VC-Co powders	65
Wear protection	
A Comprehensive characterization of industrially manufactured hard chrome platings and of thermally sprayed alternatives	65
The delamination wear mechanism of thermally sprayed coating	65
Corrosion protection	
Investigations on corrosion protective layers in waste incineration plants	65
Effects of rare-earth metal on microstructure and corrosion resistance of arc-sprayed Zn-Al-Mg coating	65
Properties / Characterization / Testing	
Effect of surface oxidation on transition temperature of stainless steel substrate upon impact of aluminum particles	66
Microstructure analysis of thermally sprayed abrasible coatings	66
Topological characterization of wear tracks in thermally sprayed abrasible coatings	66
Investigation of the structure of plasma and HVOF sprayed composite coatings	66
Characterization of nano WC-Co coatings produced by dynamic powder deposition	67
Charges generation and separation in plasma sprayed TiO ₂ -Fe ₃ O ₄ coatings	67
Direct observation of deformation and solidification process of metallic molten droplet on to substrate by using high speed video camera system	67
Study of the electrical conductivity of plasma-sprayed 4.5mol% yttria stabilized zirconia coatings	67
Study of lamellar microstructure of plasma-sprayed ZrO ₂ -8wt.%Y ₂ O ₃ coatings	67
Resin/Diamond surfaces enhance microstructural analysis of thermally sprayed coatings	67
Process maps for multimodal and conventional WC-12Co coatings	68
The indentation tests for evaluation of HVOF coatings' mechanical properties	68
Elevated temperature erosion studies of twin wire arc sprayed cored wires	68
Analysis of thermal fluxes from an impinging HVOF jet	68
Examination of the Microstructure of Thermal Barrier Coatings	68
Quality inspection / Quality assurance / Quality management	
Quality control of thermal spray processes through cost effective diagnostic methods	69
Quality management system implementation in LERMPS laboratory	69
Personnel training / Personnel qualification	
Safety aspects and license requirement for thermal spraying	69
AIF Poster session	
Dry ice blasting and water jet processes for the removal of thermal sprayed coatings	69
Industrial forum	
Device for cold spray coating and winding of aluminum mesh.....	70
Optimized powder feeding, a key parameter for thermal spraying	70
Authors, Discussion Chairmen, Co-Authors	71