

Contents

1	Introduction	1
2	Schrödinger Theory from a “Newtonian” Perspective	15
2.1	Time-Independent Schrödinger Theory	15
2.2	Schrödinger Theory from a “Newtonian” Perspective: The Pure State Differential Virial Theorem	17
2.3	Definitions of Quantal Sources	18
2.3.1	Electron Density $\rho(\mathbf{r})$	18
2.3.2	Spinless Single-Particle Density Matrix $\gamma(\mathbf{r}\mathbf{r}')$	18
2.3.3	Pair-Correlation Density $g(\mathbf{r}\mathbf{r}')$ and Fermi–Coulomb Hole $\rho_{xc}(\mathbf{r}\mathbf{r}')$	20
2.4	Definitions of “Classical” Fields	22
2.4.1	Electron-Interaction Field $\mathcal{E}_{ee}(\mathbf{r})$	22
2.4.2	Differential Density Field $\mathcal{D}(\mathbf{r})$	23
2.4.3	Kinetic Field $\mathcal{Z}(\mathbf{r})$	23
2.5	Energy Components in Terms of Quantal Sources and Fields	24
2.5.1	Electron-Interaction Potential Energy E_{ee}	24
2.5.2	Kinetic Energy T	25
2.5.3	External Potential Energy E_{ext}	25
2.6	Integral Virial, Force, and Torque Sum Rules	26
2.7	Coalescence Constraints	29
3	Quantal Density Functional Theory	35
3.1	Quantal Density Functional Theory from a “Newtonian” Perspective	36
3.2	Definitions of Quantal Sources Within Quantal Density Functional Theory	37
3.2.1	Electron Density $\rho(\mathbf{r})$	37
3.2.2	Dirac Spinless Single-Particle Density Matrix $\gamma_s(\mathbf{r}\mathbf{r}')$	38
3.2.3	Pair-Correlation Density $g_s(\mathbf{r}\mathbf{r}')$; Fermi $\rho_x(\mathbf{r}\mathbf{r}')$ and Coulomb $\rho_c(\mathbf{r}\mathbf{r}')$ Holes	38

3.3	Definitions of “Classical” Fields Within Quantal Density Functional Theory	41
3.3.1	Electron-Interaction Field $\mathcal{E}_{ee}(\mathbf{r})$, and Its Hartree $\mathcal{E}_H(\mathbf{r})$, Pauli $\mathcal{E}_x(\mathbf{r})$, and Coulomb $\mathcal{E}_c(\mathbf{r})$ Components	41
3.3.2	Differential Density Field $\mathcal{D}(\mathbf{r})$	42
3.3.3	Kinetic $\mathcal{Z}_s(\mathbf{r})$ and Correlation–Kinetic $\mathcal{Z}_{tc}(\mathbf{r})$ Fields	42
3.4	Total Energy and Its Components in Terms of Quantal Sources and Fields	43
3.4.1	Electron-Interaction Potential Energy E_{ee} , and Its Hartree E_H , Pauli E_x , and Coulomb E_c Components	43
3.4.2	Kinetic T_s , and Correlation-Kinetic T_c Energies	44
3.4.3	External Potential Energy E_{ext}	45
3.4.4	Total Energy E	46
3.5	Effective Field $\mathcal{F}^{eff}(\mathbf{r})$ and Electron-Interaction Potential Energy $v_{ee}(\mathbf{r})$	47
3.6	Integral Virial, Force, and Torque Sum Rules	48
3.7	Highest Occupied Eigenvalue ϵ_m	49
3.8	Quantal Density Functional Theory of Degenerate States	51
4	New Perspectives on Hohenberg–Kohn–Sham Density Functional Theory	53
4.1	The Hohenberg–Kohn Theorems and Corollary	54
4.2	Kohn–Sham Density Functional Theory	59
4.2.1	Endnote	64
4.3	Generalization of the Fundamental Theorem of Hohenberg–Kohn	67
4.3.1	The Unitary Transformation	67
4.3.2	New Insights as a Consequence of the Generalization	70
5	Nonuniqueness of the Effective Potential Energy and Wave Function in Quantal Density Functional Theory	73
5.1	The Interacting System: Hooke’s Atom in a Ground State	76
5.2	Mapping to the S system in Its 1^1S Ground State	76
5.3	Mapping to an S system in Its 2^1S Singlet Excited State	82
5.4	Nonuniqueness of the Wave Function of the S system in an Excited State	85
5.4.1	The Single Slater Determinant Case	88
5.4.2	The Linear Combination of Slater Determinants Case	92
5.5	Proof that Nonuniqueness of Effective Potential Energy Is Solely Due to Correlation-Kinetic Effects	94

6 Ad Hoc Approximations Within Quantal Density

Functional Theory	99
6.1 The Q-DFT of Hartree Theory	103
6.1.1 The Q-DFT Hartree Uncorrelated Approximation	106
6.1.2 Endnote	107
6.2 The Q-DFT of Hartree–Fock Theory	107
6.2.1 The Q-DFT Pauli Approximation	110
6.2.2 Endnote	112
6.3 Time-independent Quantal-Density Functional Theory	113
6.3.1 The Q-DFT Pauli–Coulomb Approximation	114
6.3.2 The Q-DFT Fully Correlated Approximation	117
6.4 The Case of Nonconservative Fields	119
6.4.1 The Central Field Approximation	119
6.4.2 The Irrotational Component Approximation	121

7 Analytical Asymptotic Structure in the Classically

Forbidden Region of Atoms	125
7.1 The Wave Function	127
7.2 The Single-Particle Density Matrix and Density	130
7.3 The Pair-Correlation Density	132
7.4 The Work Done in the Electron-Interaction Field	133
7.4.1 The Hartree, Pauli, and Coulomb Potential Energies	135
7.5 The Correlation-Kinetic Potential Energy	137
7.6 Endnotes	138

8 Analytical Asymptotic Structure At and Near the Nucleus

of Atoms	141
8.1 Proof of Finiteness of Potential Energies $v_{ee}(\mathbf{r})$ and $v_{ee}^B(\mathbf{r})$ at the Nucleus	143
8.2 Criticality of the Electron–Nucleus Coalescence Condition to Local Effective Potential Energy Theories	145
8.3 General Structure of $v_{ee}(\mathbf{r})$ Near the Nucleus of Spherically Symmetric and Sphericalized Systems	148
8.4 Exact Structure of $v_{ee}(\mathbf{r})$ Near the Nucleus of Spherically Symmetric and Sphericalized Systems	153
8.4.1 Near Nucleus Structure of the Wave Functions and the Density	154
8.4.2 Electron-Interaction Field $\mathcal{E}_{ee}(\mathbf{r})$ at the Nucleus	159
8.4.3 Kinetic “Force” $\mathbf{z}(\mathbf{r}; \gamma)$ Near the Nucleus	160
8.4.4 Kinetic “Force” $\mathbf{z}_s(\mathbf{r}; \gamma_s)$ Near the Nucleus	163
8.4.5 Correlation-Kinetic Field $\mathcal{Z}_{tc}(\mathbf{r})$ Near the Nucleus	164
8.4.6 Structure of Potential Energy $v_{ee}(\mathbf{r})$ Near the Nucleus	165
8.5 Endnote	165

9	Application of the Q-DFT Hartree Uncorrelated Approximation to Atoms	167
9.1	Electronic Structure of the Neon Atom	168
9.2	Atomic Shell Structure and Core–Valence Separation	175
9.2.1	Endnote	178
9.3	Total Ground State Energies	179
9.4	Highest Occupied Eigenvalues	179
9.4.1	Satisfaction of the <i>Aufbau</i> Principle	184
10	Application of the Q-DFT Pauli Correlated Approximation to Atoms and Negative Ions	187
10.1	Ground State Properties of Atoms	188
10.1.1	Electronic Structure of the Argon Atom	188
10.1.2	Atomic Shell Structure and Core–Valence Separation	196
10.1.3	Total Ground State Energies	199
10.1.4	Highest Occupied Eigenvalues	202
10.1.5	Satisfaction of the <i>Aufbau</i> Principle	207
10.1.6	Single-Particle Expectation Values	209
10.2	Ground State Properties of Mononegative Ions	214
10.2.1	Total Ground State Energies	215
10.2.2	Highest Occupied Eigenvalues	216
10.3	Static Polarizabilities of the Neon Isoelectronic Sequence	217
11	Quantal Density Functional Theory of the Density Amplitude: Application to Atoms	221
11.1	Quantal Density Functional Theory of the Density Amplitude	222
11.2	Application to Atoms	226
11.3	Conclusions and Endnotes	231
11.4	Consequences for Traditional Density Functional Theory	232
12	Application of the Irrotational Component Approximation to Nonspherical Density Atoms	235
12.1	Scalar Effective Fermi Hole Source $\rho_x^{\text{eff}}(\mathbf{r})$	236
12.1.1	Spherically Symmetric Density Atoms	237
12.1.2	Nonspherical Density Atoms	237
12.2	Vector Vortex Fermi Hole Source $\mathcal{J}_x(\mathbf{r})$	239
12.3	Irrotational $\mathcal{E}_x^{\text{I}}(\mathbf{r})$ and Solenoidal $\mathcal{E}_x^{\text{S}}(\mathbf{r})$ Components of the Pauli Field $\mathcal{E}_x(\mathbf{r})$	241
12.4	Path-Independent Pauli Potential Energy $W_x^{\text{I}}(\mathbf{r})$	245
12.5	Endnotes on the Approximation	246
13	Application of Q-DFT to Atoms in Excited States	249
13.1	The Triplet 2^3S State Isoelectronic Sequence of He	251
13.2	One-electron Excited States of Li	252
13.3	One-electron Excited States of Na	254

13.4	Multiplet Structure of C and Si	256
13.5	Doubly Excited Autoionizing States of He	258
13.6	Endnote	261
14	Application of the Multi-Component	
	Q-DFT Pauli Approximation to the Anion–Positron	
	Complex: Energies, Positron and Positronium Affinities	263
14.1	Equations of the Multi-Component Q-DFT Pauli Approximation ..	264
14.2	Brief Remarks on Hartree–Fock Theory of Positron Binding to Anions	267
14.3	Total Energy of the Anion–Positron Complex and Positron Affinities	268
14.4	Positronium Affinities	272
15	Application of the Q-DFT Fully Correlated	
	Approximation to the Helium Atom	275
15.1	The Interacting System: Helium Atom in Its Ground State	276
15.2	Mapping to an S System in Its 1^1S Ground State	277
15.2.1	Coulomb Hole Charge Distribution $\rho_c(\mathbf{r}\mathbf{r}')$	277
15.2.2	Pauli–Coulomb $\mathcal{E}_{xc}(\mathbf{r})$, Pauli $\mathcal{E}_x(\mathbf{r})$, and Coulomb $\mathcal{E}_c(\mathbf{r})$ Fields, and the Pauli–Coulomb E_{xc} , Pauli E_x , and Coulomb E_c Energies	281
15.2.3	Pauli–Coulomb $W_{xc}(\mathbf{r})$, Pauli $W_x(\mathbf{r})$, and Coulomb $W_c(\mathbf{r})$ Potential Energies	283
15.2.4	Correlation-Kinetic Field $\mathcal{Z}_{tc}(\mathbf{r})$, Potential Energy $W_{tc}(\mathbf{r})$, and Energy T_c	284
15.2.5	Total Energy and Ionization Potential	286
15.3	Endnotes	287
16	Application of the Q-DFT Fully Correlated	
	Approximation to the Hydrogen Molecule	289
16.1	The Interacting System: Hydrogen Molecule in Its Ground State	289
16.2	Mapping to an S System in Its $(\sigma_g 1s)^2$ Ground State Configuration	290
16.2.1	Fermi–Coulomb $\rho_{xc}(\mathbf{r}\mathbf{r}')$, Fermi $\rho_x(\mathbf{r}\mathbf{r}')$, and Coulomb $\rho_c(\mathbf{r}\mathbf{r}')$ Hole Charge Distributions	291
16.2.2	Electron Interaction $\mathcal{E}_{ee}(\mathbf{r})$ and Correlation-Kinetic $\mathcal{Z}_{tc}(\mathbf{r})$ Fields	296
16.2.3	Electron-Interaction Potential Energy $v_{ee}(\mathbf{r})$	298
16.2.4	Total Energy and Ionization Potential	300
16.3	Endnotes	301

17	Application of Q-DFT to the Metal–Vacuum Interface	303
17.1	Jellium Model of a Metal Surface	306
17.2	Surface Model Effective Potential Energies and Orbitals	311
17.2.1	The Finite Linear Potential Model	311
17.2.2	The Linear Potential Model	312
17.3	Accuracy of the Model Potentials	314
17.4	Structure of the Fermi Hole at a Metal Surface	316
17.4.1	General Expression for the Planar Averaged Fermi Hole $\rho_x(xx')$	317
17.4.2	Structure of the Planar Averaged Fermi Hole $\rho_x(xx')$	321
17.4.3	Structure of Fermi Hole in Planes Parallel to the Surface	325
17.5	General Expression for the Pauli Field $\mathcal{E}_x(x)$ and Potential Energy $W_x(x)$	328
17.6	Structure of the Pauli Field $\mathcal{E}_x(x)$ and Potential Energy $W_x(x)$	332
17.7	Analytical Structure of the Pauli Potential Energy $W_x(x)$	335
17.8	Analytical Structure of the Lowest Order Correlation- Kinetic Potential Energy $W_{t_c}^{(1)}(x)$ in the Classically Forbidden Region	338
17.8.1	Analytic Asymptotic Structure of the Slater Function $V_x^S(x)$	339
17.8.2	Analytical Asymptotic Structure of the Kohn–Sham “Exchange” Potential Energy $v_x(\mathbf{r})$	340
17.8.3	Analytical Asymptotic Structure of the Lowest-Order Correlation-Kinetic Potential Energy $W_{t_c}^1(\mathbf{r})$	343
17.9	Analytical Structure of the Coulomb $W_c(x)$ and Second- and Higher-Order Correlation Kinetic $W_{t_c}^2(x)$, $W_{t_c}^3(x)$. . . Potential Energies in the Classically Forbidden Region	344
17.9.1	New Expression for Kohn–Sham “Exchange- Correlation” $v_{xc}(\mathbf{r})$ Potential Energy in Classically Forbidden Region	345
17.9.2	Analytical Asymptotic Structure of the Orbital $\phi_k(x)$, Dirac Density Matrix $\gamma_s(xx')$, and Density $\rho(x)$	347
17.9.3	Analytical Asymptotic Structure of the Kohn–Sham “Correlation” Potential Energy $v_c(x)$	348
17.10	Analytical Asymptotic Structure of the Effective Potential Energy $v_s(x)$ in the Classically Forbidden Region	350
17.11	Endnote on Image-Potential-Bound Surface States	353

18	Many-Body and Pseudo Møller-Plesset Perturbation Theory within Quantal Density Functional Theory	355
18.1	Many-Body Perturbation Theory within Q-DFT	356
18.1.1	Quantal Sources in Terms of Green's Functions	356
18.1.2	Perturbation Series for the Electron-Interaction Field $\mathcal{E}_{ee}(\mathbf{r})$	360
18.1.3	Perturbation Series for the Correlation-Kinetic Field $\mathcal{Z}_{tc}(\mathbf{r})$	362
18.1.4	Approximations within the Perturbation Theory	365
18.1.5	Endnote	366
18.2	Pseudo Møller-Plesset Perturbation Theory Within Q-DFT	367
18.2.1	Pseudo Møller-Plesset Q-DFT Perturbation Theory	367
18.2.2	Endnote	371
19	Epilogue	373
A	Quantal Density Functional Theory of Degenerate States	375
B	Generalization of the Runge-Gross Theorem of Time-Dependent Density Functional Theory	383
C	Analytical Asymptotic Structure of the Correlation-Kinetic Potential Energy in the Classically Forbidden Region of Atoms	387
D	The Pauli Field $\mathcal{E}_x(\mathbf{r})$ and Potential Energy $W_x(\mathbf{r})$ in the Central Field Approximation	393
E	Equations of the Irrotational Component Approximation as Applied to the Carbon Atom	397
E.1	Electron Density $\rho(\mathbf{r})$	397
E.2	Fermi Hole $\rho_x(\mathbf{r}\mathbf{r}')$	398
E.3	Gradient of Fermi Hole $\nabla\rho_x(\mathbf{r}\mathbf{r}')$	398
E.4	Pauli Field $\mathcal{E}_x(\mathbf{r})$	399
E.5	Scalar Effective Fermi Hole $\rho_x^{\text{eff}}(\mathbf{r})$	399
E.6	Vector Vortex Fermi Hole $\mathcal{J}_x(\mathbf{r})$	399
E.7	Irrotational Component $\mathcal{E}_x^I(\mathbf{r})$ of the Pauli Field $\mathcal{E}_x(\mathbf{r})$	400
E.8	Solenoidal Component $\mathcal{E}_x^S(\mathbf{r})$ of the Pauli Field $\mathcal{E}_x(\mathbf{r})$	400
E.9	The Potential Energy $W_x^I(\mathbf{r})$	401
F	Ground State Properties of the Helium Atom as Determined by the Kinoshita Wave Function	403
F.1	Wave Function $\psi(\mathbf{r}_1\mathbf{r}_2)$	403
F.2	Electron Density $\rho(\mathbf{r})$	404
F.3	Coulomb Hole $\rho_c(\mathbf{r}\mathbf{r}')$	405

F.4 Coulomb Field $\mathcal{E}_c(\mathbf{r})$ 405

F.5 Coulomb Potential Energy $W_c(\mathbf{r})$ 406

G Approximate Wave Function for the Hydrogen Molecule407

References409

Index423