

Contents

Abstract	i
Kurzzusammenfassung	iii
List of abbreviations	v
1 Introduction	1
1.1 Structure of the thesis	5
2 Theoretical basics	7
2.1 Properties of entangled photons	7
2.1.1 Generation of mutually entangled photons	9
2.2 Nonlinear optics	11
2.3 Phase matching	12
2.3.1 Quasi-phase matching	15
2.4 Spontaneous parametric down-conversion	20
2.5 Evaluation of different types of interferometers	26
2.6 Nonlinear interferometer	28
2.6.1 Interferometers based on induced coherence without induced emission	29
2.6.2 Quantum imaging with nonlinearly generated, undetected photons	31
2.7 Evaluation of different characteristics of interferometers	34
2.7.1 Quantum-mechanical visibility calculation of a nonlinear interferometer with and without idler seeding	36
2.8 Evaluation on characteristic properties of thermal radiation	41
3 Characteristics of components utilized in this thesis	45
3.1 Pump lasers	45
3.2 Nonlinear ppLN crystals	46
3.3 Nonlinear ppKTP crystals	50
3.4 Filters	51
3.4.1 Narrow-band reflection filters	51
3.4.2 Filters used in the NIR experiment	53
3.5 Components to seed the signal-generating process	54
3.5.1 Photo-conductive switch	54

3.5.2	Seed radiation at 1557 nm	55
3.6	sCMOS camera	57
3.7	Properties of additional components used in this thesis	58
4	Parametric up- and down-conversion signal in terahertz experiment . . .	59
4.1	Experimental setup	59
4.2	Frequency-angular spectrum	60
4.2.1	Formation of frequency-angular spectrum	61
4.2.2	Appearance of frequency-angular spectrum	62
4.2.3	Polarization characteristics of the signal count rate	64
4.2.4	Approving of minimal induced emission	66
4.2.5	Temperature influence on signal count rate	68
4.3	Seeding parametric signal generation with external terahertz radiation .	70
4.3.1	Collinear overlap	70
4.3.2	Non-collinear alignment	72
5	Interference signal with terahertz-visible biphotons	75
5.1	Experimental setup to measure biphoton interference	75
5.2	Interference signal	77
5.2.1	Excluding interference caused by induced emission	79
5.3	Measuring the thickness of samples	80
5.4	Limitations of biphoton experiments in terahertz frequency range . . .	82
5.4.1	Peculiarity of interference in terahertz frequency range	84
5.5	Interference with a seeded interferometer	85
6	Nonlinear interferometer in NIR wavelength range	89
6.1	Nonlinear Mach-Zehnder interferometer setup	90
6.2	Influence of pump and seed power on signal radiation	92
6.2.1	Influence of pump power on signal radiation	92
6.2.2	SLD-power dependent increase of signal count rate	93
6.3	Influences of misalignment on the performance of interferometer	94
6.3.1	Influence of crystal temperature on signal generation	95
6.3.2	Influence of misalignment of lenses	96
6.3.3	Influence of temporal overlap of interferometer	98
6.4	Visibility of incoherently seeded nonlinear interferometer	100
6.4.1	Transmission-dependent influence of SLD-seed radiation	102
6.5	Resolution of the nonlinear NIR interferometer	104
6.5.1	Imaging capabilities of unseeded interferometer	104
6.5.2	Images with incoherently SLD-seeded interferometer	106
6.6	Review of advantages of incoherent seeding	108
7	Nonlinear interferometric single-shot phase quadrature	111
7.1	Motivation for phase quadrature	111

7.2	Theoretical considerations on phase quadrature	112
7.3	Experimental setup to measure the phase quadrature	113
7.4	Measurements of phase quadrature	115
7.4.1	Calibration measurement	115
7.4.2	Phase behavior of static phase mask	117
7.4.3	Measurement of dynamic processes	121
7.5	Discussion of nonlinear phase quadrature	124
8	General resume and perspectives	127
8.1	Perspectives	129
	Appendices	133
A	Appendices to chapter 4	134
A.1	Influence of focal lengths of L_F , L_C , and L_I	134
A.2	Evaluation of Raman spectrum of lithium niobate	136
B	Appendices to chapter 5	138
B.1	Interference with further nonlinear crystals	138
B.1.1	Interference with non-collinear phase matching	139
B.2	Modification of experimental setup	140
B.3	Influence of changed idler polarization	141
C	Appendices to chapter 6	143
C.1	Influence of noise on performance of nonlinear interferometer	143
C.1.1	Influence of air turbulence	143
C.1.2	Influence of fiber temperature	144
C.2	Influence of various telescopes on seed characteristics	146
C.3	Influence of polarization on signal	147
C.3.1	Influence of pump polarization	147
C.3.2	Influence of seed polarization on signal gain	149
	Acknowledgement	151
	Bibliography	155
	Peer-reviewed publications	179
	Conference proceedings	180
	Other publications	183
	Curriculum Vitae	185