

Contents

Vorwort	iii
Kurzfassung	v
Abstract	vii
1 Introduction	1
1.1 Motivation and state of the art	1
1.2 Concept of programmable mechanical metamaterials	5
1.3 Scope and Outline	6
2 Fundamentals	9
2.1 Continuum mechanics	9
2.1.1 Kinematics of finite deformations	9
2.1.2 Balance of linear and angular momentum	11
2.1.3 Constitutive equations	13
2.1.3.1 Elasticity	13
2.1.3.2 Linear viscoelasticity	15
2.2 Multiscale methods	16
2.2.1 Basic concepts and length scales	17
2.2.2 Analytical multiscale methods	18
2.2.3 Computational multiscale methods	19
2.3 Optimization methods	21
2.3.1 Topology an material design optimization	22
2.3.2 Direct differentiation sensitivity	27
2.3.3 Adjoint approach	28
3 Computational methods	31
3.1 Boundary value problems and homogenization for a programmable metamaterial	31
3.1.1 Macroscopic boundary value problem	32
3.1.2 Unit cell boundary value problem	34

3.1.3	Boundary conditions for computational homogenization	35
3.1.4	Calculation of effective macroscopic quantities	37
3.2	Optimization of design parameter distributions for a target deformation	38
3.2.1	Multiscale optimization problem	38
3.2.2	Adjoint problem and design update	40
3.2.3	Solution algorithm using the adjoint approach	42
3.3	Incremental formulations for the design and state dependent macroscopic behavior	43
3.3.1	Hyperelastic model	44
3.3.2	Viscoelastic model	45
3.4	Tensor spline surrogate model	46
3.4.1	Data sampling in the design and strain space	47
3.4.2	Simulation and data processing	51
3.4.3	Tensor rank decomposition and interpolation	52
3.5	Geometric modeling of unit cells and metamaterials	55
4	ProgMatCode	59
4.1	Development process for PM	59
4.2	Data flow and dependencies	62
4.3	Concept and architecture	64
5	Numerical examples	67
5.1	Honeycomb cell	67
5.1.1	Unit cell geometry and parametrization	68
5.1.2	Honeycomb structure with sinusoidal shape	69
5.1.3	Convergence of the optimized solution	73
5.1.4	Convergence between the surrogate and the fully resolved model	75
5.2	Academic cube	76
5.2.1	Fully resolved problem	76
5.2.2	Surrogate model and discretization	78
5.2.3	Simulation time comparison	79
5.2.4	Bending of an $N_C \times N_C \times 1$ cells array	81
5.2.5	Array under shear with a sinusoidal deformation	85
5.3	Stacked Miura-Ori based cell	88
5.3.1	Unit cell geometry and parametrization	90
5.3.2	Surrogate model for the Miura-Ori cell	92
5.3.3	Influence of BCs and non-uniform parameter distributions . . .	93
5.3.4	Miura-Ori structure with a sinusoidal shape	95
5.3.5	Large scale optimization: two sides of a die	100
5.4	Viscoelastic cell based on a generalized Maxwell element	103
5.4.1	Surrogate model and data sampling	104

5.4.2	Numerical example: One element in 2D	105
6	Conclusion and outlook	111
6.1	Main results	111
6.2	Future work and outlook	114
	Bibliography	117
A	Appendix	133
A.1	Client applications for ProgMatCode	133
A.1.1	ProgMatDesign	133
A.1.2	ProgMatSim	134
A.2	Solver interface xml2inp	135
A.2.1	ProgMatDesign project interface	138
A.2.2	Homogenization project interface	140
A.2.3	ProgMatSim structure analysis project interface	144
A.2.4	ProgMatSim optimization project interface	144
A.3	Tensor spline subroutines	145
	List of Abbreviations	153
	List of Symbols	155