

Contents Volume IV A

| | |
|--------------------------------|-----|
| Contents Volume IV B | XV |
| List of Contributors | XXV |

Chapter 1 – Transport of Water and Solutes Across Capillary Endothelium

| | |
|--|----|
| (E.M. Renkin and F.E. Curry) | 1 |
| A. Morphology | 1 |
| B. Development of Capillary Pore Theory | 5 |
| I. Ultrafiltration | 5 |
| II. Diffusion | 7 |
| III. Interaction of Ultrafiltration and Diffusion | 8 |
| IV. Evaluation of Reflection Coefficients | 13 |
| V. Direct Measurement of PS by Diffusion | 16 |
| C. The Multiple Pathway Hypothesis | 18 |
| I. Theory | 18 |
| II. Application to Single Capillaries of Frog Mesentery | 21 |
| III. Application to Capillaries of Mammalian Skeletal Muscle | 25 |
| D. Characterization of the Cell Pathway | 27 |
| E. Endothelial Transport of Macromolecules | 28 |
| I. Theory | 28 |
| II. Experimental Data | 30 |
| III. Interpretation | 33 |
| IV. Endothelial Changes in Injury | 35 |
| F. Summary | 36 |
| I. Endothelial Cell Pathways | 36 |
| II. Intercellular or Transcellular Pathways | 36 |
| Appendix: Frictional Interaction of Solute and Solvent Molecules in Porous Membranes. Hydrodynamic Models | 37 |
| References | 41 |

Chapter 2 – Electrochemistry of the Nephron

| | |
|--|----|
| (R.N. Khuri) | 47 |
| A. General | 47 |
| I. Intracellular Physiology | 47 |
| II. The Physical State of Intracellular Ions | 47 |
| III. Electrochemical Analysis | 49 |
| 1. Electrochemistry | 49 |
| 2. Ion-Exchangers for Electrodes | 50 |
| 3. The Intracellular Electrochemical Technique | 51 |
| IV. The Renal Tubular Epithelium | 57 |
| B. Potassium | 59 |
| I. Muscle Fiber Potassium | 59 |
| II. Renal Cell Potassium | 62 |
| 1. Distal Tubule | 62 |
| a) Normal Potassium Balance | 62 |
| b) Changes in Potassium Balance | 62 |
| c) Changes in Acid-Base Balance | 63 |
| d) Effect of Aldosterone | 63 |
| e) Distal Tubule: <i>Amphiuma</i> | 64 |
| 2. Proximal Tubule: <i>Necturus</i> | 65 |
| C. Sodium | 69 |
| I. Muscle Fiber Sodium | 69 |
| II. Renal Cell Sodium | 70 |
| 1. Proximal Tubule: <i>Necturus</i> | 71 |
| 2. Distal Tubule | 75 |
| D. Chloride | 77 |
| I. Muscle-Fiber Chloride | 77 |
| II. Renal Cell Chloride | 78 |
| 1. Proximal Tubule | 78 |
| 2. Distal Tubule (Rat) | 80 |
| E. Bicarbonate (Cell pH) | 82 |
| I. Muscle-Fiber Bicarbonate (pH) | 82 |
| II. Renal-Cell Bicarbonate | 85 |
| F. Ions in Combination | 88 |
| G. Summary | 92 |
| References | 93 |

Chapter 3 – Electrophysiology of the Kidney

| | |
|---|-----|
| (E.L. Boulpaep) | 97 |
| A. Introduction | 97 |
| B. Electrophysiological Methods in Renal Tubules | 97 |
| I. Renal Preparations | 97 |
| II. Electrode Techniques | 98 |
| III. Methodological Problems in Potential Difference Measurements | 99 |
| IV. Methodological Problems in Conductance Measurements | 99 |
| V. Levels of Investigation and Definitions | 100 |

| | |
|--|-----|
| C. Proximal Convoluted Tubule | 102 |
| I. Transepithelial Properties of Proximal Convoluted Tubule | 102 |
| 1. Transepithelial Potential Difference | 102 |
| a) Mammalian Proximal Convoluted Tubule | 102 |
| b) Amphibian Proximal Convoluted Tubule | 104 |
| 2. Transepithelial Electrical Conductance | 105 |
| a) Mammalian Proximal Convoluted Tubule | 105 |
| b) Amphibian Proximal Convoluted Tubule | 105 |
| 3. Passive Transepithelial Ionic Membrane Parameters | 106 |
| 4. "Active" Transepithelial Ionic Membrane Parameters | 110 |
| II. Single Membrane Properties of Proximal Convoluted Tubule | 111 |
| 1. Single Barrier Potential Differences | 111 |
| a) The Paracellular or Tight-Junction Barrier Potential Difference | 111 |
| b) The Peritubular Cell Membrane Potential Difference | 111 |
| c) The Luminal Cell Membrane Potential Difference | 112 |
| 2. Single Barrier Electrical Conductance | 112 |
| 3. Passive Ionic Membrane Parameters of Single Barriers | 115 |
| a) Paracellular Membrane Properties | 117 |
| b) Peritubular Cell Membrane Properties | 118 |
| c) Luminal Cell Membrane Properties | 119 |
| 4. "Active" Ionic Membrane Parameters of Single Barriers | 120 |
| D. Proximal Straight Tubule | 123 |
| 1. Transepithelial Potential Difference | 123 |
| 2. Transepithelial Electrical Conductance | 124 |
| 3. Transepithelial Ionic Membrane Parameters | 124 |
| a) Superficial Proximal Straight Tubule | 124 |
| b) Juxtamedullary Proximal Straight Tubule | 125 |
| E. Thin Descending Limb of Henle | 125 |
| F. Thin Ascending Limb of Henle | 126 |
| 1. Transepithelial Potential Difference | 126 |
| 2. Transepithelial Ionic Membrane Parameters | 127 |
| G. Thick Ascending Limb of Henle | 127 |
| 1. Transepithelial Potential Difference | 128 |
| a) Mammalian Thick Ascending Limb | 128 |
| b) Amphibian Diluting Segments | 128 |
| 2. Transepithelial Electrical Conductance | 128 |
| 3. Passive Transepithelial Ionic Membrane Parameters | 128 |
| 4. "Active" Transepithelial Ionic Membrane Parameters | 129 |
| H. Distal Convoluted Tubule | 130 |
| I. Transepithelial Properties of the Distal Convoluted Tubule | 131 |
| 1. Transepithelial Potential Difference | 131 |
| a) Mammalian Distal Convoluted Tubule | 131 |
| b) Amphibian and Reptilian Distal Convoluted Tubule | 131 |
| 2. Transepithelial Electrical Conductance | 132 |
| 3. Passive Transepithelial Ionic Membrane Parameters | 132 |
| II. Single Membrane Properties of the Distal Convoluted Tubule | 135 |
| 1. Single Barrier Potential Differences | 135 |
| 2. Passive Ionic Membrane Parameters of Single Barriers | 135 |
| 3. "Active" Ionic Membrane Parameters of Single Barriers | 135 |

| | |
|--|-----|
| J. Cortical Collecting Tubule | 136 |
| I. Transepithelial Properties of Cortical Collecting Tubule | 136 |
| 1. Transepithelial Potential Difference | 136 |
| 2. Transepithelial Electrical Conductance | 137 |
| 3. Passive Transepithelial Ionic Membrane Parameters | 137 |
| 4. "Active" Transepithelial Ionic Membrane Parameters | 138 |
| II. Single Membrane Properties of Cortical Collecting Tubule | 139 |
| K. Medullary Collecting Duct | 139 |
| 1. Transepithelial Potential Difference | 139 |
| 2. Transepithelial Electrical Conductance | 140 |
| 3. Passive Transepithelial Ionic Membrane Parameters | 140 |
| References | 140 |

Chapter 4 – Sodium Chloride Transport

| | |
|---|-----|
| (E.E. Windhager) | 145 |
| A. Introduction | 145 |
| B. Proximal Tubular Transport | 146 |
| I. General Properties of the Proximal Nephron | 146 |
| II. Inhomogeneity of Proximal Tubular Morphology and Function | 148 |
| III. Net Transport Rates | 151 |
| IV. Electrophysiology of Proximal Tubules | 152 |
| V. Cotransport of Sodium with Sugars and Aminoacids | 155 |
| VI. Ion Permeabilities and Intercellular Shunt Path | 158 |
| VII. Active Transport of Sodium | 160 |
| VIII. Sodium and Chloride Entry Across the Luminal Cell Membrane | 163 |
| IX. Transport of Sodium Chloride Across the Peritubular Cell Membrane | 167 |
| X. Coupling of Sodium and Water Reabsorption | 169 |
| XI. Passive Reabsorption of Sodium Chloride | 171 |
| XII. Regulation of Proximal Salt Reabsorption by Passive Backflux | 175 |
| C. Loop of Henle | 185 |
| D. Distal Convolutd Tubule | 190 |
| I. General Properties | 190 |
| II. Net Movement of Sodium Chloride and Water | 191 |
| III. Electrophysiological Considerations | 193 |
| IV. Net Movement of Chloride | 197 |
| V. Water | 198 |
| VI. Interaction Between Sodium and Calcium | 198 |
| VII. Mechanisms of Transport | 200 |
| 1. Peritubular Membrane | 200 |
| 2. Luminal Membrane | 201 |
| 3. Role of Intercellular Ionic Shunt | 202 |
| 4. Cellular Mechanisms of Antidiuretic Hormone Action | 203 |
| E. Papillary Collecting Duct | 203 |
| References | 205 |

Chapter 5 – Renal Potassium Transport

| | |
|--|-----|
| (G. Giebisch) | 215 |
| A. Introduction | 215 |
| B. General Aspects of Epithelial Transport of Potassium | 216 |
| I. Constancy of Cellular Potassium Concentration | 216 |
| II. Relationship Between Potassium and Sodium Transport | 218 |
| III. Cellular Compartmentalization of Potassium | 221 |
| IV. Cell Heterogeneity of Epithelium | 222 |
| C. General Properties and Development of Concepts of the Renal Potassium Transport System | 223 |
| D. Tubular Sites of Potassium Transport | 226 |
| I. Proximal Tubule | 227 |
| II. Loop of Henle | 228 |
| III. Distal Tubule, Collecting Tubule and Collecting Duct | 231 |
| E. Cellular Mechanisms of Renal Tubular Potassium Transport | 243 |
| I. Proximal Tubular Epithelium | 243 |
| II. Distal Tubule, Collecting Tubule and Collecting Duct | 245 |
| 1. Electrical Potential Difference and Ionic Conductance of the Distal Tubule and Collecting Duct | 245 |
| a) Transepithelial Potential Profile | 245 |
| b) Properties of the Peritubular Cell Membrane | 249 |
| c) Properties of the Luminal Cell Membrane | 251 |
| 2. Cellular Transport Models | 254 |
| F. Factors Affecting the Rate of Distal Tubule, Collecting Tubule, and Collecting Duct Potassium Transport | 264 |
| I. Variations in Hydration and Intake of Potassium | 264 |
| II. Distal Tubular Flow Rate, Sodium Delivery and the Effect of Diuretics | 270 |
| III. Acid-Base Balance | 281 |
| IV. Mineralocorticoids | 288 |
| Acknowledgements | 292 |
| References | 292 |

Chapter 6 – Cellular Aspects of Renal Tubular Acidification

| | |
|--|-----|
| (G. Malnic and G. Giebisch) | 299 |
| A. Introduction | 299 |
| B. The $\text{HCO}_3^-/\text{CO}_2$ Buffer System | 300 |
| I. Kinetic Considerations | 300 |
| II. Equilibrium Conditions in the $\text{HCO}_3^-/\text{CO}_2$ Buffer System | 302 |
| C. Methods for the Study of Renal Acidification | 305 |
| I. Measurement of Tubular pH | 305 |
| II. Measurement of Tubular and Cellular Bicarbonate Concentrations | 309 |
| III. Measurement of Tubular pCO_2 | 310 |
| IV. Measurement of Titratable Acidity | 311 |
| D. Bicarbonate Reabsorption Along the Nephron | 311 |
| E. Kinetic Aspects of Renal Tubular Acidification | 314 |

| | |
|---|-----|
| F. Mechanism of Renal Tubular Acidification | 321 |
| I. The Renal Disequilibrium pH | 321 |
| II. Evidence for Active Transport of H | 325 |
| III. Permeability of the Tubule to HCO_3^- Ions | 327 |
| IV. Permeability of the Tubule to H Ions | 328 |
| V. Participation of Proton Transport and Buffer-Base Reabsorption in Tubular Acidification | 328 |
| G. Coupling of H Ion Transport to the Transport of Other Ions | 336 |
| I. Na/H Exchange | 336 |
| II. K/H Coupling | 339 |
| III. H/Cl Coupling | 341 |
| H. Control of Renal Acidification | 344 |
| I. The Segmental Buffer Load | 344 |
| II. The Role of Peritubular pH and pCO_2 | 346 |
| III. Peritubular Base Transfer | 348 |
| IV. Humoral Regulation of Acidification | 349 |
| Acknowledgements | 350 |
| References | 350 |

Chapter 7 – Transport of Calcium, Magnesium and Inorganic Phosphate in the Kidney

| | |
|---|-----|
| (R.A.L. Sutton, G.A. Quamme, and J.H. Dirks) | 357 |
| A. Calcium | 357 |
| I. Introduction | 357 |
| II. Glomerulus | 358 |
| III. Proximal Tubule | 359 |
| 1. Normal Pattern of Reabsorption | 359 |
| 2. Microperfusion and Microinjection Studies | 361 |
| 3. Free and Complexed Calcium | 362 |
| 4. Mechanism of Proximal Reabsorption | 364 |
| IV. Loop of Henle | 366 |
| V. Distal Tubule and Collecting Duct | 370 |
| 1. Sites of Calcium Reabsorption | 370 |
| 2. Hypercalcemia | 371 |
| 3. Parathyroid Hormone | 372 |
| 4. Thiazide Diuretics and Acetazolamide | 373 |
| 5. Vitamin D | 374 |
| 6. Acidosis and Alkalosis | 375 |
| 7. Phosphate Loading and Phosphate Deficiency | 375 |
| 8. Miscellaneous Factors | 376 |
| B. Magnesium | 377 |
| I. Introduction | 377 |
| II. Glomerulus | 378 |
| III. Proximal Tubule | 378 |
| 1. Pattern of Reabsorption | 378 |
| 2. Mechanism of Proximal Reabsorption | 381 |
| IV. Loop of Henle | 381 |
| 1. Pattern of Reabsorption in the Loop | 381 |
| 2. Mechanism of Loop Reabsorption | 382 |

| | | |
|------------|---|-----|
| V. | Distal Tubule and Collecting Duct | 383 |
| VI. | Regulation of Magnesium Reabsorption by the Kidney | 385 |
| VII. | Relationship of Magnesium Reabsorption to Other Cations | 386 |
| VIII. | Hormonal Effects | 387 |
| 1. | Parathyroid Hormone | 387 |
| 2. | Adrenocortical Steroids | 387 |
| 3. | Other Hormones | 388 |
| IX. | Other Factors Affecting Magnesium Reabsorption | 388 |
| 1. | Acidosis and Alkalosis | 388 |
| 2. | Alcohol | 388 |
| 3. | Diuretics | 389 |
| C. | Phosphate | 389 |
| I. | Introduction | 389 |
| II. | Glomerular Filtration | 391 |
| III. | Proximal Tubule | 392 |
| 1. | Profile of Pi Reabsorption | 392 |
| 2. | Relationship of Phosphate to Sodium Reabsorption | 394 |
| 3. | Mechanisms of Phosphate Reabsorption in the Proximal Tubule | 395 |
| 4. | Effect of Parathyroid Hormone (PTH) and Luminal pH | 396 |
| 5. | Phosphate Infusion | 398 |
| 6. | Phosphate Depletion | 400 |
| 7. | Renal Failure | 401 |
| 8. | Effects of Calcium Upon Phosphate Reabsorption | 401 |
| 9. | Other Endocrine Influences on Phosphate Transport | 402 |
| a) | Vitamin D | 402 |
| b) | Calcitonin and Growth Hormone | 403 |
| c) | Insulin and Glucose | 403 |
| IV. | Loop of Henle | 404 |
| V. | Distal Tubule and Collecting Duct | 405 |
| References | | 407 |

Chapter 8 – Renal Transport of Organic Solutes

| | |
|---|-----|
| (K.J. Ullrich) | 413 |
| A. Introduction | 413 |
| B. Site of Transport of Organic Solutes within the Nephron | 414 |
| C. Methods of Evaluating Renal Transport of Organic Solutes | 414 |
| I. Transtubular Measurements | 414 |
| II. Electrical Measurements | 415 |
| III. Transport Studies with Membrane Vesicles | 416 |
| IV. Transport Studies with Reconstituted Liposomes | 417 |
| D. Theoretical Considerations on Na ⁺ -Coupled Transport Processes | 417 |
| E. Transport of Sugars | 418 |
| I. Specificity or Structural Requirements | 418 |
| 1. Sugars that are Actively Transported | 419 |
| 2. Sugars that are Not Actively Transported | 420 |
| II. Sodium-Dependence of the Active Sugar Transport | 421 |
| III. Binding of Sugars and Phlorrhizin to Brush-Border Membranes | 423 |
| IV. Transport of Sugars and Na ⁺ Across the Brush-Border Membrane | 424 |

| | |
|--|-----|
| 1. Electrical Measurements | 424 |
| 2. Transport Measurements on Brush-Border Vesicles | 426 |
| 3. Transport Across Vesicles from the Contraluminal Cell Side | 427 |
| 4. Transport Across Proteoliposomes | 428 |
| V. Fit of Data Gained by Different Methods | 428 |
| F. Transport of Aminoacids | 429 |
| I. Current Problems in Determining the Specificity | 429 |
| II. Sodium-Dependence of the Active Transport of Aminoacids | 431 |
| 1. Measurement Across the Whole Proximal Tubule | 431 |
| 2. Electrical Measurements | 432 |
| 3. Transport Measurements on Membrane Vesicles | 434 |
| III. Unsolved Problems | 435 |
| G. Transport of Organic Acids and Bases | 436 |
| I. Transport Steps at Either Cell Side | 437 |
| II. Nature of the Driving Forces for the Organic Acid Transport | 438 |
| III. Physicochemical Characteristics of Substituted Phenolsulfonphthalein Dyes in Relation to Binding and Transport | 439 |
| IV. Is there Any Parallelism Between the Organic Acid Transport System in Kidney and Red Blood Cells? | 440 |
| V. Substrate-Induced Stimulation of Organic Acid Transport | 440 |
| H. Transport of Organic Buffers by Nonionic Diffusion | 441 |
| References | 443 |
| Chapter 9 – Transport of Water: Renal Concentrating Mechanism | |
| (C.W. Gottschalk and W.E. Lassiter) | 449 |
| A. Introduction and Historical Perspective | 449 |
| B. Localization of the Concentrating Process: An Overview | 451 |
| I. The Nephron | 451 |
| II. The Vasa Recta | 457 |
| C. Countercurrent Multiplier Systems | 458 |
| D. Countercurrent Multiplication in the Inner Medulla: Function of the Thin Limbs of Henle's Loop | 461 |
| References | 470 |

Contents Volume IV B

| | |
|---|-----|
| Chapter 10 – Perfusion of Isolated Mammalian Renal Tubules (J.A. Schafer and T.E. Andreoli) | 473 |
| A. Introduction | 473 |
| B. Experimental Techniques: Practical and Theoretical Considerations | 475 |
| I. Isolation of Renal Tubule Segments | 475 |
| II. Tubular Perfusion | 476 |
| III. Perfusing and Bathing Solutions | 479 |
| IV. Measurement of Net Volume Absorption | 481 |
| 1. Collection Method | 481 |
| 2. Crimped-End Method | 482 |
| V. Assessment of Hydraulic Conductivity | 483 |
| 1. The Unstirred Layer Problem | 483 |
| 2. The Hydraulic Conductivity Coefficient | 486 |
| VI. Electrical Measurements | 488 |
| 1. Liquid Junction Potentials and Donnan Voltages | 489 |
| 2. Ionic Dilution Potentials | 492 |
| 3. Measurement of Transepithelial Resistance | 493 |
| VII. Tracer Flux Measurements | 494 |
| 1. Unidirectional Lumen-to-Bath Fluxes | 495 |
| 2. Unidirectional Bath-to-Lumen Fluxes | 496 |
| 3. Evaluating P_D From Tracer Fluxes | 496 |
| 4. Transmembrane Fluxes | 498 |
| C. Transport Properties of Isolated Nephron Segments | 498 |
| I. Suitability of the <i>In-Vitro</i> Preparation | 499 |
| II. The Proximal Tubule | 499 |
| 1. Dissipative Transport Properties | 500 |
| 2. Active Transport Processes | 502 |
| 3. Mechanismus for Salt and Water Transport in the Superficial Pars Recta | 505 |
| 4. Effective Luminal Hypotonicity and Isotonic Fluid Absorption | 507 |
| 5. Heterogeneity of Tubular Structure and Function | 509 |
| III. The Loop of Henle | 510 |

| | |
|--|-----|
| IV. The Distal Convolutd Tubule and Collecting Duct System | 513 |
| 1. Distal Convolutd Tubule | 516 |
| 2. Cortical Collecting Tubule | 516 |
| 3. Water and Nonelectrolyte Permeation in the Cortical Collecting Duct: the Mechanism of ADH Action | 517 |
| References | 525 |
| Chapter 11 – Metabolic Correlates of Tubular Transport | |
| (R. Kinne) | 529 |
| A. Introduction | 529 |
| B. Transport-Related Parameters of Metabolic Activity in Intact Cells | 530 |
| I. General Aspects | 530 |
| II. Heat Production in the Kidney | 530 |
| III. O ₂ Consumption and CO ₂ Production in the Kidney | 531 |
| IV. Effect of Metabolic Inhibitors on the Transepithelial Transport of Sodium | 534 |
| V. Renal Substrate Metabolism in Relation to Renal Function | 540 |
| 1. Uptake and Oxidation of Substrates in Relation to Sodium Transport | 540 |
| 2. Substrate Dependence of Sodium Transport in Isolated Systems | 541 |
| C. Transport-Related Intracellular Parameters of Metabolic Activity | 545 |
| I. Determination of Enzyme Activities | 545 |
| II. Determination of ATP Content and ATP Turnover | 546 |
| III. ATP Content and α -Aminoisobutyric Acid Transport in Kidney Cortex Slices | 547 |
| D. Energetics of Transport as Studied with Isolated Renal Plasma Membranes | 548 |
| I. General Aspects | 548 |
| II. Transport-Related ATP Hydrolases | 549 |
| 1. Sodium | 549 |
| 2. Calcium | 550 |
| a) Properties of Renal Ca ⁺⁺ -Activated ATPases | 550 |
| b) Possible Relation of Ca ⁺⁺ -ATPase to Transepithelial Ca ⁺⁺ Transport | 551 |
| 3. Bicarbonate and Protons | 552 |
| 4. Chloride | 553 |
| III. Sodium-Solute Cotransport Systems | 554 |
| 1. General Aspects | 554 |
| 2. General Characteristics of Transport by Renal Vesicles | 554 |
| 3. The Sodium Gradient as the Driving Force of Intravesicular Accumulation | 555 |
| 4. The Electrical Membrane Potential as the Driving Force of Intravesicular Accumulation | 557 |
| 5. Energetics of Transcellular Transport in the Proximal Convolutd Tubule | 558 |
| Acknowledgements | 559 |
| References | 559 |

Chapter 12 – Transport in Salivary and Salt Glands

| | |
|---|-----|
| (J.A. Young and E.W. van Lennep) | 563 |
| Part I: Salivary Glands | 563 |
| A. Introduction | 563 |
| B. Anatomy and Anatomical Terminology | 564 |
| I. Secretory Endpieces | 564 |
| II. The Duct System | 565 |
| III. Myoepithelial Cells | 566 |
| C. Transport of Water and Electrolytes | 567 |
| I. Theories of Secretion of Water and Electrolytes by Salivary Glands | 567 |
| II. Formation of the Primary Saliva | 568 |
| 1. Evidence Concerning the Site or Sites of Fluid Secretion by Salivary Glands | 568 |
| 2. Control of Secretion and Innervation of Endpieces | 572 |
| 3. Composition of the Primary Secretion | 575 |
| a) Osmotic Activity | 575 |
| b) Electrolyte Concentrations | 578 |
| i) Bicarbonate | 578 |
| ii) Sodium | 579 |
| iii) Potassium | 579 |
| iv) Chloride | 580 |
| c) Organic Solutes | 580 |
| 4. The Unstimulated Endpiece Cell | 581 |
| 5. The Stimulated Endpiece Cell | 590 |
| a) Receptors and Receptor Pharmacology | 590 |
| b) The Secretory Potential and Associated Ionic Fluxes | 592 |
| i) Cholinergic Stimulation | 592 |
| ii) Adrenergic Stimulation | 597 |
| iii) Transients | 600 |
| c) Stimulus-Secretion Coupling. Calcium Ions and Cyclic Nucleotides | 600 |
| i) Mediation of α -Adrenergic and Cholinergic Responses | 601 |
| ii) Mediation of β -Adrenergic Responses | 603 |
| 6. Isotonic Fluid Transport | 606 |
| III. Ductal (Secondary) Modification of the Primary Secretion | 608 |
| 1. Flow Rate and Electrolyte Excretion Patterns in Final Saliva | 608 |
| a) Parasympathetic and Parasympathomimetic Stimulation | 608 |
| i) Sodium | 609 |
| ii) Potassium | 615 |
| iii) Bicarbonate | 616 |
| b) Sympathetic and Sympathomimetic Stimulation | 617 |
| c) Excretory Patterns for Calcium, Magnesium and Phosphate | 620 |
| i) Calcium | 620 |
| ii) Magnesium | 621 |
| iii) Phosphate | 621 |
| 2. Micropuncture and Perfusion Studies of Salivary Duct Function | 622 |
| a) Permeability Properties of Salivary Ducts | 625 |
| i) Sodium | 625 |
| ii) Potassium | 627 |

| | |
|---|-----|
| iii) Anions | 629 |
| iv) Water and Urea | 632 |
| b) Active Transport and Carrier-Mediated Passive Transport by Salivary Ducts | 633 |
| i) Minimum Requirements for Maintenance of Active Transport | 633 |
| ii) Sodium Reabsorption | 635 |
| iii) Potassium Secretion | 637 |
| iv) Transport of Bicarbonate or Protons | 639 |
| c) A Transport Model for the Duct Epithelium | 640 |
| 3. Innervation and Autonomic Control of Ductal Transport | 643 |
| 4. Endocrine Control of Ductal Transport | 648 |
| a) Mineralocorticoids | 648 |
| b) Angiotensin | 653 |
| c) Gastrointestinal Polypeptide Hormones and Related Substances | 653 |
| 5. Relative Roles of Granular, Striated, and Excretory Ducts in Saliva Formation | 654 |
| D. Transport of Proteins | 655 |
| I. Transport of Albumin | 656 |
| II. Transport of Immunoglobulin A (IgA) | 656 |
| III. Transport of Secretory Proteins | 657 |
| 1. Uptake of Amino Acids into Secretory Cells | 659 |
| 2. Intracellular Transport | 659 |
| 3. Discharge of Secretion Granules | 661 |
| IV. Control of Protein Secretion | 662 |
| 1. Control of Amylase Release | 662 |
| 2. Control of Mucoprotein Release | 663 |
| 3. Protein Secretion by Rodent Granular Duct Cells | 664 |
| References | 665 |
| Part II: Salt Glands | 675 |
| A. Introduction | 675 |
| B. Structure of Salt Glands | 677 |
| I. Microanatomy | 677 |
| II. Ultrastructure | 678 |
| C. Adaptation to Salt Loading | 680 |
| D. Neural and Hormonal Control of Salt Gland Secretion | 681 |
| E. Flow Rates and Electrolyte Concentrations | 682 |
| F. The Mechanism of Salt Secretion by the Tubular Endpiece | 683 |
| G. The Role of the Duct System | 689 |
| Acknowledgements | 690 |
| References | 690 |

| | |
|---|-----|
| Chapter 13 – Gastric Secretion (T.E. Machen and J.G. Forte) | 693 |
| A. Introduction | 693 |
| B. Morphological Features of Gastric Mucosa | 694 |
| I. Histology | 694 |
| II. Ultrastructure of the Oxyntic Cell | 697 |
| C. Ion Transport | 698 |
| I. General | 698 |
| II. H^+ Secretion | 699 |
| 1. Locus of H^+ Secretion | 699 |
| 2. Acid-Base Balance of Oxyntic Cells | 700 |
| 3. Anion Dependence of H^+ Secretion | 702 |
| 4. Cation Dependence of H^+ Secretion | 703 |
| III. Cl^- Transport | 704 |
| 1. Active Transport | 704 |
| 2. Exchange Diffusion | 706 |
| IV. Na^+ Absorption | 708 |
| D. Water Transport | 710 |
| I. Introduction | 710 |
| II. Diffusional Permeability to Water | 711 |
| III. Hydraulic Conductivity | 711 |
| IV. Water Flow During Secretion | 713 |
| 1. Hydrostatic Pressure and Ultrafiltration | 713 |
| 2. Endogenous HCl Gradients and Water Secretion | 714 |
| E. Electrophysiological Analyses of Gastric Transport | 716 |
| I. Electrogenic vs. Electroneutral H^+ and Cl^- Pumps | 716 |
| 1. The Electrogenic Hypothesis | 716 |
| 2. The Electroneutral Hypothesis | 719 |
| 3. Conclusions | 720 |
| II. Intracellular PDs | 721 |
| III. Permeability and Conductance Pathways | 722 |
| 1. Transcellular and Paracellular Conductances | 722 |
| 2. Cell Membrane Permeability Characteristics | 725 |
| IV. Black Box Model of Gastric Mucosa | 728 |
| F. Biochemical Basis of Gastric HCl Secretion | 729 |
| I. Metabolic Requirements | 729 |
| II. Redox Hypotheses | 731 |
| III. ATP Utilization Hypotheses | 733 |
| IV. The Search for Gastric ATPases | 734 |
| 1. HCO_3^- -Stimulated ATPase | 734 |
| 2. $(Na^+ + K^+)$ -ATPase | 735 |
| 3. K^+ -Stimulated ATPase | 735 |
| V. Transport Properties of Gastric Microsomal Vesicles | 737 |
| Acknowledgements | 743 |
| References | 743 |

Chapter 14 – Transport Across Small Intestine

| | |
|--|-----|
| (S.G. Schultz) | 749 |
| A. Introduction | 749 |
| B. The Paracellular Pathway | 749 |
| I. Permeability to Ions | 750 |
| II. Permeability to Nonelectrolytes | 754 |
| III. Electrophysiologic Implications | 755 |
| C. Active Sodium Transport | 758 |
| I. Paracellular Na Transport | 759 |
| II. Transcellular Na Transport | 760 |
| D. Relations Between Sodium Transport and the Transport of Other Solutes | 771 |
| I. Na-Coupled Sugar and Aminoacid Transport | 772 |
| II. Na-Coupled Cl Transport | 775 |
| E. Summary | 776 |
| References | 777 |

Chapter 15 – Transport in Large Intestine

| | |
|--|-----|
| (D.W. Powell) | 781 |
| A. Introduction | 781 |
| B. Water and Electrolyte Transport | 782 |
| I. Epithelial Properties | 782 |
| II. Sodium, Chloride, and Bicarbonate Transport | 785 |
| III. Potassium Transport | 789 |
| IV. Intestinal Secretion | 791 |
| V. Hormones and Electrolyte Transport | 793 |
| C. Weak Electrolyte Transport (Ammonia and Volatile Fatty Acids) | 795 |
| I. Nonionic Diffusion | 796 |
| II. Colonic Transport | 798 |
| III. Transport Models Based on the Small Intestine | 800 |
| D. Conclusion | 803 |
| Acknowledgements | 804 |
| References | 804 |

Chapter 16 – Transport Processes in the Exocrine Pancreas

| | |
|---|-----|
| (I. Schulz and K.J. Ullrich) | 811 |
| A. Introduction | 811 |
| B. Secretion of Electrolytes and Water | 812 |
| I. Stimulatory Processes | 812 |
| II. Fluid Secretion and Ionic Requirement | 815 |
| III. Flow-Dependent Concentration Pattern in the Secreted Fluid | 817 |
| IV. Local Transport Events as Revealed by Micropuncture and Microperfusion Techniques | 819 |

| | |
|--|-----|
| 1. Electrolytes and Water | 819 |
| 2. Electrical Potential Differences | 822 |
| V. Mechanism of Ion Secretion | 823 |
| 1. Buffer Secretion | 823 |
| a) What Buffer Components in the Perfusate Determine Buffer and Fluid Secretion | 823 |
| b) Sidedness of the Buffer Transport | 825 |
| 2. Secretion of Na ⁺ Ions | 826 |
| 3. Possible Mechanism of Buffer Secretion | 829 |
| C. Secretion of Enzymes | 831 |
| I. Transport Processes in the Acini Involved in Stimulus-Secretion Coupling | 831 |
| 1. Secretagogues of Enzyme Secretion | 831 |
| 2. Electrophysiological Measurements | 832 |
| 3. Role of Calcium Ions | 833 |
| II. Role of Cyclic AMP and Cyclic GMP in Stimulus-Secretion Coupling | 837 |
| III. Ca ⁺⁺ and Exocytosis of Secretory Granules | 839 |
| IV. Role of Microfilaments and Microtubules | 842 |
| D. Uptake of Amino Acids Used for Enzyme Synthesis | 843 |
| Acknowledgements | 845 |
| References | 845 |
| Chapter 17 – Transport in Gallbladder | |
| (L. Reuss) | 853 |
| A. Introduction | 853 |
| B. General Transport Properties | 854 |
| I. Morphology of the Gallbladder | 854 |
| II. Composition of Gallbladder Bile | 855 |
| III. General Characteristics of Salt and Water Transport | 856 |
| 1. Salt and Water Transport: Rate, Ion Dependency, Composition of the Transported Fluid | 857 |
| 2. Water Transport and Transmural Osmotic Gradients | 861 |
| 3. Metabolic and Pharmacologic Aspects of Transport | 862 |
| C. Mechanisms of Ion Transport | 863 |
| I. Black-Box Electrical Properties of the Gallbladder | 863 |
| 1. The Transepithelial Potential Difference | 863 |
| 2. The Transepithelial Electrical Resistance | 865 |
| 3. Overall Transepithelial Ionic Permeabilities | 866 |
| II. Demonstration of the Existence of a Paracellular Shunt Pathway | 867 |
| 1. Electrophysiological Evidence | 867 |
| 2. Morphological Evidence | 869 |
| III. Properties of the Shunt Pathway | 869 |
| 1. Physicochemical Characteristics of the Paracellular Pathway | 869 |
| a) Charge of the Pathway | 869 |
| b) Mobility of the Sites | 870 |
| c) Evidence for a Free-Solution Parallel Pathway | 870 |
| d) Effects of pH and Polyvalent Cations | 871 |
| e) Permeation of Nitrogenous Cations | 872 |
| 2. Role of the Lateral Intercellular Spaces in Passive Ion Permeation | 872 |

| | |
|--|-----|
| IV. Properties of the Epithelial Cell Membranes | 874 |
| 1. Electrophysiological Studies | 874 |
| a) Equivalent Circuit for Gallbladder Epithelium | 874 |
| b) Ionic Permeability of the Apical Membrane | 877 |
| c) Ionic Permeability of the Basolateral Membrane | 879 |
| 2. Tracer Analysis of Electrolyte Transport | 879 |
| 3. Role of the Lateral Intercellular Spaces in Ion Transport | 881 |
| 4. Relative Contributions of Cell Membranes and Shunt Pathway to Transepithelial Potential and Transepithelial Resistance Changes | 882 |
| a) Estimation of Shunt Ion Permeability Ratios from Transepithelial Measurements | 883 |
| b) Estimation of Cell Membrane Ion Permeability Ratios from Changes in Cell Membrane Potential | 884 |
| c) Effects of Transepithelial Osmotic Gradients on Potentials and Resistances | 885 |
| d) Effects of Transepithelial Current Pulses on Potentials and Resistances | 887 |
| e) Effects of Amphotericin B on Potentials and Resistances | 889 |
| D. Transport of Nonelectrolytes | 890 |
| E. Water Transport | 892 |
| 1. Local Osmosis Hypotheses | 892 |
| a) Three-Compartment Hypothesis | 892 |
| b) Standing-Gradient Osmotic Flow Hypothesis | 892 |
| c) Hypertonic Interspace Mechanisms with Leaky Junctions and Distributed Solute Input | 893 |
| d) Influence of Transport-Dependent Asymmetries in Fluid Composition | 894 |
| 2. Magnitude of the Hydraulic Conductivity of the Gallbladder | 894 |
| 3. Route of Water Flow | 895 |
| Acknowledgements | 896 |
| References | 896 |
| Chapter 18 – Transport of Ions in Liver Cells | |
| (M. Claret) | 899 |
| A. Introduction | 899 |
| B. Ionic Concentrations and Activities | 899 |
| C. Membrane Potential | 900 |
| D. Passive Fluxes | 902 |
| I. Distribution of Ions | 902 |
| II. Diffusion Fluxes | 902 |
| III. Facilitated Diffusion | 904 |
| 1. Ouabain-Insensitive Sodium Exchange | 904 |
| 2. Ouabain-Sensitive Sodium Exchange | 904 |
| 3. Potassium-Facilitated Diffusion | 904 |
| IV. Factors Affecting Sodium, Potassium, and Chloride Permeabilities | 905 |
| 1. Effect of Calcium on Permeability | 905 |
| a) Presumed Effect of Calcium on Permeability of Junctional Membrane | 905 |

| | |
|--|------------|
| b) Effect of External Calcium on Permeability | 906 |
| c) Effect of Internal Calcium on Permeability | 907 |
| 2. Effect of Foreign Anions on Membrane Permeability | 907 |
| 3. Effect of Temperature on Permeability | 907 |
| E. Active Transport of Sodium and Potassium | 908 |
| I. Ouabain-Sensitive Fluxes | 908 |
| II. Coupling Between Sodium and Potassium Movements | 909 |
| III. Stoichiometry of the Sodium-Potassium Pump | 910 |
| 1. Coupling Ratio Between Sodium and Potassium Fluxes | 910 |
| 2. Cation/ATP Ratio | 911 |
| IV. Contribution of the Electrogenic Sodium Pump to Membrane Potential . . | 912 |
| V. Energy Requirement for Sodium-Potassium Transport | 913 |
| 1. Measured Energy Requirement | 913 |
| 2. Theoretical Energy Requirement | 914 |
| F. Regulation of Cell Volume | 915 |
| G. Calcium Transport | 916 |
| Acknowledgements | 918 |
| References | 918 |
| Subject Index | 921 |