Contents

Part I Introduction and Overview	
Trends in Electronic Communication Switching Technologies By T. Aoki (With 2 Figures)	2
Trends in Photonic Science and Technology: Implications for Photonic Switching By P.W.E. Smith (With 9 Figures)	6
Role of Optical Amplifiers in Realizing All-Optical Communication Networks By K. Nakagawa (With 8 Figures)	14
Nonlinear Optical Devices for Photonic Switching By K. Kubodera (With 5 Figures)	23
Photonic Switching Fabrics Based on S-SEED Arrays By H.S. Hinton, F.B. McCormick, T.J. Cloonan, F.A.P. Tooley, A.L. Lentine, and S.J. Hinterlong (With 7 Figures)	30
Part II Electrically Controlled Switches	
Bandfilling or Stark Effect for Photonic Switching – A Comparison By O. Sahlén, L. Thylén, A. Karlsson, and U. Olin (With 2 Figures) .	42
	42
Electrorefractive Waveguide Devices Using Tunable Electron Density Quantum Wells By J.E. Zucker, M. Wegener, K.L. Jones, T.Y. Chang, N. Sauer, and D.S. Chemla (With 3 Figures)	46
Electrorefractive Waveguide Devices Using Tunable Electron Density Quantum Wells By J.E. Zucker, M. Wegener, K.L. Jones, T.Y. Chang, N. Sauer,	
Electrorefractive Waveguide Devices Using Tunable Electron Density Quantum Wells By J.E. Zucker, M. Wegener, K.L. Jones, T.Y. Chang, N. Sauer, and D.S. Chemla (With 3 Figures)	46
Electrorefractive Waveguide Devices Using Tunable Electron Density Quantum Wells By J.E. Zucker, M. Wegener, K.L. Jones, T.Y. Chang, N. Sauer, and D.S. Chemla (With 3 Figures)	46



VII

Design and Performance of Monolithic LD Optical Matrix Switches By S. Oku, K. Yoshino, M. Ikeda, M. Okamoto, and T. Kawakami (With 4 Figures)	58
Polarization and Wavelength Independent Four-Port Optical Routing Switch with Semiconductor Y-Junction Optical Cross-Points By K. Ueki, Y. Kamata, and H. Yanagawa (With 6 Figures)	62
4 × 4 GaAs/AlGaAs Optical Matrix Switches with Electro-Optic Guided-Wave Directional Couplers By K. Komatsu, M. Sugimoto, A. Ajisawa, K. Hamamoto, Y. Kohga, and A. Suzuki (With 3 Figures)	67
Photonic Spatial Logic Operations Using a Beam Scanning Laser Diode By H. Itoh, S. Mukai, M. Watanabe, M. Mori, and H. Yajima (With 6 Figures)	72
Cross-Coupled Lateral Modes in a Twin-Stripe Laser: Analysis Leading to the Mechanism and Bistability By M. Watanabe, I.H. White, and J.E. Carroll (With 3 Figures)	76
Low Drive Voltage Directional Coupler Optical Switch with Reduced Voltage-Length Product By H. Okayama, T. Ushikubo, and T. Ishida (With 4 Figures)	80
A Broadband, Low Driving Voltage 2 x 2 Ti:LiNbO ₃ Optical Switch By T. Nozawa, M. Yanagibashi, H. Miyazawa, K. Kawano, and H. Jumonji (With 5 Figures)	84
Asymmetric Mach-Zehnder Band Modulator with Phase Reversed Traveling-Wave Electrode By Yi Zhou, M. Izutsu, and T. Sucta (With 3 Figures)	88
Polarization Beam Splitter Switch with Controlled Silica Waveguide Birefringence on Si Substrate By M. Okuno, N. Takato, M. Kawachi, and A. Sugita (With 3 Figures)	92
Part III Optically Controlled Switches	
Light-Controlled Optical Modulation by Quantum Well Structure By S. Noda, T. Uemura, T. Yamashita, and A. Sasaki (With 3 Figures)	98
All-Optical Multiple Quantum Well Grating Switch By Y. Shibata, M. Ikeda, K. Nakashima, T. Tamamura, and T. Nishida (With 6 Figures)	102
All-Optical Set-Reset Operation of a Bistable Laser Diode at a Repetition Rate of 100 MHz By P. Blixt and U. Öhlander (With 2 Figures)	106

Electrically and Optically Controlled p-i(MQW)-n Vertical Coupler Switch with Electro-Optic Feedback By J.A. Cavaillès, M. Erman, K. Woodbridge, and A. Goutelle (With 4 Figures)	110
Side-Diode-Injection Laser for Optical Logic By S. Wakabayashi, T. Tsuruta, K. Idota, Y. Takeuchi, M. Ohshima, and Y. Toyoda (With 4 Figures)	114
Optical Flip-Flops Using Two Nonlinear Etalons By H. Tsuda, Y. Sakai, and T. Kurokawa (With 5 Figures)	118
An Erbium-Doped Fiber Active Switch Controlled by Coded Pump Light By Y. Sato, K. Aida, and K. Nakagawa (With 4 Figures)	122
Demonstration of 50 Gb/s All-Optical Kerr Demultiplexing Utilizing Pump-Probe Pulse Walk-off in Optical Fibers By T. Morioka, M. Tsukada, and M. Saruwatari (With 4 Figures)	126
Ultrafast, Low Power, and Highly Stable All-Optical Switching in an All Polarization Maintaining Fiber Sagnac Interferometer By M. Jinno and T. Matsumoto (With 3 Figures)	130
Optical Bistability in a Tapered Multimode Fiber with a Nonlinear Overlay By P.C. Subramaniam (With 3 Figures)	134
Ultrafast Switching Using Two-Color Soliton Collisions By S.R. Friberg and W. Jiang (With 3 Figures)	138
Part IV Free-Space Devices	
Two-Dimensional Array Microlasers for Photonic Switching By J.L. Jewell, Y.H. Lee, S.L. McCall, A. Scherer, J.P. Harbison, L.T. Florez, N.A. Olsson, R.S. Tucker, C.A. Burrus, C.J. Sandroff, A.C. Gossard, and J.H. English (With 11 Figures)	144
Top-Surface-Emitting GaAs Four-Quantum-Well Lasers Emitting at $0.85 \mu m$ By Y.H. Lee, B. Tell, K. Brown-Goebeler, J.L. Jewell, and J.M.V. Hove (With 2 Figures)	155
Photonic Parallel Memory By K. Matsuda, J. Shibata, and T. Kajiwara (With 9 Figures)	159
Realization of a Graded-Threshold Function Using an AlGaAs/GaAs pnpn Optical Switch By K. Hara, K. Kojima, K. Mitsunaga, and K. Kyuma	
(With 6 Figures)	167

By D. Ronaldson, H.A. MacKenzie, J.I.L. Hughes, and A. Iltaif (With 3 Figures)	171
Demonstration of Optical Gating Using a Semiconductor-Doped Glass Etalon By H. Kobayashi, H. Kanbara, and K. Kubodera (With 4 Figures)	175
InGaAs/InP MQW Modulators with Enhanced Performance: Symmetrical Coupled Wells and Double-Sided Epitaxy By M.A.Z. Rejman-Greene and E.G. Scott (With 6 Figures)	179
Photonic Switching and SEED Effect in AlGaAs/GaAs DFB Structures Grown by MOVPE By S. Zumkley, G. Wingen, F. Scheffer, W. Prost, and D. Jäger (With 5 Figures)	185
Improving the Performance of Large Arrays of Symmetric Self Electro-optic Effect Devices By L.M.F. Chirovsky, L.A. D'Asaro, J.M. Freund, R.F. Kopf, J.M. Kuo, A.L. Lentine, and T. Sizer, II (With 3 Figures)	190
Part V Free-Space Switching	
A 3D Crossover Switching Network Based on S-SEED Arrays By T.J. Cloonan, F.B. McCormick, M.J. Herron, F.A.P. Tooley, G.W. Richards, E. Kerbis, J.L. Brubaker, and A.L. Lentine (With 3 Figures)	196
By T.J. Cloonan, F.B. McCormick, M.J. Herron, F.A.P. Tooley, G.W. Richards, E. Kerbis, J.L. Brubaker, and A.L. Lentine (With 3 Figures)	196 200
By T.J. Cloonan, F.B. McCormick, M.J. Herron, F.A.P. Tooley, G.W. Richards, E. Kerbis, J.L. Brubaker, and A.L. Lentine (With 3 Figures)	
By T.J. Cloonan, F.B. McCormick, M.J. Herron, F.A.P. Tooley, G.W. Richards, E. Kerbis, J.L. Brubaker, and A.L. Lentine (With 3 Figures)	200
By T.J. Cloonan, F.B. McCormick, M.J. Herron, F.A.P. Tooley, G.W. Richards, E. Kerbis, J.L. Brubaker, and A.L. Lentine (With 3 Figures)	200

Multistage Interconnection Networks and d-Dimensional Architectures By J. Giglmayr (With 3 Figures)	220
Part VI Wavelength-Based Devices	
Frequency Conversion by Four-Wave-Mixing in LD Amplifiers By G. Großkopf, R. Ludwig, R. Schnabel, N. Schunk, and H.G. Weber (With 7 Figures)	226
Gigabit Operation of a Wavelength-Conversion Laser By K. Kondo, H. Nobuhara, S. Yamakoshi, and K. Wakao (With 4 Figures)	233
Spectral Bistability in Multielectrode DFB Lasers By J. Jacquet, M. Sotom, O. Audouin, D. Leclerc, JM. Gabriagues, and J. Benoit (With 4 Figures)	237
Tunable Fiber Ring Lasers with an Electrically Accessible Acousto-optic Filter By S. Oshiba, T. Kamijoh, and Y. Kawai (With 3 Figures)	241
Integrated Optical Switches for Wavelength-Division-Multiplex Communication Using Collinear Acousto-optic Interactions By Y. Kanayama, N. Goto, and Y. Miyazaki (With 5 Figures)	245
Part VII Wavelength-Based Switching	
Optical FDM Technologies for Future Lightwave Networks By K. Nosu and H. Toba (With 4 Figures)	250
Lightwave Frequency-Controlling Technologies for FDM Switching Star Network By S. Ohshima and M.S. Nakamura (With 3 Figures)	254
Dynamic Wavelength Tuning for Broadband Optical Packet Switching By M.S. Goodman and H. Kobrinski (With 5 Figures)	258
Dense FDM Coherent Optical Switching System By B. Glance and O. Scaramucci (With 9 Figures)	266
An Optical Phase-Locked Loop Using an Acousto-optic Frequency Shifter By J. Nishikido and A. Himeno (With 4 Figures)	274
A 2.5 Gb/s Optical FDM Switch Experiment with a 15,000 GHz Tuning Range By M.A. Santoro, K.Y. Eng, J. Stone, and T.L. Koch (With 2 Figures)	278

Application of Optical FSK Signals o Wavelength-Division Switching Systems By M. Nishio, S. Suzuki, T. Numai, and M. Fujiwara (With 6 Figures)	282
Photonic Wavelength-Division Switching Network Using a Parallel λ-Switch By M. Nishio and S. Suzuki (With 5 Figures)	286
Part VIII Self-Routing Switching	
Ultrafast Photonic Packet Switch with Optical Output Buffer By Y. Shimazu, M. Tsukada, and S. Kikuchi (With 4 Figures)	292
Photonic ATM Switching Network By S. Kuroyanagi, T. Shimoe, and K. Murakami (With 6 Figures)	296
ATM Photonic Switching Node Architecture Based on Frequency Switching Techniques By A. de Bosio, P. Cinato, B. Costa, A. Daniele, and E. Vezzoni (With 2 Figures)	300
A New Timing Architecture for Optical ATM Switching Systems By Y. Takahashi and E. Amada (With 3 Figures)	304
All-Optical Self-Routing Crossbar Switch By M. Hashimoto, M. Fukui, and K. Kitayama (With 5 Figures)	308
Photonic Lattice Type Self-Routing Switching Network By N. Ogino and M. Fujioka (With 3 Figures)	312
Part IX Space-Division Switching	
Lithium Niobate Devices and Their Role in Photonic Switching By M. Izutsu, N.F. Whitehead, K. Murakami, R.A. Thompson, L. Thylén, M. Kondo, and G.L. Tangonan (With 2 Figures)	318
Size, Transparency and Control in Optical Space Switch Fabrics: A 16×16 Single Chip Array in Lithium Niobate and Its Applications By P.J. Duthie, M.J. Wale, and I. Bennion (With 5 Figures)	329
Photonic SD-Switching for Subscriber Networks in B-ISDN By T. Matsunaga, M. Yamaguchi, and M. Okuno (With 3 Figures)	334
High-Isolation Optoelectronic Switch Matrix By M.C. Veilleux, R.I. MacDonald, F. Gouin, and J. Noad (With 1 Figure)	338
Optical Switches Using Liquid Crystals By T. Kurokawa and T. Yoshizawa (With 5 Figures)	342

By L.R. McAdams and J.W. Goodman (With 3 Figures)	346
AlGaAs Grating Surface-Emitting Beam Deflector for a 1 x N Space-Division Optical Switch By K. Yamashita, H. Nagata, Y. Kuroda, and K. Tone (With 3 Figures)	350
Application of Single-Stage Electronic Networks Concepts to Photonic Switching By A. Jajszczyk (With 6 Figures)	354
Two-Dimensional Photonic Switching Network Using Waveguide Optics By S. Suzuki and J.W. Goodman (With 4 Figures)	358
Part X Systems Considerations	
Multidimensional Photonic Switches By N.J. Parsons, N.F. Whitehead, and M. Erman (With 7 Figures)	364
Photonic Switching Network Utilizing Wavelength Multiplexing By M. Miyagi and M. Akiyama (With 2 Figures)	370
High-Frequency Operation of an All-Optical Synchronization Circuit By K. Takayama, K. Habara, and A. Himeno (With 4 Figures)	374
Consideration of Optical Channel Number and Data/Frame Phase Tolerance for the Photonic Ring Highway By N. Fujimoto, H. Rokugawa, K. Yamaguchi, T. Nakagami, and S. Yamakoshi (With 4 Figures)	378
Line Capacity Consideration for a Photonic Space-Division Switching System with Switch Matrices and Optical Amplifiers By M. Fujiwara, S. Suzuki, and H. Nishimoto (With 5 Figures)	382
Optical Switched-Star Networks for Computer-System Interconnection By A. Varma (With 3 Figures)	386
Optoelectronic Switching for Radar Steering By G.L. Tangonan, W. Ng, W. Walston, and J.J. Lee (With 2 Figures)	391
Index of Contributors	395