
Contents

1	INTRODUCTION	1
	References	10
2	INTRODUCTORY BACKGROUND	15
2.1	Euler-Lagrange equations	15
2.1.1	Definite integrals	15
2.1.2	Variable domain of integration	17
2.2	Descent methods for unconstrained optimization	20
2.2.1	Real functions	20
2.2.2	Integral functionals	20
2.3	Level sets	22
2.4	Optical flow	25
2.4.1	The gradient equation	25
2.4.2	The Horn and Schunck formulation	26
2.4.3	The Aubert, Kornprobst, and Deriche formulation	28
2.4.4	Optical flow of rigid body motion	28
	References	31
3	BASIC METHODS	33
3.1	The Mumford and Shah model	33
3.1.1	Bayesian interpretation	34
3.1.2	Graduated non convexity implementation	35
3.2	The minimum description length method of Leclerc	36
3.2.1	MDL and MAP	36
3.2.2	The piecewise constant image model	37
3.2.3	Numerical implementation	39
3.3	The region competition algorithm	40
3.3.1	Optimization	41
3.4	A level set formulation of the piecewise constant Mumford-Shah model	45
3.4.1	Curve evolution minimization of the Chan-Vese functional	46

3.4.2	Level set representation of curve evolution	48
3.4.3	Algorithm summary	49
3.4.4	Numerical implementation details of the level set evolution equation	50
3.5	Edge-based approaches	51
3.5.1	The Kass-Witkin-Terzopoulos Snakes model	51
3.5.2	The Geodesic active contour	52
3.5.3	Examples	54
	References	57
4	MULTIREGION SEGMENTATION	59
4.1	Introduction	59
4.2	Multiregion segmentation using a partition constraint functional term	61
4.3	Multiphase level set image segmentation	62
4.4	Level set multiregion competition	66
4.4.1	Representation of a partition into a fixed but arbitrary number of regions	66
4.4.2	Curve evolution equations	67
4.4.3	Level set implementation	69
4.5	Multiregion level set segmentation as regularized clustering	70
4.5.1	Curve evolution equations	71
4.5.2	Level set implementation	73
4.6	Embedding a partition constraint directly in the minimization equations	74
4.6.1	Two-region segmentation: first order analysis	74
4.6.2	Extension to multiregion segmentation	76
4.6.3	Example	78
	References	80
5	IMAGE MODELS	83
5.1	Introduction	83
5.2	Segmentation by maximizing the image likelihood	84
5.2.1	The Gaussian model	85
5.2.2	The Gamma image model	89
5.2.3	Generalization to distributions of the exponential family	91
5.2.4	The Weibull image Model	93
5.2.5	The Complex Wishart Model	95
5.2.6	MDL interpretation of the smoothness term coefficient	98
5.2.7	Generalization to multiregion segmentation	99
5.2.8	Examples	101
5.3	Maximization of the mutual information between the segmentation and the image	104
5.3.1	Curve evolution equation	106
5.3.2	Statistical interpretation	108
5.3.3	Algorithm summary	108

5.4	Segmentation by maximizing the discrepancy between the regions image distributions	109
5.4.1	Statistical interpretation	110
5.4.2	The kernel width	110
5.4.3	Algorithm summary	111
5.4.4	Example	111
5.5	Image segmentation using a region reference distribution	111
5.5.1	Statistical interpretation	113
5.5.2	Summary of the algorithms	114
5.5.3	Example	114
5.6	Segmentation with an overlap prior	114
5.6.1	Statistical interpretation	117
5.6.2	Example	117
	References	120
6	REGION MERGING PRIORS	123
6.1	Introduction	123
6.2	Definition of a region merging prior	125
6.3	A minimum description length prior	126
6.4	An entropic region merging prior	126
6.4.1	Entropic interpretation	127
6.4.2	Segmentation functional	127
6.4.3	Minimization equations	128
6.4.4	A region merging interpretation of the level set evolution equations	130
6.4.5	The weight of the entropic prior	130
6.5	Example	132
6.5.1	Segmentation with the entropic region merging prior	132
6.5.2	Segmentation with the MDL region merging prior	133
6.5.3	Computation time	133
	References	137
7	MOTION BASED IMAGE SEGMENTATION	139
7.1	Introduction	139
7.2	Piecewise constant MDL estimation and segmentation of optical flow	141
7.2.1	Numerical implementation	143
7.2.2	Example	145
7.3	Joint segmentation and linear parametric estimation of optical flow	145
7.3.1	Formulation	147
7.3.2	Functional minimization	151
7.3.3	Level set implementation	155
7.3.4	Multiregion segmentation	155
7.3.5	Examples	155
	References	158

8	IMAGE SEGMENTATION ACCORDING TO THE MOVEMENT OF REAL OBJECTS	161
8.1	Introduction	161
8.2	The functionals	164
8.3	Minimization of $\mathcal{E}_1$	166
8.3.1	Minimization with respect to the screws of motion	166
8.3.2	Minimization with respect to depth	167
8.3.3	Minimization with respect to the active curve	167
8.3.4	Algorithm	168
8.3.5	Uncertainty of scale in 3D interpretation	168
8.3.6	Multiregion segmentation	169
8.3.7	Example	169
8.4	Minimization of $\mathcal{E}_2$	169
8.4.1	Minimization with respect to the essential parameter vectors	169
8.4.2	Minimization with respect to optical flow	171
8.4.3	Minimization with respect to γ	171
8.4.4	Recovery of regularized relative depth	171
8.4.5	Algorithm	172
8.4.6	Example	173
8.5	Minimization of $\mathcal{E}_3$	174
8.5.1	Example	175
	References	178
9	APPENDIX	181
9.1	The Horn and Schunck optical flow estimation algorithm	181
9.1.1	Iterative resolution by the Jacobi and Gauss-Seidel iterations	183
9.1.2	Evaluation of derivatives	184
9.2	The Aubert, Deriche, and Kornprobst algorithm	184
9.3	Construction of stereoscopic images of a computed 3D interpretation	186
	References	188
	Index	189