

Contents

1. Introduction	1
A. Historical Background	1
B. Theoretical Background	2
1. The Repulsion Law	2
2. Effective Bond Length Ratios	3
3. Repulsion Energy Coefficients	5
4. Multidentate Ligands	5
5. Trigonometry	6
2. Polyhedra	7
A. Classic Geometric Polyhedra	7
1. Regular Polyhedra	8
2. Semiregular Polyhedra	9
a) The Prisms	9
b) The Antiprisms	9
c) Thirteen Archimedean Polyhedra	10
3. Non-uniform Polyhedra	10
a) Pyramids, Bipyramids, Capped Prisms, and Capped Antiprisms	11
b) Cupolas and Bicutopas	11
c) Diminished Icosahedra	14
d) Five Unique Polyhedra	14
B. Chemical Coordination Polyhedra	15
1. Distortions Arising from Different Sized Faces	15
2. Distortion of Non-spherical Polyhedra to Spherical Polyhedra	16
3. Some Additional Polyhedra	17
4. Distortion Resulting from Chelate Groups	18
5. Small Bond-length Distortions	20

3. Four-Coordinate Compounds	22
A. Tetrahedral $[M(\text{unidentate } A)(\text{unidentate } B)_3]$	22
1. p-Block Elements Connected by Single Bonds	22
2. p-Block Elements Connected by Multiple Bonds	24
3. Compounds Containing a Non-Bonding Pair of Electrons	26
4. Atoms Bonded to Transition Metal Ions	29
5. Transition Metal Complexes	29
B. Tetrahedral $[M(\text{unidentate } A)_2(\text{unidentate } B)_2]$	29
1. p-Block Elements Connected by Single Bonds	30
2. p-Block Elements Connected by Multiple Bonds	30
3. Transition Metal Complexes	31
C. A Comment on Square-Planar Complexes and the <i>trans</i> -Influence	31
D. Tetrahedral $[M(\text{bidentate})(\text{unidentate})_2]$	34
4. Five-Coordinate Compounds Containing only Unidentate Ligands	36
A. $[M(\text{unidentate})_5]$	36
B. $[M(\text{unidentate } A)(\text{unidentate } B)_4]$	41
1. Axially Substituted Trigonal Bipyramid, T_1	42
2. Equatorially Substituted Trigonal Bipyramid, T_0	45
3. Axially Substituted Square Pyramid, S_2	47
4. $[M(\text{lone pair})(\text{unidentate})_4]$, Stereochemistry T_0	47
C. $[M(\text{unidentate } A)_2(\text{unidentate } B)_3]$	47
1. Bi(Axially Substituted) Trigonal Bipyramid, T_1	48
2. Bi(Equatorially Substituted) Trigonal Bipyramid, T_0	49
3. Square Pyramid, S_2	51
5. Five-Coordinate Compounds Containing Chelate Groups	52
A. $[M(\text{bidentate})(\text{unidentate})_3]$	52
1. The Theoretical Stereochemistries	52
2. Comparison with Experiment	54
B. $[M(\text{bidentate})_2(\text{unidentate})]$	56
1. The Theoretical Stereochemistries	56
a) Symmetrical Structures	57
b) Unsymmetrical Structures	58
2. Comparison with Experiment	59
C. $[M(\text{tridentate})(\text{unidentate})_2]$	65
1. The Theoretical Stereochemistries	65
2. Comparison with Experiment	66

6. Six-Coordinate Compounds Containing only Unidentate Ligands	70
A. $[M(\text{unidentate A})(\text{unidentate B})_5]$	70
B. $[M(\text{unidentate A})_2(\text{unidentate B})_4]$	73
1. The Theoretical Stereochemistries	73
2. Comparison with Experiment	73
3. Copper(II) Complexes	77
C. $[M(\text{unidentate A})_3(\text{unidentate B})_3]$	78
7. Six-Coordinate Compounds $[M(\text{Bidentate})_2(\text{Unidentate})_2]$	79
A. Relative Stability of <i>cis</i> - and <i>trans</i> -Octahedral Complexes	79
B. Angular Distortions in <i>cis</i> -Octahedral Complexes	82
C. Bond-length Distortions in <i>cis</i> -Octahedral Complexes	83
D. Distortion of the <i>trans</i> -Octahedral Structure to the Skew-Trapezoidal Bipyramidal Structure	86
E. Bis(dithiochelate) Complexes of Selenium (II) and Tellurium (II)	88
F. Unsymmetrical Bidentate Ligands	89
G. Pentagonal Pyramidal $[M(\text{bidentate})_2(\text{unidentate A})(\text{unidentate B})]$ Complexes	91
8. Six-Coordinate Compounds $[M(\text{Bidentate})_3]$	92
A. The Theoretical Stereochemistry	92
B. Crystal Structures of 158 Complexes	93
C. Distortions to Lower Symmetry	98
D. Manganese (III) and Copper (II) Complexes	98
E. Dithiolate Complexes	102
F. Some Exceptional Structures	103
G. Some Comments on Ligand Design	104
H. Intramolecular Rearrangements	107
I. Unsymmetrical Bidentate Ligands	109
J. $[M(\text{bidentate A})(\text{bidentate B})_2]$	109
9. Six-Coordinate Compounds Containing Tridentate Ligands	112
A. $[M(\text{tridentate})(\text{unidentate})_3]$	112
B. $[M(\text{tridentate})_2]$	114

10. Seven-Coordinate Compounds Containing only Unidentate Ligands	117
A. Six Symmetrical Structures	117
B. Relations Between the Pentagonal Bipyramid, Capped Octahedron, and Capped Trigonal Prism	118
C. Comparison with Experiment	122
D. $[M(\text{unidentate } A)_6(\text{unidentate } B)]$	123
E. $[M(\text{unidentate})_6(\text{lone pair})]$	125
F. $[M(\text{unidentate } A)_5(\text{unidentate } B)_2]$	128
G. $[M(\text{unidentate } A)_4(\text{unidentate } B)_3]$	129
11. Seven-Coordinate Compounds Containing Chelate Groups	130
A. $[M(\text{bidentate})(\text{unidentate})_5]$	130
1. Introduction	130
2. Stereochemistry A	132
3. Stereochemistries B and C	133
4. Stereochemistry D	134
5. Comparison with Experiment	134
B. $[M(\text{bidentate})_2(\text{unidentate})_3]$	138
1. The Theoretical Stereochemistries	138
2. Comparison with Experiment	143
C. $[M(\text{bidentate})_3(\text{unidentate})]$	145
1. The Theoretical Stereochemistries	145
2. Comparison with Experiment	147
12. Eight-Coordinate Compounds Containing only Unidentate Ligands	152
A. Seven Symmetrical Structures	152
B. The Square Antiprism	152
C. The Dodecahedron	153
D. Relations Between the Square Antiprism, Dodecahedron, and Cube	155
E. $[M(\text{unidentate } A)_4(\text{unidentate } B)_4]$	158
F. $[M(\text{unidentate } A)_2(\text{unidentate } B)_6]$	160
13. Eight-Coordinate Compounds Containing Chelate Groups	162
A. $[M(\text{bidentate})_2(\text{unidentate})_4]$	162
B. $[M(\text{bidentate})_3(\text{unidentate})_2]$	167
C. $[M(\text{bidentate})_4]$	168

1. The Theoretical Stereochemistries	168
2. Comparison with Experiment	170
3. Some Exceptional Structures	176
4. Further Comments on Ligand Design	177
14. Nine-Coordinate Compounds	179
A. $[M(\text{unidentate})_9]$	179
B. $[M(\text{bidentate})_3(\text{unidentate})_3]$	182
C. $[M(\text{bidentate})_4(\text{unidentate})]$	183
D. $[M(\text{tridentate})_3]$	186
15. Ten-Coordinate Compounds	188
A. $[M(\text{unidentate})_{10}]$	188
B. $[M(\text{bidentate})_5]$	189
1. The Theoretical Stereochemistries	189
2. Comparison with Experiment	190
16. Twelve-Coordinate Compounds	194
A. $[M(\text{unidentate})_{12}]$	194
B. $[M(\text{bidentate})_6]$	195
References	199
Subject Index	225