

Contents

|                                                               |     |
|---------------------------------------------------------------|-----|
| Kurzfassung                                                   | vii |
| Abstract                                                      | ix  |
| Acknowledgments                                               | xi  |
| 1 Introduction                                                | 1   |
| 1.1 Internet of Things and Smart Grid . . . . .               | 1   |
| 1.2 Smart Grid Network . . . . .                              | 2   |
| 1.3 Applications in Distribution Network . . . . .            | 6   |
| 1.3.1 Automatic Meter Infrastructure . . . . .                | 6   |
| 1.3.2 Demand Side Management . . . . .                        | 7   |
| 1.3.3 Distribution Grid Management . . . . .                  | 8   |
| 1.3.4 Wide-Area Monitoring, Protection and Control . . . . .  | 8   |
| 1.3.5 Electric Vehicles . . . . .                             | 9   |
| 1.3.6 Distributed Energy Resources . . . . .                  | 9   |
| 1.4 DER Integration and Virtual Power Plants . . . . .        | 10  |
| 1.5 Key Wireless Technologies for NAN communication . . . . . | 11  |
| 1.5.1 Long-Term Evolution . . . . .                           | 11  |
| 1.5.2 LTE and LPWA networks . . . . .                         | 12  |
| 1.5.3 IEEE 802.15.4 . . . . .                                 | 13  |
| 1.5.4 IEEE 802.11 . . . . .                                   | 14  |
| 1.5.5 LoRaWAN . . . . .                                       | 16  |
| 1.6 Motivation . . . . .                                      | 16  |
| 1.7 Thesis Key Contributions . . . . .                        | 18  |
| 1.7.1 Thesis Outline . . . . .                                | 19  |

|          |                                                                      |           |
|----------|----------------------------------------------------------------------|-----------|
| <b>2</b> | <b>The Grid Forming Inverters Scenario</b>                           | <b>21</b> |
| 2.1      | Introduction . . . . .                                               | 21        |
| 2.2      | Microgrid: A roadmap to clean energy . . . . .                       | 22        |
| 2.3      | Microgrid architecture . . . . .                                     | 23        |
| 2.4      | VPP: A roadmap to resilient power systems . . . . .                  | 24        |
| 2.5      | Advanced Metering Infrastructure . . . . .                           | 25        |
| 2.6      | The Overall Picture . . . . .                                        | 28        |
| 2.7      | Density Estimation . . . . .                                         | 28        |
| 2.8      | Challenges in the NAN Scenario . . . . .                             | 33        |
| 2.8.1    | Network Scalability . . . . .                                        | 33        |
| 2.8.2    | The Hidden Node Problem . . . . .                                    | 34        |
| 2.8.3    | Network Coverage . . . . .                                           | 35        |
| 2.9      | Coverage Analysis based on Propagation Loss Models . . . . .         | 35        |
| 2.10     | Conclusion . . . . .                                                 | 38        |
| <br>     |                                                                      |           |
| <b>3</b> | <b>Wireless Propagation Loss Model for Neighborhood Area Network</b> | <b>41</b> |
| 3.1      | Why New Model? . . . . .                                             | 41        |
| 3.2      | Measurement Strategy . . . . .                                       | 45        |
| 3.2.1    | Locations of the Comparative Measurements . . . . .                  | 46        |
| 3.2.2    | Locations of the Additional Basements . . . . .                      | 49        |
| 3.2.3    | Measurement Equipment . . . . .                                      | 50        |
| 3.2.4    | Measurement Procedure . . . . .                                      | 53        |
| 3.3      | Analysis of the Measurements . . . . .                               | 56        |
| 3.3.1    | The ET Building . . . . .                                            | 56        |
| 3.3.2    | Additional Basements . . . . .                                       | 59        |
| 3.3.3    | Path Loss Estimation . . . . .                                       | 63        |
| 3.4      | Proposal of Path Loss Model for SG NANs . . . . .                    | 65        |
| 3.5      | Conclusion . . . . .                                                 | 68        |
| <br>     |                                                                      |           |
| <b>4</b> | <b>IEEE 802.11ah for Smart Grid</b>                                  | <b>69</b> |
| 4.1      | Introduction . . . . .                                               | 69        |
| 4.2      | IEEE 802.11: WLAN to LPWAN . . . . .                                 | 71        |

|          |                                                                                |            |
|----------|--------------------------------------------------------------------------------|------------|
| 4.3      | Medium Access Control in IEEE 802.11ah . . . . .                               | 72         |
| 4.3.1    | Restricted Access Window (RAW) . . . . .                                       | 72         |
| 4.3.1.1  | Generic RAW . . . . .                                                          | 74         |
| 4.3.1.2  | Trigger Frame RAW . . . . .                                                    | 75         |
| 4.3.2    | Periodic Restricted Access Window Operation . . . . .                          | 80         |
| 4.3.3    | Hierarchical Addressing Mechanism . . . . .                                    | 80         |
| 4.3.4    | Page Slicing Mechanism . . . . .                                               | 81         |
| 4.4      | Physical Layer in IEEE 802.11ah . . . . .                                      | 83         |
| 4.5      | Conclusion . . . . .                                                           | 87         |
| <b>5</b> | <b>Evaluation of IEEE 802.11ah in Neighborhood Area Networks of Smart Grid</b> | <b>89</b>  |
| 5.1      | Introduction . . . . .                                                         | 89         |
| 5.2      | Related Work . . . . .                                                         | 90         |
| 5.3      | Theoretical Assessment of the Network . . . . .                                | 94         |
| 5.3.1    | Transmission Time of a Packet . . . . .                                        | 99         |
| 5.3.2    | Maximum Number of Devices in Ideal Network . . . . .                           | 100        |
| 5.4      | Network Slicing Operation . . . . .                                            | 103        |
| 5.5      | Network Simulation . . . . .                                                   | 110        |
| 5.5.1    | Propagation model in network simulations . . . . .                             | 111        |
| 5.6      | Impact of Network Density . . . . .                                            | 113        |
| 5.7      | Impact of Packet Rate . . . . .                                                | 120        |
| 5.7.1    | Unidirectional SG Applications . . . . .                                       | 120        |
| 5.7.2    | Bidirectional SG Applications . . . . .                                        | 122        |
| 5.7.2.1  | Raw Grouping and Sectorization . . . . .                                       | 123        |
| 5.7.3    | Page Slicing and Sectorization . . . . .                                       | 127        |
| 5.8      | Conclusion . . . . .                                                           | 130        |
| <b>6</b> | <b>Conclusion</b>                                                              | <b>133</b> |
| 6.1      | Summary . . . . .                                                              | 133        |
| 6.2      | Future Work . . . . .                                                          | 135        |
| <b>A</b> | <b>Sub-1 GHz Antennas</b>                                                      | <b>137</b> |

|                                                               |            |
|---------------------------------------------------------------|------------|
| <b>B Additional Information</b>                               | <b>139</b> |
| B.1 Algorithms . . . . .                                      | 139        |
| B.2 Additional Plots from Impact of Network Density . . . . . | 145        |
| B.3 Additional Plots from Impact of Packet Rate . . . . .     | 146        |
| B.3.1 Unidirectional Applications . . . . .                   | 146        |
| B.3.2 Bidirectional Applications . . . . .                    | 148        |
| <b>List of Abbreviations</b>                                  | <b>151</b> |
| <b>List of Figures</b>                                        | <b>157</b> |
| <b>List of Tables</b>                                         | <b>161</b> |
| <b>List of Algorithms</b>                                     | <b>163</b> |
| <b>Glossary</b>                                               | <b>165</b> |
| <b>Bibliography</b>                                           | <b>167</b> |
| <b>Curriculum Vitae</b>                                       | <b>191</b> |