

# Table of Contents

|                                                                        |           |
|------------------------------------------------------------------------|-----------|
| <b>PROJECT OVERVIEW</b>                                                | <b>1</b>  |
| <b>THE TRANSFER OF SOLID MODELS</b>                                    | <b>3</b>  |
| <b>1. Introduction</b>                                                 | <b>3</b>  |
| 1.1 The evolution of concepts and specifications for CAD data exchange | 3         |
| 1.1.1 IGES                                                             | 3         |
| 1.1.2 Other standards: VDAFS and SET                                   | 5         |
| 1.1.3 The need for a new standard                                      | 6         |
| 1.2 Solid modelling techniques                                         | 6         |
| <b>2. The CAD*I approach to solid model transfer</b>                   | <b>11</b> |
| 2.1 General principles                                                 | 11        |
| 2.2 The specification tools                                            | 12        |
| 2.2.1 Features of the CAD*I specification language HDSL                | 12        |
| 2.2.2 The specification language for the physical file format          | 13        |
| 2.3 Specification of the CAD*I reference model                         | 13        |
| 2.3.1 Content                                                          | 14        |
| 2.3.1.1 Attribute types for general use                                | 14        |
| 2.3.1.2 General data base structure                                    | 14        |
| 2.3.1.3 Referencing mechanisms                                         | 14        |
| 2.3.1.4 Geometric model entities                                       | 14        |
| 2.3.1.5 Solid models                                                   | 17        |
| 2.3.1.6 General grouping mechanism                                     | 17        |
| 2.3.1.7 Test data elements                                             | 18        |
| 2.3.1.8 Miscellaneous                                                  | 18        |
| 2.3.1.9 Parametric modelling                                           | 18        |
| 2.3.2 Static models and parametric models                              | 18        |
| 2.4 Implementation levels                                              | 21        |
| 2.4.1 The geometric modelling levels                                   | 21        |
| 2.4.2 The assembly structure                                           | 22        |
| 2.4.3 Parametric models and macros                                     | 24        |
| 2.4.4 References                                                       | 24        |
| 2.5 The specification of semantic meaning                              | 24        |
| 2.5.1 Generic semantics of the CAD*I data structures                   | 25        |
| 2.5.1.1 Creation of data structure elements                            | 25        |
| 2.5.1.2 Deletion of data structure elements                            | 25        |
| 2.5.1.3 Modification of attributes                                     | 25        |
| 2.5.1.4 Navigation in the data structure                               | 25        |
| 2.5.2 The semantics of post-processors                                 | 26        |
| 2.5.3 The static semantics of geometric entities                       | 26        |
| 2.5.3.1 Curves and surfaces                                            | 26        |
| 2.5.3.2 Solids                                                         | 27        |
| 2.5.4 Linear transformation of geometric models                        | 27        |
| 2.6 Aspects of the physical file format                                | 29        |
| 2.6.1 The transport aspect                                             | 29        |
| 2.6.2 The presentation aspect                                          | 30        |
| 2.7 Processor implementation                                           | 31        |
| 2.8 Access to CAD system data bases                                    | 33        |

|                                                                            |           |
|----------------------------------------------------------------------------|-----------|
| <b>3. General implementation problems</b>                                  | <b>38</b> |
| 3.1 Access to the CAD system data base                                     | 38        |
| 3.1.1 Programming interface                                                | 38        |
| 3.1.2 Access via files                                                     | 38        |
| 3.2 Mapping problems                                                       | 39        |
| 3.3 Inference of the original meaning: Euclid primitives                   | 39        |
| 3.4 Missing CAD-I entity example: Pyramid in Bravo3                        | 39        |
| 3.5 Implicit model conversion example: CSG input to a B-rep system         | 40        |
| 3.6 Deviations from the reference model: The Bravo3 one-sided Boolean tree | 40        |
| 3.7 The overlap problem in CSG modelling: a Bravo3 example                 | 41        |
| 3.8 Problems related to Boolean operations in Proren2 and Technovision     | 41        |
| 3.9 The effect of truncation errors: receiving boxes in Bravo3             | 44        |
| <b>SPECIFIC IMPLEMENTATIONS</b>                                            | <b>45</b> |
| <b>4. The CAD-I processors for Schlumberger's Bravo3</b>                   | <b>45</b> |
| 4.1 System description                                                     | 45        |
| 4.2 Internal representation of CAD models                                  | 45        |
| 4.3 Existing interfaces                                                    | 47        |
| 4.4 Embedding the processors into the Bravo3 environment                   | 49        |
| 4.5 The pre-processor                                                      | 50        |
| 4.5.1 Instances                                                            | 50        |
| 4.5.2 Names                                                                | 50        |
| 4.5.3 Features                                                             | 50        |
| 4.5.4 The mapping from Bravo design input to CAD-I format                  | 50        |
| 4.6 Examples of pre-processor conversions                                  | 52        |
| 4.6.1 Parallelepipid                                                       | 53        |
| 4.6.2 Polyhedron                                                           | 53        |
| 4.6.3 Right Angle Wedge                                                    | 54        |
| 4.6.4 Sphere                                                               | 55        |
| 4.6.5 Right Circular Cylinder                                              | 55        |
| 4.6.6 Truncated Right Cone                                                 | 56        |
| 4.6.7 Solid Torus                                                          | 57        |
| 4.6.8 Arbitrary Slab                                                       | 57        |
| 4.6.9 Surface of revolution                                                | 58        |
| 4.7 The post-processor                                                     | 59        |
| 4.8 Examples of post-processor conversions and approximations              | 62        |
| 4.8.1 Examples of the command input file                                   | 62        |
| 4.8.2 Some details to post-processor transactions                          | 63        |
| 4.8.3 Special features                                                     | 64        |
| 4.9 The formal Bravo3 solid model transfer schema                          | 64        |
| 4.9.1 Pre-processor schema                                                 | 65        |
| 4.9.1.1 General data base structure                                        | 65        |
| 4.9.1.2 Points and curves                                                  | 65        |
| 4.9.1.3 Constructive solid geometry                                        | 66        |
| 4.9.1.4 General grouping mechanism                                         | 68        |
| 4.9.1.5 Placement and instancing                                           | 68        |
| 4.9.1.6 Miscellaneous                                                      | 69        |
| 4.9.2 Post-processor                                                       | 69        |
| 4.9.2.1 General data base structure                                        | 69        |
| 4.9.2.2 Points and curves                                                  | 70        |
| 4.9.2.3 Constructive solid geometry                                        | 70        |
| 4.9.2.4 General grouping mechanism                                         | 72        |
| 4.9.2.5 Placement and instancing                                           | 73        |
| 4.10 Test results                                                          | 74        |

|                                                                         |            |
|-------------------------------------------------------------------------|------------|
| <b>5. The CAD*I processors for IBM's Catia</b>                          | <b>75</b>  |
| 5.1 System description                                                  | 75         |
| 5.2 Existing interfaces                                                 | 75         |
| 5.3 Internal representation of CAD models                               | 77         |
| 5.4 Embedding the processors in the Catia environment                   | 77         |
| 5.4.1 Hardware and operating system                                     | 77         |
| 5.4.2 Programming Language and Compiler                                 | 77         |
| 5.4.3 CATGEO routines to access the Catia database                      | 78         |
| 5.4.4 Standardisation of routine names                                  | 78         |
| 5.4.5 Internal programme documentation                                  | 78         |
| 5.5 The pre-processor                                                   | 78         |
| 5.5.1 Implementation levels                                             | 78         |
| 5.5.2 The formal Catia solid model transfer schema                      | 79         |
| 5.5.3 Programme description                                             | 80         |
| 5.6 The post-processor                                                  | 82         |
| 5.6.1 Implementation levels                                             | 82         |
| 5.6.2 The formal Catia solid model transfer schema                      | 82         |
| 5.6.3 Programme description                                             | 84         |
| 5.7 Test results                                                        | 85         |
| <b>6. The CAD*I processors for Matra Datavision's Euclid</b>            | <b>90</b>  |
| 6.1 System description                                                  | 90         |
| 6.2 Existing interfaces                                                 | 90         |
| 6.3 Internal representation of CAD models                               | 91         |
| 6.4 Embedding the processors into the Euclid environment                | 97         |
| 6.4.1 Pre-processor                                                     | 97         |
| 6.4.2 Post-processor                                                    | 98         |
| 6.5 The mapping from Euclid data structure to CAD*I data structure      | 99         |
| 6.5.1 Processing of Euclid solid primitives                             | 99         |
| 6.5.1.1 Processing of the Euclid solid of revolution                    | 100        |
| 6.5.1.2 Processing of special cases of Euclid polyhedron entities (BOX) | 100        |
| 6.5.1.3 Processing of general Euclid polyhedron entities                | 100        |
| 6.5.2 The processing of Euclid hybrid solids                            | 101        |
| 6.5.3 The processing of the Euclid "figure" entities                    | 102        |
| 6.6 The mapping from CAD*I data structure to Euclid data structure      | 103        |
| 6.6.1 Processing of information related to the neutral file             | 104        |
| 6.6.2 Processing of information related to the world                    | 104        |
| 6.6.3 Processing of elementary geometric information                    | 105        |
| 6.6.4 Processing of composite geometric information                     | 105        |
| 6.6.4.1 Mapping of sweep entities to Euclid representations             | 105        |
| 6.6.4.2 Mapping of polyhedron entities to the Euclid polyhedron         | 105        |
| 6.6.5 Processing of structural information                              | 106        |
| 6.7 Mapping problems in the pre-processor                               | 109        |
| 6.7.1 Mapping problems with the Euclid primitives                       | 109        |
| 6.7.2 Mapping problems with Boolean expressions in Euclid               | 109        |
| 6.7.3 Mapping problems with polyhedron entities in Euclid               | 109        |
| 6.8 Mapping problems in the post-processor                              | 109        |
| 6.9 Possible enhancements of the processors                             | 110        |
| 6.10 Test results                                                       | 110        |
| <b>7. The CAD*I processors for DTH's GDS</b>                            | <b>112</b> |
| 7.1 System description                                                  | 112        |
| 7.2 User interaction and internal representation                        | 112        |
| 7.3 Existing interfaces                                                 | 114        |

|            |                                                             |            |
|------------|-------------------------------------------------------------|------------|
| 7.4        | The pre-processors                                          | 114        |
| 7.4.1      | The data base traversal                                     | 118        |
| 7.4.2      | Limitations                                                 | 119        |
| 7.5        | An example of pre-processor conversion                      | 120        |
| 7.6        | The post-processors                                         | 122        |
| 7.6.1      | The data structure                                          | 123        |
| 7.7        | An example of post-processor conversion                     | 127        |
| <b>8.</b>  | <b>The CAD-I processors for SDRC's Geomod</b>               | <b>129</b> |
| 8.1        | System description                                          | 129        |
| 8.2        | Existing interfaces                                         | 131        |
| 8.2.1      | IGES                                                        | 132        |
| 8.2.2      | Universal file                                              | 132        |
| 8.2.3      | Programme files (log file)                                  | 135        |
| 8.2.4      | PEARL data base interface (PDI)                             | 135        |
| 8.2.5      | Internal representation of CAD models                       | 136        |
| 8.2.6      | Object Representation                                       | 136        |
| 8.2.7      | Polygonal model                                             | 138        |
| 8.2.8      | Context-free geometry                                       | 139        |
| 8.2.9      | Grouping data                                               | 140        |
| 8.3        | The pre-processor                                           | 140        |
| 8.4        | The post-processor                                          | 141        |
| 8.4.1      | General concept                                             | 141        |
| 8.4.2      | Generation of CSG Models                                    | 144        |
| 8.4.3      | Generation of B-rep models                                  | 145        |
| <b>9.</b>  | <b>The CAD-I processors for Control Data's Icem</b>         | <b>146</b> |
| 9.1        | System description                                          | 146        |
| 9.2        | Internal representation of CAD models                       | 146        |
| 9.3        | Existing interfaces                                         | 148        |
| 9.4        | Embedding the processors into the Icem Modeller environment | 149        |
| 9.5        | The pre-processor                                           | 149        |
| 9.6        | Examples of pre-processor conversions                       | 151        |
| 9.6.1      | Parallelepipid                                              | 151        |
| 9.6.2      | Arbitrary polyhedron                                        | 151        |
| 9.6.3      | Truncated right cone                                        | 153        |
| 9.6.4      | Solid-cylinder                                              | 153        |
| 9.6.5      | Sphere                                                      | 154        |
| 9.6.6      | Solid Torus                                                 | 154        |
| 9.7        | The post-processor                                          | 155        |
| 9.7.1      | Examples of post-processor conversions and approximations   | 157        |
| 9.7.2      | Special implementation features                             | 157        |
| 9.8        | Test results                                                | 158        |
| <b>10.</b> | <b>The CAD-I processors for Isykon's Proren2</b>            | <b>159</b> |
| 10.1       | System description                                          | 159        |
| 10.2       | Existing interfaces                                         | 159        |
| 10.3       | Internal representation of CAD models                       | 160        |
| 10.3.1     | The formal description of the internal model                | 161        |
| 10.3.2     | The formal description of the CSG input language            | 163        |
| 10.3.2.1   | The relation between CAD-I and Proren primitives            | 163        |
| 10.3.2.2   | The operators                                               | 167        |
| 10.4       | The B-rep pre-processor                                     | 168        |
| 10.4.1     | Some problems in the pre-processor area                     | 169        |

|                                                  |                                                                                                    |            |
|--------------------------------------------------|----------------------------------------------------------------------------------------------------|------------|
| 10.4.1.1                                         | Pre-processor and geometrical problems                                                             | 170        |
| 10.5                                             | The post-processor for B-rep and polyhedron models                                                 | 171        |
| 10.6                                             | The post-processor for CSG models                                                                  | 172        |
| 10.7                                             | Embedding the processors into the Proren2 environment                                              | 175        |
| 10.8                                             | Test results                                                                                       | 175        |
| <b>11.</b>                                       | <b>The CAD-I processors for Shape Data's Romulus</b>                                               | <b>177</b> |
| 11.1                                             | System description                                                                                 | 177        |
| 11.2                                             | Existing interfaces                                                                                | 177        |
| 11.3                                             | Mapping between CAD-I and Romulus                                                                  | 178        |
| 11.4                                             | The processors                                                                                     | 179        |
| 11.4.1                                           | The pre-processor                                                                                  | 179        |
| 11.4.2                                           | The post-processor                                                                                 | 181        |
| 11.4.3                                           | Parsing the neutral file                                                                           | 181        |
| 11.4.4                                           | Creating geometry                                                                                  | 182        |
| 11.4.5                                           | The temporary data structure                                                                       | 182        |
| 11.5                                             | Concluding remarks                                                                                 | 184        |
| <b>12.</b>                                       | <b>The CAD-I processors for Norsk Data's Technovision</b>                                          | <b>185</b> |
| 12.1                                             | System description                                                                                 | 185        |
| 12.2                                             | User interaction and internal representation                                                       | 185        |
| 12.3                                             | Existing interfaces                                                                                | 185        |
| 12.4                                             | The processors                                                                                     | 187        |
| 12.4.1                                           | Pre-processors                                                                                     | 187        |
| 12.4.2                                           | Post-processors                                                                                    | 188        |
| 12.4.3                                           | Implementation levels                                                                              | 189        |
| 12.5                                             | Pre-processor architecture and implementation                                                      | 191        |
| 12.6                                             | Post-processor architecture and implementation                                                     | 196        |
| 12.7                                             | Program design and implementation strategies                                                       | 200        |
| 12.8                                             | Performance and other measurements on the CAD-I pre- and post-processors for Technovision          | 202        |
| 12.9                                             | An example of a transfer test Technovision $\leftrightarrow$ Proren $\leftrightarrow$ Technovision | 204        |
| <b>13.</b>                                       | <b>The CAD-I/STEP converters</b>                                                                   | <b>206</b> |
| 13.1                                             | CAD-I and STEP files for the CAD-I/STEP conversion test                                            | 206        |
| <b>14.</b>                                       | <b>Other implementations</b>                                                                       | <b>210</b> |
| 14.1                                             | Kismet                                                                                             | 210        |
| 14.2                                             | Bravo3 ROBOT                                                                                       | 210        |
| 14.3                                             | ROBCAD                                                                                             | 210        |
| 14.4                                             | Autocad                                                                                            | 210        |
| 14.5                                             | Oracle                                                                                             | 210        |
| 14.6                                             | GRASP                                                                                              | 211        |
| 14.7                                             | Weld Planning Module                                                                               | 211        |
| <b>SOFTWARE DEVELOPMENT TOOLS AND TEST PARTS</b> |                                                                                                    | <b>213</b> |
| <b>15.</b>                                       | <b>The CAD-I software tools</b>                                                                    | <b>213</b> |
| 15.1                                             | General architecture of pre- and post-processors                                                   | 213        |
| 15.2                                             | Common file access software for pre-processors                                                     | 214        |
| 15.2.1                                           | Files and common areas                                                                             | 216        |
| 15.2.2                                           | Routine specification                                                                              | 218        |
| 15.3                                             | The front-end of the CAD-I post-processors                                                         | 220        |
| 15.3.1                                           | Scanner                                                                                            | 221        |

|                                                    |                                                              |            |
|----------------------------------------------------|--------------------------------------------------------------|------------|
| 15.3.2                                             | Parser                                                       | 222        |
| 15.3.3                                             | Type checking                                                | 224        |
| 15.4                                               | Utility Software: The CAD-I metafile handler                 | 226        |
| <b>16.</b>                                         | <b>The CAD-I test parts</b>                                  | <b>229</b> |
| 16.1                                               | Introduction                                                 | 229        |
| 16.2                                               | Classification of test parts                                 | 230        |
| <b>INTERNATIONAL STANDARDISATION</b>               |                                                              | <b>245</b> |
| <b>17.</b>                                         | <b>The interaction of CAD-I with ISO/TC184/SC4/WG1</b>       | <b>245</b> |
| 17.1                                               | Scope of the specification                                   | 245        |
| 17.2                                               | Three-layer approach                                         | 246        |
| 17.3                                               | Integration versus coexistence                               | 246        |
| 17.4                                               | The specification language                                   | 247        |
| 17.5                                               | The neutral file format                                      | 248        |
| 17.6                                               | CAD geometry and shape representation                        | 250        |
| 17.6.1                                             | Curves and surfaces                                          | 250        |
| 17.6.2                                             | Solid models                                                 | 250        |
| <b>TRANSFER OF CAD FILES VIA COMPUTER NETWORKS</b> |                                                              | <b>251</b> |
| <b>18.</b>                                         | <b>Networks for communicating CAD information</b>            | <b>251</b> |
| 18.1                                               | Communication in general                                     | 251        |
| 18.2                                               | Application of file transfer for CAD                         | 252        |
| 18.2.1                                             | Scope of feasibility study                                   | 254        |
| <b>19.</b>                                         | <b>Overview on available networks and protocols</b>          | <b>255</b> |
| 19.1                                               | Introduction                                                 | 255        |
| 19.2                                               | Networks                                                     | 256        |
| 19.2.1                                             | Public Data Networks                                         | 256        |
| 19.2.2                                             | Local Area Networks                                          | 256        |
| 19.2.3                                             | Academic and Research Networks                               | 258        |
| 19.2.3.1                                           | European Academic and Research Network (EARN)                | 258        |
| 19.2.3.2                                           | Associate Networks for European Research (RARE)              | 259        |
| 19.3                                               | Network protocols                                            | 259        |
| 19.3.1                                             | KERMIT                                                       | 260        |
| 19.3.2                                             | Rechner Verbund System (RVS)                                 | 260        |
| 19.3.3                                             | TCP/IP Networking Protocol                                   | 260        |
| 19.4                                               | Standards and specification work                             | 261        |
| 19.4.1                                             | File Transfer, Access and Management (FTAM)                  | 261        |
| 19.4.2                                             | Message Handling System (MHS)                                | 263        |
| 19.4.3                                             | Manufacturing Automation Protocol (MAP)                      | 264        |
| 19.4.4                                             | Technical and Office Protocol (TOP)                          | 265        |
| 19.4.5                                             | Communications Network for Manufacturing Applications (CNMA) | 265        |
| 19.4.6                                             | Deutsches Forschungsnetz (DFN)                               | 265        |
| 19.4.7                                             | Conformance Testing Services (CTS)                           | 266        |
| 19.4.8                                             | Communication Architecture for Layered Open Systems (CARLOS) | 266        |
| <b>20.</b>                                         | <b>The CAD-I network</b>                                     | <b>267</b> |
| 20.1                                               | Established network connections                              | 267        |
| 20.1.1                                             | Bayerische Motorenwerke AG                                   | 268        |
| 20.1.2                                             | Cranfield Institute of Technology                            | 268        |
| 20.1.3                                             | Danmarks Tekniske Højskole                                   | 270        |

|                                                                                |            |
|--------------------------------------------------------------------------------|------------|
| 20.1.4 Kernforschungszentrum Karlsruhe GmbH .....                              | 271        |
| 20.2 File transfer test software "CADINE" .....                                | 273        |
| <b>21. Results of the networking experiments .....</b>                         | <b>276</b> |
| 21.1 Networks .....                                                            | 276        |
| 21.1.1 Public Data Networks .....                                              | 276        |
| 21.1.2 Local Area Networks .....                                               | 276        |
| 21.1.3 Academic and Research Networks .....                                    | 277        |
| 21.2 Network protocols .....                                                   | 277        |
| 21.2.1 KERMIT .....                                                            | 277        |
| 21.2.2 RVS (Rechner Verbund System) .....                                      | 282        |
| 21.2.3 File Transfer based on FTAM .....                                       | 282        |
| 21.2.4 Message Handling System X.400 .....                                     | 284        |
| <b>22. The CAD+I metafile utility .....</b>                                    | <b>286</b> |
| 22.1 A future CAD data exchange environment based on FTAM .....                | 286        |
| 22.2 The application process .....                                             | 286        |
| 22.3 The application interface .....                                           | 288        |
| 22.3.1 The OSI environment .....                                               | 289        |
| 22.3.2 The real system environment .....                                       | 289        |
| <b>23. Summary of network investigations .....</b>                             | <b>291</b> |
| <b>A NEW SPECIFICATION TECHNIQUE FOR CAD MODELS .....</b>                      | <b>293</b> |
| <b>24. Algebraic data types: a new approach to specifying CAD models .....</b> | <b>293</b> |
| 24.1 Introduction .....                                                        | 294        |
| 24.2 Constructors, attributes, relations, modifiers .....                      | 295        |
| 24.3 Introduction to important concepts of algebra .....                       | 296        |
| 24.3.1 Object specifications .....                                             | 297        |
| 24.3.2 Algebraic specification for data base implementations .....             | 298        |
| 24.4 Algebraic specification for model conversion in CAD data exchange .....   | 299        |
| 24.5 A minimal geometric model specification example .....                     | 299        |
| 24.5.1 Points and circle with HDSL .....                                       | 300        |
| 24.5.2 Points and circle with EXPRESS .....                                    | 300        |
| 24.5.3 Points and circle with ASN.1 .....                                      | 301        |
| 24.5.4 Points and circle in an algebraic specification .....                   | 301        |
| 24.6 Comparison of specification capabilities .....                            | 302        |
| 24.7 Algebraic specification of CAD models .....                               | 303        |
| <b>REFERENCES .....</b>                                                        | <b>305</b> |
| <b>Appendix A. Three different types of standards .....</b>                    | <b>311</b> |
| A.1 Types of standards .....                                                   | 311        |
| A.2 Introduction to function standards .....                                   | 312        |
| <b>Appendix B. List of frequently used abbreviations .....</b>                 | <b>314</b> |
| <b>Index .....</b>                                                             | <b>317</b> |