

Declaration of Authorship	iii
Previously Published Material	v
Other Published Material	ix
Abstract	xi
Kurzfassung	xiii
Acknowledgements	xv
Contents	xvii
List of Figures	xxi
List of Tables	xxvii
List of Abbreviations	xxix
List of Symbols	xxxi
List of Indices, Sub- and Super-scripts	xxxvii
1 Introduction	1
1.1 Motivation	1
1.2 Scope	2
2 Iterative real-time optimization: An overview	5
2.1 Problem formulation:	5
2.2 Parameter adaptation based iterative RTO	8
2.2.1 Two-phase approach	8

2.3	Input adaptation based iterative RTO methods	10
2.3.1	Extremum seeking control	10
2.3.2	Necessary conditions for optimality (NCO)-tracking	11
2.3.3	Self-optimizing control (SOC)	13
2.4	Modifier adaptation based iterative RTO methods	14
2.4.1	Integrated system optimization and parameter estimation	14
2.4.2	Redesigned ISOPE	17
2.4.3	Modified iterative gradient-modification optimization	17
2.4.4	Modifier adaptation (MA)	19
	Model adequacy criterion for MA	21
2.4.5	Modifier adaptation with quadratic approximation (MAWQA)	21
2.5	Summary	28
3	Experimental Implementation of MAWQA	29
3.1	Membrane plant optimization	29
3.1.1	Process description:	30
3.1.2	Problem formulation	32
3.1.3	Nominal model	34
3.1.4	Experimental results	34
	Case 1: Optimization without productivity constraint	36
	Case 2: Optimization with productivity constraints	37
3.2	Lithiation reaction process	41
3.2.1	Process description	41
3.2.2	Plant model	46
3.2.3	Nominal model	48
3.2.4	Problem formulation	51
3.2.5	Communication	52
3.2.6	Experiment-01: A successful failure	53
	Simulation result	54
	Experimental result	55
3.2.7	Experiment-02:	67
	Simulation result	68
	Experimental result	68
3.3	Conclusion	73
4	Guaranteed model adequacy	75

4.1	Introduction	75
4.2	Enforcing model adequacy	77
4.2.1	Model adequacy criterion for MA-based iterative RTO methods . .	77
4.2.2	MAWQA with guaranteed model adequacy (MAWQA with GMA) .	78
4.3	Application study	81
4.3.1	Simulation study	82
	Process description	82
	Plant model	84
	Nominal model	86
	The optimization problem	86
	Nominal model: adequate QA model	89
	Simulation results	91
4.3.2	Experimental validation	91
	Process description	91
	The optimization problem	93
	Experimental set-up	94
	Implementation of MAWQA with GMA	95
	Nominal model: adequate QA model	96
	Data reconciliation	98
	Experimental results	99
4.4	Conclusion	104
5	Active perturbation strategies	105
5.1	Introduction	105
5.2	Active perturbation around the current input (APCI)	107
5.3	Active perturbation around an estimate of the next input (APENI)	111
5.4	Proactive perturbation scheme	112
5.5	Case study: Williams-Otto reactor	116
5.5.1	Simulation Results	118
5.6	Case study: Lithiation reaction	123
5.6.1	Simulation Results	123
5.7	Conclusion	126
6	Start-up and shut-down conditions for iterative RTO	127
6.1	Introduction	127
6.2	Preliminaries: Principal component analysis	128

6.2.1	Building PCA models	128
6.2.2	Change detection	130
6.3	Proposed strategies for start-up and shut-down of iterative RTO	132
6.3.1	Start-up condition	132
	PCA with moving average smoothing technique (PCA-MA)	132
	PCA with EWMA smoothing technique (PCA-EWMA)	133
6.3.2	Shut-down condition	134
6.4	Case Study: Williams-Otto reactor	135
6.4.1	Shut-down condition	135
6.4.2	Start-up condition	137
	Case I	141
	Case II & III	141
6.5	Case study: Reductive amination of undecanal	142
6.5.1	Shut-down condition	142
6.5.2	Start-up condition	146
	Case I	146
	Case II	146
6.6	Conclusion	147
7	Conclusions	149
7.1	Summary	149
7.2	Future directions	151
A	Case studies	153
A.1	Case study: Lithiation reaction process	153
A.2	Case study: Reductive amination of undecanal	156
A.2.1	Simulation case study	156
A.2.2	Practical application of MAWQA with GMA: DAE model	157
A.3	Case study: Williams-Otto reactor	161
	Bibliography	165