

Contents

| | | |
|----------|---|-----------|
| 1 | Hypotheses Concerned with Regeneration in the Mammalian Central Nervous System | 1 |
| 1.1 | Introduction | 1 |
| 1.2 | Histopathological Response to Trauma | 1 |
| 1.2.1 | PNS of Mammals | 1 |
| 1.2.2 | CNS of Submammalian Vertebrates | 2 |
| 1.2.3 | CNS of Mammalian Vertebrates | 4 |
| 1.3 | Successful Regeneration of Some Neurons in the Mammalian CNS | 5 |
| 1.4 | Hypotheses to Explain the Limited Regenerative Capacity of CNS Neurons | 6 |
| 1.4.1 | Intrinsic Inability of CNS Neurons to Regenerate? | 6 |
| 1.4.2 | Formation of Inappropriate Synapses | 6 |
| 1.4.3 | Autoimmune Inhibition of Regenerative Attempts | 7 |
| 1.4.4 | Progressive Necrosis at the Lesion Site and the Formation of Cystic Cavities | 8 |
| 1.4.5 | Proliferation of Fibroblasts, Neuroglial and Endothelial Cells at the Lesion Site | 10 |
| 1.4.6 | Absence of Schwann Cells in the CNS as Guides for Regenerating Axons | 10 |
| 1.4.7 | Necessity of an Ependymal - Mesenchymal Interaction | 10 |
| 1.4.8 | Incompatibility Between the Neuronal Processes and the Non-neuronal Cells of the CNS | 11 |
| 1.4.9 | Inhibition of Axonal Growth by Post-injury Myelin Breakdown Products | 11 |
| 1.4.10 | A Lack of Periaxonal Vascular Permeability | 11 |
| 1.4.11 | An Absence of Requisite Growth Factors | 12 |
| 1.4.12 | Ineffective Somal Response by CNS Neurons to Axotomy | 12 |
| 1.4.13 | Necessity of Recent or Continued Neurogenesis | 13 |
| 2 | In Vivo Experimental Approaches to Hypotheses Concerned with Regeneration in the Mammalian CNS . . | 15 |
| 2.1 | Introduction | 15 |

| | | |
|--------|--|----|
| 2.2 | Submammalian Vertebrates | 15 |
| 2.2.1 | Inappropriate Synaptogenesis | 15 |
| 2.2.2 | Non-neuronal Environment | 16 |
| 2.2.3 | Somal Response | 19 |
| 2.2.4 | Vascular Permeability | 20 |
| 2.2.5 | Necessity of Recent or Continued Neurogenesis . . | 20 |
| 2.3 | Developmental Events in Mammals | 21 |
| 2.3.1 | Non-neuronal Environment | 21 |
| 2.3.2 | Necessity of Recent or Continued Neurogenesis . . | 25 |
| 2.3.3 | Vascular Permeability | 25 |
| 2.4 | Morphological and Biochemical Assessment of Regeneration in Mammals | 26 |
| 2.4.1 | Inappropriate Synaptogenesis | 26 |
| 2.4.2 | Necrosis and Cyst Formation | 27 |
| 2.4.3 | Neuroglial Scar Tissue | 27 |
| 2.4.4 | Auto-immune Hypothesis | 30 |
| 2.4.5 | A Role for Schwann Cells? | 31 |
| 2.4.6 | Myelin Breakdown Products | 31 |
| 2.4.7 | A Need for Vascular Permeability? | 31 |
| 2.4.8 | Somal Response | 34 |
| 2.5 | The Use of Transplants | 36 |
| 2.5.1 | Peripheral Nerve Transplants | 36 |
| 2.5.2 | Transplants of Fetal Mammalian CNS Tissue | 39 |
| 2.5.3 | Transplantation Studies of Amphibian and Mammalian Glial Scar Tissue | 40 |
| 2.5.4 | Schwann Cell Transplants to the PNS and CNS . . | 41 |
| 2.5.5 | Transplants of Non-nervous Tissue | 42 |
| 2.5.6 | Transplants of Autonomic Ganglia to the CNS . . . | 42 |
| 2.5.7 | Transplants of Non-cellular Conduits | 44 |
| 2.6 | Pharmacological Approaches | 44 |
| 2.6.1 | Piromen | 44 |
| 2.6.2 | Adrenocorticotrophic Hormone | 45 |
| 2.6.3 | Enzyme Treatment | 45 |
| 2.6.4 | Tri-iodothyronine and L-thyroxine | 46 |
| 2.6.5 | Immunosuppressants | 46 |
| 2.6.6 | Dimethyl Sulphoxide | 46 |
| 2.6.7 | Puromycin | 47 |
| 2.6.8 | Gangliosides | 48 |
| 2.6.9 | Nerve Growth Factor | 48 |
| 2.6.10 | Cytosine Arabinoside | 49 |
| 2.7 | Conclusions | 50 |
| 3 | In Vitro Experimental Approaches to Hypotheses Con- cerned with Regeneration in the Mammalian CNS . . | 51 |
| 3.1 | Introduction | 51 |

| | | |
|-------|---|-----|
| 3.2 | The Role of the Microenvironment – Neuronotrophic Factors | 52 |
| 3.2.1 | NGF and Other NTFs | 52 |
| 3.2.2 | In Vitro-Conditioned Media | 54 |
| 3.2.3 | In Vivo-Derived PNS and CNS Wound Fluid | 55 |
| 3.2.4 | Fibroblast Growth Factors | 56 |
| 3.2.5 | Hormonal NTFs | 57 |
| 3.3 | The Role of the Microenvironment – The Substrate and Substrate-Bound Neurite Promoting Factors | 60 |
| 3.3.1 | Mechanism of Neurite Growth | 60 |
| 3.3.2 | Role of the Substrate in Neurite Elongation | 61 |
| 3.3.3 | Substrate-Bound Neurite Promoting Factors | 63 |
| 3.3.4 | Basal Lamina Constituents | 64 |
| 3.4 | The Role of the Microenvironment – Humoral Neurite-Promoting Factors | 66 |
| 3.4.1 | NGF and NGF-Like Molecules | 66 |
| 3.4.2 | NPFs in Conditioned Media | 70 |
| 3.4.3 | NPFs and CNS Wounds | 73 |
| 3.4.4 | Fibroblast Growth Factors | 73 |
| 3.4.5 | Hormonal NPFs | 76 |
| 3.4.6 | Gangliosides | 77 |
| 3.5 | The Role of the Microenvironment – The Non-neuronal Cells | 77 |
| 3.5.1 | Transplants of Non-neuronal Cultured Cells | 77 |
| 3.5.2 | Non-neuronal Cells – Differential Substrate Adhesiveness in the Support of Neurite Elongation | 79 |
| 3.5.3 | In Vivo-Derived CNS Wound Fluid and Glial Mito- gens | 81 |
| 3.5.4 | Effect of Non-neuronal Cell Proliferation on Neurite Outgrowth | 84 |
| 4 | Conclusions | 91 |
| | References | 93 |
| | Subject Index | 119 |