## **Contents**

| 1. | Introduction                                |   |   |    |  |  |  |  |  |  |  |
|----|---|---|---|----|--|--|--|--|--|--|--|
|    | By H. Zabel and S.A. Solin                  |   |   |    |  |  |  |  |  |  |  |
|    | Refe  | References                                  |   |    |  |  |  |  |  |  |  |
| 2. | Structural Properties and Phase Transitions |   |   |    |  |  |  |  |  |  |  |
|    | By S  | By S.C. Moss and R. Moret (With 35 Figures) |   |    |  |  |  |  |  |  |  |
|    | 2.1   | Effects                                     | s of Intercalation on the Graphite Host     | •  |  |  |  |  |  |  |  |
|    |   | 2.1.1                                       | Pure Graphite                               | (  |  |  |  |  |  |  |  |
|    |   | 2.1.2                                       | Intercalation Effects                       | ç  |  |  |  |  |  |  |  |
|    | 2.2   | Interca                                     | alate Structures: General Features          | 11 |  |  |  |  |  |  |  |
|    |   | 2.2.1                                       | Stage Disorder                              | 11 |  |  |  |  |  |  |  |
|    |   | 2.2.2                                       | Interlayer Intercalant Correlations         |    |  |  |  |  |  |  |  |
|    |   |   | in the Liquid State                         | 14 |  |  |  |  |  |  |  |
|    |   | 2.2.3                                       | Two-Dimensional Melting                     | 15 |  |  |  |  |  |  |  |
|    | 2.3   | The Ty                                      | wo-Dimensional Liquid State                 | 16 |  |  |  |  |  |  |  |
|    |   | 2.3.1                                       | Alkali Liquids – Experimental Results       | 16 |  |  |  |  |  |  |  |
|    |   | 2.3.2                                       | Modulated 2d Liquids –                      |    |  |  |  |  |  |  |  |
|    |   |   | Theory and Application to Alkalis           | 20 |  |  |  |  |  |  |  |
|    |   | 2.3.3                                       | Molecular Dynamics Simulations              | 23 |  |  |  |  |  |  |  |
|    |   | 2.3.4                                       | Acceptor Liquids                            | 25 |  |  |  |  |  |  |  |
|    | 2.4 Phase Transitions and Ordered States    |   | Transitions and Ordered States              | 28 |  |  |  |  |  |  |  |
|    |   | 2.4.1                                       | Overview                                    | 28 |  |  |  |  |  |  |  |
|    |   | 2.4.2                                       | Donors                                      | 28 |  |  |  |  |  |  |  |
|    |   | 2.4.3                                       | Acceptors - General Remarks                 | 41 |  |  |  |  |  |  |  |
|    | 2.5   | Conclu                                      | isions                                      | 54 |  |  |  |  |  |  |  |
|    | References 5                                |   |   |    |  |  |  |  |  |  |  |
| 3. | Stagi                                       | ing and                                     | Kinetics                                    |    |  |  |  |  |  |  |  |
|    | By G  | By G. Kirczenow (With 17 Figures) 59        |   |    |  |  |  |  |  |  |  |
|    | 3.1   | The Er                                      | nergetics of Staging                        | 60 |  |  |  |  |  |  |  |
|    |   | 3.1.1                                       | Charge Transfer                             | 60 |  |  |  |  |  |  |  |
|    |   | 3.1.2                                       | Host Layer Cohesion                         |    |  |  |  |  |  |  |  |
|    |   |   | and Homogeneous Elastic Strains             | 62 |  |  |  |  |  |  |  |
|    |   | 3.1.3                                       | Elasticity, Intercalate Islands and Domains | 64 |  |  |  |  |  |  |  |
|    |   | 3.1.4                                       | Intralayer and Guest-Host Interactions      | 66 |  |  |  |  |  |  |  |
|    | 3.2   | Classic                                     | cal Staging Models and Their Implications   | 67 |  |  |  |  |  |  |  |



VII

| 7. | Microscopic Properties of Graphite Intercalation Compounds |                      |  |     |  |  |  |
|----|--|----------------------|--|-----|--|--|--|
|    | By DM. D. Hwang (With 23 Figures)                          |                      |  |     |  |  |  |
|    | 7.1  | Layer S              | tructure and Staging                             | 251 |  |  |  |
|    |  | 7.1.1                | High-Resolution Transmission Electron            |     |  |  |  |
|    |  |                      | Microscopy Studies                               | 251 |  |  |  |
|    |  | 7.1.2                | High-Resolution Scanning Ion Probe Studies       | 261 |  |  |  |
|    | 7.2  | In-Plane             | Structure  | 264 |  |  |  |
|    |  | 7.2.1                | Acceptor GICs                                    | 265 |  |  |  |
|    |  |                      | Donor GICs                                       | 271 |  |  |  |
|    | 7.3  | Summa                | ry and Concluding Remarks                        | 277 |  |  |  |
|    |  | ences .              |  | 279 |  |  |  |
|    | ICIO   | circos .             |  |     |  |  |  |
| 0  | Now  | Craphit              | e-Donor Compounds and Synthesis                  |     |  |  |  |
| 8. | D. D   | Lagrand              | ge and R. Setton (With 9 Figures)                | 283 |  |  |  |
|    | •  | Lagiani<br>Dealissis | nary Remarks Concerning the Donor-Graphite       |     |  |  |  |
|    | 8.1  | Internal             | ation Compounds                                  | 283 |  |  |  |
|    |  | Intercal             | nary Phases Obtained at High Pressure            | 203 |  |  |  |
|    | 8.2  | New Bi               | nary Phases Obtained at Flight Flessuic          | 285 |  |  |  |
|    |  |                      | High Temperature                                 | 286 |  |  |  |
|    |  | 8.2.1                | The Graphite-Lithium System                      | 288 |  |  |  |
|    |  | 8.2.2                | The Graphite-Potassium System                    | 200 |  |  |  |
|    | 8.3  | The Ne               | w Ternary Compounds                              | 290 |  |  |  |
|    |  |                      | ultiple Single Layers                            | 290 |  |  |  |
|    |  | 8.3.1                | Synthesis of Heterostructures with Two Heavy     | 201 |  |  |  |
|    |  |                      | Alkali Metals                                    | 291 |  |  |  |
|    |  | 8.3.2                | Structures and Reaction Mechanisms               | 292 |  |  |  |
|    | 8.4 The New Ternary Compounds with Multiple-Layer          |                      |  |     |  |  |  |
|    |  | Intercal             | ated Sheets                                      | 293 |  |  |  |
|    |  | 8.4.1                | Hydrogen Derivatives                             | 293 |  |  |  |
|    |  | 8.4.2                | Compounds of Mercury, Thallium and Bismuth       | 295 |  |  |  |
|    | 8.5  |                      | sion and Vistas                                  | 302 |  |  |  |
|    | Refe   | rences               |  | 303 |  |  |  |
|    |  |                      |  |     |  |  |  |
| 9. | Teri   | nary Syst            | tems   |     |  |  |  |
| 7. |  |                      |  | 305 |  |  |  |
|    | By R. Setton   |                      |  |     |  |  |  |
|    | 9.1  | an Hal               | ogens  | 305 |  |  |  |
|    |  |                      | Solid Solution Ternaries                         | 505 |  |  |  |
|    |  | 9.1.1                |  | 305 |  |  |  |
|    |  | 010                  | Involving Two Alkali Metals                      | 505 |  |  |  |
|    |  | 9.1.2                | Solid Solution Ternaries Involving Two Halogens  | 308 |  |  |  |
|    |  | _                    | Other than Fluorine                              | 308 |  |  |  |
|    | 9.2  |                      | y Compounds of Metals with a Nitrogen-Containing | 200 |  |  |  |
|    |  | Base                 |  | 309 |  |  |  |
|    |  | 9.2.1                | Ternary Metal-Ammonia-Graphite                   | 600 |  |  |  |
|    |  |                      | Intercalation Compounds                          | 309 |  |  |  |

|           | 9.2.2    | Other Ternary Compounds of Metals with a           |                  |
|-----------|----------|--|------------------|
|           |          | Nitrogen Base                                      | 311              |
|           | 9.2.3    | Physical Properties of the Ternary                 |                  |
|           |          | Metal-Base Compounds                               | 312              |
| 9.3       | The Me   | etal-Organic-Molecule-Graphite                     |                  |
|           | Intercal | lation Compounds                                   | 313              |
|           | 9.3.1    | Ternary Donor Compounds Containing Aromatic        |                  |
|           |          | Hydrocarbons                                       | 314              |
|           | 9.3.2    | Ternary Metal Compounds                            |                  |
|           |          | of Oxygen Derivatives                              | 319              |
|           | 9.3.3    | Synergetic Intercalation                           | 325              |
|           | 9.3.4    | Problems Associated with the Stoichiometry of the  |                  |
|           |          | Ternary Compounds                                  | 325              |
| 9.4       | Ternary  | Acceptor Intercalation Compounds                   | 327              |
|           | 9.4.1    | Ternary Metal-Halide-Ammonia-Graphite              |                  |
|           |          | Intercalation Compounds                            | 327              |
|           | 9.4.2    | Ternary Intercalation Compounds Containing a Solid |                  |
|           |          | Solution of Two Metal Halides                      | 327              |
|           | 9.4.3    | Ternary Systems Involving the Fluorides of         |                  |
|           |          | Transition Metals                                  | 329              |
|           | 9.4.4    | Intercalation of Metal Halides from Solutions      | 330              |
|           | 9.4.5    | Intercalation Compounds Containing Solvated        |                  |
|           |          | Complex Anions                                     | 332              |
|           | 9.4.6    | Physical Properties                                | 333              |
| 9.5       | Multi-I  | ntercalation Compounds                             | 334              |
|           | 9.5.1    | Donor Bi-Intercalation Compounds                   | 334              |
|           | 9.5.2    | Acceptor Bi-Intercalation Compounds                | 335              |
|           | 9.5.3    | Mixed Bi-Intercalation Compounds                   | 336              |
|           | 9.5.4    | Physical Properties                                | 338              |
| 9.6       | Ternary  | Systems Involving Fluorinated Graphite             | 338              |
|           | 9.6.1    | Compounds of Fluorinated Graphite with Metal       |                  |
|           |          | Fluorides  | 339              |
|           | 9.6.2    | Compounds of Fluorinated Graphite with             |                  |
|           |          | Nonmetal Fluorides                                 | 339              |
| Refer     | ences .  |  | 340              |
| Subject 1 | Indov    |  | 347              |
| Sauject 1 | . KJUIL  | ,            | J <del>-</del> 1 |