

# Contents

- Chapter 1: Introduction..... 1**
  - 1.1 Multiantenna Wireless Communications..... 1
  - 1.2 MIMO Wireless Transceivers..... 3
  - 1.3 MIMO Techniques in Commercial Wireless Systems..... 4
  - 1.4 Organization of the Book and Future Challenges..... 6
  - References..... 7
- Chapter 2: MIMO Wireless Communications..... 9**
  - 2.1 MIMO System..... 9
  - 2.2 MIMO Channel..... 10
    - 2.2.1 SISO Channel Model..... 10
    - 2.2.2 MIMO Channel Modeling..... 11
  - 2.3 MIMO Capacity..... 12
    - 2.3.1 SISO Capacity..... 12
    - 2.3.2 MIMO Capacity..... 13
  - 2.4 MIMO Design Advantages..... 17
    - 2.4.1 Space-Time Codes for Diversity..... 17
    - 2.4.2 Spatial Multiplexing..... 19
    - 2.4.3 Diversity-Multiplexing Tradeoff..... 21
  - 2.5 MIMO Channel Models..... 22
    - 2.5.1 Stanford University Interim Channel Models..... 23
  - References..... 25
- Chapter 3: Digital Modulation Techniques in MIMO Systems..... 27**
  - 3.1 Criteria to Design Digital Modulators..... 27
    - 3.1.1 Spectral Efficiency..... 28
    - 3.1.2 Power Efficiency..... 29
    - 3.1.3 Implementation Complexity..... 30
    - 3.1.4 Performance Study in Wireless Channel..... 30
  - 3.2 Single-Carrier SISO Systems..... 32
    - 3.2.1 Single-Carrier Modulation..... 32
    - 3.2.2 MQAM..... 33
      - 3.2.2.1 MQAM Spectral Efficiency..... 34
      - 3.2.2.2 MQAM Power Efficiency Performance..... 37
      - 3.2.2.3 MQAM Modulator Implementation..... 38
    - 3.2.3 MPSK..... 39
  - 3.3 Single-Carrier MIMO Systems..... 41
    - 3.3.1 QAM-MIMO..... 42

|                                                                             |                                                                |           |
|-----------------------------------------------------------------------------|----------------------------------------------------------------|-----------|
| 3.3.2                                                                       | MPSK-MIMO .....                                                | 43        |
| 3.4                                                                         | Multicarrier SISO Modulation Systems .....                     | 44        |
| 3.5                                                                         | OFDM Modulation Systems .....                                  | 45        |
| 3.5.1                                                                       | OFDM Implementation Using IFFT/FFT .....                       | 47        |
| 3.5.2                                                                       | Cyclic Prefix in OFDM Modulation .....                         | 47        |
| 3.5.3                                                                       | RF Impairment in OFDM Systems .....                            | 48        |
| 3.5.3.1                                                                     | Peak-to-Average Power Ratio in OFDM Modulation .....           | 48        |
| 3.5.3.2                                                                     | Phase Noise in OFDM Modulation .....                           | 50        |
| 3.6                                                                         | MIMO OFDM Systems .....                                        | 52        |
|                                                                             | References .....                                               | 53        |
| <b>Chapter 4: Fundamental Concepts in Wireless Transceiver Design .....</b> |                                                                | <b>55</b> |
| 4.1                                                                         | Linear Systems and Transformations .....                       | 55        |
| 4.2                                                                         | Nonlinear Systems .....                                        | 56        |
| 4.2.1                                                                       | One-dB Compression Point .....                                 | 57        |
| 4.2.2                                                                       | Third-Order Intercept Point .....                              | 58        |
| 4.2.3                                                                       | Second-Order Intercept Point .....                             | 60        |
| 4.2.4                                                                       | Cross Modulation .....                                         | 60        |
| 4.2.5                                                                       | AM/AM and AM/PM Distortion .....                               | 61        |
| 4.2.6                                                                       | Spectral Regrowth .....                                        | 62        |
| 4.3                                                                         | Noise .....                                                    | 63        |
| 4.3.1                                                                       | Noise Factor of Cascaded Networks .....                        | 64        |
| 4.3.2                                                                       | Capacity Reduction due to Noise Factor of an RF Receiver ..... | 66        |
| 4.4                                                                         | RF Systems Design Parameters .....                             | 67        |
| 4.4.1                                                                       | Path Loss .....                                                | 67        |
| 4.4.2                                                                       | Link Budget .....                                              | 67        |
| 4.4.3                                                                       | Receiver Sensitivity .....                                     | 67        |
| 4.4.4                                                                       | Dynamic Range .....                                            | 68        |
| 4.4.5                                                                       | ADC Selection .....                                            | 69        |
| 4.4.6                                                                       | Phase Noise .....                                              | 70        |
| 4.5                                                                         | Modulation Accuracy .....                                      | 71        |
| 4.5.1                                                                       | Error Vector Magnitude (EVM) .....                             | 71        |
| 4.5.2                                                                       | Effect of I/Q Imbalance on EVM .....                           | 71        |
| 4.5.3                                                                       | Effect of Phase Noise on EVM .....                             | 72        |
| 4.5.4                                                                       | Effect of Nonlinearity on EVM .....                            | 73        |
| 4.5.5                                                                       | Effect of Carrier Leakage on EVM .....                         | 73        |
| 4.5.6                                                                       | Total EVM .....                                                | 74        |
|                                                                             | References .....                                               | 75        |
| <b>Chapter 5: RF Power Amplifier and Linearization Techniques .....</b>     |                                                                | <b>77</b> |
| 5.1                                                                         | Introduction .....                                             | 77        |
| 5.2                                                                         | Transmitter Systems Parameters .....                           | 78        |
| 5.2.1                                                                       | Gain .....                                                     | 78        |
| 5.2.2                                                                       | Bandwidth .....                                                | 78        |
| 5.2.3                                                                       | Noise Figure .....                                             | 78        |
| 5.2.4                                                                       | Power Efficiency .....                                         | 78        |

|         |                                                        |     |
|---------|--------------------------------------------------------|-----|
| 5.2.4.1 | Total Efficiency .....                                 | 79  |
| 5.2.4.2 | Drain Efficiency .....                                 | 79  |
| 5.2.4.3 | Power-Added Efficiency .....                           | 80  |
| 5.2.5   | PIdB .....                                             | 80  |
| 5.2.6   | IP3 .....                                              | 81  |
| 5.2.7   | PAPR .....                                             | 82  |
| 5.2.8   | Power Back-Off .....                                   | 82  |
| 5.2.9   | ACPR .....                                             | 82  |
| 5.2.10  | EVM .....                                              | 83  |
| 5.2.11  | Memory Effect .....                                    | 86  |
| 5.3     | RF Power Amplifiers .....                              | 86  |
| 5.3.1   | Linear PAs (Classes A, AB, B, C) .....                 | 87  |
| 5.3.1.1 | Class A PA .....                                       | 90  |
| 5.3.1.2 | Class B PA .....                                       | 92  |
| 5.3.1.3 | Class AB PA .....                                      | 95  |
| 5.3.1.4 | Class C PA .....                                       | 95  |
| 5.3.2   | Switching-Mode PAs (Classes D, E, F) .....             | 98  |
| 5.3.2.1 | Class D PA .....                                       | 100 |
| 5.3.2.2 | Class E PA .....                                       | 104 |
| 5.3.2.3 | Class F and Inverse Class F PAs .....                  | 105 |
| 5.3.3   | Comparison of the Classes of Operation in RF PAs ..... | 108 |
| 5.4     | Linearization of RF Power Amplifiers .....             | 108 |
| 5.4.1   | Feedback Linearization .....                           | 109 |
| 5.4.2   | Feedforward Linearization .....                        | 111 |
| 5.4.3   | Digital Predistortion Linearization .....              | 113 |
| 5.4.3.1 | Look-Up-Table Model .....                              | 115 |
| 5.4.3.2 | Memory Polynomial Model .....                          | 115 |
| 5.4.4   | Analog Predistortion Linearization .....               | 116 |
| 5.4.5   | Comparison of Linearization Techniques .....           | 119 |
| 5.5     | RF Transmitter Architectures .....                     | 120 |
| 5.5.1   | Polar Transmitter Architecture .....                   | 120 |
| 5.5.2   | LINC Transmitter Architecture .....                    | 121 |
| 5.5.3   | EER Transmitter Architecture .....                     | 124 |
| 5.5.4   | Delta-Sigma Transmitter Architecture .....             | 125 |
|         | References .....                                       | 127 |

## **Chapter 6: Transmitter Design for MIMO Wireless Communications..... 129**

|       |                                                   |     |
|-------|---------------------------------------------------|-----|
| 6.1   | Complexity and Cost in MIMO Systems .....         | 129 |
| 6.2   | Transmitters Architectures .....                  | 130 |
| 6.2.1 | Direct Conversion Transmitter .....               | 131 |
| 6.2.2 | Superhetrodyne Transmitter .....                  | 132 |
| 6.3   | Brief Overview of MIMO Transmission Schemes ..... | 133 |
| 6.3.1 | FDM Technique .....                               | 133 |
| 6.3.2 | TDM Technique .....                               | 133 |
| 6.3.3 | CDM Technique .....                               | 133 |
| 6.4   | MIMO Transceiver Architectures .....              | 134 |

|         |                                                                   |     |
|---------|-------------------------------------------------------------------|-----|
| 6.4.1   | Antenna Selection Architecture .....                              | 134 |
| 6.4.1.1 | Maximum Capacity Criterion .....                                  | 135 |
| 6.4.1.2 | Maximum Minimum Singular Value Criterion.....                     | 136 |
| 6.4.1.3 | Norm-Based Selection (NBS) Criterion.....                         | 136 |
| 6.4.2   | Frequency-Division Multiplexing (FDM) Architecture.....           | 136 |
| 6.4.3   | Time-Division Multiplexing (TDM) Architecture.....                | 136 |
| 6.4.4   | Code-Division Multiplexing (CDM) Architecture.....                | 139 |
| 6.5     | Distortion and Impairment Compensation in MIMO Transmitters ..... | 141 |
| 6.5.1   | Antenna Crosstalk.....                                            | 142 |
| 6.5.2   | Nonlinear RF Crosstalk .....                                      | 143 |
| 6.5.3   | Effects of Nonlinear Crosstalk on DPD Extraction .....            | 144 |
| 6.5.4   | Impairment and Distortion Compensation .....                      | 145 |
|         | References .....                                                  | 148 |

## **Chapter 7: Receiver Design for MIMO Wireless Communications..... 151**

|         |                                                             |     |
|---------|-------------------------------------------------------------|-----|
| 7.1     | Receiver Architectures.....                                 | 151 |
| 7.1.1   | Superheterodyne Receiver .....                              | 151 |
| 7.1.2   | Direct Conversion Receiver .....                            | 152 |
| 7.1.3   | Low IF Receiver .....                                       | 152 |
| 7.1.4   | Image Rejection Receiver .....                              | 153 |
| 7.1.5   | Six-Port Receiver.....                                      | 154 |
| 7.1.6   | Five-Port Receiver .....                                    | 156 |
| 7.2     | Smart Antenna Receiver Architectures.....                   | 157 |
| 7.3     | MIMO Receiver Architectures .....                           | 161 |
| 7.3.1   | Superheterodyne MIMO Front-End.....                         | 162 |
| 7.3.2   | Direct Conversion MIMO Front-End .....                      | 163 |
| 7.3.3   | Six-Port MIMO Front-End .....                               | 164 |
| 7.4     | Capacity Reduction of MIMO System due to the Front-End..... | 164 |
| 7.5     | Radio Frequency Interference on MIMO Receivers .....        | 166 |
| 7.6     | MIMO Testbed Design.....                                    | 168 |
| 7.6.1   | Testbed Architecture.....                                   | 168 |
| 7.6.1.1 | RF Transmitter .....                                        | 170 |
| 7.6.1.2 | RF Receiver .....                                           | 171 |
| 7.7     | Commercial MIMO Transceivers .....                          | 173 |
| 7.7.1   | UXA234 MIMO Transceiver from NXP-Philips.....               | 173 |
| 7.7.2   | MAX2842 MIMO Transceiver from MAXIM .....                   | 174 |
| 7.7.3   | PM8800 MIMO Transceiver from PMC-Seirra.....                | 175 |
| 7.7.4   | AD9356 MIMO Transceiver from Analog Devices .....           | 176 |
|         | References .....                                            | 178 |

## **Chapter 8: RF Impairments in OFDM Transceivers..... 181**

|       |                                                            |     |
|-------|------------------------------------------------------------|-----|
| 8.1   | OFDM Transceivers .....                                    | 181 |
| 8.2   | Noise in OFDM Transceivers .....                           | 182 |
| 8.2.1 | Phase and Amplitude Noise .....                            | 183 |
| 8.2.2 | Analysis of Phase and Amplitude Noise Impacts in OFDM..... | 185 |
| 8.2.3 | Impacts of Phase and Amplitude Noise on OFDM Systems.....  | 189 |

|                    |                                                                               |            |
|--------------------|-------------------------------------------------------------------------------|------------|
| 8.3                | Nonlinearity in OFDM Transceivers .....                                       | 194        |
| 8.3.1              | Analysis of Nonlinear Circuit Impact in OFDM.....                             | 196        |
| 8.4                | Concurrent Analysis of Nonlinearity and Phase Noise in OFDM Transceivers..... | 202        |
| 8.4.1              | Theoretical Analysis .....                                                    | 203        |
| 8.4.2              | Performance Analysis .....                                                    | 208        |
| 8.4.3              | Fifth-Order Nonlinear Circuit and Phase Noise Modeling .....                  | 212        |
| 8.5                | OFDM Signal with Phase Noise Passing through Dynamic Nonlinear Circuits.....  | 218        |
| 8.5.1              | Dynamic Nonlinear Circuits .....                                              | 218        |
| 8.5.2              | Modeling and Analysis .....                                                   | 219        |
|                    | References .....                                                              | 224        |
| <b>Chapter 9:</b>  | <b>RF Impairments in MIMO Transceivers .....</b>                              | <b>227</b> |
| 9.1                | Phase Noise in MIMO Transceivers .....                                        | 227        |
| 9.1.1              | Phase Noise Model .....                                                       | 227        |
|                    | SISO Case Study.....                                                          | 229        |
| 9.1.2              | Impact of Phase Noise on MIMO Systems.....                                    | 230        |
|                    | MIMO Case Study .....                                                         | 233        |
| 9.1.3              | Adaptive Modulation MIMO System .....                                         | 233        |
| 9.1.4              | BER of Adaptive Modulation MIMO System with Phase Noise.....                  | 236        |
|                    | Case Study: Adaptive Modulation MIMO .....                                    | 237        |
| 9.2                | DC Offset in MIMO Transceivers .....                                          | 239        |
| 9.2.1              | DC Offset.....                                                                | 240        |
| 9.2.2              | BER OF MQAM Modulation under Impact of DC Offset .....                        | 241        |
| 9.2.3              | MIMO System Model.....                                                        | 243        |
| 9.2.4              | BER of Adaptive Modulation MIMO under the Impact of DC Offset.....            | 244        |
| 9.2.5              | BER Upper Bound of Adaptive Modulation under the Impact of DC Offset .....    | 245        |
| 9.2.6              | Throughput Analysis.....                                                      | 247        |
| 9.3                | I/Q Imbalance in MIMO Transceivers.....                                       | 254        |
| 9.3.1              | I/Q Imbalance Model .....                                                     | 254        |
| 9.3.2              | MIMO System Model.....                                                        | 255        |
| 9.3.3              | Impact of I/Q Imbalance on BER of Adaptive Modulation MIMO .....              | 257        |
| 9.3.4              | I/Q Imbalance Compensation in Adaptive Modulation MIMO Systems.....           | 258        |
| 9.3.5              | BER Analysis.....                                                             | 260        |
|                    | References .....                                                              | 262        |
| <b>Chapter 10:</b> | <b>Single RF Front-End MIMO Transceivers .....</b>                            | <b>265</b> |
| 10.1               | RF Front-End MIMO Using Antenna Selection .....                               | 266        |
| 10.2               | Single RF Front-End MIMO Using FDM.....                                       | 268        |
| 10.3               | Single RF Front-End MIMO Using TDM .....                                      | 269        |

|        |                                                          |            |
|--------|----------------------------------------------------------|------------|
| 10.3.1 | Input Signal.....                                        | 271        |
| 10.3.2 | Switch Model.....                                        | 271        |
| 10.3.3 | Time Sampling of Received Signals.....                   | 272        |
| 10.3.4 | Baseband Processing.....                                 | 274        |
| 10.3.5 | Experimental Studies .....                               | 275        |
| 10.4   | Single RF Front-End MIMO Using CDM .....                 | 279        |
| 10.5   | Single RF Front-End MIMO Using a Parasitic Antenna ..... | 282        |
|        | References .....                                         | 287        |
|        | <b>Index .....</b>                                       | <b>289</b> |