

Systematic Index

6. Family Chelisochidae BURR	1
1. Subfamily Genitalatinae STEINMANN	2
Genus 1: Genitalata KAPOOR	2
1. <i>Genitalata mahajani</i> KAPOOR	3
2. Subfamily Chelisochellinae STEINMANN	4
Genus 2: Chelisochella VERHOEFF	5
1. <i>C. superba</i> (DOHRN)	5
2. <i>C. doriae</i> (BORMANS)	7
Genus 3: Kinesis BURR	9
1. <i>K. weneri</i> SRIVASTAVA	9
2. <i>K. punctulata</i> (BURR)	11
3. <i>K. mounseyi</i> BURR	12
4. <i>K. significans</i> sp. nov.	13
3. Subfamily Chelisochinae BURR	15
Genus 4: Adiathetus BURR	16
1. <i>A. shelfordi</i> (BURR)	17
2. <i>A. dravidius</i> BURR	18
3. <i>A. proreoides</i> RAMAMURTHI	20
4. <i>A. glaucopterus</i> (BORMANS)	21
5. <i>A. nigrocastaneus</i> BURR	22
6. <i>A. phoenix</i> sp. nov.	23
7. <i>A. tenebrator</i> (KIRBY)	24
Genus 5: Lamprophorella MJÖBERG	25
1. <i>L. kervillei</i> (BURR)	26
Genus 6: Hamaxas BURR	27
1. <i>H. singhi</i> KAPOOR	28

2. <i>H. weneri</i> SRIVASTAVA	29
3. <i>H. kemp</i> i BURR	31
4. <i>H. quadr</i> ituberculatus BURR	32
5. <i>H. feae</i> (BORMANS)	33
6. <i>H. tenebrosus</i> BRINDLE	34
7. <i>H. bidentatus</i> RAMAMURTHI	35
8. <i>H. nigrorufus</i> (BURR)	36
9. <i>H. versicolor</i> BORELLI	38
10. <i>H. varicornis</i> (BORMANS)	39
11. <i>H. semiluteus</i> (BORMANS)	40
12. <i>H. kozlovi</i> SEMENOV & BEY-BIENKO	41
13. <i>H. fuscus</i> (BORELLI)	43
14. <i>H. melanocephalus</i> (DOHRN)	44
15. <i>H. crassus</i> BORELLI	45
16. <i>H. pusillus</i> (BORELLI)	46
? <i>dohertyi</i> (BURR)	47
? <i>fletcheri</i> (HEBARD)	47
Genus 7: <i>Euenkrates</i> REHN	48
1. <i>E. variegatum</i> (KIRBY)	49
2. <i>E. simplex</i> RAMAMURTHI	50
3. <i>E. boesemani</i> STEINMANN	51
4. <i>E. elegans</i> (BORMANS)	52
Genus 8: <i>Tauropygia</i> BRINDLE	54
1. <i>T. tridentata</i> BRINDLE	54
Genus 9: <i>Gressitolabis</i> BRINDLE	55
1. <i>G. delicatula</i> BRINDLE	56
2. <i>G. gurneyi</i> BRINDLE	57
Genus 10: <i>Adiathella</i> BRINDLE	58
1. <i>A. philippinensis</i> SRIVASTAVA	59
2. <i>A. incisa</i> BRINDLE	60
3. <i>A. lingua</i> BRINDLE	61
4. <i>A. spinosa</i> BRINDLE	62
Genus 11: <i>Exypnus</i> BURR	63
1. <i>E. chinensis</i> STEINMANN	64
2. <i>E. pulchripennis</i> (BORMANS)	65
3. <i>E. koorgensis</i> HEBARD	66

Genus 12: <i>Schizochelisoche</i> STEINMANN	68
1. <i>S. formosanus</i> (BURR)	68
2. <i>S. brevipennis</i> (BORELLI)	69
3. <i>S. diodontus</i> (RAMAMURTHI)	71
Genus 13: <i>Chelisoche</i> SCUDDER	72
1. <i>C. morio</i> (FABRICIUS)	74
2. <i>C. malgachus</i> BORMANS	76
3. <i>C. chopardi</i> HINCKS	77
4. <i>C. flavipennis</i> (FABRICIUS)	78
5. <i>C. persimilis</i> MENOZZI	80
6. <i>C. semirufus</i> BORELLI	81
7. <i>C. australicus</i> (LE GUILLON)	82
8. <i>C. ater</i> BORMANS	83
9. <i>C. kimberleyensis</i> MJÖBERG	84
10. <i>C. handschini</i> GÜNTHER	86
11. <i>C. calopteryx</i> GÜNTHER	87
12. <i>C. annulatus</i> BURR	88
13. <i>C. cheesmanae</i> HINCKS	89
? <i>paravicinii</i> GÜNTHER	91
Genus 14: <i>Solenosoma</i> BURR	91
1. <i>birmanum</i> (BORMANS)	91
Genus 15: <i>Schizoproneus</i> STEINMANN	92
1. <i>S. ritsemae</i> (BORMANS)	93
2. <i>S. shaffii</i> (BHARADWAJ & KAPOOR)	95
3. <i>S. persuasus</i> sp. nov.	96
4. <i>S. delicatulus</i> (BURR)	97
5. <i>S. dentatus</i> (SRIVASTAVA)	98
Genus 16: <i>Proneus</i> BURR	99
1. <i>P. orpheus</i> sp. nov.	101
2. <i>P. coalescens</i> (BORELLI)	102
3. <i>P. variopictus</i> (BORMANS)	103
4. <i>P. inermis</i> BEY-BIENKO	105
5. <i>P. sobrius</i> (BORMANS)	106
6. <i>P. tezpurenensis</i> (SRIVASTAVA)	107
7. <i>P. corporaali</i> BOESEMAN	108
8. <i>P. ludekingi</i> (DOHRN)	109
9. <i>P. torrevillasi</i> SRIVASTAVA	110
10. <i>P. simulans</i> (STÅL)	112

VIII

11. <i>P. minor</i> (CAUDELL)	113
12. <i>P. laetior</i> (DOHRN)	114
13. <i>P. duroides</i> HEBARD	115
14. <i>P. unidentatus</i> BEY-BIENKO	116
15. <i>P. abdominalis</i> RAMAMURTHI	117
16. <i>P. cunctator</i> BURR	118
17. <i>P. fuscipennis</i> (DE HAAN)	119
18. <i>P. weissi</i> (BURR)	120
? <i>horsfieldi</i> (KIRBY)	122
? <i>coloratus</i> (BURR)	122
? <i>longiforceps</i> RAMAMURTHI	122
? <i>ramamurthii</i> KAPOOR	122
? <i>chatterjeei</i> KAPOOR, BHARADWAJ & BENERJEE	122
? <i>biratnagarensis</i> KAPOOR, MALLA & SHAH	122
7. Family Forficulidae STEPHENS	122
1. Subfamily Ancistrogastrinae VERHOEFF	124
Genus 1: <i>Osteulcus</i> BURR	125
1. <i>O. africanus</i> BRINDLE	126
2. <i>O. kervillei</i> (BURR)	127
Genus 2: <i>Litocosmia</i> HEBARD	128
1. <i>L. roraimae</i> HEBARD	129
Genus 3: <i>Paracosmia</i> BORELLI	130
1. <i>P. ambesa</i> (MENOZZI)	130
2. <i>P. dugesi</i> BORELLI	132
3. <i>P. tristani</i> (BORELLI)	133
4. <i>P. silvestrii</i> BORELLI	134
? <i>gulosa</i> (SCUDDER)	135
? <i>impennis</i> (BORMANS)	135
Genus 4: <i>Praos</i> BURR	135
1. <i>P. alfari</i> (BORELLI)	136
2. <i>P. biolleyi</i> (BORELLI)	137
3. <i>P. curiosus</i> sp. nov.	139
4. <i>P. perditus</i> (BORELLI)	140
5. <i>P. robustus</i> BORELLI	141
? <i>intermedius</i> (BURR)	142
? <i>paulensis</i> (MOREIRA)	142

Genus 5: <i>Sarcinatrix</i> REHN	142
1. <i>S. anomalia</i> (REHN)	143
2. <i>S. quadrimaculata</i> BRINDLE	145
Genus 6: <i>Ancistrogaster</i> STÅL	146
1. <i>A. globalis</i> sp. nov.	147
2. <i>A. championi</i> BORMANS	149
3. <i>A. festae</i> BORELLI	150
4. <i>A. variegata</i> (DOHRN)	151
5. <i>A. uncinata</i> (BORELLI)	152
6. <i>A. significans</i> STEINMANN	153
7. <i>A. mendesi</i> MOREIRA	155
8. <i>A. scabiosa</i> STEINMANN	156
9. <i>A. spinax</i> DOHRN	157
10. <i>A. arthritica</i> SCUDDER	158
11. <i>A. maculifera</i> (DOHRN)	159
12. <i>A. mixta</i> BORELLI	160
13. <i>A. luctuosa</i> STÅL	162
? <i>burri</i> KIRBY	163
2. Subfamily <i>Cosmiellinae</i> STEINMANN	163
Genus 7: <i>Brachycosmiella</i> gen. nov.	164
1. <i>B. sogai</i> (BRINDLE)	165
Genus 8: <i>Paracosmiella</i> gen. nov.	166
1. <i>P. simplex</i> (BRINDLE)	166
1. <i>P. diversa</i> (HINCKS)	167
Genus 9: <i>Forcepsia</i> MOREIRA	168
1. <i>F. pulla</i> MOREIRA	169
Genus 10: <i>Neocosmiella</i> HEBARD	170
1. <i>N. atrata</i> HEBARD	171
2. <i>N. magnifica</i> sp. nov.	172
Genus 11: <i>Liparura</i> BURR	172
1. <i>L. simplex</i> BRINDLE	173
2. <i>L. punctata</i> (BURR)	174
3. <i>L. montuosa</i> STEINMANN	176
4. <i>L. dentata</i> SRIVASTAVA	177
5. <i>L. kamengensis</i> SRIVASTAVA	178
6. <i>L. serrata</i> SRIVASTAVA	179

7. <i>L. tegminata</i> (STEINMANN)	180
? <i>sinensis</i> CHEN	182
Genus 12: <i>Obelura</i> BURR	182
1. <i>O. asiatica</i> (BORMANS)	182
2. <i>O. tamul</i> (BURR)	183
Genus 13: <i>Hypocosmiella</i> gen. nov.	184
1. <i>H. venezuelica</i> (BRINDLE)	185
Genus 14: <i>Cosmiella</i> VERHOEFF	186
1. <i>C. brasiliensis</i> MOREIRA	188
2. <i>C. decui</i> (STEINMANN)	189
3. <i>C. rebus</i> (BURR)	190
4. <i>C. javana</i> (BORMANS)	191
5. <i>C. aptera</i> VERHOEFF	192
6. <i>C. tuberculata</i> (BORELLI)	194
7. <i>C. nitens</i> (GÜNTHER)	195
8. <i>C. dubia</i> (BORMANS)	195
9. <i>C. cornuta</i> (BEY-BIENKO)	196
10. <i>C. hydra</i> STEINMANN	197
11. <i>C. exornata</i> STEINMANN	198
12. <i>C. flavicornis</i> (HINCKS)	199
13. <i>C. longiforceps</i> (BRINDLE)	201
14. <i>C. madagascariensis</i> (BRINDLE)	202
15. <i>C. unicolor</i> (BRINDLE)	203
16. <i>C. eridana</i> STEINMANN	204
17. <i>C. adolfi</i> (BURR)	205
18. <i>C. pygidiata</i> (BRINDLE)	206
19. <i>C. bilobata</i> (BRINDLE)	207
20. <i>C. artificiosa</i> STEINMANN	208
21. <i>C. bicolor</i> (BRINDLE)	209
22. <i>C. neavei</i> (BURR)	210
23. <i>C. laevis</i> (BRINDLE)	211
24. <i>C. minima</i> (BRINDLE)	212
25. <i>C. intermedia</i> (BRINDLE)	213
26. <i>C. rugosa</i> (BRINDLE)	214
Genus 15: <i>Mixocosmia</i> BORELLI	215
1. <i>M. tolteca</i> (SCUDDER)	216
2. <i>M. cavernicola</i> BRINDLE	217
3. <i>M. carrikeri</i> (REHN)	218

4. <i>M. variabilis</i> (BRINDLE)	219
5. <i>M. tristani</i> BORELLI	221
6. <i>M. borellii</i> MENOZZI	222
Genus 16: <i>Kleter</i> BURR	223
1. <i>K. rehni</i> (BURR)	224
2. <i>K. boesemani</i> (BRINDLE)	225
3. <i>K. scampolo</i> sp. nov.	226
4. <i>K. aterrimus</i> (BORMANS)	227
5. <i>K. amazonensis</i> (BORMANS)	228
6. <i>K. americanus</i> (BORMANS)	229
7. <i>K. borellii</i> (BURR)	230
8. <i>K. perplexus</i> (KIRBY)	231
9. <i>K. devians</i> (DOHRN)	231
? <i>nigripennis</i> (SCUDDER)	232
Genus 17: <i>Afrocosmia</i> HINCKS	232
1. <i>A. brunnea</i> (BRINDLE)	233
2. <i>A. denticulata</i> HINCKS	234
3. <i>A. rhodesiensis</i> BRINDLE	235
Genus 18: <i>Lipodes</i> BURR	236
1. <i>L. filiformes</i> BORELLI	237
2. <i>L. vivax</i> (BURR)	238
Genus 19: <i>Cosmiola</i> BEY-BIENKO	238
1. <i>C. simplex</i> BEY-BIENKO	239
3. Subfamily <i>Opisthocosmiinae</i> VERHOEFF	240
Genus 20: <i>Cipex</i> BURR	241
1. <i>C. schwarzi</i> (REHN)	242
2. <i>C. elongatus</i> (BORMANS)	243
Genus 21: <i>Sondax</i> BURR	244
1. <i>S. potanini</i> BEY-BIENKO	245
2. <i>S. repens</i> BURR	246
Genus 22: <i>Parasondax</i> SRIVASTAVA	246
1. <i>P. cantralli</i> SRIVASTAVA	247
Genus 23: <i>Parasyntonus</i> gen. nov.	248
1. <i>P. ensifer</i> (BURR)	248

Genus 24: <i>Syntonus</i> BURR	249
1. <i>S. africanus</i> (BRINDLE)	250
2. <i>S. serratus</i> SRIVASTAVA	251
3. <i>S. simplex</i> SRIVASTAVA	252
4. <i>S. neolobophoroides</i> (BURR)	253
5. <i>S. montanus</i> HINCKS	254
6. <i>S. venus</i> sp. nov.	255
Genus 25: <i>Eutimomena</i> BEY-BIENKO	256
1. <i>E. paradoxa</i> BEY-BIENKO	256
2. <i>E. valida</i> (STEINMANN)	258
Genus 26: <i>Opisthocosmia</i> DOHRN	259
1. <i>O. silvestris</i> MOREIRA	259
2. <i>O. tenuis</i> HEBARD	261
3. <i>O. longipes</i> (DE HAAN)	262
4. <i>O. cervipyga</i> KIRBY	263
5. <i>O. centurio</i> DOHRN	264
? <i>vigilans</i> (STÅL)	266
Genus 27: <i>Neopisthocosmia</i> gen. nov.	266
1. <i>N. geijskesi</i> (BRINDLE)	266
Genus 28: <i>Pareparchus</i> BURR	267
1. <i>P. minusculus</i> (BORMANS)	268
2. <i>P. pelvimeter</i> HEBARD	269
Genus 29: <i>Prosadiya</i> HEBARD	270
1. <i>P. tricota</i> HEBARD	270
Genus 30: <i>Hypurgus</i> BURR	271
1. <i>H. poecilocerus</i> (BORG)	273
2. <i>H. ova</i> (BORMANS)	274
3. <i>H. sangus</i> (REHN)	276
4. <i>H. micheli</i> (BURR)	276
5. <i>H. uniformis</i> BORELLI	278
6. <i>H. grata</i> (HEBARD)	279
7. <i>H. discolor</i> STEINMANN	280
8. <i>H. fulvus</i> BURR	281
9. <i>H. humeralis</i> (KIRBY)	282
Genus 31: <i>Timomenus</i> BURR	283

1. <i>T. bicuspis</i> (STÅL)	286
2. <i>T. jacobsoni</i> BORELLI	287
3. <i>T. inermis</i> BORELLI	288
4. <i>T. josephi</i> SRIVASTAVA	289
5. <i>T. shelfordi</i> (BURR)	290
6. <i>T. bicostatus</i> BORELLI	291
7. <i>T. longiforceps</i> SRIVASTAVA	293
8. <i>T. unidentatus</i> BORELLI	294
9. <i>T. vicinus</i> (BURR)	295
10. <i>T. lobophoroides</i> (DOHRN)	295
11. <i>T. morsus</i> STEINMANN	297
12. <i>T. iteratus</i> STEINMANN	298
13. <i>T. haddeni</i> SRIVASTAVA	299
14. <i>T. piei</i> HINCKS	300
15. <i>T. ares</i> (BURR)	301
16. <i>T. aeris</i> (SHIRAKI)	302
17. <i>T. robustus</i> SRIVASTAVA	303
18. <i>T. nevilli</i> (BURR)	304
19. <i>T. lugens</i> (BORMANS)	305
20. <i>T. aesculapius</i> (BURR)	306
21. <i>T. oannes</i> (BURR)	307
22. <i>T. sinuatus</i> SRIVASTAVA	309
23. <i>T. komarovi</i> (SEMENOV)	310
Genus 32: <i>Paratimomenus</i> STEINMANN	311
1. <i>P. flavocapitatus</i> (SHIRAKI)	312
2. <i>P. brahma</i> (BURR)	313
3. <i>P. nathani</i> (SRIVASTAVA)	315
4. <i>P. archiboldi</i> SRIVASTAVA	316
5. <i>P. incognitus</i> sp. nov.	317
6. <i>P. elongatus</i> (SRIVASTAVA)	318
7. <i>P. simulans</i> (SRIVASTAVA)	319
Genus 33: <i>Eparchus</i> BURR	320
1. <i>E. insignis</i> (DE HAAN)	321
2. <i>E. globus</i> sp. nov.	323
3. <i>E. forcipatus</i> (DE HAAN)	324
4. <i>E. cruentatus</i> BURR	325
5. <i>E. tenellus</i> (DE HAAN)	326
6. <i>E. burri</i> (BORMANS)	328
7. <i>E. mindanensis</i> GÜNTHER	329
8. <i>E. subflavus</i> (STEINMANN)	330

XIV

9. <i>E. mercator</i> (STEINMANN)	331
10. <i>E. simplex</i> (BORMANS)	332
11. <i>E. biroi</i> (BURR)	334
12. <i>E. dux</i> (BORMANS)	335
? <i>yezoensis</i> (SHIRAKI)	336
? <i>beccarii</i> (BORMANS)	336
Genus 34: <i>Acanthocordax</i> GÜNTHER	336
1. <i>A. spinosus</i> GÜNTHER	337
2. <i>A. dorsalis</i> BRINDLE	338
3. <i>A. satanus</i> STEINMANN	340
4. <i>A. rhachynotus</i> (HEBARD)	341
5. <i>A. papuanus</i> GÜNTHER	342
6. <i>A. spatulatus</i> RAMAMURTHI	343
Genus 35: <i>Cordax</i> BURR	344
1. <i>C. bifurcatus</i> BRINDLE	345
2. <i>C. formosus</i> (BURR)	346
3. <i>C. armatus</i> (DE HAAN)	347
4. <i>C. goliath</i> sp. nov.	349
5. <i>C. vankampeni</i> BURR	350
6. <i>C. ceylonicus</i> (MOTSCHULSKY)	351
7. <i>C. vandermeeremohri</i> MENOZZI	352
? <i>politus</i> BURR	353
Genus 36: <i>Spinosocordax</i> STEINMANN	353
1. <i>S. excelsior</i> STEINMANN	353
Genus ? : <i>Chaetocosmia</i> NISHIKAWA	354
? <i>taiwanica</i> NISHIKAWA	354
4. Subfamily <i>Diaperasticinae</i> BURR	355
Genus 37: <i>Diaperasticus</i> BURR	355
1. <i>D. bonchampsii</i> (BURR)	357
2. <i>D. sudanicus</i> STEINMANN	358
3. <i>D. krausei</i> STEINMANN	359
4. <i>D. sansibaricus</i> (KARSCH)	360
5. <i>D. erythrocephalus</i> (OLIVIER)	362
6. <i>D. wittei</i> HINCKS	364
5. Subfamily <i>Allodahlinae</i> VERHOEFF	365

Genus 38: <i>Eulithinus</i> HINCKS	367
1. <i>E. analis</i> (RAMBUR)	367
2. <i>E. montanus</i> (STEINMANN)	368
Genus 39: <i>Brindleiana</i> STEINMANN	370
1. <i>B. atlas</i> STEINMANN	370
Genus 40: <i>Allodahlia</i> VERHOEFF	371
1. <i>A. scabriuscula</i> (SERVILLE)	373
2. <i>A. ochroptera</i> BRINDLE	374
3. <i>A. ahrimanes</i> (BURR)	375
4. <i>A. guptae</i> KAPOOR	376
5. <i>A. dineshi</i> GANGOLA	377
6. <i>A. ancylura</i> (DOHRN)	379
7. <i>A. bispina</i> BEY-BIENKO	380
8. <i>A. coriacea</i> (BORMANS)	381
9. <i>A. martensi</i> BRINDLE	382
10. <i>A. macropyga</i> (WESTWOOD)	384
11. <i>A. julkai</i> SRIVASTAVA	385
12. <i>A. oxypyga</i> BEY-BIENKO	386
6. Subfamily <i>Anechurinae</i> BURR	387
Genus 41: <i>Neopterygida</i> SRIVASTAVA	389
1. <i>N. circulata</i> (DOHRN)	390
Genus 42: <i>Pterygida</i> VERHOEFF	391
1. <i>P. longiforceps</i> (SRIVASTAVA)	392
2. <i>P. intermedia</i> (BORELLI)	393
3. <i>P. ferraria</i> (BURR)	395
4. <i>P. harpya</i> STEINMANN	396
5. <i>P. vishnu</i> (BURR)	397
6. <i>P. gracilis</i> (BRINDLE)	398
7. <i>P. eurypyga</i> (BEY-BIENKO)	399
8. <i>P. ornatipitata</i> (SHIRAKI)	400
9. <i>P. cornuta</i> (RAMAMURTHI)	401
10. <i>P. temora</i> (BURR)	402
11. <i>P. annandalei</i> (BURR)	403
12. <i>P. jagori</i> (DOHRN)	404
13. <i>P. tagalensis</i> (BORELLI)	405
14. <i>P. burgursi</i> (BURR)	406
15. <i>P. bosei</i> (BHARADWAJ & KAPOOR)	407
? <i>pulchripes</i> (BORMANS)	409

? <i>poultoni</i> (BURR)	409
? <i>claviger</i> (BURR)	409
? <i>maculata</i> (BEY-BIENKO)	409
Genus 43: <i>Chelidura</i> LATREILLE	409
1. <i>C. semenovi</i> (BEY-BIENKO)	411
2. <i>C. specifica</i> STEINMANN	412
3. <i>C. apfelbecki</i> WERNER	413
4. <i>C. chelmosensis</i> (MAŘAN)	415
5. <i>C. carpathica</i> (STEINMANN & KIS) sp. nov.	416
6. <i>C. aptera</i> (MEGERLE)	417
7. <i>C. bolivari</i> DUBRONY	419
8. <i>C. redux</i> (SEMENOV)	420
9. <i>C. acanthopygia</i> (GENÉ)	421
10. <i>C. euxina</i> (SEMENOV)	423
11. <i>C. russica</i> (STEINMANN)	424
12. <i>C. nuristanica</i> STEINMANN	425
13. <i>C. przewalskii</i> (SEMENOV)	427
14. <i>C. tibetana</i> (SEMENOV & BEY-BIENKO)	428
15. <i>C. mutica</i> KRAUSS	429
16. <i>C. pyrenaica</i> (BONELLI)	430
17. <i>C. transsilvanica</i> (EBNER)	431
Genus 44: <i>Eumegalura</i> BEY-BIENKO	433
1. <i>E. mandarina</i> BEY-BIENKO	433
Genus 45: <i>Perirrhytus</i> BURR	434
1. <i>P. edentulus</i> (WOLLASTON)	435
2. <i>P. madeirensis</i> (BORELLI)	436
3. <i>P. lundbladi</i> HINCKS	437
Genus 46: <i>Pseudochelidura</i> VERHOEFF	438
1. <i>P. sinuata</i> (LAFRESNAYE)	439
2. <i>P. minor</i> STEINMANN	440
3. <i>P. montuosa</i> STEINMANN	442
4. <i>P. orsinii</i> (GENÉ)	443
Genus 47: <i>Mesasiobia</i> SEMENOV	444
1. <i>M. hemixanthocara</i> SEMENOV	445
Genus 48: <i>Oreasiobia</i> SEMENOV	446
1. <i>O. fedtschenkoi</i> (SAUSSURE)	447

2. <i>O. chinensis</i> STEINMANN	448
3. <i>O. calciatii</i> (BORELLI)	449
4. <i>O. similis</i> STEINMANN	451
5. <i>O. piger</i> STEINMANN	452
6. <i>O. stoliczkae</i> (BURR)	453
 Genus 49: <i>Anechura</i> SCUDDER	454
1. <i>A. potanini</i> BEY-BIENKO	456
2. <i>A. senator</i> STEINMANN	457
3. <i>A. forficuliformis</i> SEMENOV & BEY-BIENKO	459
4. <i>A. harmandi</i> (BURR)	459
5. <i>A. lewisi</i> (BURR)	461
6. <i>A. japonica</i> (BORMANS)	462
7. <i>A. lucifer</i> STEINMANN	463
8. <i>A. globalis</i> STEINMANN	464
9. <i>A. nanyari</i> KAPOOR	466
10. <i>A. filchneri</i> (BURR)	467
11. <i>A. modesta</i> BEY-BIENKO	468
12. <i>A. primaria</i> BEY-BIENKO	469
13. <i>A. quelparta</i> OKAMOTO	469
14. <i>A. pirpanjalae</i> KAPOOR	471
15. <i>A. zubovskii</i> SEMENOV	472
16. <i>A. torquata</i> BURR	473
17. <i>A. crinitata</i> (SHIRAKI)	474
18. <i>A. bipunctata</i> (FABRICIUS)	475
19. <i>A. svenhedini</i> BEY-BIENKO	477
? <i>sokotrana</i> BURR	478
? <i>nigrescens</i> SHIRAKI	478
? <i>rubicapitis</i> LIU	478
7. Subfamily <i>Neolobophorinae</i> BURR	478
 Genus 50: <i>Eudohnria</i> BURR	479
1. <i>E. metallica</i> (DOHRN)	480
2. <i>E. uniformis</i> BRINDLE	481
? <i>zeae</i> (LIU)	483
 Genus 51: <i>Tristanella</i> BORELLI	483
1. <i>T. tuberculata</i> BORELLI	483
2. <i>T. biaculeata</i> BORELLI	484
3. <i>T. inermis</i> BORELLI	485

XVIII

Genus 52: <i>Setocordax</i> BRINDLE	487
1. <i>S. gurneyi</i> BRINDLE	487
Genus 53: <i>Neolobophora</i> SCUDDER	488
1. <i>N. inca</i> BRINDLE	489
2. <i>N. bogotensis</i> SCUDDER	490
3. <i>N. handlirschi</i> BURR	491
? <i>bicolor</i> BORELLI	492
Genus 54: <i>Metresura</i> REHN	492
1. <i>M. pygmaea</i> BRINDLE	493
2. <i>M. rugosa</i> BRINDLE	494
3. <i>M. insolita</i> (BORELLI)	495
4. <i>M. borellii</i> (BURR)	496
5. <i>M. ruficeps</i> (BURMEISTER)	497
6. <i>M. volsella</i> (SCUDDER)	498
7. <i>M. flaviceps</i> BRINDLE	499
8. <i>M. flavipes</i> BRINDLE	500
8. Subfamily <i>Forficulinae</i> VERHOEFF	500
Genus 55: <i>Chamaipites</i> BURR	501
1. <i>C. hermes</i> (BURR)	501
Genus 56: <i>Skalistes</i> BURR	502
1. <i>S. inopinata</i> (BURR)	504
2. <i>S. lugubris</i> (DOHRN)	505
3. <i>S. cornuta</i> (BURR)	506
4. <i>S. cacaoensis</i> (CAUDELL)	507
5. <i>S. biolleyi</i> (BORELLI)	508
6. <i>S. vara</i> (SCUDDER)	509
7. <i>S. lucasi</i> BRINDLE	510
8. <i>S. columbiana</i> STEINMANN	511
9. <i>S. vidua</i> (BURR)	512
10. <i>S. linsleyi</i> BRINDLE	513
11. <i>S. smithi</i> (BORMANS)	514
? <i>peruviana</i> BRINDLE	514
Genus 57: <i>Parlax</i> BURR	516
1. <i>P. nieuwenhuisi</i> (BURR)	516
Genus 58: <i>Doru</i> BURR	517
1. <i>D. spiculiferum</i> (KIRBY)	519

2. <i>D. dohrni</i> STEINMANN	520
3. <i>D. albipes</i> (FABRICIUS)	521
4. <i>D. leucopteryx</i> BURR	522
5. <i>D. robustum</i> BRINDLE	523
6. <i>D. platensis</i> BORELLI	524
7. <i>D. turbator</i> STEINMANN	526
8. <i>D. unicolor</i> BRINDLE	527
9. <i>D. beybienkoi</i> STEINMANN	528
10. <i>D. lineare</i> (ESCHSCHOLTZ)	529
11. <i>D. taeniatum</i> (DOHRN)	530
12. <i>D. aculeatum</i> (SCUDDER)	532
13. <i>D. cincinnatoi</i> MACHADO	533
14. <i>D. luteipes</i> (SCUDDER)	533
15. <i>D. gracilis</i> (BURMEISTER)	535
Genus 59: <i>Elaunon</i> BURR	536
1. <i>E. bipartitus</i> (KIRBY)	536
? <i>gangoli</i> GANGOLA	538
Genus 60: <i>Apterygida</i> WESTWOOD	539
1. <i>A. media</i> (HAGENBACH)	539
2. <i>A. tuberculosa</i> SHIRAKI	541
3. <i>A. tumida</i> SHIRAKI	541
Genus 61: <i>Afroforficula</i> gen. nov.	542
1. <i>A. kaffir</i> (BURR)	543
2. <i>A. nigerrima</i> (BRINDLE)	544
3. <i>A. capeneri</i> (HINCKS)	545
4. <i>A. brongersmai</i> (BOESEMAN)	546
Genus 62: <i>Proforficula</i> gen. nov.	547
1. <i>P. stuckenbergi</i> (BRINDLE)	548
2. <i>P. peringueyi</i> (BURR)	549
3. <i>P. purcelli</i> (BURR)	550
4. <i>P. angolensis</i> (BRINDLE)	551
5. <i>P. promontorii</i> (BURR)	552
Genus 63: <i>Guanchia</i> BURR	554
1. <i>G. taylori</i> (POPHAM)	556
2. <i>G. rugulosa</i> (HINCKS)	557
3. <i>G. crassa</i> (BRINDLE)	558
4. <i>G. rehni</i> (BURR)	559

5. <i>G. bituberculata</i> (BRINDLE)	560
6. <i>G. triangulata</i> (HINCKS)	561
7. <i>G. sjoestedti</i> (BURR)	563
8. <i>G. brevitaris</i> (CHOPARD)	564
9. <i>G. schmitzi</i> (BORELLI)	565
10. <i>G. canariensis</i> (BURR)	566
11. <i>G. uxoris</i> (HELLER)	567
12. <i>G. guancharia</i> (HELLER)	568
13. <i>G. fernandezi</i> MARTIN	569
14. <i>G. cabreræ</i> (BOLIVAR)	570
15. <i>G. tenerifensis</i> MARTIN	571
16. <i>G. bandamaensis</i> MARTIN	572
17. <i>G. transversa</i> BRINDLE	573
18. <i>G. storai</i> CHOPARD	575
19. <i>G. gomerensis</i> MARTIN	576
20. <i>G. kaznakovi</i> (SEMENOV)	577
21. <i>G. circinata</i> (FINOT)	578
22. <i>G. pubescens</i> (GENÉ)	578
23. <i>G. obtusangula</i> (KRAUSS)	580
24. <i>G. brignolii</i> (TAGLIANTI)	581
25. <i>G. hincksi</i> (BURR)	582
26. <i>G. medica</i> BURR	583
27. <i>G. lucens</i> (BRINDLE)	584
28. <i>G. distendens</i> (BRINDLE)	585
29. <i>G. uvarovi</i> (SEMENOV & BEY-BIENKO)	586
30. <i>G. bicarinata</i> HINCKS	587
31. <i>G. chirurga</i> BURR	588
 Genus 64: <i>Forficula</i> LINNAEUS	589
1. <i>F. coloniae</i> (BURR)	595
2. <i>F. chopardi</i> (HINCKS)	596
3. <i>F. cavallii</i> (BORELLI)	597
4. <i>F. picta</i> KIRBY	598
5. <i>F. lucasi</i> DOHRN	599
6. <i>F. beelzebub</i> (BURR)	601
7. <i>F. auricularia</i> LINNAEUS	603
8. <i>F. borellii</i> BRINDLE	605
9. <i>F. fistula</i> sp. nov.	606
10. <i>F. brolemanni</i> BORELLI	607
11. <i>F. senegalensis</i> SERVILE	608
12. <i>F. apennina</i> COSTA	609
13. <i>F. lesnei</i> FINOT	611

14. <i>F. silana</i> COSTA	612
15. <i>F. aetolica</i> BRUNNER	613
16. <i>F. decipiens</i> GENÉ	614
17. <i>F. iberica</i> STEINMANN	616
18. <i>F. hiromasai</i> NISHIKAWA	617
19. <i>F. tomis</i> (KOLENATI)	618
20. <i>F. scudderi</i> BORMANS	620
21. <i>F. paratomis</i> STEINMANN	621
22. <i>F. smyrnensis</i> SERVILLE	622
23. <i>F. mikado</i> BURR	624
24. <i>F. laeviforceps</i> CHOPARD	625
25. <i>F. abrutiana</i> BORELLI	626
26. <i>F. ruficollis</i> FABRICIUS	627
27. <i>F. riffensis</i> BURR	629
28. <i>F. sagitta</i> SEMENOV	630
29. <i>F. vicaria</i> SEMENOV	631
30. <i>F. lurida</i> FISCHER	632
31. <i>F. puella</i> STEINMANN	634
32. <i>F. beebei</i> BURR	635
33. <i>F. cherapunjiae</i> KAPOOR	636
34. <i>F. kashmirensis</i> SRIVASTAVA	637
35. <i>F. kambaitensis</i> HINCKS	638
36. <i>F. macrobasis</i> BEY-BIENKO	639
37. <i>F. externa</i> BEY-BIENKO	641
38. <i>F. fontana</i> STEINMANN	642
39. <i>F. davidi</i> BURR	643
40. <i>F. meenae</i> KAPOOR	644
41. <i>F. mogul</i> BURR	645
42. <i>F. subauricularia</i> BEY-BIENKO	646
43. <i>F. berezovskyi</i> BEY-BIENKO	647
44. <i>F. sinica</i> BEY-BIENKO	648
45. <i>F. wittmeri</i> SRIVASTAVA	650
46. <i>F. planicollis</i> KIRBY	651
47. <i>F. cristata</i> SRIVASTAVA	652
48. <i>F. baijali</i> KAPOOR	653
49. <i>F. biplaga</i> BEY-BIENKO	655
50. <i>F. tawangensis</i> SRIVASTAVA	655
51. <i>F. jayarami</i> SRIVASTAVA	657
52. <i>F. greeni</i> (BURR)	658
53. <i>F. indiae</i> KAPOOR	659
54. <i>F. harberei</i> BURR	660
55. <i>F. abbottabadiensis</i> BHARADWAJ & KAPOOR	661

56. <i>F. interrogans</i> BURR	662
57. <i>F. bhutanensis</i> BRINDLE	663
58. <i>F. calmar</i> STEINMANN	664
59. <i>F. cicero</i> STEINMANN	665
60. <i>F. mandarina</i> BORELLI	666
61. <i>F. genitalia</i> KAPOOR	668
62. <i>F. flavalis</i> BRINDLE	669
63. <i>F. hinnulea</i> HINCKS	670
64. <i>F. schlagintweiti</i> (BURR)	671
65. <i>F. ornata</i> BORMANS	672
66. <i>F. splendida</i> BEY-BIENKO	673
67. <i>F. vilmi</i> STEINMANN	674
68. <i>F. burgersi</i> GÜNTHER	676
? <i>capensis</i> THUNBERGER	677
? <i>mabiliei</i> ROCHENBERG	677
? <i>flexuosa</i> FABRICIUS	677
? <i>doumerci</i> SERVILE	677
? <i>albertisii</i> DUBRONY	677
? <i>gravelyi</i> BURR	677
? <i>kinfomontis</i> LIU	677
? <i>fasciata</i> THUNBERGER	677
Genus ? : <i>Mesolabia</i> SHIRAKI	678
? <i>niitakaensis</i> SHIRAKI	678
Referenzen	679
Index	703